of 50,368 as the number of feet of air which an ordinary register stove passed through her aperture in eight hours, or a column of air nearly a mile and a quarter in length per hour. The day previously gave also about $1\frac{1}{4}$ mile.

A similar experiment two days earlier, the rate at which the air was passing gave almost exactly one mile per hour.

In a dining-room with two gas-burners, the fire nearly out and the door closed, the velocity was increased three-fold, but when the door was widely opened and cold fresh air was drawn in from the passage, as the air in the chimney became more cool, notwithstanding the extra draught, each experiment showed a gradually decreasing velocity. I mentioned at the commencement that I had no new apparatus to describe, I have therefore carefully avoided mentioning the numerous ventilators which have been advocated from time to time. Some are ineffective, some costly, others are only useful under particular conditions, whilst many, though they allow the ingress of pure air, do not so direct the current as to provide that the cool fresh air from without shall mix with the heated atmosphere of the room and the occupants not be exposed to a draught.

To epitomize: to have thorough ventilation, the air in an apartment must be frequently changed, to effect which there should be a communication with the external atmosphere. The foul air whether caused by combustion, the CO^2 derived from the breath of persons present, or from noxious effluvia, must be got rid of; and as the result of the few experiments I have made and other observations, I consider that under ordinary conditions there is no better ventilator, more especially if assisted by a fire, than the ordinary chimney. Some means should, however, be devised for getting rid of the products of combustion derived from burning gas. I think it is more especially under the latter condition that mechanical contrivances are demanded.

I may add, in conclusion, that in registering with the air meter the results were carefully noted, but I do not pretend that they were done with strictly scientific accuracy, at the same time they were verified by my friend Mr. Cushing, who was kind enough to assist me in the matter.

H. J. STRONG, M.D.

Infant Mortality.

It is the object of this paper to bring to the notice of the public a few points having an interesting connection with the annual rate of infant mortality.

To justify myself in thus taking up valuable time I need only point out the high rate of mortality in the first year of life.

In 1877, 451,896 male children were born and 67,616 died under the age of one year, or about 15 per cent.

In the same year, 436,304 female children were born and 53,201 died under one year old, or about 12 per cent.

In the first case, the deaths of the male infants represented 25 per cent. of the whole mortality occurring among males, which was 260,567.

And in the second case, the deaths of the female infants represented 22·17 per cent. of the whole mortality among females, the latter being 239,929.

Having shown the mortality among infants to be frightfully great, I shall now proceed to point out three causes which, in my humble opinion, conduce to this result. But I would first wish to state that my experience, such as it is, has been gained from medical practice among the lower and middle classes of this town and South London.

Cause 1st.—Deficiency in quality or quantity or unsuitability of nourishment given to infants.

The lower and middle classes as a rule suckle their infants, but unfortunately they also feed them by means of the bottle or spoon.

This is done generally for one or two reasons—

(1) Either they are led by the baby's constant fretfulness or constant hunger, due often to indigestion, to think that their breast milk is not sufficiently nourishing or satisfying; (2) or, they feed them to provide nourishment for their infant during their absence, often for many hours daily, at work or elsewhere.

The first reason prevails very much among the poorer classes, who seem to ignore the fact that breast-milk was provided for the nourishment of their offspring. And so many patent foods are now advertised and puffed, that the opinion seems to grow daily in the public mind that they are always thoroughly essential to the welfare of infantile stomachs.

I do not wish for one moment to condemn these preparations as useless, but being often too expensive for the lower classes to buy, the latter generally use a bad substitute as gruel, bread or biscuit sop.

According to my daily experience, most mothers among the poor go out to work of some shape or other, consequently the care of the home and the babies is generally left to other persons, often young children.

In some instances the babies are taken to a *crèche* or infant nursery, where of course they must be fed by hand. It is far from my intention to speak against such useful institutions, but I think their utility should be limited to the infants of widows or women with sick husbands; such is, however, not always the case.

When infants are fed it is generally with bread or biscuit sop, in fact with some farinaceous preparation they cannot digest.

This is often given from the birth, and cannot then be digested owing to the absence of the salivary and pancreatic secretions, which are required for the necessary conversion of the starch contained in farinaceous food into dextrine and grape sugar, previous to its absorption into the system. I will quote from

Dr. Eustace Smith, a great authority upon the diseases of children.

In his excellent work on the wasting diseases of children, he states, that the salivary secretion in the child is not fully established until the fourth month.

He also refers to the experiments of Professor Korowin, of St. Petersburg, which show the secretion of the pancreatic gland in the second month of life to be very scanty, and to have little action upon starch.

The undigested food in the bowels of the infant sets up acid indigestion, and causes a disagreement of the whole alimentary canal.

By its irritation it acts reflexly upon the brain, and often brings on convulsions, one of the many diseases by which infant life is lost.

And that is not the only evil; in addition, the baby is more or less starved.

The food being undigested, its nutritive properties are not assimilated and the system derives no support from it.

I think it cannot be too strongly insisted upon that every mother should suckle her infant and not feed it at all for the first nine months, unless medical advice has urged a contrary course.

I admit that there are many cases where a mother would do well to abstain from suckling her child, but it should always be only under medical advice; and if this rule was always carried out, I am sure the lives of many infants would be spared.

Now many women, either from ignorance of the harm they are doing, or from a wish to be spared a further increase in their family, suckle their children too long, sometimes until the babies are fifteen and eighteen months, or even two years old.

The first effect of this unnatural prolongation is that the mother loses her health and strength, which causes her milk to become thin and poor, showing a deficiency of casein and butter, its nutritive properties.

Then the child in its turn suffers, becoming also emaciated and weak; from a fat healthy looking baby with firm flesh it soon dwindles away to a thin, haggard, flabby pigmy, in fact it is half starved. In this state it is strongly predisposed to catch any of the common ailments of children, as measles, scarlatina, whooping cough, and the like.

The ordinary dentition troubles are also greatly increased, and very often infants in such a condition ultimately die from one of these complaints.

Hence I maintain that the annual reports of the Registrar-General, in which the causes of death are classed under five heads—"zymotic, constitutional, local, developmental, and violent," are in a certain measure misleading; for if the infants were not greatly reduced in strength and almost at death's door from scanty or improper nourishment, they would not so frequently succumb to those diseases, which in the upper classes do not make such fearful ravages.

It is often my lot to see such children apparently waiting for some disease to come and carry them off. I have always found it

a most difficult task to persuade mothers that breast-milk after the ninth month is improper nourishment for their infant. On the contrary, they seem to think that the more weak and ill an infant is, the greater necessity for strict adherence to breast-milk only.

Even when the mothers themselves are ill, they cannot be brought to see that their milk must suffer in quality and quantity, although they would not buy milk drawn from a diseased cow.

I can only hope that this state of ignorance amongst mothers, which is the chief cause of the evils to which I have referred, may be remedied in the future by means of suitable education, which subject I must leave in the hands of other and more competent men than myself. Then and then only will the rate of mortality of infants be sensibly reduced, and the ravages of the zymotic diseases much decreased.

Cause 2nd.—Want of medical assistance at childbirth and during the lying-in state.

This is a minor one in comparison with the first, but still it has some effect on infant mortality.

Owing to the small earnings of the agricultural and other labourers of this town, the high rents and dearth of provision on the one hand, and on the other to the rules of the Local Government Board, or the way in which they are applied by the relieving officers, many of the wives of our poorest inhabitants are without medical attendance in childbirth.

At that critical time they receive only the assistance of some unskilled woman—a laundress, charwoman, or monthly nurse of a low type.

As far as I know, there is only one certified midwife in this large town, and many of the women who attend confinements are dirty and ignorant in the extreme; in fact, I can confidently state that the stock on a farm and the mares in a stable often receive more skilled attention than some of our poverty-stricken fellow-creatures.

The way in which this want of proper assistance affects the mortality rate is as follows:—

The function of respiration is sometimes not properly instituted, owing to the lungs not being thoroughly inflated with air immediately after birth takes place, and the infant dies after a few days of collapse of the lungs, to which disease is perhaps added a low form of inflammation induced by the same.

Feeding with farinaceous or other thin improper food is constantly recommended by the so-called midwives, and has been shown to be a fruitful source of loss of life. But deficiency of suitable clothing is still more often a cause of disease (as far as I have seen, the same amount is given to the infant in all seasons of the year). This want of sufficient warm clothing acts most prejudicially upon those infants which, having been born prematurely, are very thin and wanting in vital power. Low temperature causes them great suffering, and they are often quietly allowed to die by parents imbued with the prejudice that a seventh or eighth month child cannot be reared.

Cause 3rd—Is failure of coroners to hold inquiries and take medical evidence in every case of death occurring to infants which have not been attended by a medical man. That such is the case I need bring no evidence to prove, it is a well-known fact.

I remember well a case occurring in this town, when an infant was suckled one morning at three o'clock, and found dead three hours later at the mother's side. The child had not been ill, in fact was strong enough to draw the milk from its mother's breast.

An inquest was certainly held in this particular case, but no medical evidence called nor a *post mortem* examination made.

I do not wish even to hint that the child was poisoned, but if it had been dosed with paregoric, which contains opium, no one would have been any the wiser.

I believe that the dread of an inquest and *post mortem* examination has a salutary effect upon people who are careless of the lives of infants, or wish to get rid of them for the sake of gain.

That such an unnatural desire sometimes exists, the police reports can amply testify.

Cases have occurred in my experience, when I have suspected a desire for the death of the sick infant to whom I have been called in, apparently at the last moment, for the sake of procuring a death-certificate. On such occasions I always threaten a refusal to certify and hint at the necessity of an inquest, the result being more than once a speedy recovery of the child to health. Whether the failure of the coroners to hold an inquest and call medical evidence upon every certified death arises from a wish to save themselves trouble or the county rates a few pounds, I do not pretend to say; but I maintain that the present uncertainty of the coroners' action robs us of that salutary fear which would tend to make evil-disposed persons very careful of taking away the lives of their offspring or of children intrusted to their care.

In conclusion, I trust that the account given of the three causes which, in my opinion, help to increase the rate of infant mortality, has proved sufficiently interesting to you, to justify me in taking up your valuable time.

F. NICHOLS.

On Common Lodging-House Accommodation.

If there be a single individual in whose well-being all concerned in the maintenance of public health should take a special interest, it is the poor traveller. Nor is this unrecognized. So long ago as 1848 the State realized that to neglect the poor traveller and his environment was to imperil the health of the community; and