dozens of bewildered souls after his footsteps through the streets of every New England village. Is there no remedy for this? I think in our profession it may be modified, and the "pathies," and isms, and irregularities which in some form have hung upon our borders for a thousand years, and perhaps always will be found there, to a greater or less extent, may be driven into darker corners. It can only be done by a broader, sounder, and more liberal education and cultivation in the ranks of the regular profession. What do we imply by the term "regular profession of medicine"? Do we not mean, sir, that profession which refuses to recognize any man, or any body of men, as professional brothers, who adopt any exclusive idea, as a theory of disease, or as a method of cure. It announces itself as physician, simply; not Hydropathic, nor Thompsonian, nor Homœopathic. It says to the Hydropathist, "your exclusive treatment of disease by water alone is an absurdity," yet where is the physician treating acute disease, or the surgeon treating mechanical injuries that does not revel with cold water? The regular physician claims the ability to recognize the case in which it is applicable, the skill to use it judiciously, and it casts the absurdities of the theory away, and refuses to recognize its followers as of the true science of medicine. It says to the Homœopathist, "you are hugging one of the silliest medical delusions that ever bewildered the minds of men, with here and there a golden thread of truth running through it." The regular profession picks out these threads as belonging to itself, uses them every day, and casts the chaff behind it as folly, and delusion, and refuses to recognize its disciples as of the true science of medicine. It denounces patent medicine men, and men of patent appliances as unworthy the name of physician, which they assume. Do you conceive it possible, gentlemen, that the profession which gave to the world vaccination, chloroform, quinine, would recognize the right of *any* man to hold a patent of anything, or for anything, which could relieve the distress of the body or anxiety of mind of suffering men? This profession fills the laboratories of Germany, of England, and of America with as earnest, as faithful and as capable a body of men, as any other field, or form, of human experience can illustrate, who are putting the earth and its products, the sea and the air, under tribute for their mysteries. It takes hold upon every science collateral to medicine, and upon every science foreign to it,

for every fact which can beneficially aid it in its progress, or its work. It stands by the bed-side of the sick and the suffering throughout the civilized world, directing the battle of life against death, observing, collating, collecting, systematizing its experience, and scattering it broadcast and world-wide among its professional brethren; and this is the regular profession of medicine—old school of medicine? Yes, sir, old as the days when Hippocrates stood up in terror-stricken Athens to wrestle with the plague, and new, new as the latest-born fact of science, which can add strength and confidence to the labor "which blesses him that gives, and him that takes."

UTERINE HÆMORRHAGE.

By E. CHENERY, M.D., Boston.

DR. JAMES RUSH once made the remark that "exactitude of knowledge is the bright felicity of intellect." This saying is being appreciated in its spirit and, I am happy to believe, is being carried out in practical application in regular modern medicine. What was traditional is being sifted in reference to the facts which it may contain; and what was complex and uncertain is being brought into simple and definite ideas.

Once it was said that the patient has "inflammation of the bowels." Investigation showed that there are many organs and parts embraced in that locality, each of which may be the special seat of inflammatory action. Not long ago, "salt rheum" was a disease; but careful investigation has made out that it was a term applied to a variety of diseases, each of which has been shown to possess its own peculiar pathology and individual characteristics, so that the name "salt rheum" has been left floating in the air, without anything to light upon, and is now used only by other-day physicians, or by physicians who are only pretenders to knowledge. The same is true of "womb disease."

The term at the head of this article is not really that of a disease in itself. It is rather a symptom of disease in the locality of the uterus, which expresses itself by an unnatural flow at the monthly epochs, called *menorrhagia*, or by loss of blood during the intervals also, denominated *metrorrhagia*. But what is the pathological state lying back of the hæmorrhage? or, in other words, what is the causative condition out of which the bleeding springs in any given case?

That this question can be answered defi-

nately and satisfactorily in, at least, ninety-nine cases out of a hundred, I fully believe. Still, it may often be the duty of the physician to guess, as well as he can, at the nature of things, and prescribe accordingly. But if the trouble is not speedily cured by this problematical treatment, it will be his duty, both by his relation to his patient and the honor of his profession, to clear up the uncertainties and know where the nail is which he wishes to hit upon the head. And this can only be done by careful and oftentimes by persevering investigation.

The object, therefore, in the presentation of the brief cases which follow is to indicate something of the variety of the causative conditions, and to encourage the younger practitioner not to give up, but to push his inquiries until he shall be satisfied as to the real nature of the case he has in hand.

CASE I.—Miss W., æt. 17, American, residing in the country. She had had flowing almost continuously for several weeks, and had taken iron, tannin, &c. At my visit, she was lying flat in her bed, her lips, tongue and skin almost perfectly blanched. The case was so imminent that there was no time to be lost, and the bare possibility of some special fault with the womb made it necessary to examine that organ, but with entirely negative results. This, together with the fact that there was no febrile symptom, and that she had had epistaxis formerly, led me to believe that the case was one of purely passive hæmorrhage, arising from some constitutional state. The use of ergot and compound spirits lavender checked the hæmorrhage and a subsequent course of iron brought her up, and there was no more return of the unnatural flowing.

CASE II.—Miss T., æt. 16, American, and daughter of a clergyman, who was very limited in means, and having a large family, of which she was the eldest. Upon her fell much of the care of the younger children. She was never robust; but her mind was unusually active and mature. She menstruated at 13. For some time, she had found it difficult to be on her feet on account of weakness in her back and weight in the lower part of her body. She thinks the lifting of the children has been too much for her. When I was called to her, she was flowing too often and altogether too much, causing great prostration and disagreeable feeling about the head. On examination, the vagina, particularly the upper part of it, was very much relaxed, and the uterus, which was symmetrical and much lower down than it ought to have been, was at least two or three times the normal size.

The uterus was not tender, and, indeed, was without any of the usual signs of inflammation. The conclusion arrived at was that it was a case of engorgement combined with real hypertrophy, the result of too great muscular exercise by a delicate constitution. Rest in the recumbent position, the free use of ergot, continued for some time with the hope of diminishing the weight and bulk of the womb, and iron, soon brought about marked improvement.

But the following illustrates a form of frequent occurrence, taking place near the menopause:—

CASE III.—Mrs. R., æt. 46, stout, good constitution, and mother of a large family. She had flowed more than natural for several periods, and clots had been frequent. At the time when I saw her, she had flowed considerably, so that her system was suffering, and she was in considerable nervous excitement. Another physician had previously seen her and given iron and then tannin, with no relief to the hæmorrhage and a good deal of disturbance of the stomach. The uterus was in its normal position, its neck patulous, so as to admit the finger nearly to the upper os, and the whole organ was nearly double its normal size. There was no tenderness nor other sign of inflammation. It was without doubt a case of hypertrophy, due to engorgement from the waning nervous influence on the uterus at that period of life. Ergot and opium checked the flowing, and two or three applications of solid nitrate of silver to the cervical canal, to contract the mucous membrane and, if possible, to modify the nerve action in the part, resulted in a perfect cure, and she has enjoyed excellent health for the last nine or ten years.

CASE IV.—Mrs. R., 34 years old, tall, spare and, at the time, much emaciated by habitual loss of blood at the monthly periods. She was the mother of two children. When not flowing, she had much mucopurulent discharge. Examination of the womb showed it to be in its natural position, somewhat larger than usual, and the lips and cervical canal completely covered with granulations. The stick of nitrate of silver was brought into requisition, and iron and bitter tonics were given. The hæmorrhage and discharges were presently checked, and in a few months the patient was discharged cured, and has had usual health for fifteen years. The above case illustrates a great many, since they are of frequent occurrence.

CASE V.—Mrs. C., æt. 33, wife of a clergyman, of delicate constitution, and rather

below medium size. Has three children, and has not been as well since her first confinement as formerly. She was very much prostrated from repeated loss of blood, and her skin and tongue were quite white. The uterus was somewhat larger than normal, a little inclined back, the os patulous, and the posterior lip everted. The canal was in a state of granulation, and the central part of the neck posteriorly was much elevated and thrown forward, causing the eversion. It had much the appearance of having a fibroid tumor buried in the substance. It was, however, regarded as a local hypertrophy from inflammation, and by its weight it had doubtless caused the retroversion. Ergot, nitrate of silver, and general tonics were resorted to with partial success. But it was not till active measures were directed to the hypertrophy that the menorrhagia was fully controlled. The results of treatment confirmed the belief that the bleeding depended rather upon the inflammatory hypertrophy than upon the state of the cervical mucous membrane in this case.

CASE VI.—Mrs. B., æt. 28, stout, fleshy. Complained of lame back, and of having her "monthly spells nearly all the time lately." Two polypi were found hanging from the mucous membrane just within the os, and extending about an inch into the vagina. Their removal by twisting was all that her case demanded.

CASE VII.—Miss D., æt. 31. Had no pain nor leucorrhœa. Abdomen prominent, making her think she had "the dropsy." Countenance very exsanguine from loss of blood. Vagina and cervix natural, except that it was a little shorter than common. Hard globular tumor felt behind the bladder, and when moved from above carries uterus with it. Sound passed into the cavity turns backward and sweeps forward about the tumor so that the point can be felt above the umbilicus by the fingers of the left hand. It enters six inches. Diagnosis, fibrous tumor in the interior of the front wall of the womb, about six inches in diameter. Ergot was administered to check the flowing, and its use was continued with the hope that contraction of the womb might strangle the tumor and destroy its vitality. The menorrhagia was suppressed and the tumor has not grown any from that time, now seven years. The general health of the lady is good, and the tumor seems to cause no great inconvenience. The menorrhagia has never returned.

CASE VIII.—Miss A., æt. 40, spare, but

of naturally firm constitution. She had had a thin odorless discharge for a number of weeks, and latterly several sudden, severe attacks of flooding. Her physician, being unable to account for the hæmorrhage, asked me to see her in consultation. Upon examination, the uterus was found of natural size and position, and not inflamed. But just within the os there was a small, warty-like tumor, with a very delicate epithelial covering, which, with the watery and hæmorrhagic discharges, gave unmistakable evidence of cauliflower. She refused any operative interference, and died after a few months. The autopsy proved the diagnosis.

CASE IX.—Mrs. J., æt. 35, has been sick three years, and most of the time confined to the house. She has several children. Her first sickness originated from a sea-bath when she was having a monthly turn. Acute inflammation of the womb followed. After this was subdued, she was treated for ulceration of the cervix, which probably existed prior to the acute inflammation of the womb. After some months, her physician discharged her from farther applications to the cervix. She was still very weak, her nervous system greatly broken, and upon the whole she was a very unpromising case when she came into my hands. She was still suffering from cervical inflammation and from too great loss of blood at every period. The inflammation was taken in hand and thoroughly cured. Still she remained weak, losing at every monthly turn what she had gained during the interval. Believing that there must be a cause for the hæmorrhage higher up, I dilated the cervix with sponge tents and found two whitish, sessile tumors, about as large as the half of a marrowfat pea. They were cut off and the acid nitrate of mercury freely applied to their roots. One of these tumors was situated just on the upper os, a portion of it dipping into the uterine cavity, and the other close to it. There was no further trouble and the patient gradually regained her health.

CASE X.—Mrs. G., æt. 38, mother of three children. Has been ill for some years. Most of the time has had vaginitis, provoked by purulent discharge from the interior of the uterus. Has her turns a week earlier than she used to and flows considerably more than formerly. She often has clots, and her health shows that she is suffering from loss of blood. Nothing is found to account for the hæmorrhage below, and guided by the unnatural uterine discharge the neck is dilated, when several excrescences are found rising from the interior of the womb.

These are scraped away and strong tincture iodine is applied to the seat whence they sprung. Upon this, the hemorrhage and the purulent discharge have ceased, and the vaginitis remains cured.

CASE XI.—Mrs. R., about 40, mother of a large family, flows almost continually of late, is prostrate and complains of her back. The mouth of the uterus was very patulous, and at least a quarter or a third of the neck was eaten away by a clean-cut ulceration. The edges were sharp, the base clean, and the surrounding tissues were not infiltrated. The description of corroding ulcer by Dr. J. Clark, of England, and by others, seems to fit this case exactly, and there is nothing else described in any book I have seen which fits the case. I accordingly did not hesitate to call it a case of corroding ulcer. Nitrate of silver was thoroughly applied at first, and then one or two applications of acid nitrate of mercury. The flowing ceased, and the woman regained her health and has been alive these eight years. What was the case? If it was not corroding ulcer, I have no idea what it was. If it was a corroding ulcer, it recovered against the experience of other physicians. What was it? Many other cases, as cancer, tumors in contiguous parts, and specially the results of conception or miscarriage, might be added to show the almost endless variety of the causal conditions out of which uterine hemorrhage may spring. Let what I have given suffice to put the physician on his guard, and if his case does not recover speedily under empirical treatment, if, indeed, that is admissible at all, let him search thoroughly to know the exact nature of his case.

A NEW INSTRUMENT FOR CRANIOTOMY.

By G. W. GARLAND, M.D., Lawrence.

THE annexed engraving represents a perforator, which I have recently devised for use in craniotomy. The instrument has been made for me by Messrs. Codman & Shurtleff, of Boston.

The cutting part or blade of the instrument, *c*, is shaped like a tap-borer, with a strong lance-shaped point instead of a screw, with a broad shoulder, *b*. It cuts a round three-quarter inch hole, through which the brain can be reached and its attachments broken up by the end of the blunt hook, or by any small rod, and through which the brain, when reduced to a pulp (which for obvious reasons should always be done), finds a ready exit.

In all cases two perforations should be made, if possible, and as far apart as can be done, seeking the more solid parts and avoiding the fontanelle.

After the cranium is well emptied by the expulsive action of the womb or by the pressure of forceps, these round perforations will be found exceedingly convenient, affording a loop through which a finger or the blunt hook can be passed and aid rendered in expelling the fetus.

Physicians who have used other perforators, and have had to contend with lacerated integuments and naked, rough-edged bones, will at once appreciate this instrument. It can be introduced with great ease and safety to the mother by placing the index finger of either hand in the concavity of the blade, letting it extend a little beyond the point, so as to guard and guide it to the part selected for perforation. The handle, *a*, gives sufficient power for the proper use of the instrument.

MEDICAL EDUCATION IN LEIPZIG.

By G. E. HATTON, M.D.

I SEND the following description of the Leipzig School, thinking it will interest the readers of the JOURNAL, at a time when medical education is receiving so much attention, both here and in America, and new life has been infused into the profession by Virchow, Von Graefe, Conheim, Donders, Beale, and other eminent men. The advances which have been made and the broad fields which have been thrown open for exploration render the fact apparent that the medical schools of the past are inadequate for the present study of medicine. In Leipzig this demand has caused the erection of large buildings and the more complete organization of the medical school, so that the student may be supplied with every convenience with which to pursue his studies. The facilities offered for study at this place are as follows:—

1st. A large building is used exclusively for the study of *Anatomy*, containing a lecture room, a dissecting room, a room for the professor, and a long room for the study of histology. The professor has one or two assistants, who prepare the objects be-