Astronomische Nachrichten.

Nr. 2394.

Observations of Comets. By *A. Hall*.

(Communicated by Rear Admiral John Rodgers, Superintendent).

F a y e's C o m e t.

Date	Wash. m. t.	$\Delta\alpha$	$\Delta\delta$	app. α	Par.	app. δ	Par.	Comp.	Star
1880									
Sept. 25	10 ^h 48 ^m 4 ^s 2	— 0 ^m 36 ^s 26	— 0 8 ["] 6	22 ^h 52 ^m 37 ^s 49	+ 0 ^s 03	+ 6 ^u 10' 43 ["] 2	+ 4 ["] 3	28.7	1
28	9 38 32.5	+ 1 47.67	+ 0 49 8	22 51 12.47	— 0.07	+ 5 36 34.0	+ 4.4	22.5	2
29	10 21 30.2	— 0 8.48	— 3 40.7	22 50 45.04	+ 0.01	+ 5 24 30.0	+ 4.4	24.6	3
30	9 37 35.8	+ 0 0.88	+ 1 38.1	22 50 20.66	— 0.06	+ 5 12 57.3	+ 4.5	28.6	4
Oct. 1	9 57 33.7	+ 1 46.75	+ 3 50.2	22 49 56.57	— 0.01	+ 5 1 8.7	+ 4.5	20.6	5
2	10 36 22.4	— 1 0.36	— 4 15.6	22 49 33.54	+ 0.07	+ 4 48 56.9	+ 4.5	20.6	6
3	10 17 18.5	— 3 30.90	— 1 49.8	22 49 12.99	+ 0.04	+ 4 37 17.0	+ 4.5	18.5	7
Nov. 1	8 28 51.6	— 0 38.78	— 2 55.2	22 52 52.54	+ 0.04	— 0 17 20.8	+ 4.8	20.7	8
2	8 29 9.5	— 1 1.58	+ 2 28.1	22 53 31.40	+ 0.05	— 0 24 32.5	+ 4.8	20.6	9
7	8 19 27.6	+ 0 29.91	+ 0 9.7	22 57 16.22	+ 0.05	— 0 56 32.9	+ 4.7	20.6	10
Dec. 1	6 46 34.8	— 1 59.42	— 2 25.8	23 26 3.38	+ 0.01	— 1 56 34.6	+ 4.3	16.5	11
2	6 25 39.0	— 0 28.02	— 1 39.0	23 27 34.77	— 0.02	— 1 55 47.9	+ 4.3	20.5	12
3	6 31 47.2	+ 1 6.50	— 0 37.8	23 29 9.28	— 0.01	— 1 54 44.7	+ 4.3	16.5	13
30	6 54 59.9	+ 1 47.56	+ 7 29.0	0 19 4.96	+ 0.10	— 0 4 53.7	+ 3.6	16.5	14
31	6 42 32.2	— 1 33.79	— 2 7.7	0 21 8.56	+ 0.08	+ 0 1 41.7	+ 3.6	16.5	15
1881									
Jan. 22	6 55 11.7	— 1 9.70	+ 0 15.5	1 9 55.15	+ 0.13	+ 3 0 21.7	+ 3.0	20.5	16
27	7 28 23.6	+ 1 46.40	clouds	1 21 42.41	+ 0.16		+ 2.9	4.0	17
28	6 46 55.6	— 0 47.92	+ 0 20.6	1 24 0.06	+ 0.13	+ 3 56 17.2	+ 2.9	20.5	18
Febr. 2	6 51 27.8	— 1 2.25	+ 0 54.9	1 35 58.15	+ 0.14	+ 4 44 30.1	+ 2.8	20.5	19
25	7 11 31.8	+ 0 15.49	+ 3 23.4	2 32 55.37	+ 0.16	+ 8 27 43.4	+ 2.4	18.5	20
Mar. 2	7 49 9.9	— 3 29.57	— 5 42.9	2 45 40.29	+ 0.19	+ 9 14 10.4	+ 2.4	10.4	21
24	7 54 46.8	+ 1 0.04	+ 0 44.0	3 42 10.81	+ 0.19	+ 12 15 1.3	+ 2.1	20.4	22
26	7 55 10.5	— 1 1.98	— 4 11.4	3 47 20.60	+ 0.19	+ 12 29 4.4	+ 2.1	16.4	23
27	7 45 26.7	— 0 55.16	— 1 5.0	3 49 54.47	+ 0.18	+ 12 35 53.1	+ 2.1	20.5	24

Comet ϵ 1880.

Date	Wash. m. t.	$\Delta\alpha$	$\Delta\delta$	app. α	log $p.A''$	app. δ	log $p.A''$	Comp.	Star
1880									
Dec. 1	9 ^h 8 ^m 33 ^s 2	— 0 ^m 39 ^s 39	+ 0' 43 ["] 8	3 ^h 31 ^m 8 ^s 87	0.661 _n	+ 51 ^u 38' 5' 2	0.175 _n	22.5	1
3	8 3 48.9	— 2 51.39	+ 0 49.6	3 50 12.02	0.869 _n	+ 50 9 33.7	9.492 _n	14.5	2
6	8 21 29.0	— 0 24.12	— 2 9.0	4 15 0.87	0.837 _n	+ 47 41 20.2	8.772 _n	16.5	3
7	9 10 52.3	— 1 6.32	+ 5 38.0	4 22 21.64	0.712 _n	+ 46 49 12.7	9.736 _n	16.5	4
10	14 48 48.5	+ 1 5.10	+ 4 34.6	4 42 2.87	0.880	+ 44 6 19.0	0.009	15.5	5
11	15 50 50.4	+ 0 41.01	+ 1 32.6	4 47 30.07	0.941	+ 43 14 53.0	0.342	20.5	6
22	8 16 17.4	+ 1 46.43	+ 4 32.2	5 26 8.60	0.782 _n	+ 35 37 7.5	0.224	16.5	7
24	10 52 42.3	— 0 50.40	— 4 14.7	5 31 11.30	9.909 _n	+ 34 23 8.2	9.835	16.5	8
31	9 2 24.8	+ 0 31.60	+ 0 53.5	5 44 37.31	0.632 _n	+ 30 56 13.5	0.240	9.5	9
1881									
Januar 7	13 19 44.4	+ 0 14.75	— 0 57.6	5 55 21.83	0.693	+ 28 11 10.6	0.369	18.5	10

Mean positions of the stars of Comparison for
1880.0 and 1881.0.

F a y e ' s C o m e t .

Star	α	δ	Authority
1	22 ^h 53 ^m 9 ^s 32	+ 6 ^o 10' 22"7	Wash. Mer. Circ. 3 Obs.
2	22 49 20.39	+ 5 35 15.0	" 3 "
3	22 50 49.10	+ 5 27 41.5	" 3 "
4	22 50 15.37	+ 5 10 50.0	" 3 "
5	22 48 5.39	+ 4 56 49.4	1/3 [2 Bessel+Lalande].
6	22 50 29.49	+ 4 52 43.2	Wash. Mer. Circ. 3 Obs.
7	22 52 39.48	+ 4 38 37.4	" 3 "
8	22 53 27.11	— 0 14 53.9	" 3 "
9	22 54 28.77	— 0 27 28.8	1/2 [2 Schjellerup+Bessel]
10	22 56 42.14	— 0 57 10.5	Wash. Mer. Circ. 3 Obs.
11 12 13	23 27 58.73	— 1 54 35.7	1/5 [2 Yarn.+2 Greenw.+ Wash. Mer. Circ.].
14	0 17 13.36	— 0 12 48.5	Bessel
15	0 22 38.31	+ 0 3 24.0	Bonn. Obs.
16	1 11 3.82	+ 3 0 1.7	"
17	1 19 54.99	+ 3 49 16.3	Schjell.: Bessel's α wrong.
18	1 24 46.94	+ 3 55 52.4	1/2 [Rümker + C. H. F. Peters].
19	1 36 59.35	+ 4 43 31.2	Bessel
20	2 32 38.81	+ 8 24 16.8	"
21	2 49 8.77	+ 9 19 50.8	"
22	3 43 9.75	+ 12 14 16.4	1/3 [2 Rümker+Bessel].
23	3 48 21.49	+ 12 33 14.9	"
24	3 50 48.54	+ 12 36 57.2	Bonn. Obs.

C o m e t *e* 1880.

1	3 ^h 31 ^m 40 ^s 66	+ 51 ^o 37' 0"0	Wash. Mer. Circ. 3 Obs.
2	3 52 55.79	+ 50 8 25.7	Bonn. Obs.
3	4 15 17.46	+ 47 43 14.0	Wash. Mer. Circ. 3 Obs.
4	4 23 20.46	+ 46 43 20.7	" 3 "
5	4 40 50.41	+ 44 1 32.9	" 3 "
6	4 46 41.74	+ 43 13 9.8	" 3 "
7	5 24 15.21	+ 35 32 30.2	Bessel
8	5 31 54.78	+ 34 27 18.9	Lalande
9	5 43 58.93	+ 30 55 17.9	1/3 [2 Bess. 1+Lalande].
10	5 55 4.18	+ 28 12 8.3	Wash. Mer. Circ. 3 Obs.

The preceding observations were made with the 26 inch refractor, and generally a power of 383 was used in the observations of Faye's comet; but on December 30 and 31, and February 25, a power of 175 was used. All the observations have been corrected for differential refraction, but the corrections for parallax have not been applied.

The comet Faye was generally easy to observe, having a small and pretty well-defined nucleus; and since the change of brightness from March 2 to March 24 was not very great, this comet could have been observed several weeks longer. A single change has been made in the record. On Dec. 30 the coincidence of the wires was recorded as 93^r8, and this has been changed to 93^r3, to correspond to previous determina-

tions, although unfortunately this wire was broken out before the discordance was noticed. According to the record, the difference of declination would be +7'34"0.

The stars of comparison used before Dec. 30 have nearly all been observed with the Washington Meridian Circle, and the positions thus obtained have much improved the observations. These positions are not definitive, but have been computed by Professor Frisby in such a way as to make the right ascensions depend on Newcomb's fundamental stars, and the declinations on those of Boss. A comparison of these observations with the excellent ephemeris given by Professor Axel Möller, Berliner Jahrbuch 1882, p. [131], gives the following corrections of the ephemeris. To these are added the probable errors of a single comparison in right ascension $r_1 \alpha$; and in declination $r_1 \delta$.

Date	$\Delta\alpha$	$\Delta\delta$	$r_1 \alpha$	$r_1 \delta$
Sept. 25	— 1 ^s 46	— 2"9	$\pm 0^s 087$	$\pm 0"35$
28	1.31	3.4	0.077	0.37
29	1.38	3.8	0.083	0.58
30	1.47	2.0	0.097	0.31
Oct. 1	1.28	2.7	0.067	0.59
2	1.27	6.0	0.078	0.39
3	1.27	5.4	0.105	0.17
Nov. 1	1.04	3.0	0.073	0.22
2	0.91	4.4	0.105	0.64
7	0.86	3.7	0.074	0.38
Dec. 1	1.00	6.0	0.080	0.71
2	0.93	4.8	0.113	0.66
3	0.87	2.8	0.045	0.36
30	0.60	5.1	0.137	1.29
31	0.74	6.6	0.142	1.23
Jan. 22	0.28	0.7	0.076	1.68
27	0.20	...	0.111	...
28	0.61	8.9	0.100	0.03
Febr. 2	0.80	2.2	0.146	0.60
25	0.47	0.8	0.139	0.39
Mar. 2	0.50	10.2	0.256	1.37
24	0.25	5.3	0.131	0.76
26	0.30	4.6	0.130	0.93
27	— 0.32	— 3.3	± 0.131	± 1.27

On Dec. 1 a small nebula, or nebulous star, was found which at first was mistaken for the comet. A comparison on Dec. 2 with the star 12 gives for the position of this nebula 1880.0:

$$\alpha = 23^h 27^m 1^s 2 \quad \delta = -1^o 57' 3.$$

Its magnitude I estimate as 14.

Comet *e* 1880, discovered by Swift on Oct. 10, 1880, was a diffuse object, and the observations may be affected with systematic errors. A magnifying power of 175 was employed, and on Dec. 31 the observation was made by eye and ear, the cold being so great that the chronograph would not act. — This comet was

last seen on Jan. 22, but it was so faint and so far from the computed position that it was not observed. Its estimated position on this day at 8^h m.t. was

$$\alpha = 6^{\text{h}}13^{\text{m}}27^{\text{s}} \quad \delta = +24^{\circ}24'8''.$$

On account of the very unfavorable weather, the past winter being the severest known in Washington for many years, but few observations of these comets could be made.

1881, June 20.

Data for ephemerides of the Satellites of Mars in the opposition of 1881.

By *A. Hall.*

Greenw. M. Noon. Date.	$\log f$	F	$\log g$	G	Phobos u_1	Deimos u_2	Aberr.
1881 Nov. 16.0	9.97946	296 ⁹ 3' 7	9.50991	318 ⁰ 56' 7	308'' 50	234 ⁰ 01	— 5 ^m 9
18.0	9.97948	296 2.8	9.50901	318 41.0	46.18	84.34	5.8
20.0	9.97942	296 5.3	9.50858	318 22.0	143.86	294.67	5.7
22.0	9.97928	296 11.2	9.50865	318 0.1	241.54	144.99	5.7
24.0	9.97907	296 20.4	9.50923	317 34.9	339.22	355.32	5.6
26.0	9.97877	296 33.0	9.51037	317 7.2	76.90	205.65	5.5
28.0	9.97839	296 49.1	9.51205	316 36.8	174.58	55.97	5.4
30.0	9.97792	297 8.6	9.51431	316 4.3	272.26	266.30	5.4
Dec. 2.0	9.97738	297 31.4	9.51715	315 30.0	10.95	116.63	5.3
4.0	9.97674	297 57.6	9.52055	314 54.3	107.63	326.95	5.3
6.0	9.97603	298 27.1	9.52456	314 17.8	205.31	177.28	5.2
8.0	9.97523	298 59.7	9.52910	313 41.0	302.99	27.61	5.2
10.0	9.97435	299 35.4	9.53418	313 4.3	40.67	237.93	5.1
12.0	9.97340	300 14.0	9.53976	312 28.5	138.35	88.26	5.1
14.0	9.97236	300 55.3	9.54578	311 54.0	236.03	298.58	5.0
16.0	9.97125	301 39.0	9.55218	311 21.3	333.71	148.91	5.0
18.0	9.97008	302 24.8	9.55890	310 51.0	71.40	359.24	5.0
20.0	9.96886	303 12.4	9.56587	310 23.2	169.08	209.56	5.0
22.0	9.96759	304 1.5	9.57298	309 58.4	266.76	59.89	5.0
24.0	9.96629	304 51.6	9.58016	309 36.7	4.44	270.21	5.0
26.0	9.96496	305 42.2	9.58733	309 18.1	102.12	120.54	5.0
28.0	9.96363	306 33.0	9.59441	309 2.9	199.80	330.87	5.0
30.0	9.96230	307 23.4	9.60131	308 50.6	297.48	181.19	5.1
1882 Jan. 1.0	9.96099	308 13.2	9.60800	308 41.3	35.16	31.52	5.1
3.0	9.95971	309 1.8	9.61440	308 34.6	132.84	241.84	5.1
5.0	9.95847	309 48.8	9.62047	308 30.5	230.52	92.17	5.2
7.0	9.95728	310 34.0	9.62618	308 28.5	328.21	302.50	5.2
9.0	9.95614	311 16.9	9.63149	308 28.5	65.89	152.83	5.3
11.0	9.95508	311 57.3	9.63639	308 30.0	163.57	3.15	5.4
13.0	9.95410	312 34.8	9.64084	308 32.6	261.25	213.47	— 5.5

The angle of position and the distance of the satellite, p and s , will be computed by the formulae

$$s \sin p = \frac{a}{\rho} \cdot f \sin (F + u)$$

$$s \cos p = \frac{a}{\rho} \cdot g \sin (G + u),$$

where ρ is geocentric distance of Mars. The values of a , and of μ , the mean distances and the mean daily motions of the satellites are as follows:

Phobos.

$$a = 12' 9531 \\ \mu = 1128^{\circ} 8405$$

Deimos.

$$a = 32'' 3541 \\ \mu = 285^{\circ} 1632$$

The quantity u for each satellite is given for the corresponding dates in the columns u_1 and u_2 . For elongations the value of u is given by the equation

$$\tan 2u = \frac{f^2 \sin 2F + g^2 \sin 2G}{f^2 \cos 2F + g^2 \cos 2G}.$$

Thus for Dec. 20, $u = 325^{\circ} 83'$ at the elongation,