CASE 9.—Big mongrel, morphin 0.1, ether. Tube in trachea. Usual approach to heart. Lung nipped by costatome. Heart punctured with needle—as point entered myocardium a postponed systole, which, when it came, was violent and followed by rapid action gradually slowing to the usual rhythm. The needle was withdrawn after the postponement. This was done to see if the acts of placing a suture could have been done in successive diastoles, and the experiment was repeated, but no diastole long enough for a definite act, like pulling through a suture or tying a knot, occurred. The bleeding from the needle wounds stopped spontaneously and quickly. The right coronary artery was cut and bled by spurts during systole, and was then tied. Transverse incision, 1 1-5 cm. near apex. Two interrupted stitches stopped all hemorrhage. Two c.c. salt solution with carmin in pericardium just before last suture. Pericardium and chest closed in the usual way. Heart beating rapidly and not very forcibly. Dog died in about 48 hours.

Autopsy showed conditions similar to those in Case 6.

CASE 10.—Mongrel fox terrier, morphin 0.1, ether. Tube in trachea. Heart approached in usual way with no collateral injury. No incision in heart. Usual closure of pericardium and thorax. At this point the heart stopped and the chest was reopened and the heart massaged, exciting only feeble fibrillary arrhythmical contractions. Strychnin in the femoral vein and in the heart muscle produced no effect.

Death was ascribed to overdose of ether, as the apparatus was set for the administration of ether with the air.

CASE 11.—Small Mongrel. Same operation as Case 10. Again symptoms of heart failure and some delay in the resumption of active respiration, but 4 mgr. of strychnia stimulated both functions. This dog lived two weeks and then had an open wound over the sternum with the loose ends of the costal cartilages projecting from the surface of the wound. He was in good condition and begged for a dead rabbit which was in the laboratory. He was given morphin 0.1 and ether. Tube in trachea through new incision. An attempt to dissect into the pericardium past the lungs, which were assumed to be adherent to the deep side of the cicatrix, failed, and the pleura was again opened. Pericardium was adherent to the cicatrix, was opened, the line of suture had healed perfectly and the visceral side was smooth. Very little fluid in endocardium. No adhesions to heart. As it was out of the question to again close the thorax the dog was permitted to die.

CASE 12.—Small mongrel, morphin 0.1, ether. Tube in trachea. Usual approach to heart. Suspension loops. Punctured wound, longitudinal 1 to 1.5 cm. Three moderately deep interrupted sutures. Usual closure of pericardium. A change in the method of closing the thorax was a failure and the dog died in a few hours.

Two Belgian hares and two rabbits were also used, because of their having two pleura separated by a mediastinum, but we failed to be able to open the pericardium without opening the left and sometimes also the right pleura in this quartet and there was no time for further trials.

CLOSING REMARKS.

The early death of these dogs was a disappointment for I had especially desired to see if the cicatrix in the heart muscle would stretch with the lapse of time, or would yield under the strain of rapid and forcible action. As it was, in no instance was death due to the rupture of the wound or to hemorrhage from the failure of a stitch, and in the two dogs which lived long enough to permit a satisfactory observation the wound in the heart was rapidly healing. The supervention of sepsis and its usually rapidly fatal effect was apparently unavoidable, for all the technic of the operating room, even to having the preparation of the dog and the instruments and the operating table in the charge of a male trained nurse, was practiced. As I have said in the body of the paper, the pleura lacks the mechanical arrangements which favor the localization of infection in the peritoneum, and an originally minor infection has opportunity to become a general and extensive

one. Drainage of the pericardium and pleura in the dog is not to be thought of, because the pericardium is in the middle of the one pleural sac, and could only be drained through it; and drainage of the pleura would inevitably result in the collapse of both lungs. Therefore, the dogs were permitted to die and no effort was made to help them out of their septic state.

BIBLIOGRAPHY.

- Terrier et Reymond: *Chirurgie du Cœur et du Péricarde*.
 Terrier et Reymond: *Chirurgie de la Plèvre et du Poumon*.
 Mignon et Sieur: *Bulletins et Mémoires de la Société de Chirurgie de Paris*, 1901.
 Fontan: *Bulletins et Mémoires de la Société de Chirurgie de Paris*, 1901.
 Nietert: *Philadelphia Medical Journal*, Dec. 14, 1901.
 Nietert: *Interstate Medical Journal*, December, 1901.
 Nietert: *Interstate Medical Journal*, January, 1902.
 Nietert: *Philadelphia Medical Journal*, May 3, 1902.
 Vaughn: *Medical News*, Dec. 7, 1901.
 Berent: *Inaugural Dissertation ueber die Heilung von Herz-wunden*, etc., 1892.
 Elsberg: *The Journal of Experimental Medicine*, September-November, 1899.
 Hill: *Medical Record*, Dec. 15, 1900.
 Zulehner: *Centralblatt für Chirurgie*, No. 4, 1902.
 Watten: *Centralblatt für Chirurgie*, No. 4, 1902.
 Ninni: *Centralblatt für Chirurgie*, No. 8, 1902.
 Annals of Surgery, October, 1899.
 Tuffier: *Intervention Chirurgicale directe dans un anévrysme de la crosse de l'aorte, Ligature du sac*, *La Presse Médicale*, March 19, 1902.
 Rotter: *Opération type pour les plaies du cœur*, abstracted in *La Presse Médicale*, Février 28, 1900.
 Stern: *Intervention pour plaie du cœur par arme à feu*, abstracted in *La Presse Médicale*, Mai 23, 1900.
 Marion: *Intervention pour plaie du cœur*, *La Presse Médicale*, Mars 29, 1899.
 Le Dentu: *Chirurgie du Cœur*, *Bulletin de L'Académie de Médecine*, Mars 18, 1902.
 Brunton: *The London Lancet*, Feb. 8, 1902.

STATE MEDICINE, PAST, PRESENT AND FUTURE.

ORATION ON STATE MEDICINE DELIVERED BEFORE THE FIFTY-THIRD ANNUAL MEETING OF THE AMERICAN MEDICAL ASSOCIATION, AT SARATOGA SPRINGS, N. Y., JUNE 10-13, 1902.
 J. M. EMMERT, M.D.
 ATLANTIC, IOWA.

State Medicine had its origin with Moses, the great legislator. The bloodthirsty Egyptians of the dark ages, who in superstitious ignorance destroyed the lives of those among them who differed from their belief or creed, left nothing which the human race could follow for the preservation of health and life. Thirty odd centuries ago, the great law-giver, Moses, laid down sanitary rules, regulations and exercises which are followed at the present day by all civilized and semi-civilized nations.

THE SANITARY CODE OF MOSES.

Some 1300 years before the Christian era, the code contained in the Mosaic Exodus laid down restrictions on every possible act that mankind may perform to impair or impede existence. Such as they are, it is hardly possible to improve upon them at this enlightened day. Moses instructed his people that those sanitary commands were inspired by a Supreme Being; that the only health officer in existence was the Almighty, who could watch over their trespasses against the law. No matter where they might be, or what they might do, the Supreme Overseer would bring them to justice for the violation of the code of health.

It was handed down to the Israelites in an oral way for about one thousand years, when it became corrupt and neglected, like other laws of long standing when there is no one to enforce them.

About six centuries before the Christian era, the great Sanhedrin was formed: it consisted of seventy-two men, who compiled the oral law to a written law, adding to it, besides the moral, every possible sanitary regulation

that may benefit human health and life. This tribunal enacted laws to improve every possible means of securing healthy food, clothing and shelter, and established minor judiciary courts in every possible community, and gave these courts the right to bring before themselves anyone who violated the sanitary measures. The laws of the Sanhedrin were enforced and well kept for hundreds of years, during the time that Judea could establish and enforce its own laws, but when it fell under the sovereignty of the Romans, they were unable to enforce the laws with Roman influence; consequently, they were kept only by the pious Jews.

THE JUSTINIAN LAW.

The infidels could not be compelled to keep the commands under the Roman law. Hence the pious Jews of the sixth century appealed to the Roman Emperor Justinian, under whose reign a code was compiled by sixteen eminent jurists, establishing laws for all Roman states, and quoting decisions mostly from the Jewish Talmud, including many moral and sanitary measures, which is now termed the Justinian Law. Besides adopting many of the Talmudic laws, which did not differ from the Mosaic, they added many practical and sanitary regulations. It is to the Justinian Law that our present civilization is indebted for the abolishment of polygamy. It is to the laws of Justinian that we are indebted for the prohibition of the marriage of consanguinity. The combination of the Mosaic, Talmudic and Justinian laws forms a fair code for the preservation of human life. The Bible itself is one of the very best text-books on hygiene that has ever been written. He who strictly follows its teachings will be a perfect sanitarian. "We must learn," says a distinguished writer, "to regard physical as well as moral sins as greatly displeasing in the sight of God."

FEATURES OF THE MOSAIC LAW.

Jewish hygiene and diet are well known for their regulation to healthy food, for the Jews are restricted to certain fish of the waters and certain beasts of the field. It is from the Mosaic Law that we have learned to legislate against unwholesome food, especially of animal food. Every one of us knows with what care the Jews kill their cattle and their fowls, and with what care the autopsies are made on the animals before they are declared fit for use.

The sanitary laws of Moses provided for the segregation of lepers and the fumigation and destruction of infected clothing. These had great influence on Christian nations when contagion was recognized in epidemics, and probably most of them were, from the standpoint of to-day, either directly or indirectly infectious, and a grand advance in preservative methods became possible. All European nations enforced laws for limiting the spread of leprosy, and these, which have been handed down from ancient times, had merely to be modified in their application in order to exercise a controlling influence on the spread of fulminant febrile diseases.

PESTILENCE AND SUPERSTITION.

Before and after the beginning of the Christian era, plagues, pestilences and famines were classed together as of divine origin. The Greeks and Romans, from the evidences of their authors, resorted to forms and ceremonies to avert epidemics. Statues were erected to Æsculapius and Apollo; Sibylline books were consulted, nails were driven into the walls of the Temple of Jupiter Capitolinus, and the Lectisterne ceremonies were among the remedies applied to epidemics before the time

of Christ. Later, festivals, mournings, and founding of religious structures were resorted to in order to appease the divine anger, to which the epidemics were attributed. For hundreds of years, thousands and thousands of human lives were sacrificed from various causes and infectious epidemics, of which we now seldom hear. The so-called sweating plague of the latter part of the fifteenth and the forepart of the sixteenth centuries, has not been heard of since 1551. Black death and epidemics of cholera with its ravages as late as 1848 and 1849, and the last of the tropical countries, yellow fever, to say nothing about the various other zymotic epidemics and infectious diseases, such as typhus, diphtheria, scarlatina, etc., have become a rarity among civilized nations. Livy tells us that during epidemics the Roman citizens shut themselves up in their houses and paid attention to nothing except how to preserve themselves from the pestilence. Boccaccio refers in his tales to the attempts made by Florence to preserve her citizens from the plague which overspread Europe in 1346 by denying access to all sick persons.

THE FIRST QUARANTINE.

The first arrangements for the isolation of the sick and quarantine establishment against infectious diseases reach back to the tenth century. Charles IV, in 1347, made a statute for German states, including certain measures for the isolation of the sick and quarantine establishment against certain diseases.

In 1348, a "Board of Supervision," a sort of council of hygiene which in the end served as a model for all Italy, was first established in Venice. At Majorca, in 1374, a committee of officials presided over by a physician, Lucien Colomines, was appointed with extensive powers, to whom the local magistrates at the outbreak of the plagues were directed to report.

This committee was also allowed a hospital, and it was directed that no ship should discharge passengers nor unload freight without their knowledge, nor should any port sales be held without preceding notice to the sanitary council. Suspected ships were required to keep quarantine for forty days, hence the name quarantine.

In 1348, the year of the extension of the black death, it was noted by many observers, and especially recorded by Gabriel de Mussis, who fled from the Crimea to Plaisance in France, that ships and passengers from the East conveyed the disease. That same year Venice, then the center of maritime commerce, appointed three proveditors of health to take measures for the prevention of the plague. Count Barnabo, in 1374, issued a decree at Reggio, in Italy, that any person attacked by the disease should instantly leave the city, fortress or castle for tents in the open country, until recovered or dead; that persons attending the sick should not consort with others until after the lapse of ten days; that the priests should examine and notify the infected sick to the inquisitors, and that all goods and property of persons infected, or who conveyed infection, should be confiscated to the use of the church, and none but those appointed should, under penalty of death and confiscation, attend upon the plague-stricken.

In 1382, Chalin de Vinario demonstrated that contagion was the cause of the spread of the plague. The following year Count Barnabo prohibited entrance of persons from infected localities under penalty of death; and his successor, Viscount John, in 1399, ordered the city gates to be guarded against admission of strangers from infected places, infected houses to be fumigated and thoroughly ventilated for a long period, clothes and

bedding to be washed and dried in the open air, bedsteads to be exposed for days in the open air, and all refuse matter and rubbish to be burnt.

In 1400 the Berlin butchers were compelled under the law to take the following oath: "I will sell no suckling sow, no consumptive or one-eyed cattle, and no cattle purchased from poor people out of the hospitals."

EXTENSION OF QUARANTINE.

During the fifteenth century, severe measures were employed in times of pestilence. Boards of health were frequently convoked and strict health ordinances issued. "It is forbidden to attend foreign markets and fairs. Whosoever, however, did attend fairs must undergo quarantine, the guard of the gates were strengthened, suspected persons were not admitted and strangers must bring evidence that they had not sojourned in places afflicted by the pestilence. 'Blotterhauser' were built, the attendants were forcibly pressed into service as nurses, the sick were shut up in their houses, suitable directions as to mode of life, even as to purification of the washings of the body and bed, on interment, etc., were published. The council sought to suppress the use of secret remedies, sorcery and necromancy; amulets were interdicted and burned."

The first quarantine port was established at Marseilles in 1526, and during this century the system of quarantine extended to most of the maritime cities of the Mediterranean, and many inland cities adopted similar precautions.

In 1846 the work on contagions and contagious diseases, by Fracastor of Venice, declaring contagion to be exhaled by the body, infecting those at hand directly through the air, and those at a distance through the medium of fomites, induced greater measures of exclusion. By degrees, the practice of quarantine extended over the whole civilized world, and the penalty measures were increased in severity. Torture and death awaited alike those who remained in the city, when ordered out, and those who entered when forbidden access. In the sixteenth century, not only were ships with their passengers and cargo detained in prolonged quarantine, but towns also were surrounded by sanitary cordons and completely blockaded for long periods, and even individual houses in the towns were closed against exit and entrance. Food and necessities were obtained with difficulty and by the most circuitous methods of exchange, whilst politics, commerce, and social intercourse stagnated.

QUARANTINE IN THE UNITED STATES.

The first quarantine act adopted in the United States under the colonial system was passed by the General Assembly of Pennsylvania in 1700, and was entitled, "An act to prevent sick vessels coming into this Government." It imposed a penalty of one hundred pounds on any infected vessel which landed in the province. Other quarantine acts of greater or less severity were adopted by Massachusetts in 1701, Virginia in 1722, Delaware in 1726, North Carolina in 1775, New York in 1758, Maryland in 1760, etc. The first general quarantine act adopted by Congress was passed Feb. 23, 1799, and was designed to be supplementary to the various state acts. It was entitled, "An act respecting quarantine and health laws."

During the eighteenth century maritime quarantine and lazarets extended, especially on the Mediterranean coast, and increased in importance when inland pandemics subsided in severity. The quarantine services under boards of health, with their stations, lazarets, de-

tentions, disinfections, numerous attendants and complicated ordinances, became large organizations. Europe was less frequently invaded by plague, against which maritime quarantine was almost entirely directed; therefore the lazarets were neglected, and the administration became lax. At the end of the century John Howard made strong protests and, in the beginning of the nineteenth century, cholera and yellow fever made their advent. This revived the interest in the prevention of pandemics, and shook the confidence placed in quarantine, as it was practiced at that time.

INTERNATIONAL SANITARY CONFERENCES.

The severe measures designed for plague in the seventeenth and eighteenth centuries were adopted for cholera and yellow fever in the nineteenth century, and they were embodied with modifications in a lengthy convention, accompanied by an elaborate International Sanitary Code. At the International Sanitary Conference held in Paris in 1851, and represented by twelve European powers. This convention did much to spread ideas of municipal hygiene in place of useless quarantines. Inspection of dwellings and destruction of sources of infection were strongly advocated. In the United States various yellow fever and other epidemics called attention to the subject. In the City of New York, in 1866, a Metropolitan Health Board was established, organized on the same lines as the English sanitary acts. Later, in 1869, Massachusetts established a state board, and other states and cities rapidly followed. Ten years later, in 1879, Congress created a National Board of Health, and to-day municipal hygiene is receiving a great deal of attention.

Municipal hygiene in Europe has been carried to a much further degree than in the United States. At the International Sanitary Conference held in Vienna in 1874, much modification with regard to quarantine was commenced. Inland quarantine was rejected as inadmissible. The Conference of Constantinople recommended the establishment of a strict quarantine in the Red Sea, for the purpose of preventing importation of cholera into Europe, and was met with approval. This was regarded as the strategic point in the line of defense, and therefore tended to weaken reliance upon quarantine in Western ports, and medical inspection was considered as a possible substitute in conjunction with local sanitary measures. Sir John Simon, Medical Officer of the Privy Council, in his memorandum, expressed the views of the local government board upon the prevention of cholera, which greatly influenced the opinions of the delegates. The precautions recommended in detail the various means applicable for the removal of filth, and the protection of water supplies, combined with careful disinfection of the discharges of any person who might be attacked.

In 1881, an International Sanitary Conference was held in Washington, and was attended by the representatives of twenty-seven states, including all the governments of Europe, except Switzerland. They discussed measures desirable to prevent the spread of yellow fever and cholera. No uniform agreement was arrived at on all points, but some of the recommendations were adopted by many of the foreign governments. After the invasion of Egypt by cholera in 1883, and of Europe in 1884, an International Sanitary Conference was held in Rome in 1885. The interested powers were represented by their ambassadors or other diplomats, assisted by technical medical delegates. They traced the course of shipping from its point of departure from ports and

cities where cholera is endemic, for instance, Bombay, Calcutta, etc., and followed it through the Red Sea, the Suez Canal, the Mediterranean, to the open ocean. Later they considered the indications for inland precautions, and recommended the security of correct statements of sanitary conditions by the presence on big vessels of government medical officers independent of shipping companies, the disinfection on board, by means of steam chambers, of all soiled or dirty articles, the enforcement of strict precautions against the spread of cholera by the pilgrims to and from Mecca. Respecting the detention of ships, the powers represented expressed opinions that were arranged in the three following groups: Turkey, Spain, Mexico, Brazil, etc., favored the continuance of long quarantines. France, Germany, Austria, Hungary, Switzerland, Russia, Sweden, Norway, Italy and Portugal yielded to the data of modern science; whilst desiring short periods of quarantine they favored such detention as deemed necessary upon travelers and commerce; England and India advocated free passage without detention. Regarding quarantine, however, the opinions of Continental nations have been undergoing modification. At the International Congress of Hygiene, at Paris, during the exhibition of 1889, Dr. Proust, Inspector-General of the sanitary service of France, concluded a report on sanitation in seaport towns with the following propositions: "That it is the duty of governments and municipalities to render ports healthy; that sanitary works for seaport towns are more necessary than for other towns; that it is only after such works that any notable reduction in zymotic diseases and general death rates takes place, and that it is only when ports present a refractory soil for the penetration upon shipping can be suppressed." In spite of the dubious signification of the last resolution, there was ample indication that quarantine was slowly but surely being whittled down to small proportions.

Most of the microphytic diseases are found to prevail more or less in all parts of the civilized world. Certain are more prevalent in temperate zones; others are peculiar to the tropics, and are exotic in relation to this country. There are many diseases indigenous to certain tropical areas, but which are not naturalized in this country, such as Oriental plague, Asiatic cholera, yellow fever, dengue, yaws, elephantiasis, endemic hematuria, and chyluria, Oriental sore, and Madura foot. Besides these, some diseases, such as malaria and dysentery, appear in a more severe form in tropical than in temperate zones. On the contrary, scarlatina, erysipelas, whooping cough, cerebrospinal fever, and what is known as cholera nostras, are more common in temperate zones.

EPIDEMICS IN THE UNITED STATES.

According to the late Dr. Toner, the most important epidemics which prevailed in the United States during the eighteenth century were as follows:

Smallpox: In Boston in 1701, 1702, 1721, 1730, 1752, 1764, 1776, and 1792; in New York in 1721, 1731, and 1752; in Philadelphia in 1730-32, 1736, and 1756; in Charleston, S. C., in 1700, 1717, 1732, 1738, and 1760.

Yellow Fever: In Boston in 1796 and 1798; in New York in 1702, 1732, 1741, 1743, 1791, 1795, 1798, and 1799; in Philadelphia in 1741, 1762, 1793, 1797-99; in Charleston, S. C., in 1700, 1703, 1728, 1732, 1739, 1745, 1748, 1749, 1753, 1755, 1758, 1792, 1794, 1795, 1796, 1797, 1799; in New Orleans in 1769, 1791, 1793-95, 1797, 1799, 1800.

Scarlatina: (According to J. Lewis Smith, first im-

ported into the United States in 1735.) In Boston in 1702, 1735, 1795; in New York in 1792-94.

Measles: In Massachusetts in 1713, 1739, 1769, 1773; in New York in 1788 and 1795; in Philadelphia in 1771, 1773, 1778, 1796; in Charleston, S. C., in 1747, 1759, 1772, 1775.

Angina (Diphtheria): In Kingston, N. H., in 1733-35; in Boston in 1735, 1769; in New England in 1737, 1742, 1787, etc.

GROWTH OF THE HOSPITAL.

The first hospital, or rather pest-house, was established in 1403 by the proveditors of Venice, on an island near that city, but only those actually attacked by plague were at first admitted. Later several other maritime cities in the Mediterranean founded similar institutions.

Hospitals especially for the insane were established first at Feltre, in Italy, then at Seville in 1409, then at Padua, 1410; Saragossa, 1425; Toledo, 1483, and Fez in 1492.

These hospitals may be regarded, however, rather as houses of correction or penitentiaries—in Lubeck these houses of detention were called "Tollkisten" (insane boxes), and were under the charge of the jailer—than as institutions for the care and treatment of the inmates.

In 1460, in Frankfort-on-the-Main, there existed nine so-called insane asylums, each nine feet long, broad and high, one of which contained a crazy woman, another a priest, a third a crazy apothecary. Of medical treatment there was not the least thought. The insane wallowed about in chains and without clothing in these horrible dens, covered with filth and their own excrement, as long as they were able to endure. Toward the close of the Middle Ages, the treatment of the insane became a little better, especially in free cities, where compassionate citizens assumed their care instead of police jailers. This practice first started in Lubeck, in 1478. Proper houses for the guardianship of the insane were also called into existence, gradually, by the example, donations, etc., of others.

MEDICOLEGAL BEGINNINGS.

We find that in the twelfth century there were state physicians and surgeons as advisers in forensic medicine. In 1249, Hugo of Lucca received from the burgomaster a commission to draw up a legal opinion, and as early as 1209 Pope Innocent III recommended the appointment of such physicians in canon law. In France and in the kingdom of Jerusalem sworn surgeons were employed by cities and courts, as medical experts, as early as the thirteenth century. Physicians and surgeons were employed as public witnesses, each in his own department.

In the fourteenth century, city physicians were required to take an oath to conform to certain instructions, the transgression of which involved a penalty. In this same century there existed at Strassburg the so-called "Libenzuchter," who exercised supervision over the moral and sanitary relations of the inhabitants. Strassburg had its first city physician in 1328.

GROWTH OF PHARMACOLOGY.

Arabians first started apothecaries in Europe, in Italy about 1135, and in Spain in 1140, at Cordova and Toledo. Frederick II, in 1224, enacted a pharmaceutical ordinance differentiating the druggist from the apothecary. The former was dealer in spices, essential oils and raw drugs, the latter compounded medicines.

In the thirteenth century there existed in France an "instruction" for apothecaries. The latter formed a guild, about fifth in rank. In the early part of the fourteenth century they were raised to the second rank, their "masters" being allowed to wear long black gowns and wide sleeves and velvet facings, like the judges. They, with the merchants, preserved the standard weights of Paris. The physicians were their overseers. Many compound remedies were prepared by them in the presence of medical magistrates, chief among these compounds being *theriaca*, which was thus prepared even in the eighteenth century, so as to escape adulteration.

Germany boasts of its first pharmacy in 1233. London was the seat of the first apothecary shop in 1345. In France, in 1330, a law was enacted for the inspection of pharmacies.

The first law under State Medicine regulating apothecaries was enacted at Strassburg in 1400, and at Stuttgart in 1486, which ordinance is still in force, and reads as follows: "That drugs must always be well selected and not decayed; that nothing except what is prescribed shall be put into a medicine, especially nothing dangerous by way of substitution; that the apothecary shall be responsible for his clerks, and shall not give any pernicious drug or any abortive; that the price list of the apothecary shall be correct; that in doubtful cases he shall apply to the physician," etc.

Since the time of Frederick, inspection of pharmacies has been added as a regular public function of physicians. It was practiced at Ulm in 1426, in Frankfurt-on-the-Main in 1461 and in Berlin in 1499.

THE FIRST PURE FOOD LAWS.

Spain in 1283 passed an ordinance relating to adulteration of food and delicacies, the sale of poisons, and love potions, infection of the air by putrefying animal matters, etc. Strict imperial ordinances against the "improvement" of wine by sugar of lead, etc., were promulgated by an imperial diet in 1475, by the Emperor Frederick III in 1487, and by Maximilian in 1497.

The penal ordinance of the criminal court directed its attention to the falsification of goods in a special section on "Falscher mit Mass. Wag. und Kaufmannschaft," and their example has been followed in the modern German Empire. Beer, too, was kept under supervision, though this and other industrial productions were mainly controlled by the guilds.

Ordinances of medical police were issued in a few cities; one in Nuremberg in 1518 regarded the sale of food, popular amusements and adulteration of wine, a thing often done even by the ancients.

EARLY RULES GOVERNING AUTOPSIES.

Ordinances that came within the sphere of State Medicine existed even in the Middle Ages, Germany being among the first promoters. Autopsies were, everywhere, made in cases of poisoning. Charles V enacted a criminal ordinance in the year 1530 that definitely determined the cases in which the judge should summon expert medical assistance. These were all cases of infanticide, mortal wounds, apoplexy, poisoning, concealed pregnancy and childbirth, abortion, the practice of medicine by incompetent persons, etc. However, in this ordinance judicial autopsies were not directed. They were opposed by every superstition, and it was not until 1562 that Pare made a judicial autopsy, after which postmortems frequently took place. It was from this time on that reciprocal action upon each other of medicine and jurisprudence became permanent.

THE FOUNDERS OF MEDICAL JURISPRUDENCE.

State Medicine in the seventeenth century occupied considerable attention of the physicians at that time. Many contributed works on this subject; others devoted special time and study to anatomy. In the early part of the century, the Pope's physician, Paolo Zacchias, wrote an independent work, renowned not only for its medical information, but especially for the legal knowledge it contained. Zacchias, I believe, is looked upon as the founder of legal medicine. Later, N. Blegny, Gendrie d'Angers and others, in France, wrote on State Medicine.

But to the Germans, during the seventeenth century, are we indebted for active cultivation of this department. Ludwig von Hoernigk, in 1638 published a work on the duties of the medical profession as a whole; Paul Ammann and Hieronymus Welsch wrote works on the mortality of wounds; Melchior Sebiz, in 1641, likewise wrote on this subject, and on the signs of virginity. John Friedrich Zittmann, Bernard Suerus and John Bohn, the latter the scientific founder of State Medicine in Germany, wrote on these subjects. Conrad Berth Behrens, ordinary physician to the court of Brunswick, and J. W. Pfeizer, wrote on the duties of the forensic physician. The Hollander, Feltmann, expatiated on the examination of corpses, and John Brown on the mortality of wounds.

ACTIVE GROWTH OF LEGAL MEDICINE.

During the seventeenth century, numerous ordinances of medical police, or hygienic ordinances were enacted. This period may be styled the natal era of state police, and the law included ordinances relative to plague, clothing, food, the inspection of provisions, etc.

In the eighteenth century, State Medicine was in high state of cultivation, especially in Germany. Those who are acquainted with the works of Fabricius, Buttner, Ploucquet, Valentin, Ludwig, Tropanner, Buchholz, Schlegel, Daniel, Platner, Teichmeyer, Alberti, Eschenbach, Metzger, Pyl, Uden, Delius, Baumer, Frank, etc., know to what extent forensic medicine advanced in that country.

In France, the learned Bellocque, Prevost, Verdier, etc.; in Spain, del Valle, and in England, Farr—all are standard authors on State Medicine.

In the beginning of the nineteenth century, Pater Frank introduced the official distinction of medical police and forensic medicine. He became the champion of hygiene and was followed by Hebenstreit, von Huszty, von Nassynya, Scherf, and others.

The part of State Medicine which deals with practical instruction in sanitary science has, in Europe, been prosecuted in varying degrees in different countries. To such work as that carried on by Parkes, Klein, Creighton, Sanderson, Baxter, Smith and others in England; to the investigations of Pasteur, Chauveau, Duclaux, Chamberland, and others in France, and to the bacteriologic investigations of Koch, and the chemical studies of Pettenkofer, in Germany, are we to attribute the present position of practical knowledge of hygiene.

In some countries the instruction of public hygiene is limited, being usually confined to a course of hygiene in some medical school. In others there are institutes of hygiene on the most extended scale, as, for instance, those at Munich, Leipzig, and Copenhagen. In Hungary the province of instruction in State Medicine is of an extended character.

KNOWLEDGE OF ANATOMY BY THE ANCIENTS.

Autopsies and dissection are said to have been made hundreds of years before Christ. The Talmud thoroughly describes the anatomy, pathology and physiology of man, speaks of the dissection of animals, and also of the human being, teaches how to skeletonize, and cites the case of a prostitute whose body was boiled and afterwards skeletonized. We also know of the two great anatomists, Erasistratus and Herophilus, in 300 B. C.

EARLY DISSECTIONS.

Dissections have been made in every century; always with opposition by the laity. There was no regulation law by which a medical student could obtain material to study the elementary of medicine. However, we find that in the fifteenth century, Italy turned over her condemned criminals to medical colleges. It is related by writers that all condemned criminals of Italy were sent to Pisa for execution, and were frequently turned over to the anatomists of the University, who poisoned and then dissected them.

HUMAN VIVISECTION.

It is claimed, in the History of Louis XI, that a human being was vivisected in France. It states that in 1474 a condemned robber was vivisected for the purpose of finding out where certain maladies were concentered, from which he and numerous other persons were suffering at that time. Opening and incision were accordingly done, the maladies searched for and examined, after which the bowels were replaced and the body was sewn up again. The patient's wound is said to have healed within fifteen days, and he was pardoned and given some money.

In the sixteenth century, vivisection of human beings was charged against three men, viz., Berengar of Carpi, Vesalius and Fallopius in particular, and against the anatomists of the University of Pisa in general.

Berengar of Carpi is believed to have actually vivisected two Spaniards; Vesalius is accused of dissecting a Spanish nobleman, believing that he was dead, and Fallopius is said to have been his accuser. The following paragraph is found in the fourteenth chapter of his work, "De Tumoribus": "Fever resists 'cold' poisons, as I found at Pisa while anatomizing a man. For the prince commands them to give us a man, whom we kill in our own fashion, and anatomize. To whom we gave two drachms of opium, and an attack of ague coming on (for he suffered from quartan) prevented its action. He, delighted, requested a second dose, and that we should intercede for his pardon, if he survived it. We gave him another two drachms, when he had no attack, and he died." Such history sounds possible, but not probable; however, it is from this sort of history that the ignorant public, both European and American, have become prejudiced against medical colleges and believe that human beings are dissected alive.

The regular legal inquest of autopsies and post-mortems was first established in Austria, in the early part of the eighteenth century. It was soon followed in France through the influence of Gardanne, and in Germany through that of Hufeland.

The first judicially authorized dissection in the United States was made by Dr. Shippen of Philadelphia, in November, 1762. The case was that of a negro who had cut his throat with a glass bottle, from the effect of which he died; after the coroner's jury had pronounced him guilty of self murder, his body was immediately ordered, by judicial authority, to "Dr. Shippen's Anatomic Theater."

LAWS ON DISSECTION.

The first American anatomy law is the New York Act of 1789; since that time 34 states allow dissection; 19 states have liberal anatomy acts, while 15 have illiberal ones; the laws of 11 states are silent regarding anatomy, excepting their laws on malpractice; 31 states forbid the desecration of graves, while the laws of 14 states are silent regarding either dissection and disinterment; none of the 3 territories allowed dissection.

Ignorant and preposterous opposition of pretenders has always been a snare to the study of pathology. The county commissioners in charge of the Chicago Asylum in 1884, raised religious prejudices against postmortems, and were found to be selling the bodies to medical colleges at \$30 each for private profit.

OPPOSITION TO VIVISECTION.

The progress of medical science, especially of physiology, biology, hygiene, etc., has called increasing attention to a higher degree of research in anatomy and physiology; to that end, vivisection of the lower animals is necessary.

At every session of legislative bodies of the various states in the Union, and of every country in Europe, an attempt is made, by a set of so-called "anti-vivisectionists" to influence legislators to enact laws against vivisection.

The fact of the matter is that vivisection is unfortunately a most misleading term to the laity. They seem to have the idea that animals are cut up alive by medical men, and compelled to suffer great pain for unjustifiable objects. A small proportion of the public know that anesthetics are administered beforehand, and that the animal is killed before sensation returns, and that such experiments must be carefully made and free from pain, otherwise they would be useless.

VALUE OF VIVISECTION.

The question, value and character of scientific research, when carried out on living animals, has in late years been aroused by an attempt on the part of the enemies of science to entrap the influence of those who profess better things.

No physiology can advance without vivisection; experiments on living animals are as essential to its progress as is dissection for the study of anatomy. The law of sacrifice is the law of life; therefore, the law of nature, that one thing should be sacrificed for another. It is a common thing for a man to endanger his own life, to save that of another. How many physicians, nurses, etc., have lost their lives while attending to the sick and wounded in infectious diseases and in war on the battlefields.

I maintain that any person who would deny the saving of a human life at the cost of a mere dog, cat or rabbit, is a pretended humanitarian. For instance, a professor showed his students how he had saved the lives of several men by a certain operation on the brain. In order to demonstrate the operation, he performed a *fac simile* operation on a monkey, which also recovered. The professor, in his lecture, informed his pupils that before he ventured the first operation he performed it on a living monkey. Now, according to the opponents of vivisection, it would have been a lesser crime to have let several men die than to have risked the life of a monkey.

VIVISECTION DEVELOPS SYMPATHY.

Regarding the false idea, that a physiologist takes pleasure in making animals suffer, I will say that instead of developing cruelty, the practice of physiology tends

to increase in us the feeling of humanity and pity. The physician who has closely observed human suffering, instead of being hardened by it, becomes more passionate. So the physiologists, who are acquainted with pain, are full of pity for suffering beings, and I do not hesitate to state that not one of them would be guilty of brutality toward an animal.

OUR DEBT TO VIVISECTION.

Take away from the science of medicine, and the art of surgery, all that with which physiology has enriched it, and the physician and surgeon of to-day would be no better than a mystery man or a quack vendor of chance-gotten drugs. Discard the present system of physiology, and all that has been gained by experiments on living animals, and the whole structure would collapse, leaving nothing but a few isolated facts of human experience.

The physiologic knowledge that we have and that we will gain in the future, if properly legislated in its favor, will benefit suffering humanity. The opponents do not stop to think that vivisection is as justifiable as the killing of animals for food. Physiology demands it for the good of all living creatures, and medical men should carry it out.

Moreover, I doubt if there is a single "anti-vivisectionist" who would miss a beefsteak for the sake of saving the life of a magnificent steer, or who would deny himself of either a veal or lamb chop in order to spare the life of a calf or that of an innocent lamb. Hundreds of millions of living creatures have already been sacrificed by epidemics, contagious and occult diseases, largely through the want of knowledge. It is unnecessary, therefore, to prove the utility and morality of vivisection. Nearly all physicians and all physiologists approve of it.

VACCINATION.

* As a prophylactic against dangerous variola, compulsory vaccination was established early in the nineteenth century. It was first made compulsory in Germany in 1807.

Austria, Prussia, and even Russia recognized the value of the vaccine prophylactic, and made the practice general and compulsory throughout its territories, in the early part of the nineteenth century.

In 1853, in England, an Act of Parliament was passed making it a penal offence for any British subject to fail to protect himself by vaccination. In 1864, the American Medical Association, at its fourteenth annual session, held at Chicago, appointed a committee to inquire into the expediency of a national law compelling every individual in the United States to be vaccinated. The committee reported at the fifteenth annual session, at New York, in favor of such a law, but came to the conclusion that general compulsory vaccination in this country, at that time, was impracticable, owing to the unpleasant condition of our nation at that period.

TUBERCULOSIS.

But the time has now come when the medical profession should show the national supremacy, by their united action in demanding enforced national legislation for the protection of its inhabitants from infectious diseases by compelling every man, woman and child not only to be vaccinated, but also to take precaution against infectious tuberculosis.

Koch's first investigations revealed tubercle bacilli in the dust that had been contaminated by the sputa of phthisical patients, and the coma bacilli of cholera in the mud-banks of Indian water-tanks. Kitasato of

Japan, and other observers have found tetanus bacilli in the soil.

These and numerous other experiments have proved the presence of pathogenic microbes in the soil. Those investigations endured a great amount of experimental work under the auspices of various governments, such as France, Germany, Austria, England, Russia and the United States. The field of contagious animal diseases is in a much more advanced state, controlled, as it is, by the Bureau of Animal Industries, under the Department of Agriculture.

TUBERCULOSIS MORTALITY.

According to statistics, tuberculosis kills one-seventh of all the population of the world, and one-third of all deaths occurring between the ages of fifteen and sixty years are due to tuberculosis. Furthermore, it destroys four and a half times more people than do smallpox, scarlet fever, typhoid fever and diphtheria combined; that in America 1,200,000 people have the disease at all times, or one in fifty persons.

Dr. Mullins, of Sydney, Australia, reports for a period of twelve years, 17,114 deaths from tubercular disease in New South Wales. Of these 12,430 were from phthisis, 2241 from *tabes mesenterica*, 1325 from tubercular meningitis, and 1018 from other forms of tuberculosis. During the year 1898, in the state of New York alone, there were 12,979 deaths due to consumption; of this number, 7825 were in the city of New York.

BOVINE TUBERCULOSIS TRANSMISSIBLE.

Dr. Charles Creighton emphatically says: "I can not escape from the conviction that the peculiar errors of nutrition in the domesticated bovine species all over the world are the real fountain and source of human tubercle."

A strong confirmation of the view that bovine tuberculosis is transmissible, at least to young children, is contained in the fact that the mortality of children under five years of age from primary tubercular ulceration of the intestines, and from tuberculosis of the peritoneum and mesenteric glands (*tabes mesenterica*), is very high.

According to bacteriologic investigation, the bacilli of bovine tuberculosis have been found to be identical with those found in tubercular formations in the human organs, although the disease is anatomically different in man than in cattle. These differences are considered due to differences of soil in the human and bovine tissues, the bacilli engrafting themselves in those tissues which present conditions most favorable to their growth and development.

It has been found that the milk of tuberculous cows containing tubercle bacilli, when administered as food, produced tuberculosis in dogs, guinea-pigs and rabbits.

WHAT STATISTICS PROVE.

Woodhead states that in 127 cases of tuberculosis in children examined by him he found tubercular ulceration of the intestine in 43; whilst in 100 cases, or nearly 79 per cent. of the whole, the glands connected with the intestinal tract were in some stage or other of tubercular degeneration. Woodhead contends that tuberculosis connected with the intestine is of frequent occurrence in children, infection frequently taking place by the alimentary canal.

It is a curious fact that wise men occasionally fall into errors, strange and unaccountable. I trust that the error recently made by Dr. Koch, at the British Congress

of Tuberculosis, that bovine tuberculosis is not infectious to man, will not retard the action and movements of scientists against the dangerous infection from bovine tuberculosis. If Koch does not believe the identity of human and bovine tuberculosis, we will simply refer him to the observations of Tscherming of Copenhagen, Pfeiffer of Weimar, Law of Cornell University, Williams of the Brompton Hospital, Cozette of Noyon, France, and many others who report infectious cases of bovine tubercular infection.

ILLUSTRATIVE CASES.

Tscherming relates the case of a veterinary surgeon, who cut his hand while making a postmortem examination on a tuberculous cow. Although the wound healed, a swelling remained which became ulcerated and refused to heal. Eventually, the whole mass was removed, and microscopic examination revealed the presence of tubercle bacilli. Pfeiffer relates a similar case of a veterinarian, aged 34, of good constitution and free from hereditary taint, who wounded himself deeply in the left thumb. The wound healed, but about six months afterward a cutaneous tuberculosis was diagnosed at the site of the scar. A year later the patient manifested undoubted signs of pulmonary tuberculosis; the sputum was found to contain tubercle bacilli, and the patient died two and a half years after receiving the wound. Postmortem examination revealed tubercular arthritis of the wounded thumb, and extensive tubercle and cavities in the lungs.

Law reports another case of a veterinary surgeon, who was wounded in the hand while operating on a tuberculous cow, and suffered from a tumefaction of the resulting cicatrix, with distinct tubercle bacilli. The tumefaction was surgically removed, and was evidently the means of saving the patient from a generalized tuberculosis.

Cozette, a French veterinarian, relates where a consumptive attendant had infected two cows, which, when handed over for slaughter, were condemned because of their markedly tuberculous condition; however, those two had infected seven others, who became ill, and were killed. Autopsies demonstrated clear cases of tuberculosis.

Law cites the case of a healthy child, aged one and a half years; while at a relative's house for one week it drank the milk of a cow which soon afterwards was condemned and killed. Autopsy revealed generalized tuberculosis. The child gradually emaciated, death occurring three months later from abdominal tuberculosis.

Professor Gosse of Geneva cites the case of his own daughter, who died from intestinal and mesenteric tuberculosis, which he attributed to the milk the girl drank daily, fresh from five cows, on his estate. They were all slaughtered and two of them showed tubercular disease of the udder.

Demine of Berne reports the case where four infants in the Hospital Jenner, whose parents were all healthy, with no tuberculous history, died of intestinal and mesenteric tuberculosis as the result of drinking the unsterilized milk of tuberculous cows.

Brouardel likewise records a case where five out of fourteen young girls living together in a boarding-school became consumptive, subsequent to the daily use of milk from a tuberculous cow. We could cite hundreds of similar cases to convince our friend Dr. Koch of his mistaken ideas of bovine tubercular infection.

Now, if the lactile secretion is infectious, there can be no doubt that the meat from animals which suffer from

even a localized tuberculosis is not fit for human consumption; furthermore, we have ample proof that a localized tuberculosis will naturally find its way into the muscular structure or other parts of the carcass used as a food; therefore, such meat should and must be condemned.

IMPORTATION OF DISEASED ANIMALS.

Most all civilized countries have and should have some laws for the prevention of importation of epizootics by foreign live animals. Limited space and other considerations naturally prevent long periods of quarantine or observation and detention of those animals intended for exhibition or re-shipment, or for other special purposes. Many infected animals are slaughtered at the port of arrival, and suspected live animals are frequently excluded.

In 1848, the English Legislature employed numerous means to prevent the importation of sheep, cattle and other animals suffering from contagious or infectious disorders, and gradually further powers were granted until their consolidation and perpetuation in the Contagious Diseases (animals) Act of 1869. Great devastations continued as the result of epizootics, and serious legislative efforts were made until again codified in the existing Act of 1876, to which amendments were added in 1884, 1886 and 1890; so that, as in certain human communicable diseases, the contagious diseases of animals are also subject to compulsory declaration, isolation, and disinfection, with the additional powers of prohibited importance, quarantine and slaughter.

GOVERNMENTAL CONTROL.

In July, 1891, a congress for the study of tuberculosis in man and animals was held at Paris, and the following resolutions were passed:

"It is necessary that all governments should decree the most efficacious prophylactic measures for preventing the extension of bovine tuberculosis. It is urgently necessary to establish a special inspection of meat in all towns, without exception, provided with a public abattoir. It is equally necessary to suppress all private slaughter-houses in towns containing more than 5000 inhabitants, and to replace them, as soon as possible, by public abattoirs; effectual inspection is impossible without this measure."

Tubercular subjects, man and beast alike, should be subject to quarantine restrictions; and its control should be part of the duties of either a national, state or municipal board of health.

The expectoration of sputum of tubercular patients should be prohibited in public places, public vehicles and even on the highways. If the oral secretion is infected with tubercular deposits and dries on the floor it is likely to pulverize and float about as dust; thus inhaled, it is a means of spreading tuberculosis. It may be difficult at first to enforce such an ordinance, but a law of this sort will certainly have a moral effect, and eventually an educative action on the public, who will consider it indecent and disreputable to spit in public places. It will likewise educate the public to look upon public spitters with contempt.

The National Board of Health, which was established in 1878, was appointed and supplied with grants by the Federal Government, which enabled the board to institute investigations of great importance regarding the causation of disease, etc., has unfortunately, through political prejudice, withheld its influence, so that very little practical work has been done, and was finally abolished. But the Marine-Hospital Service, with the late

Dr. John B. Hamilton, and the present Dr. Walter Wyman at the head of that department, protected the country against foreign importation of infectious and contagious diseases.

TUBERCULOSIS SANATORIA.

S. A. Knopf, of New York, before the Conference of the State and Provincial Boards of Health of the United States, delivered an address upon the state and municipal care of consumptives. He believes that a commission should be provided for the examination and care of tuberculous subjects; to determine their physical condition; to investigate their surroundings and the dangers to their families; to render their homes sanitary, if possible, and, if necessary, to endeavor to remove the patients to an institution. Anyone should have the privilege of being examined, and all physicians should have the privilege of recommending patients for examination. The institutions for the care of these individuals should comprise a reception hospital and dispensary, located in the city; a suburban sanatorium, in an elevated region, if possible, this to be used as a temporary hospital for patients subsequently to be sent to a mountain sanatorium, which should, if possible, be elevated from one thousand to two thousand feet above sea level. There should also be seaside sanatoriums for the treatment of children with tubercular disease of the joints and glands, and a maternity sanatorium.

Knopf also quotes the greatest authorities of the world, who are in favor of such a movement—Dettweiler, Leyden, and Liebe of Germany; von Schrotter of Austria; Grancher, Letulle and Petit of France; Weber, Lindsey and Sangmann of Denmark and Sweden; and in the United States, Bowditch, Hamilton, Biggs and Prudden, Lee, Trudeau, Flick, Hinsdale, Otis, Shrady and others, all strong advocates for the establishment of state and municipal sanatoria for the care and treatment of the consumptive poor.

The crowned heads of Europe, such as the Czar of Russia, the Empress of Austria, the King of Saxony, the King of Sweden, and the young Queen of Holland, have placed the sanatoria for the consumptive poor under their high protection, and have opened their private purses for their support. The nobility and the leaders in finance, art, and literature have been eager to imitate the noble example set by their sovereigns, and the latter, too, have given freely toward the erection and maintenance of such institutions.

Thus, in the countries just mentioned, a number of establishments now flourish which are doing a world of good by curing the curable tuberculous cases, and taking care of the hopeless ones, thus diminishing countless centers of infection.

Dr. Knopf justly says: "Let me further advise the statesman, physician or philanthropist who doubts the need of such institutions in the United States, to visit the consumptive poor in the tenement districts of our large cities, and study the hygienic and social conditions of these sufferers in their surroundings."

NATIONAL BOARD OF HEALTH AND EXAMINERS.

It is the duty of every citizen, as well as of the physician, to insist that our National Congress establish a medical bureau of the Department of the Interior, for the purpose of regulating the various professions that battle for the welfare of suffering humanity.

First, to establish a federal board of medical examiners, under the auspices of a medical bureau of the Department of the Interior, so that any physician, den-

tist or pharmacist may follow his profession in any part of the United States, or in any of its territories, thus granting the privilege to its citizens to invite a physician or dentist from any part of this country to ameliorate their sufferings.

Second, under the auspices of the same bureau, there shall exist a national board of health, consisting of men of learning and ability, competent to make bacteriologic and chemical examinations, for the purpose of preventing the spread of the various contagious and infectious diseases, the adulteration of food, and the sale of infected cattle, and to restrict the sale of the so-called patent medicines.

Third, the bureau shall have jurisdiction over the registration of births and deaths, census and vital statistics in general.

REGULATION OF MARRIAGE.

It is also desirable to have a national law pertaining to marriage and divorce. The unfortunate conditions of either, each state having its own laws, demand immediate action of Congress for the regulation of this evil.

Marriage should be prohibited to blood relations up to the second degree, and to all persons of either sex affected with either congenital or acquired specific or infectious disease, such as venereal or pulmonary affections, confirmed drunkards, criminals, anarchists and degenerate classes.

Each applicant for a marriage license should present a certificate from a medical examiner, appointed for that purpose, stating that the applicant is not affected with any disease or habit that would be derogatory to procreation or offspring. When parents are tainted with specific disease, it is almost invariably looked for and expected with the children. A taint of hereditary drunkenness, insanity, suicide, epilepsy, idiocy, deaf-mutism, cancer, syphilis, gout, rheumatism, tuberculosis or scrofulous diathesis in the blood, are all symptoms of degeneration, likely to be intensified by propagation in succeeding generations, until the tainted family becomes extinct. Intermarriage with those tainted diffuses weakness, deformity, and abnormality through the social structure, deteriorates and contaminates all who issue from such unions.

Intermarriage of distinct diseases are as dangerous as the union of two consumptives. A typical case, cited by Richardson, will corroborate this statement: "A young man, of marked cancerous proclivity, married a woman whose parents had both died of pulmonary consumption. This married couple had a family of five children, all of whom grew up to adolescence, sustaining at their best but delicate and feeble existences. The first of these children died of lupus; the second of simple pulmonary consumption; the third, owing to tubercular deposit in the brain, succumbed from epileptiform convulsions; the fourth, with symptoms of tubercular brain disease, sank from diabetes, the result of the nervous injury; and the last, living longer than any of the rest, namely, to thirty-six years, died of cancer. The parents in this instance survived three of the children, but they both died comparatively early in life; the father from cancerous disease of the liver, the mother from heart disease and bronchitis."

While we have some states prohibiting consanguinous unions, there are others that have not kept abreast with modern civilization, and allow the marriage of near kin. There is not a physician who is entitled to that name who does not know the physiologic reason for prohibiting

consanguineous marriages; but for the benefit of those who do not know, I will state that besides degenerations, a marriage between persons closely allied in blood is apt to produce an offspring feeble in body and a tendency to insanity in mind.

As to confirmed drunkards, I can only repeat what Plutarch says—"One drunkard begets another"; and Aristotle adds: "Drunken women bring forth children like unto themselves." Dr. Howe, in a report to the Legislature of Massachusetts, says: "The habits of the parents of 300 of the idiots were learned, and 145, or nearly one-half, are reported to be known as habitual drunkards." Howe cited a case in which the parents were drunkards, and had seven idiotic children.

PROPHYLAXIS AGAINST ANARCHY.

Another dangerous disease with which the world has to contend, and which has lately shocked our nation, and in fact the whole world, is anarchy. The murderous assault upon the President, aimed as it was at the life of the government, imperiled the security of the whole country. The right of self-preservation is as vital to the State as to the individual.

The entrance of foreign anarchists must be strictly prohibited as well as other infectious matter. Their teachings are as poisonous as the bite of a snake, and as dangerous as the swords and bayonets of a hostile nation. The pestilence of the teachings of the anarchists who dwell amongst us can not but have influence upon their offspring; therefore there must be a law preventing their marriage. The characters possessed by an individual are mainly congenital, peculiar to each individual in type and variation; therefore, the offspring bear a typical likeness and character to the parents.

Criminals and murderers may regret and repent their crimes, confess and receive absolution, and, after their execution, may go direct to heaven; but society is better off with such individuals in heaven than on earth.

A great deal can be said in favor of a national law of divorce. But what mainly interests us is the medical portion. According to medical jurisprudence, impotence in man and sterility in woman, or any impediment to procreation of children, is absolute ground for divorce; however, what we desire to add is that specific and infectious disease endangering offspring shall likewise constitute grounds for divorce.

PUBLIC BATHS.

The public bath is another necessity to municipal hygiene. The ruins of the caracallas of Rome speak clearly of the glorious bathing establishments of the fifth century; though in a state of decay, yet they show the inclinations and habits of the people who prevented municipal filth. It is said that Rome had at one time 856 public baths. In the Middle Ages nearly every village and town is said to have had its bathroom with wooden tubs. Russia, Turkey and Japan are renowned for their public baths, which are accessible to the poorest classes upon the payment of a very slight fee.

France, Belgium and Austria have kept apace with other countries. The United States, unfortunately, has done very little towards this hygienic problem. The only baths provided in this country by municipalities are a few floating or swimming baths in New York and in Chicago. The New York baths were authorized by the Legislature of that state. About twenty such establishments exist in that city to-day. Another act in the Empire State, in 1892, authorized any city, village or town in the state to establish public baths, and to loan,

credit or make appropriations for that purpose. I trust that the great state of New York will continue its good work, and that other states will follow. It is admitted, that if you deprive a man of his bath you lower his moral tone: "soapology" and "scrubology" as well as "theology" are recognized by General Booth, of the Salvation Army, as potent Christianizing agencies.

RESTRICTION OF VENEREAL DISEASES.

Compulsory examination of prostitutes is another necessity for the purpose of preventing the spread of venereal diseases. It is said that either the City of New York or Chicago contains, at the present day, venereal infection sufficient to contaminate the male population of the United States in a very short space of time.

We do not want legalized prostitution as it exists in European countries. I do not believe in authorizing houses of debauchery and making of prostitution a regular profession. The State has no right to regulate prostitution. I am proud of my country, which is fortunately free from the incubus of State regulated vice.

All that is desired is a state law for municipal governments, to keep a register of all women known or suspected of prostitution, and that such women shall be liable at any time to be called in for examination. But no certificates should be issued to them, as to their healthy or unhealthy conditions, for such a certificate would simply encourage the vice. However, if found affected with a venereal disease, they should be sent to a detention hospital or sanatorium, and should be detained there until cured.

DETENTION OF SYPHILITICS.

I firmly believe in the law of Massachusetts, for the detention of certain persons affected with syphilis, in which it is enacted that persons suffering from syphilis, and being inmates of any correctional or administrative institution, such as a house of correction, a penitentiary, or a work-house, shall be placed under medical treatment, and be isolated until the medical attendant shall consider further isolation unnecessary; and if, at the date of discharge of a person, syphilitic symptoms are still present, likely to prove a public danger, compulsory detention may be put in force to retain the infected person until such a time as dangerous symptoms have been pronounced to be no longer present.

A suitable hospital or sanatorium devoted to diseases peculiar to prostitutes should be established in each and every city, with the power to place and keep there all women so diseased until cured. The amount of accommodation required should depend upon the size of the population, and there should be at least one bed to every thousand inhabitants. Payment could and should be required from all who possess the means of expense actually incurred; and this would contribute a considerable sum towards the expenditures of such an institution.

It should not be intended as a prison, for such is directly contrary to reformation. Liberal arrangements as a hospital would afford no encouragement to vice, and certainly help wonderfully to eradicate the evil.

ABOLISH THE CORONER.

There is one law, a relic of barbarism, that I should like to see abolished, and I know that the profession would heartily approve of it; that is, the office of county coroner; and in its stead a medical examiner should be created. Such a law was established in Massachusetts

about fifteen years ago, and gives great satisfaction from both a scientific and financial point of view.

CONCLUSIONS.

All foregoing regulations, if established, will, I am sure, tend to improve the moral and physical welfare of our Nation.

State Medicine is a creation of necessity in times of public danger, but its future development will be in proportion to the scientific character of its work, and to the appreciation on the part of the public of the economic and beneficent results of such work.

The world's rapid transit and intercommunication brought on the high state of civilization, and made the whole human race one family, so that people of every color, clime, language, government and creed have become one brotherhood, with a law of love and care for one another which fulfills the golden rule—"love your neighbor as you do yourself."

Original Article.

A SIMPLE AND ACCURATE METHOD OF OUTLINING THE STOMACH.

WILHELM BECKER, M.D.

MILWAUKEE.

The determination of the outlines of the stomach has always been and always will be a matter of great interest to the gastro-enterologist. It is not necessary to name and describe the advantages and disadvantages of the various methods of outlining the size of the stomach, nor will space allow me to do this.

During the last two years I have tried a simple and accurate method which has given me great satisfaction. By its employment I have determined the size of the stomachs of about three hundred patients of all varieties. A considerable number of these patients were free dispensary patients of the Milwaukee Medical College and I take this opportunity to extend my thanks to Prof. W. H. Nielson for generously placing the gastro-contingency of the college clinic at my disposal.

The following is a short description of the method: The patient's stomach is washed out in the ordinary way. Turk's double tube is best used for this purpose. About two hundred c.c. of clear water are left to remain in the stomach. Next, the patient is placed in a horizontal position upon a table with the tube *in situ*. An ordinary atomizer bulb is attached to the inlet tube. The outlet tube is firmly compressed. This compression is best effected by kinking the outlet. Then a stethoscope is placed over the region of the stomach; air is gently introduced by compressing the atomizer bulb. As the air enters the stomach, passing through the stratum of water which has been left in the organ, a gurgling sound will be produced thereby, which is heard very distinctly with the stethoscope or even by immediate auscultation. In moving the stethoscope downwardly towards the supposed borderline of the stomach, the sound produced will be entirely different as soon as the stethoscope is beyond the border, i. e., the sound will be muffled and indistinct. The difference between the sounds over and beyond the stomach is very marked and even a relatively inexperienced one will not fail to see the difference.

After the stomach is moderately distended, the outlet tube is relaxed and the air let out again. The whole procedure is repeated until the borderline of the organ has been ascertained in all directions, the lesser curvature as well as the greater, the right as well as the left border. In trying to ascertain the location of the lesser

curvature, however, it is advisable to attach the atomizer bulb to the outlet tube, since the gastric end of this lies farthest away from the cardia and thereby modifies the sound which would otherwise be too loud to admit of a fine discrimination.

It is essential that the organ should be slightly distended. Organs flabby and empty will transmit the sound easily into the surrounding tissues and organs, the same is true of hollow viscera, distended to the utmost. I would therefore advise not to lose sight of these details, since failure to do so has often marred the clearness of the findings and may be a source of error for the inexperienced. There are other conditions which at times seem to be disturbing factors. I have up to the present time been unable to locate them or to ascertain what they are, and I admit that sometimes the results of this method are not as satisfactory as might be desired.

Continued use of the method will, I hope, enable me to find these disturbing factors.

In conclusion, I would like to point out some advantages of the method.

It requires a simple apparatus and simple technic.

It is more accurate, simpler and less cumbersome, both to physician and patient, than gastro-diaphany.

It is less painful than percussion after distension with CO₂ or air; and since the distension is only a partial one, it will not, as the over-distension for percussion often does, give exaggerated outlines.

It has lately been tried to outline the colon by using a similar method, but I do not anticipate as favorable results as in the case of the stomach.

The findings by means of this method were controlled with Turk's gyromele, the percussion method and on the cadaver. In the cadaver, results are less satisfactory.

Trinity Hospital.