form of the vertical horopter is independent of the apparent distance of objects lying within it.

(b) By the use of a haploscope specially designed for the purpose, it was proved also that when the apparent distance remained constant or very nearly so, the greatest possible variation in convergence was attended by no change in localization with reference to the horopter. All the illusions appealed to by Helmholtz can be reduced to one of these two types, or to a combination of both. In one experiment by Helmholtz, however, namely, that with prisms (*Phys. Op.*, p. 657), the localization with respect to the horopter does vary when the convergence varies; but this is due, not to the variation of convergence, but, as is shown by an extended examination of the influence of the reflections and refractions of the prisms, to variation in the retinal image of one eye,—a factor which causes such results even without change in convergence.

These facts, then, prove that the localization of a point relatively to the horopter must be regarded as a physiological function of a particular pair of retinal points. To such a pair we can ascribe a space-value and maintain that this space-value is stable. As Hering had already assumed, in order that a point seen by such a retinal pair may appear in the horopter, the two lines of direction of the external point must form with the corresponding lines of regard angles of which the nasal must be greater than the temporal; i.e., breadth-values increase faster on the outer retina than on the inner. This agrees with the fact that, in monocularly bisecting a line, the portion whose image falls on the inner retina is made longer than the other. Finally, binocularly singly-seen objects are not seen at the point of intersection of their lines of direction; the position of the visual object does not coincide with that of the corresponding real object. But this illusion is not an illusion of judgment in regard to the content of sensation, as Helmholtz thought, but one in regard to form and situation of the actual object.

E. B. DELABARRE.

BROWN UNIVERSITY.

ÆSTHETICS OF FORM.

Zur experimentellen Aesthetik einfacher räumlicher Formverhältnisse.

LIGHTNER WITMER. *Philos. Studien*, IX. 1. 96-144, 2. 209-263.

Also separately published by Wilhelm Engelmann, Leipzig.

The author of this investigation made use of figures cut from cardboard—rectangles, triangles, etc.—and of simple linear figures drawn on paper—crosses, rectangles, vertical lines divided by dots, and others.

All the figures of a single group or series were placed before the subject in a serial order such that the mathematical proportions of the parts of the figures varied by a constant amount between the ratio $1:1$ and $1:x$ (x being any large number). For example, in a series of crosses comprising perhaps 20 to 30 crosses, the length of crossbar and vertical remaining constant, the crossbar moved 1 mm in each figure from the centre point of the vertical to a point 1 mm from the top of the vertical. As far as practicable or necessary for the purposes of experiment, every possible mathematical ratio is represented by a figure, whose place in the series is determined by the mathematical proportion of its parts. This method permits of the easy observation of the relative increase or decrease in the æsthetic feeling attaching to the regularly-increasing proportions, and is not open to certain objections that may be made to the method of choice as applied by Fechner to arrive at the æsthetic value of the 'golden section' and the simple mathematical proportions of the musical harmonies. Each series comprised from 15 to 30 figures, and results are given in detail from 65 series. Other series were constructed and used, but no report is given of results, as it was found that those series in which the linear magnitudes under consideration did not stand at right angles carried the investigation too far afield, through the multiplication of variable conditions.

The 65 series are classified under the following groups: 1. Proportional division of a straight line (13 series). 2. Two lines meeting to form a right angle (2 series). 3. A line perpendicular to a second line at some point other than the ends of the latter (8 series). 4. Cross-figures (11 series). 5. Various inclosed figures—ellipses, rectangles, triangles (12 series). 6. Multiple proportion in simple figures (7 series). 7. The same in more complicated figures (7 series). 8. Figures to investigate the dependence of the pleasing quality upon absolute size. Of these groups 1, 2, 4, and 5 form the experimental basis for the main conclusions of the investigation, but all groups are reported upon, and the results tabulated, with no omission of individual variant results. Sixteen tables present the results of the judgments of the 14 subjects taking part in the investigation. An additional table gives the average variation of the individual judgments of each of seven subjects from the average judgment of each, and the average departure of the judgment of each subject from the average judgment of all subjects. A section of the paper is devoted to some hitherto unpublished experiments of Fechner's, presented with three tables of results from manuscripts kindly loaned the author by Frau Fechner and Fechner's literary executor, Prof. Dr. Kuntze. Another section concerns itself

with a theoretical consideration of methods, containing also six tables of control experiments. Still another is devoted to a consideration of Fechner's methods; another to Zeising's speculations and investigations; an introductory section to a short historical review, and a final section to a consideration of possible interpretations of the results.

These results go to show that the æsthetic value of simple visual forms may be represented by a curve—the abscissas representing in regular succession all proportions from $1:1$ to $1:x$ (x being an indefinitely large quantity), and the ordinates denoting the degree of subjective pleasure or displeasure (agreeableness or disagreeableness) attaching to a given proportion; or, looked at from another point of view, the objective æsthetic value of the proportion. For all groups of figures and for all positions of the figure there are but two even relatively most pleasing proportions—the ratio $1:1$, or *symmetry*, and a ratio that lies between $2:3$ and $1:2$, the '*most pleasing proportion*,' to designate which the author suggests a symbol $\odot$, to be distinguished from Fechner's symbol $\odot$ for the mathematical ratio of the harmonic section. The curve begins as a straight line at $1:1$ (which represents that a range of ratios is perceived as $1:1$); it is interrupted, to begin with a negative or diminished ordinate value at a ratio that appears just 'off' from $1:1$ (about $1:1.18$ in rectangles); from this point the curve rises to a maximum at $1:1.63$, whence it falls gradually but continuously to $1:x$. Symmetry in all figures stands so apart from all other proportions that a comparison between it and any other proportion on the same terms as between the other proportions among themselves is not justifiable. Cutting off the straight line of the subjective ratio $1:1$, the remainder it is proposed to call the 'curve of æsthetic proportion.' The maximum of this curve in nearly all series falls between $1:2$ and $2:3$, and the average of all results places it so near the 'golden section' ($\odot = 1:1.63$ and $\odot = 1:618$) that this formula might justifiably be employed to express in mathematical terms the 'most pleasing proportion.' But its use would be in so far objectionable, as it would carry with it the implication that the æsthetic value of the 'most pleasing proportion' is dependent upon the mathematical properties of the golden section. If the 'most pleasing proportion' is to be expressed in mathematical terms, the ratio $3:5$ is suggested as being an approximate expression of the results of this investigation, free from unnecessary and false implications.

Summarized, the results of this investigation are as follows: 1. The most pleasing proportion is a ratio $1:1.63$, or expressed in whole numbers, approximately $3:5$. In reality it is more correct to speak of a range of most pleasing proportions, as the curve falls but slowly to both

sides of the maximum. 2. Symmetry and Proportion are æsthetically quite unlike, and their pleasing character is due to wholly different causes. 3. The pleasing character of proportion is not to be explained by any association either in the individual or in the race. 4. An explanation of the 'most pleasing proportion' is not to be sought in the mathematical qualities of the 'golden section,' i.e., in an equality of ratios. 5. Still less is the assumption justifiable of a mathematical formula as the mystical constructive principle of the universe, the more perfect expression of which constitutes the basis of the beauty of visual forms. 6. To consider æsthetic proportion as a '*most pleasing difference of parts*' is justified by the results of the present investigation. 7. No explanation is offered to show why just this amount of difference is most pleasing; future analysis and experiment will probably unravel a multiplicity of factors, physiological and psychological.

AUTHOR'S ABSTRACT.

UNIVERSITY OF PENNSYLVANIA.

MUSIC, SPEECH AND SONG.

Psychologie du musicien. L. DAURIAC. Rev. philos., XVIII. 449-470 and 595-617. 1893.

I. The Evolution of Musical Ability.—Music is not an imitative art. The so-called 'music' of birds consists of noises rather than tones; the discrete scale is a human invention. Music in its higher development is essentially modern. Historically, the composer and virtuoso precede the 'amateur auditor.' At present the 'amateur auditor' generally precedes the virtuoso, and the composer is the latest stage of all, though there is no strict law. The composer is so far influenced by the productions he has heard that they mould his style, without necessarily impairing his originality; this causes the historical progress in music and often produces local coloring.

II. The 'Ear for Music.'—The appreciation of differences in *pitch* is the test of musical appreciation. This seems to grow more delicate in the race and in many individuals. A false note is more readily detected (1) the longer the tones last; (2) the larger the number of concomitant tones; (3) the greater their intensity. Distinction of *timbre* is not essential to an ear for music; it is largely due to voluntary training. The difference between classic and contemporary orchestration is perhaps owing to our present greater knowledge of the physiological effects of various timbres. The ability to distinguish the relative *intensity* of tones seems to be always present. Some persons distinguish rhythm who confuse all airs having the same rhythm.