nasal polypus and various other deformities present in these cases, and these conditions persist to a greater or less degree throughout the year.

We can all agree to the following propositions: first, that the general condition of the patient should be kept up to the best possible limit; second, that the best opportunity for relieving the patient will be found between the attacks, when abnormal conditions of the nose should be treated, whether by surgical or therapeutic measures, to be determined by the nature of a given case; and, third, that during the attack the treatment applied should have for its prime object the alleviation of the existing symptoms.

In regard to treatment during the attack: I think it would not be unwise for this body to place itself on record as distinctly opposed to the indiscriminate and careless use of cocain. What one of the gentlemen said with regard to this matter in his locality, might have been said I think by every one present. We all find it commonly used and commonly abused, and I know that it is a source of a great deal of injury, and I wish we might go on record as opposing the evil.

Finally, the fact has not been touched upon, although we all recognize it, that when we have exhausted our therapeutics and surgical means we have done all that lies in our power for the patient. But if we do not succeed in relieving him we can almost invariably help him by sending him to some locality where he will enjoy immunity from his attacks. I believe in this class of cases, where the patient can be sent away during the time he is having his attacks, where he can be treated between the periods of expected attacks, that in time the attacks may be entirely done away with in a large majority of instances.

DR. JOHN N. MACKENZIE, Baltimore.—I wish to indorse what Dr. Delavan has said in regard to the use of cocain. I have long since given it up in the treatment of this disease, except as a purely palliative measure. At a meeting of the Laryngological Association some years ago, in Detroit, I called attention to the fact, shortly after the drug was brought over to this country, that the time came sooner or later when cocain dilated the blood vessels in the mucous membrane of the throat and nasal passages, and I think that point is now perfectly well established and Dr. Delavan's denunciation of its indiscriminate use is correct. But there is another point not generally known, namely, the evil effect menthol sometimes produces. I know of two cases in the practice of a fellow practitioner in which menthol has given rise to brain symptoms similar to those cocain produces. They were both singers and had learned that a little menthol squirted into the nose with an eye dropper, just before they were going to sing would make their voices more resonant, so it had become their practice every time they were to sing to drop in a little of this seemingly harmless thing, and finally the friends of one of them noticed that she was having hallucinations and that her mind was becoming otherwise affected. This was spoken of to a physician and when she ceased taking the menthol all her bad symptoms disappeared. The other case was affected in the same way and on discontinuing the use of menthol became well again.

ABUSES OF COCAIN IN NASAL TREATMENT

Read in the Section on Laryngology and Otolaryngology, at the Forty-fourth Annual Meeting of the American Medical Association.

BY GEORGE WILKINSON, M.D.

OMAHA, NEB.

The ability of this drug to astringe the mucous membrane of the nose and in ordinary catarrhal troubles, (namely hypertrophic conditions of the membrane) to give immediate relief, is being taken

advantage of by the unscrupulous to such an extent that the matter is assuming very grave importance.

That the use of these catarrhal snuffs, strongly impregnated with cocain, is the most fearful aspect of the cocain habit has no doubt been brought to the minds of many of the profession ere this. The amount of the drug used in these proprietary or patented remedies is out of all proportion for their use simply for contracting the turbinate bodies, as is proven by the fact that a very few insufflations of the powder lead to an appetite and a craving, and frequently the unwitting patient is rendered a slave almost from the start to its seductive charms.

This can be readily understood when consideration is given to the fact that cocain is most seductive as a narcotic to many persons, and this, coupled with the fact that it temporarily clears the head, makes it an insidious means of wreaking havoc, and the greatest recent triumph of the devil.

An assay of one of these products of his Satanic Majesty gives a result something like this: estimation of cocain in a powder containing bismuth, menthol, carbonate of magnesia, bicarbonate of sodium and sugar of milk. Take fifty grains of the powder, put into a mortar of at least eight fluidounce capacity, fill with two drachms water, add gradually diluted muriatic acid until the liquid is distinctly acid to litmus paper, avoiding loss by effervescing. Stir well and pour through a small filter into a two ounce vial, rinse two to three times with a little water which is to be passed through the same filter. Wash the filter with water, using just a little at a time, till the whole will be about one ounce; add one-half ounce sulphuric ether; shake for ten minutes (to remove the menthol); pour into a glass separator. When the ether has separated draw off the aqueous fluid into the same vial; the ether in the separator is to be rejected. Repeat the washing two to three times more, or until the menthol is removed. Then render the fluid alkaline with ammonia water, shake with one-half ounce ether as before. After complete separation pour the aqueous fluid into the same vial. The ethereal fluid which contains now the cocain in solution, is to be passed through a small filter into a weighed glass breaker, capacity about one ounce. Place on a water bath till the ether is evaporated. Repeat the operation three or four times, then dry to constant weight and weigh as pure cocain.

Thus, to every drachm of a very insoluble powder-mixture, composed mostly of bismuth, there was nearly three grains of hydrochlorate of cocain. When it is taken into consideration, that in a number of instances your essayist found that the dose of these snuffs being taken ad libitum; and consequently users of the same are found to habitually have used as much as two to three ounces per nasi, or forty and sixty grains a day in this manner; there is surely time for a halt to be called by the interference of the law.

I propose in this paper to give a general sketch from a study by personal contact with a colony of cocain habitués in the city of Omaha, all instituted by the use of one preparation highly advertised as a snuff and a cure for catarrh.

It is not every one of these who have found it difficult to break off from using the drug; indeed, many claim, although they were using thirty and forty grains a day, and that as soon as the nature of the remedy became known to them, that they easily

stopped abruptly. But the result in the end is by no means always so happy as this and, to quote Shay: "Once a man flies to cocain for relief from cares that annoy, he generally continues with such rapid strides toward such complete subjugation to its bewitching thralldom, as but few will ever be rescued from by any power of will which they may be able to bring to their aid," has been in some of the cases referred to well exemplified. It is not necessary for me to dwell upon the toxic symptoms more than to point out two primary effects of the drug when used as a snuff. The craving for it is simply pitiful; the habitué will have it about him at all hazards. He carries it about in his pockets, and the effect is so temporary and seems so unsatisfying that he is continually snuffing it, and in many cases he soon learns that he can get better results by taking it on his tongue and thus he begins to eat it. The first annoying symptom which these people complain of is insomnia, and here for the first time they realize the pernicious nature of the habit they are forming.

The attempt to break off in the most instances begins at this time, and the success or defeat is simply a repetition comparable to the same experience in the habit of drink. To dwell further on cocainism is beyond my theme. What I desire to specifically dwell upon, and from an experience with those who have been led into the cocain habit by its use in nasal catarrh is this: how far should we be allowed to go in placing in the hands of patients the cocain spray? What quantity is safe and yet effective? My experience is that, absorbed by the nasal mucous membrane, in the quantities which we might use there is no danger, yet we must always remember that it is not always the quantity but the susceptibility of the patient. Some people will soon learn, if not already told, what the drug is and the hint is enough for them to increase the dose. It is the old story of the physician's liability for instituting the habit, as with morphin.

RHINITIS ATROPHICA FETIDA (OZENA GENUINA.)

Read in the Section on Laryngology and Otology, at the Forty-fourth Annual Meeting of the American Medical Association.

BY O. M. WATERMAN, M.D.

MILWAUKEE, WIS.

LATE ASSISTANT TO PROF. JOHANN SCHNITZLER OF VIENNA.

The years from 1878 to 1888 having been remarkably fertile in the contributions of specialists to the subject of rhinitis atrophica fetida, commonly called ozena, the diligent observer is surprised to note how little has been written since that time about this not uncommon disease. After reviewing the articles from every standpoint, we come to the conclusion that the knowledge we possess of the etiology, as well as of the therapy, of the disease is a very uncertain one. Notwithstanding the abundance of material, scarcely two observers have come to the same conclusion; and the very praise of the different curative methods and medicinal agents now in vogue, none of which, however, have proved unquestionably successful, show the impotence of our present mode of treating the disease. Such facts are certainly discouraging; but those afflicted with ozena are so deserving of pity that new investigations, conducive to finding a cure for the trouble, are as much to be desired as they are necessary.

The views in regard to the character of the disease are widely differing, and while some maintain that rhinitis atrophica fetida is a condition consequent upon a simple atrophic rhinitis, others contend it is a morbus sui generis, and still many others hold that the predecessor of an atrophic rhinitis is always a hypertrophic one. The latter theory seems to be the one most acceptable, as I shall endeavor to show in the following pages. The opinions as to the constitutional character of the ailment differ also very materially, and while a number of pathologists distinguish only three: ozena tuberculosa, ozena scrofulosa and ozenaluetica; (Seiffert of Wurzburg cites one hundred cases, collected by him, in which no constitutional anomalies could be detected, the majority of this number being persons of excellent general health); others, trustworthy observers like Schech and Bresgen, claim that dyscrasia and scrofulosis would beyond doubt be etiological factors; and Schech says he has never seen an otherwise healthy individual afflicted with ozena. To refute Schech's claim is hardly possible, in view of the fact that only a very small fraction of humanity can be considered absolutely healthy.

The literature from an anatomical standpoint is rather meager, the most explicit being the monograph of Zuckerkandl, "Normal and Pathological Anatomy of the Nose and its Pneumatic Appendices." He also presents the view that the atrophy of the mucous membrane and the turbinated bones is always preceded by a hypertrophic condition (Polypöse Wucherung) and that in the atrophy following, that of the bones is prevailing. He distinguishes different stages of atrophy, in the mildest of which only the turbinated bones appear thinner and more fragile, secondarily the size of the bone is reduced, and the free edge is no longer convex but plane or even concave, until, finally, of the bones so attacked, only a small projection remains. The external nasal walls are also affected by this atrophy, and frequently become so thin that the canalis palatinus descendens and the lacrymal nasal duct disappear. The nasal cavity gains so in size that in many cases the sphenoidal cavity, as well as the foramina ethmoidalia are visible. Zuckerkandl remarks further on the change of the fibers of the olfactory nerve that the lamella of the ethmoidalis is shortened, which is very important, as this lamella carries the branches of the olfactory nerve. He and Fränkel are of the opinion that rhinitis atrophica fetida is the sequel of a hypertrophic nasal catarrh, and as an indisputable proof he, Zuckerkandl, calls attention to the nine drawings in his book, all of cases where, in addition to atrophic changes, hypertrophic parts such as polyps or polypoid degeneration could be seen.

The findings of postmortem examinations made by E. Fränkel corroborate Zuckerkandl's opinion. Neither of these two give any clinical data, but Seiffert at the International Medical Congress at Berlin had a report of cases where he dissected parts of the turbinated bones with mucous membrane, from living subjects, and examined the same under the microscope. He defines two varieties of cases; those of simple rhinitis atrophica without fetor, and those of rhinitis atrophica fetida. In the former, he reports that the cylinder epithelium was sometimes intact, sometimes it was changed to different layers of cubic epithelium; change into pavement epithelium he found in none of these cases. The sub-epithelial