containing the oil reservoir and the wick, which is screwed to the part which consists of the gauze funnel, the bull's-eye and the reflector, has a spring-bolt attached to it which catches each time the screw is turned, and finally locks together the two parts of the lamp. The bolt is easily removed by another screw, but this cannot be done without, at the same time, withdrawing the wick and extinguishing the flame, thus making it impossible to obtain a light by opening the lamp.

It seems, therefore, that this new improvement remedies the defects of the old lamp, to which many of the accidents occurring in the mines are attributed.

Silk Manufacture.—The statistics of this industry in the United States indicate a most surprising and gratifying increase. Ten years ago it was in its infancy, and purely an experiment; now it has attained to vast proportions, and bids fair to speedily become one of the most prominent manufactures of the country.

The recently published annual report of the Silk Manufacturer's Association contains the statement that \$30,000,000 are invested in this industry in the country, and sixteen thousand operatives are employed, whose wages reach \$8,000,000, and the value of whose production is estimated at between 30 and \$40,000,000.

A New Solvent for Iodine, BY DR. I. WALZ.—I find that glacial acetic acid is an excellent solvent of iodine, certainly not inferior to alcohol. On heating acetic acid with excess of iodine to boiling, and then allowing to cool slowly, beautiful, large, slender crystals of iodine will form (sometimes half an inch long.) The crystals formed from supersaturated alcohol solution of iodine are short, of arrow-head shape, and by no means so abundant, for glacial acetic acid takes up far more iodine hot than cold. I hope you will make this easily executed experiment, and you will then see the finest iodine crystals yet produced.

If saturated alcoholic and glacial acetic solutions of iodine are mixed in equal proportions, and allowed to stand, *acetic ether* is formed. The presence of a little MnO_2 and a drop of SO_4H_2 seems to promote the formation, but is quite unnecessary.

Elongation by Magnetization.—Prof. Mayer has announced some instructive conclusions from a series of experiments upon magnetism. These experiments were made with a view to determine any change of dimensions suffered by bars of steel or iron by magnetiza-