This article was downloaded by: [New York University]
On: 12 February 2015, At: 11:01
Publisher: Taylor & Francis
Informa Ltd Registered in England and Wales Registered Number:
1072954 Registered office: Mortimer House, 37-41 Mortimer
Street, London W1T 3JH, UK

Annals and Magazine of Natural History: Series 4

Publication details, including instructions
for authors and subscription information:
<http://www.tandfonline.com/loi/tnah10>

LI.—Description of a new species of *Vesperugo* from Zanzibar

G.E. Dobson M.A. M.B. F.L.S.
Published online: 15 Oct 2009.

To cite this article: G.E. Dobson M.A. M.B. F.L.S. (1876) LI.—Description of
a new species of *Vesperugo* from Zanzibar , Annals and Magazine of Natural
History: Series 4, 18:108, 500-501, DOI: [10.1080/00222937608682082](https://doi.org/10.1080/00222937608682082)

To link to this article: <http://dx.doi.org/10.1080/00222937608682082>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of
all the information (the "Content") contained in the publications
on our platform. However, Taylor & Francis, our agents, and our
licensors make no representations or warranties whatsoever as
to the accuracy, completeness, or suitability for any purpose of
the Content. Any opinions and views expressed in this publication
are the opinions and views of the authors, and are not the views
of or endorsed by Taylor & Francis. The accuracy of the Content
should not be relied upon and should be independently verified
with primary sources of information. Taylor and Francis shall not be
liable for any losses, actions, claims, proceedings, demands, costs,
expenses, damages, and other liabilities whatsoever or howsoever

caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden.

Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

8. *Velutina lævigata*, Pennant. *Hab.* Hope Island.
9. *Natica*, sp.? *Hab.* Lomme Bay (*vide* A. E. E.).
10. *Trochus umbilicalis*, Broderip and Sowerby. *Hab.* Hinlopen Straits.
11. *T. helicinus*, Fabricius. *Hab.* Fair Haven, Wide Bay, Hinlopen Straits, and near Walden Island. Common.
12. *Puncturella noachina*, L. *Hab.* Near Foster's Island, Hinlopen Straits.
13. *Chiton marmoreus*, Fab. *Hab.* Wide Bay and Hinlopen Straits.
14. *C. albus*, L. *Hab.* Hinlopen Straits.

Class CONCHIFERA.

15. *Saxicava rugosa*, L. *Hab.* From Green Harbour to Hinlopen Straits. Common.
16. *Mya truncata*, L. *Hab.* The fiords and bays of the western coast.
17. *Astarte crenata*, Gray. *Hab.* Hinlopen Straits.
18. *A. pulchella*, Jonas? (I have not Jonas or Reeves's 'Belcher' to refer to.—J. G. J.) *Hab.* Hinlopen Straits.
19. *A. sulcata*, Da Costa. *Hab.* Hinlopen Straits.
20. *Cardium grænlandicum*, Ch. *Hab.* Lomme Bay.
21. *Leda pernula*, Müll. *Hab.* Treurenberg Bay.
22. *Modiolaria nigra*, Gray. *Hab.* Treurenberg Bay.
23. *M. discors*, Linn. *Hab.* Fair Haven.
24. *Pecten islændicus*, Ch. *Hab.* Wide Bay, Treurenberg Bay, and Hinlopen Straits.

Class BRACHIOPODA.

25. *Rhynchonella psittacea*, Chemnitz. *Hab.* Lomme Bay and near Carl Island.

LI.—*Description of a new Species of Vesperugo from Zanzibar.*
By G. E. DOBSON, M.A., M.B., F.L.S., &c.

Vesperugo (Vesperus) grandidieri, n. sp.

Head, ears, and tragus very similar to those of *Vesperugo abramus*, Temm. Ears short, rounded off above; outer margin of the ear-conch straight or faintly concave in upper two thirds, emarginate opposite the base of the tragus, terminating in a small rounded lobe midway between the base of the tragus and the angle of the mouth: crown of the head scarcely elevated above the face-line; nasal apertures separated widely, opening forwards, their margins not projecting.

Wing-membrane from the base of the toes; postcalcaral lobe very shallow; half the last caudal vertebra free.

Fur short on both surfaces, scarcely extending upon the membranes; reddish brown above, paler beneath.

Upper inner incisors bicuspidate, the shorter outer cusp nearly equalled in vertical extent by the unicuspidate outer incisor; lower incisors trifid, not crowded; the single upper premolar close to the canine.

The other species of this subgenus known from Southern Africa are *V. minutus*, Temm., and *V. capensis*, Smith. From both *V. grandidieri* is easily distinguished by the large size of the outer upper incisor.

Length:—head and body 1·75 inch; tail 1·4; ear 0·5; tragus 0·22 × 0·08; forearm 1·25; thumb 0·28; second finger—metacarp. 1·2, first phalanx 0·45, second phalanx 0·55; fourth finger—metacarp. 1·1, first phalanx 0·28, second phalanx 0·2; tibia 0·5; foot and claws 0·3.

The above measurements are taken from the only specimen of this species yet obtained, an adult female with *fœtus in utero*, preserved in alcohol in the Paris Museum, which, by the kindness of M. Alph. Milne-Edwards, I have been enabled to examine and describe. It was brought from Zanzibar by M. Grandidier (who has added so much to our knowledge of the fauna of South-eastern Africa and Madagascar), with whose name I have much pleasure in associating the species.

BIBLIOGRAPHICAL NOTICES.

Mongolia, the Tangut Country, and the Solitudes of Northern Tibet, being a Narrative of three Years' Travel in Eastern High Asia by Lieut.-Col. N. PREJEVASKY. Translated by E. DELMAR MORGAN, F.R.G.S., with Introduction and Notes by Col. HENRY YULE, C.B. Two volumes: London, 1876. (Sampson Low & Co.)

THE expedition of Colonel Prejevalsky and his zoological discoveries have attracted much attention among naturalists for the last two years. It is with much pleasure therefore that we welcome a translation of the narrative of his journey, which gives us an exact account of the unknown regions into which he penetrated and of their characteristic features and inhabitants. We welcome it with the greater satisfaction because, contrary to what is too often the case with translations, the text is legibly rendered and is written in an agreeable and lively style.

Colonel Prejevalsky, it is stated, was already known as an able explorer when, in 1870, he was selected by the Imperial Geographical Society of St. Petersburg to conduct the present expedition into Southern Mongolia. His narrative commences at Kiakhta, the well-known frontier town on the overland route to Peking, which is