Annals and Magazine of Natural History: Series 1

Publication details, including instructions for authors and subscription information:

<http://www.tandfonline.com/loi/tnah07>

XXXIV.—On two new species of British Musci

Thomas Taylor M.D.

Published online: 04 Dec 2009.

To cite this article: Thomas Taylor M.D. (1843) XXXIV.—On two new species of British Musci, *Annals and Magazine of Natural History: Series 1*, 11:69, 208-208, DOI: [10.1080/03745484309445291](https://doi.org/10.1080/03745484309445291)

To link to this article: <http://dx.doi.org/10.1080/03745484309445291>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan,

sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

XXXIV.—On two new species of British Musci. By THOMAS TAYLOR, M.D., Dunkerron, Kenmare. Communicated by William Gourlie, Jun.*

TRICHOSTOMUM SAXATILE, MSS.

Specific character.—Caule subramoso, abbreviato, erecto, conferto; foliis ovato-lanceolatis, concavis, margine reflexis, integerrimis, epiliferis, apice obtusiusculis, nervo sub summo apice evanescente; peristomii dentibus brevibus, laciniis alternatim angustioribus, operculo suberecto, calyptra hinc fissa.

Hab. In locis montosis, saxa majora coronans. Comitatus Kerriensis, Hiberniæ.

Caules $\frac{1}{2}$ —1 unciales, aggregati, innovationibus binis. Folia flavo-virescentia, anni præteriti fusciscentia, nunquam, uti multis congeneribus solenne, in acumen elongatum producta. Capsula oblonga aut obovata. Peristomium breve, trabeculis dentium laciniis vix jungentibus. Operculi rostrum inclinatum. Calyptra fissura unica cæteris altior; unde genus vix firmum.

This plant, in the 'Flora Hibernica,' has been referred to a variety of *Trichostomum fasciculare*, Schrader, growing on stones at Carig Mountain. Subsequent careful examination of better specimens shows it to be very distinct in the want of fascicled branches, but especially by the short peristome, whose teeth are united at their bases by a pale membrane rising above the mouth of the capsule. The inclined rostrum of the lid and nearly dimidiate calyptra are unusual in the genus.

BRYUM RECURVIFOLIUM, MSS.

Spec. char.—Caule erecto, subsimplici, subflexuoso; foliis oblongo-ovatis, acutis, laxis, ex amplexante basi recurvantibus, marginibus flexuosis, minutissime serrulatis.

Apud montem Knockavohila, prope Dunkerron in Comitatu Kerriensi, Hiberniæ. Anno 1842.

Habitus *Dicrani squarrosi*, Schrader, 2—4 uncialis, inter *Hypna* aliosve muscos adscendens, vix cæspitosa, luteo-viridis. Caules sæpius duos surculos annotinos erigentes, atque ex eodem puncto radices setaceas, purpureo-nigricantes paucas demittentes. Folia canaliculata, subdistantia squarrosa, caulis apicem versus conferta atque majora, dense cellulosa, nervo valido pallidiori in cuspidem brevem excurrente; marginibus pallidis minutissime celluloso-serrulatis.

Although the fructification is not known, yet there can be little hesitation in referring this remarkable species to the genus *Bryum*. With the habit of *Dicranum squarrosum*, Schrad., it has the structure of *Bryum cuspidatum*, Schreber. A very small quantity, and only in one spot, has hitherto been found.

* Read before the Botanical Society of Edinburgh.