AN INDEX

TO

ROWE AND SHERBORN'S "ZONES OF THE WHITE
CHALK OF THE ENGLISH COAST."

{ "PROC. GEOL. ASSOC.," XVI (6), 1900; XVII (1), 1901; XVIII (1), 1903;
and XVIII (4), 1904. }

By C. DAVIES SHERBORN.

IN these contributions to our knowledge of the White Chalk many observations are scattered throughout the text, which it seems desirable to bring together by means of an index.

The papers are referred to as I (Kent and Sussex); II (Dorset); III (Devon); and IV (Yorkshire).

Ackland Wold, IV, 243.

Actinocamax, IV, 270.

— *granulatus*, I, 297, 301, 334, 337, 339, 343, 348, 366; II, 13, 26, 35, 49, 57, 58, 76; IV, 218, 237, 239, 251, 261, 296.

— (deformed), IV, 251, 283.

— *merceys* (see *A. granulatus*).

— *plenus*, II, 49; IV, 202.

— zone, I, 317, 321; II, 6, 8, 33; IV, 202.

— *quadratus*, I, 334, 343; II, 11-13, 27, 35, 57, 58, 76; IV, 225, 239, 260.

— zone (name of), I, 345; IV, 261.

— zone, I, 290, 330, 333, 334, 335, 337, 339; II, 11, 26, 30, 34, 36, 41, 56; IV, 225, 231, 259.

— *loucasi*, II, 49.

— *verus*, I, 299, 348, 366; II, 49; IV, 251, 262, 296.

— *westphalicus*, II, 49; IV, 272-274.

Ammonites, IV, 252, 267, 288.

— *catinus*, I, 366; III, 34.

— *cunningtoni*, I, 366; II, 44, 58, 75; III, 34, 51.

— *leptophyllus*, I, 299, 301, 334, 337, 341, 344, 347, 366; II, 17, 49, 58, 75; IV, 252, 256, 295.

— *peramplus*, I, 366; II, 44; III, 34, 41, 51.

— *pseudo-gardeni*, IV, 267, 295.

— *wharramiensis* (a MS. name), IV, 288.

Annis' Knob, III, 5, 8, 14, 16-18 (pls. vii and xiii).

Anomaeodon angustus, I, 367.

Antedon, III, 36, 38, 49.

— *lundgreni*, I, 361.

— *perforata*, I, 361.

— *striata*, I, 362.

Aphrocallistes, II, 67, 71.

Aporrhais mantelli, I, 366.

— sp. I, 366.

— sp. III, 38, 41, 50.

Aptychus, I, 299, 347; II, 57; IV, 268, 296.

— *rugosus*, II, 61, 75.

Argyll Rock, II, 32, 35.

Arish Mell, II, 11, 13, 22, 24, 26, 28 (pls. vi, vii and x); IV, 261.

Arratt's Hill, III, 12 (pls. viii, xiii).

Arreton, II, 46.

Arthraster dixonii, III, 41, 49.

Ashlam Wold, IV, 268.

Asteroidea, I, 362; II, 72; III, 49; IV, 293.

Augusta Stairs, I, 301.

Avellana humboldti, I, 366.

Avicula tenuicostata, IV, 266, 295.

Axogaster cretacea, I, 361; II, 72; IV, 293.

Bacon Hole, II, 22 (pl. x).

Baculites baculoides, III, 51.

— *bohemicus*, I, 366.

Balanid (new), IV, 254, 296.

Ballard Down, II, 28.

Ballard Point, II, 5, 7, 8, 27, 32, 33; IV, 261.

Bantam Hole, I, 306, 310.

Barber's Rock, II, 25-27 (pl. x).

Barnet Shoot, IV, 205, 206.

Barnet Shoot Pit, IV, 232, 233.

Barrois on Yorkshire, IV, 195.

- Barrois' "Sponge-bed," I, 295, 301, 305, 329.
 — (spurius), I, 323, 329, 332.
 — zones, I, 293.
 Barton-on-Humber, IV, 202, 242.
 Bat's Head, II, 3, 5, 7, 8, 14 (pls. i, iii, ix).
 Beachy Head, I, 321, 330 (pl. ix); II, 44.
 Beacon Hill, IV, 217, 251 (pls. xxxv, xxxviii).
 "Bedwell line," I, 294, 302 (pl. x).
 Bedwell "sponge-bed," I, 294.
 Beer, III, 11, 15-20 (pls. iv, vi-viii, xiii).
 Beer Head, III, 20 (pls. ix, xiii).
 Beer Stone, III, 22, 23, 27, 28 (pl. xi).
Belemnitella lunceolata, I, 343, 346; II, 58, 60, 76.
 — *mucronata*, I, 345, 346; II, 28, 60, 75; IV, 260.
 — zone, II, 28, 36-39, 41, 59.
 Belemnites, II, 49; IV, 239, 256.
 Belle Tout, I, 321, 323, 329 (pl. ix).
Belonostoma cinctus, I, 367.
 Bampton Cliffs, IV, 205 (pl. xxv).
 Bampton Grange Pit, IV, 232, 233.
 Berry Cliff, III, 10, 25-27 (pls. x, xiii).
Beryx, I, 367.
 Bessingby, IV, 236, 237, 266, 268, 271.
 Beverley, IV, 243, 262, 267, 268.
 Bindon Hill (Dorset), II, 22, 28 (pl. x).
 Bindon Hill (Devon), III, (pls. iii, vii).
 Birling Gap, I, 321, 330 (pl. ix).
 "Black band," IV, 199-203 (pls. xvii-xx).
 Black Rock, II, 5, 11, 13, 23, 24 (pl. x); IV, 261.
 Black Rocks, II, 22 (pl. ix).
 Blackmore (Dr. H. P.), II, 62-66; IV, 250, 267.
 Blake (J. F.), on Yorkshire, IV, 195.
 Boat Knoll (Pit S.E. of), II, 39.
Bourgueticrinus, I, 361; II, 72; III, 34, 38, 49; IV, 253, 256, 266, 293.
 — *aequalis*, I, 344.
 — (barrel), I, 297, 304 (pl. viii).
 — (dumb-bell form), I, 344 (pl. viii).
 — (*mucronata*-zone), II, 62.
 — (nipple head), I, 297, 330 (pl. viii); II, 7, 11, 26, 30, 31, 56.
 — (*quadratus*-zone), I, 334, 344 (pl. viii); II, 57.
 — (stumpy head), I, 304 (pl. viii).
 Branscombe, III, 24-27.
 Branscombe West Cliff, III, 24-27 (pls. x, xiii).
 Breil Head, IV, 212, 217, 247-249, 274 (pls. xxix, xxxviii).
 Bridlington, IV, 197, 260, 261, 287 (pl. xxxviii).
 Brighton, I, 336, 339, 341, 346 (pl. ix); II, 62; IV, 255, 273.
 Broadstairs, I, 301.
 Brydone (R. M.), II, 64-66.
 Bryozoa in *planus*-zone, III, 44; in *cor-test*-zone, I, 329; III, 45; in *Marsupites*-zone, IV, 258; in *quadratus*-zone, I, 337, 342.
 Buckle Inn, I, 335.
 Buckton Cliffs, IV, 198, 203.
 Buckton Hall, IV, 205, 206 (pl. xxxix).
 Buckton Hall Pits, IV, 231, 233, 235.
 Burdale, IV, 241, 251, 253, 268.
 Burton Pit, II, 38.
 Burton Agnes Pit, IV, 237, 271.
 Cable at Dover, I, 306, 310.
Cæloptychium agaricoides, IV, 292.
Cælosmilia laxa, I, 344, 361; II, 58, 72; VI, 269, 293.
 Calf Rock, II, 14 (pl. ix).
Calliderma latum, II, 63, 72.
Callopegma obconicum, IV, 292.
Camerospongia, III, 43.
 — *aperta*, I, 361.
 — *capitata*, I, 361.
 — *subrotunda*, I, 361.
 Canterbury Hole, I, 307.
Cardiaster, II, 44.
 — *ananchytis*, I, 313, 363; II, 61, 73; IV, 252, 256, 262, 294.
 — *cotteaui*, III, 43, 45, 49; IV, 211, 248, 294.
 — *cretaceus*, III, 33, 38, 40, 50.
 — *pilula*, I, 301, 333, 337, 338, 342, 363; II, 12, 13, 26, 27, 30, 35, 55, 56, 59, 61, 73; IV, 226, 265, 294.
 " — " (Barrois), IV, 266, 218.
 — zone, I, 345; II, 58.
Cardiaster pygmaeus, I, 318, 324; III, 32, 33, 50.
 — sp., II, 73.
 Carnaby, IV, 237, 265.
 Carter Close Lane Pit, IV, 235.
 Carter Lane, IV, 212.
Caryophyllia cylindræa, I, 299, 361; II, 55, 72.
 "Castrum" at Seaford, I, 332-334.
 Cat Nab, IV, 206.
Cephalites benettæ, I, 360; III, 49.
 — *catenifer*, I, 361.
 — *longitudinalis*, I, 360.
Cerithium saundersi, I, 366.

- Chalk Rock, I, 306, 310, 312, 325 ; II, 7, 8, 15, 20-23, 33, 46, 47 ; III, 8, 43 ; IV, 210 (see also *Proc. Geol. Assoc.* xvii (4), 1901, p. 190).
- Channel Tunnel zigzag, I, 316.
- Chapel Rock, III, 4 (pls. i, ii, xiii).
- "Charleses," I, 322.
- Charton Cliffs, III, 10.
- Chatterthrow, IV, 203, 206 (pl. xxxviii).
- Chloritic Marl, II, 6, 33.
- Cidaris clavigera*, I, 304, 326, 328, 362 ; II, 45, 46, 72 ; III, 35, 42, 49 ; IV, 293.
- *hirudo*, I, 304, 319, 324, 362 ; II, 44, 45, 62, 72 ; III, 27, 34, 40, 42, 49 ; IV, 242, 248, 252, 256, 266, 293.
- *perornata*, I, 304, 362 ; II, 48, 72 ; III, 43, 49 ; IV, 252.
- *pleracantha*, II, 62, 73.
- *sceptrifera*, I, 304, 362 ; II, 46, 48, 72 ; III, 45, 49 ; IV, 252, 256, 266, 293.
- *serrata*, II, 62, 73.
- *serrifera*, I, 309, 313, 326, 328, 362 ; II, 44-46, 73 ; III, 35, 42, 49.
- *sorigneti*, III, 35.
- *subvesiculosa*, II, 62, 73 ; IV, 252, 256, 266, 293.
- n. sp. (*mucronata*-zone), II, 62, 73.
- Cimolichthys lewesiensis*, I, 367.
- Cirripedes, II, 66.
- Cleft near Beer Head, III, 19 (pl. xiii).
- Cleft (Great) at Pinhay, III, 8 (pls. ii, xiii).
- Clevelands, III, 3, 4 (pl. xiii).
- Cliff End (Sewerby), IV, 252, 262, 265.
- Cliona*, II, 61.
- *cretacea*, I, 359 ; II, 71 ; IV, 293.
- Close Nooks, IV, 206 (pl. xxxviii).
- Cockburn's (General) Collection, I, 316 ; III, 35 ; IV, 250.
- Cockpit Head, II, 24, 27 (pl. vi).
- Coddenham (Suffolk), IV, 267.
- Coffin Pit, II, 38.
- Common Hole, IV, 217 (pl. xxxviii).
- Confervites*, I, 359.
- Connett's Hole, III, 12, 14, 16 (pls. v, xiii).
- Contortions in Chalk, IV, 206, 232 (pls. xxiv, xxxviii).
- Coombe Pit, II, 38.
- Cooness Nook, IV, 212.
- Corax affinis*, I, 367.
- Corax falcatus*, I, 367 ; II, 76 ; III, 51.
- *pristodontus*, I, 367.
- Cosciniopora infundibuliformis*, I, 360 ; II, 71 ; IV, 292.
- Court Barn Lane, III, 27, 28.
- Cover Hole, II, 5, 28-30 (pl. x).
- Cow Corner, II, 31 (pl. x).
- Cow Gap, I, 321 (pl. ix).
- Cradle Head, IV, 212, 217 (pls. xxix, xxxviii).
- Crania egnabergensis*, III, 40, 45, 50 ; IV, 242, 245, 253, 257, 268, 294.
- var. *costata*, I, 345 ; II, 57, 65, 74.
- var. *striata*, I, 314, 326, 345, 363 ; II, 57, 74.
- *paristensis*, I, 363 ; IV, 253.
- Craticularia fittoni*, I, 317, 360 ; II, 71 ; III, 41, 49.
- Cribrilina (quadratus form)*, I, 341 ; II, 56 ; IV, 269.
- Crick (G. C.) on *Act. granulatus* (deformed), IV, 283.
- on Belemnites, IV, 270.
- Crioceras* sp., III, 51.
- Crofts' Collection, IV, 245.
- Crowe's Shoot, IV, 203, 208, 242-244.
- Crowlink, I, 330 (pl. ix).
- Cuckmere, I, 321, 329, 332, 335 (pl. ix).
- Cyphosoma*, IV, 245.
- *corollare*, I, 304, 362 ; II, 73 ; IV, 245, 252, 266, 293.
- *koenigi*, I, 304, 328, 362 ; II, 54, 73.
- *radiatum*, I, 311, 313, 325, 326, 362 ; II, 45, 46, 73 ; III, 34, 38, 40, 49 ; IV, 241, 245, 293.
- *spatuliferum*, I, 304, 362.
- Danes' Dike, IV, 206, 271, 287 (pl. xxxv).
- Darby's Hole, I, 323.
- Defrancia*, II, 23, 46 ; III, 19.
- Dentalium turonense*, I, 366.
- Devon, III.
- Diastopora oceani*, II, 45.
- Diblasus*, III, 39, 49.
- Dibley (G. E.), Collection of Belemnites, IV, 274.
- Dike s End, IV (pls. xxxv, xxxviii).
- Discoidea dixonii*, I, 317, 318, 324, 325, 363 ; II, 44, 45, 73 ; III, 32, 40, 49.
- Donkey Linhay Rocks, III, 27.
- Dorking, II, 62.
- Dorset, II, 2.
- Dorset Pit, II, 38.

- Doryderma ramosum*, I, 349, 359; II, 71.
 Dover, I, 305, 315 (pl. x) and *Proc. Geol. Assoc.* xvii (4), 1901, p. 190; II, 44; III, 32-45; IV, 244.
 Dowlands, III, 3, 10.
 Driffeld, IV, 260, 262, 267, 268.
 Drift of Shingle, Sussex, I, 348.
 Dumpton Gap, I, 301.
 Dungy Head, II, 3, 5, 15 (pl. ix).
 Durdle Bay, II, 5 (pl. ix).
 Durdle Cove, II, 15 (pl. ii); slide-planes, 15 (pl. iii and ix).
 Durdle Door, II, 3 (pl. ix).
 Eastbourne, I, 321 (pl. ix).
 East Ebb, III, 12, 14, 15 (pls. vi, xiii).
 East Leys Pit, IV, 235.
Echinoconus band, I, 295.
 — *castanea*, I, 318, 324, 363; II, 44, 73; III, 21, 33, 38, 40, 49.
 — *conicus*, I, 299, 303, 328, 331, 337, 349, 362; II, 48, 54, 61, 73; IV, 251.
 — *globulus*, I, 299, 363.
 — *subrotundus*, I, 318, 324, 325, 363; II, 44, 45, 73; III, 34, 40, 49.
Echinocorys in *planus*-zone, I 336.
 — absent in *Ter. gracilis*-zone, IV, 205, 210, 243.
 — of *mucronata*-zone, II, 61.
 — with thin text, I, 308, 309, 329; IV, 251.
 — *vulgaris*, I, 362; II, 73; III, 49; IV, 239, 250, 255, 265, 293.
 — — var. *gibbus*, I, 301, 303, 308, 313, 328, 333, 337, 338, 342; II, 26, 27, 48, 56, 57, 59; III, 42, 44.
 — — (dome-shape), I, 297, 303, 338, 342.
 — — (dwarf pyramidal), I, 343.
 — — (ovate), I, 303.
 — — (subgibbous), I, 338.
 — — var. *pyramidatus*, I, 297, 303, 330, 333, 337, 338, 349; II, 7, 26, 56, 57; IV, 256.
Elasmostoma scitulum, I, 361.
Enchodus lewesiensis, I, 367.
Enoplocyrtia leachi, I, 366.
 Enthorpe, IV, 247.
Epiaster gibbus, I, 303, 305, 363; II, 48, 62.
Epiphaxum auloporoides, I, 361; III, 39, 49.
Eschara acis, I, 309, 313; II, 46.
 — *danae*, I, 345.
 — *lamarchi*, I, 309; IV, 258.
 Etton, IV, 214, 247, 274.
Exogyra haliotoidea, I, 365.
 Fall Hole, IV, 212, 214 (pl. xxxviii).
 Falling Sands, I, 321.
 Fan Hole, I, 310 (pl. x).
 Ferriby (S.), IV, 202 (pl. xx).
 Fimber, IV, 251-253, 256, 273.
 Flamborough, IV.
 Flamborough Sponges, IV, 262-264.
 Flamborough Station pits, IV, 236 (pl. xxxix).
 Flamborough Station Well, IV, 236.
 Flints of *cuvieri*-zone, II, 41; III, 30; IV, 228.
 — of *gracilis*-zone, I, 315; II, 41; III, 30; IV, 228, 229.
 — *planus*-zone, I, 310, 325; II, 41; III, 30; IV, 228, 229.
 — *cor-test.*-zone, I, 306, 327, II, 41; III, 31; IV, 229.
 — *cor-ang.*-zone, I, 305, 329; II, 41; IV, 228, 229.
 — *marsupites*-zone, I, 295, 346; II, 41; IV, 230.
 — *quadratus*-zone, I, 340; II, 41; IV, 231.
 Flints in Yorkshire, IV, 228, 230.
 Flower's Barrow, II, 30 (pls. vii, x).
 Folkestone, I, 317.
 Foraminifera, I, 359.
 Ford's Point, I, 322, 325.
 Foreness, I (pl. x).
 Fountain Rock, II, 4, 7, 9.
 France, chalk zones of, I, 293.
 Frenchman's Fall, I, 306, 307.
 Friars Bay, I, 336, 337, 339 (pl. ix).
 Further Point, I, 332.
 Gallows Hole, IV, 215.
 Gastropods in Yorkshire Chalk, IV, 288.
 Germany, chalk zones of, I, 293; IV, 262, 267.
 Gills, IV, 268.
Glyphocyphus radiatus, I, 318; II, 44; III, 33, 38, 41, 49.
 Gore End, I, 294 (pl. x).
 Gore Pit, I, (pl. ix).
 Graeme's Barn Pit, IV, 236.
 Gravesend, IV, 274.
 Grays, IV, 274.
 Great Cleft, III, 8 (pl. ii).
 Gregory (J. W.), on *Zeugopleurus*, I, 353.
 Griffiths (C.), II, 62-65; IV, 250.
 Grimstone Wold, IV, 268.
 Grit Bed, I, 317, 323; II, 23, 43; III, 29, 32, 33.
 Grossouvre on Belemnites, IV, 270, 274.
Guettardina stellata, I, 317, 359; II, 71; III, 41, 49; IV, 292.

- Gull Nook, IV, 206 (pls. xxxviii, xxxix).
- Gun Garden, I, 322, 323.
- "The Hall," III, 19 (pl. viii).
- Hamites*, IV, 264, 295.
- Hanbury Tout, II, 5 (pl. ix).
- Handfast Point, II, 32, 38.
- Haplophragmium*, III, 41.
- Harnham, IV, 271.
- Hartendale Gutter, IV, 223 (pls. xxxv, xxxviii).
- Haven Cliff, III, 11 (pls. iii, vii).
- Hemaster minimus*, I, 317, 325, 363; II, 44, 45, 73; III, 33, 40, 49; IV, 241, 294.
- Hessle, IV, 241.
- Heteroceras reussianum*, I, 366.
- Heteropora pulchella*, I, 309.
- Heterostinia obliqua*, I, 359; II, 71; IV, 292.
- High Stacks, IV, 215, 217, 249, 250, 252, 256, 271 (pls. xxxiv, xxxviii).
- High Towthorpe, IV, 288.
- Hill (Wm.) on Yorkshire, IV, 200.
- Hill Ends, IV, 228.
- Hipponyx*, I, 365.
- Hodges' Flagstaff, I (pl. x).
- Holaster placenta*, I, 309, 312, 325, 328, 363; II, 45, 46, 73; III, 19, 35, 40, 42, 45, 49; IV, 248, 294.
- *planus*, I, 309, 311, 312, 314, 325, 326, 363; II, 45, 73; III, 35, 40, 42, 49; IV, 208, 241, 243, 248, 294.
- (uncertain occurrence of), II, 6.
- zone, I, 292, 308, 310, 325 (*Proc. Geol. Assoc.*, xvii (4), 1901, p. 190); II, 6, 9, 14, 20-23, 33, 40, 45; III, 4, 5, 7, 9, 14, 16, 19, 20-23, 28, 30, 41-44; IV, 203, 209, 229, 242.
- (base of), I, 311.
- (name of), I, 314.
- (wanting at Seaford Head), I, 336.
- *trecentis*, I, 312.
- *subglobosus*-zone, II, 6, 8, 33; IV, 199-201, 207.
- Holderness, IV, 260.
- Holmes' Gut, IV, 208, 210, 243 (pl. xxxviii).
- Holworth House, II, 4.
- Holywell, I, 321, 324 (pl. ix).
- Hooken, III, 10, 16, 20 (pls. ix, xii, xiii).
- Hooken Beach, III, 21.
- Hope Gap, I, 332.
- Hornsea Well, IV, 260.
- Humble Point, III, 11.
- Huntow Pits, IV, 235, 236.
- Infulaster excentricus*, IV, 251.
- *rostratus*, I, 363; IV, 218-220, 249, 256, 266, 294.
- zone, IV, 219, 248.
- Inoceramus brongniarti*, I, 314, 365; II, 45, 46, 75; III, 32, 40, 43, 50; IV, 241, 244, 295.
- (cf.) *cuneiformis*, IV, 295.
- *cuvieri*, I, 317, 318, 365; II, 75; III, 40, 50; IV, 208, 241, 295.
- *involutus*, I, 304, 305, 331, 365; IV, 253.
- *labiatus* (See *Ino. Mytiloides*).
- *lamarcki*, III, 32, 38, 40, 50; IV, 241, 244, 295.
- *lingua*, IV, 218, 258, 261, 295.
- (long narrow) IV, 269.
- zone, IV, 225, 259.
- *mytiloides*, I, 317, 318, 365; II, 44, 75 (all as *labiatus*); III, 32, 37, 38, 40, 50; IV, 241, 295.
- (cf.) *undulata*, IV, 295.
- sp. (Woods), I, 314, 365; II, 46, 75; III, 50; IV, 244, 295.
- spp.; II, 75.
- Jackdaws' Crag, IV, 204 (pl. xxi).
- Janira*, see *Neitheia*.
- Joss' Stairs, I (pl. x).
- Kemps' Stairs, I (pl. x).
- Kent, I, 294.
- Key Hole, IV (pl. xxxviii).
- Kindlescar, IV, 217 (pl. xxxviii).
- King & Queen Rocks, IV (pl. xxxiii, xxxviii).
- King Rock, II, 6.
- Kingena lima*, I, 300, 363; II, 64, 74; III, 36; IV, 242, 244, 253, 257, 268, 294.
- Kingsdown, I (pl. x).
- Kingsgate, I, 295, 301 (pl. x).
- Kings' Hole, III, 12.
- Kirkella, IV, 214, 247, 274.
- Kirk Hole, IV (pl. xxxviii).
- Kitchin (F. L.) on *Terebratulina rowei*, I, 355 (pl. viii).
- Kit Pape's Spot, IV, 198 (pl. xvii, xxxviii, xxxix).
- Lambert (Jules) on *Cardiaster*, III, 32, 33.
- Lamna appendiculata*, I, 367; II, 76; III, 51; IV, 296.
- Lamplugh on Yorkshire Chalk, IV, 197, 287.
- Lamplugh on Conditions of Accumulation of quadratus-zone, IV, 287.
- Lamplugh Coll. of Sponges, IV, 263, 287.
- Lamplugh Coll. of Micrasters from Bessingby, IV, 266.

- Langdon, I, 305 (pl. x).
 Langdon Stairs, I, 320.
 Leather Court Point, I, 302 (pl. x).
Leiodon, I, 367.
Leptophragma murichsoni, I, 360; II, 67, 71; IV, 292.
 Life Hill, IV, 258.
Lima granosa, I, 365; II, 65, 75; IV, 295.
 — *hoperi*, I, 300, 328, 364; II, 55; IV, 258, 295.
 — *mantelli*, I, 365.
 — *pectinata*, I, 365.
 Lithology of *cuvieri*-zone, I, 292; II, 40; III, 29; IV, 229.
 — *gracilis*-zone, I, 292; II, 40; III, 30; IV, 229.
 — *planus*-zone, I, 292; II, 40; III, 30; IV, 229.
 — *cor-test.*-zone, I, 291; II, 40; III, 31; IV, 229.
 — *cor-ang.*-zone, I, 291; II, 40; IV, 229.
 — *marsupites*-zone, I, 291; II, 41; IV, 230.
 — *quadratus*-zone, I, 291; II, 41; IV, 231.
 — *mucronata*-zone, II, 41.
 Little Beach, III, 20.
 Littlecombe, III, 27.
 Long Close Bottom Pit, II, 39.
 Longlands Pit, IV, 235.
 Lulworth Cove, II, 3, 21 (pl. x).
 Lydden zigzag, I, 316.
 Lynch Plantation, III (pl. xiii).
 Lynhams Road Pit, IV, 234.
Macropoma mantelli, I, 367.
Magas pumilus, II, 28, 35, 63, 75.
 Maiden's Grave Slack Pit, IV, 234.
 Man o' War Cove, II, 3, 5, 17, 24 (pl. ix).
 Marcasite, IV, 219, 222, 230.
 Margate, I, 295, 349 (pl. x); IV, 250, 255, 258, 273.
 Margate Sewer, I (pl. x).
 Market Weighton, IV, 250.
 Marl, IV, 227, 230.
Marsupites, I, 296, 331, 333, 334, 338, 341, 361; II, 41, 72; IV, 218, 221, 293.
 — at Rottingdean, I, 347.
 — at Shoreham, I, 346.
 — in Devon, III, 3.
 — zone, I, 291, 294, 301, 302, 331, 346; II, 6, 10, 14, 25, 30, 34, 41, 52; IV, 222, 223, 254.
 — (name of) I, 300.
 Martins' Rock, III, 23 (pl. xiii).
 Measurements of zones: Kent I, 320; Sussex I, 350; Dorset II, 42; Devon III, 46; Yorkshire IV, 275.
 Meyer's zones, III, 47.
 Melbourne Rock, II, 23; III, 29.
Melecrites (no zonal value), IV, 246.
 Melton Bottoms, IV, 202.
Metopaster cornutus, III, 38, 39.
 Meudon, II, 62, 64.
 Meyer-Eymar on Belemnites, IV, 270.
 Micheldever, IV, 273.
Micraster, II, 46, 47, 48; III, 35, 44; IV, 238, 245, 266; (see also *Quart. Journ. Geol. Soc.*, lv, 1899, pp. 494-544, pls. xxxv-xxxix).
 — in *cor-test.*-zone, I, 308.
 — with thin test, I, 309.
 — *cor-anguinum*, I, 338, 363; II, 57, 62, 73; IV, 219, 250, 293.
 — var. *latior*, I, 303, 363; II, 54, 73.
 — var. *rostratus*, I, 300; II, 54.
 — tabular, I, 307, 323, 329.
 — zone, I, 291, 301, 329; II, 6, 10, 17, 20, 24, 29, 34, 40, 48, 52; III, 6; IV, 216-221, 229, 249.
 — (name of), I, 305.
 — *cor-bevis*, I, 311, 313, 316, 325, 326, 363; II, 44, 73; III, 15, 38, 39, 42, 49; IV, 245.
 — *cor-testudinarium*, I, 303, 328, 363; II, 73; III, 42, 44, 49.
 — tabular, I, 307, 328, 332.
 — zone, I, 291, 306, 327, 335; II, 6, 9, 14, 17, 20, 21, 23, 24, 29, 34, 40, 41; III, 7, 17-20, 31, 44, 45; IV, 205, 209, 211-215, 229, 246.
 — *leskei*, I, 311, 313, 326, 363; II, 73; III, 39, 40, 42, 49; IV, 245.
 — zone, I, 312.
 — *præcursor* (Group), I, 303, 363; II, 45, 73; III, 42, 44, 49; IV, 213, 245, 247, 294.
 Middle Bottom, II, 4, 7, 8, 9, 11, 12, 37 (pls. i, ix).
 Mitchells' Rock, III, 23, 24 (pl. xiii).
Mitraster parkinsoni, I, 362.
 — *uncatus*, I, 362.
 Monastery Pit, II, 29, 39 (pl. x).
 Mortimer's Museum, IV, 198, 245, 247, 250, 253, 262, 264, 265, 267, 268, 288.
 Mosasaur, IV, 296.
Multelea, I, 331.
 Mupe Bay, II, 5, 18, 22 (pl. x).
 Nanny Goat's House, IV, 200, 204, 240 (pl. xxi).

- Natica vulgaris*, I, 365.
Nautilus, IV, 267, 295.
 — *atlas*, III, 4, 50.
 — *sublævigatus*, I, 366; III, 50.
Neitheia dutemplei, I, 364.
 — *quadrircostata*, I, 364.
 — *quinquecostata*, I, 364; II, 65, 75; III, 40, 50.
 Newcombe, IV, 211, 213, 248, 274 (pl. xxxviii).
 Newcombe Saddle, IV, 212.
 Newhaven, I, 335, 336, 339 (pl. ix).
 Newlands Farm, II, 5 (pl. ix).
 North Dale Pit, IV, 235.
 North Foreland, I (pl. x).
 North Sea Landing, IV, 208, 242, 243, 245 (pls. xxviii, xxx, xxxviii).
 Northfleet, IV, 273, 274.
 Norwich, II, 60, 62-67; III, 43; IV, 243, 261, 264.
Notidanus microdon, I, 367; III, 45; IV, 296.
 Old Door, IV (pl. xxxviii).
 Old Harry, II, 38.
 Old Nore Point, I, 337 (pl. ix).
 Old Roll Up, IV, 205.
Onchotrochus serpentinus, I, 304, 361; II, 66; III, 37, 49.
Ophiraphidites anastomans, I, 359.
Ophiura, I, 362; II, 72; III, 49; IV, 256, 293.
Oreaster bulbiferus, II, 63, 72.
 — *obtus*, I, 362.
 — *pistilliferus*, II, 72.
Ostrea acutirostris, I, 365; III, 36.
 — *alaeformis*, I, 300, 365; II, 65.
 — *curvirostris*, I, 365; II, 75.
 — *hippodium*, I, 365; II, 75; III, 36, 50; IV, 246, 295.
 — *lateralis*, I, 345, 365; II, 58, 75; III, 50.
 — — var. *striata*, I, 345, 365.
 — *normanniana*, I, 365; II, 75; III, 36, 50.
 — *proboscidea*, IV, 203, 242, 243, 295.
 — *semiplana*, I, 365; II, 75; III, 50.
 — *vesiculosa*, I, 365; II, 65, 75; III, 34, 36, 38, 50; IV, 242, 246, 255, 262, 295.
 — *wegmanniana*, I, 345, 365; II, 75; IV, 253, 255, 258, 262, 295.
 Ovingdean, I, 340.
Oxyrhina mantelli, I, 367; II, 76; III, 51; IV, 296.
Pachinion scriptum, I, 359.
 Painsthorpe Wold Pit, IV, 209.
 Paramoudras, II, 37; IV, 203, 209 (pl. xxx).
Parasmilia, IV, 253.
 — *centralis*, I, 299, 304, 361; II, 72; III, 39, 49; IV, 253, 258, 293.
 — — var. *gravesana*, I, 304, 361.
 — *cylindrica*, I, 361; IV, 258, 293.
 — *fitoni*, I, 361; II, 58, 72; III, 49; IV, 258, 293.
 — *granulata*, I, 299, 304, 361; IV, 253, 293.
 — *mantelli*, I, 304, 361.
 — *monilis*, III, 37.
 — sp., II, 72.
 Parsons Barn, II, 32.
Pecten concentricus, II, 65.
 — *cretosus*, I, 364; II, 65, 75; III, 50; IV, 295.
 — *pexatus*, III, 22, 40, 50.
 — *pulchellus*, II, 65.
 Pegwell, I, 295, 302 (pl. x); IV, 250.
Pentacrinus, I, 313, 317, 325, 326; II, 45, 46; III, 34, 38, 40, 42, 49; IV, 243, 293.
 — *agassizi*, II, 63, 72.
 — *bronni*, II, 63.
 "Peruvian," I, 348.
 Petrel Hole, IV, 212 (pl. xxxviii).
Pharetrosporgia strahani, I, 329, 331, 361; II, 71.
 Phillips' divisions of Chalk, I, 293.
Pholodocladia ramosus, I, 360.
 Pinhay, III, 3, 4, 17 (pls. i, ii, xiii).
 "Pinnacles," III, 21 (pl. x).
Placotrema cretaceum, I, 361.
Pleurotomaria, IV, 268.
 — *perspectiva*, I, 314, 365; II, 46, 75; III, 8, 43, 50.
 — sp., IV, 295.
Plicatula barroisi, I, 310, 314, 329, 365; II, 46, 47, 75; III, 36, 40, 43, 50.
 — *sigillina*, I, 365; II, 75; III, 50; IV, 295.
Plinthosella compacta, I, 360; II, 71.
 — *nodosa*, I, 360.
 — *squamosa*, I, 360.
Plocoscyphia, I, 317.
 — *convoluta*, I, 361; II, 71; III, 49; IV, 293.
 — *labrosa*, I, 361.
 Pluckham, IV, 253, 268.
Podoseris, III, 37.
Pollicipes fallax, II, 66, 76.
 — *glaber*, I, 366.
Polyblastidium racemosum, I, 360.
Porina filigrana, II, 65.
Porochonia simplex, I, 360; IV, 292.

- Porosphaera* (See Hinde, *Quart. Journ. Microsc. Soc.*, 1904, pp. 1-25 for figures and nomenclature), I, 299, 304; II, 58; IV, 254, 258, 267, 269, 293.
 — *globularis*, I, 299, 304, 338, 344, 361; II, 71; III, 49; IV, 293.
 — *pileolus*, I, 304, 344, 361; II, 67, 72; III, 49; IV, 293.
 — *woodwardi*, I, 304, 344, 361; II, 58, 67, 72.
 — (cushion shape) II, 67.
Portheus, I, 367.
Portobello, I, 336 (pl. ix).
Pot Stones, II, 37.
Pound's Pool, III, 19.
Protosphyraena ferox, I, 367.
Ptychodus, IV, 296.
 — *mammillaris*, I, 367; III, 51.
 — *polygyrus*, I, 367.
Pug Pit, II, 38.
Purbeck Fault, II, 7, 32 (pl. viii).
Pyrgoma cretacea, II, 66, 76.
Radiolites mortoni, I, 319, 365; III, 36.
Ragadinia sulcata, I, 359.
Raisthorpe, IV, 268.
Ramsgate, I, 302 (pl. x).
Redcliff, I (pl. x).
 Red colour of fossils in *quadratus*-zone, II, 27.
Red Hole, II (pl. v).
Reighton, pits at, IV, 233, 242.
Reticulopora obliqua, I, 309; II, 46.
Rhyncholith, III, 38, 50.
Rhynchonella cuvieri, I, 317, 318, 325, 364; II, 44, 45, 74; III, 32, 37, 38, 40, 43, 50; IV, 241, 244, 295.
 — zone, I, 292, 317, 321, 323; II, 6, 8, 19-22, 31, 33, 40; III, 8, 9-15, 18-23 (abnormal at Berry), 25-29, 32-39; IV, 199, 200-203, 229, 240.
 — (name of), I, 319.
 — *limbata*, I, 310, 328, 345, 364; II, 57, 63, 74; III, 45; IV, 268, 295.
 — var. *lentiformis*, II, 64; III, 45.
 — *plicatilis*, I, 300, 314, 326, 333, 338, 345, 349, 364; II, 64, 74; III, 32, 36, 40, 43, 45, 50; IV, 245, 294.
 — var. *octoplicata*, I, 314, 345, 364; II, 75.
 — *reedensis*, I, 364; II, 64, 74; III, 40, 43, 45, 50; IV, 244, 252, 255, 257, 262, 268, 295.
 — *woodwardi*, I, 364; III, 32, 40.
 Riggs, IV, 253.
 Ringwould, IV, 250, 273.
 Roedean, I (pl. ix).
 Rottingdean, I, 337, 339, 347 (pl. ix).
 Rousden, III, 3, 10.
 Runtun, II, 67.
 Ruston parva, IV, 237, 265, 271.
 St. Lucas' Leap, II, 32, 33.
 St. Margaret's, IV, 273.
 St. Margaret's Bay, I, 301, 302, 305 (pl. x).
 St. Mildred's Bay, I, 295.
 St. Oswald's Bay, II, 3, 5, 10, 19 (pl. ix).
Salenia geometrica, I, 300, 362; II, 55.
 — *granulosa*, I, 318, 362; II, 46, 75; III, 33, 38, 49; IV, 241, 256, 293.
 Salisbury, I, 343, 349; II, 60, 62-66; IV, 250, 257, 267, 271.
 Saltdean, I, 337 (pl. ix).
 Sanwick, IV, 206, 207 (pls. xxvi, xxxviii).
 Scale Nab, IV, 205, 232 (pl. xxiv, xxxviii).
Scalpellum fossula, I, 366; II, 76.
 — *maximum*, I, 366; II, 76; III, 51; IV, 254, 296.
Scaphanorhynchus subulatus, I, 367; III, 36, 45, 51.
Scaphites, IV, 237, 264, 265, 295.
 — *binodosus*, IV, 265, 295.
 — *geintzi*, I, 366.
 — *inflatus*, IV, 265, 295.
 — sp. IV, 295.
 Scratchy Bottom, II, 16, 17 (pls. iii, iv, ix).
 Seaford Head, I, 332-335, 339, 346 (pl. ix).
 Seaton, III, 11 (pl. xiii).
 Selwicks Bay, IV, 215 (pls. xxxi, xxxii, xxxviii).
Serpula ampullacea, I, 363; II, 66, 73; III, 39, 50; IV, 294.
 — *avita*, II, 44; III, 34, 38, 50.
 — *difformis*, II, 66, 74.
 — *fluctuata*, I, 363; II, 74; III, 50; IV, 294.
 — *gordialis*, I, 363; II, 66, 73.
 — *granulata*, I, 363; II, 73; III, 50; IV, 294.
 — *ilium*, I, 309, 313, 326, 344, 363; II, 46, 47, 58, 66, 73; III, 44, 45, 50; IV, 294.
 — *macropus*, I, 363; II, 73; III, 50.
 — *plana*, I, 66, 74, 363; III, 50; IV, 294.
 — *planorbis*, II, 74.

- Serpula plexus*, I, 363; II, 74.
 — *turbinella*, I, 300, 331, 344, 363;
 II, 55, 58, 66, 73; IV, 248, 253,
 294.
 — sp. II, 74.
 — sp. III, 50.
 Seven Sisters, I, 329, 330, 339, 346,
 347 (pl. ix).
 Sewerby Cliff, IV, 260–262, 265–267,
 271, 287 (pls. xxxvi, xxxviii).
 Shakespeare's Cliff, I, 305, 316 (Pro.
 Geol. Assoc., xvii (4), 1901, p.
 190).
 Sheepwalk Lane Pit, IV, 236.
 Sheringham, II, 63, 67.
 Shoreham, I, 346.
Siphonia koenigi, I, 359; II, 71; IV,
 292.
 Sixpenny Hill, IV, 234, 250.
 Sledmere, IV, 253, 267, 268.
 South Down Common, III, 20–22.
 South Ferriby, IV, 240, 241.
 South Foreland, I, 307, 310.
 South Sea Landing, IV, 217, 249–
 251, 271 (pls. xxxv, xxxviii).
 Speeton, IV, 198, 241, 242, 245 (pl.
 xxxviii).
 Speeton Cliffs, IV, 204, 243 (pl. xxi–
 xxiii).
 Speeton Gate Pits, IV, 235.
 Speeton Station Pits, IV, 233, 235.
 Spines of *Cardiaster*, IV, 262; *Echi-
 nocorys*, I, 340; *Holaster*, IV, 262;
Micraster, I, 340.
Spinopora dixoni, IV, 293.
Spondylus, IV, 245.
 — *dutempleana*, I, 364; II, 65, 75;
 III, 36, 40, 45, 50; IV, 258, 295.
 — *latus*, I, 364; II, 75; III, 36,
 39, 40, 43, 50; IV, 258, 295.
 — var. *aequicostatus*, III, 36,
 50.
 — *royanus*, I, 364.
 — *spinosus*, I, 364; II, 65, 75;
 III, 40, 43, 45, 50.
 Sponges, II, 45, 67; IV, 220, 254,
 258, 262–264.
 Stather collection, IV, 214, 226, 247,
 250, 265.
Stelletta inclusa, I, 359; IV, 293.
Stephanophyllia michelini, I, 361; II,
 66, 72.
Stichophyma tumidum, I, 359; II, 71.
 Stone Pit Lane Pit, IV, 233.
 Stone Pit Wood Pit, IV, 236.
 Stottle Bank Nook, IV, 214, 215,
 217 (pl. xxxviii).
 Strahan (A.), on Dorset, II, 2.
 Studland Bay, II, 32, 33, 36, 38;
 IV, 261.
 Suture partings, IV, 225, 228, 289
 (pl. xxxvii).
 Swanage, II, 33.
 Swyre Head, II, 10 (pls. iii, ix).
Talpina, II, 61.
 Telegraph cable at Dover, I, 306,
 310.
 Telscombe, I, 336 (pl. ix).
Terebratulina carnea, I, 310, 313, 319,
 326, 364; II, 46, 64, 74; III, 34,
 43, 45, 50; IV, 244, 294.
 — *obesa*, II, 64.
 — *pentangulata*, II, 64.
 — *semi-globosa*, I, 304, 309, 313,
 319, 338, 364; II, 64, 74; III, 34,
 38, 43, 45, 50; IV, 208, 242, 244,
 252, 257, 268, 294.
 — var. *albensis*, I, 319; III,
 38.
Terebratulina gracilis, I, 313, 316,
 364; II, 44, 74; III, 36, 39, 43,
 50; IV, 208, 210, 241, 243, 294.
 — zone, I, 292, 315, 321, 323;
 II, 6–8, 19–22, 31, 33, 40, 44; III,
 5, 7–13, 16, 20–23, 28–30, 39–41;
 IV, 200–203, 207, 229, 241.
 — (name of), I, 319.
 — *rowei*, I, 298, 331, 349, 355, 363
 (pl. viii); II, 7, 26, 27, 30, 31, 55,
 56, 57, 74.
 — *striata*, I, 349, 363; II, 74;
 III, 38, 50; IV, 253, 257, 268,
 294.
Teredo amphibiaena, I, 365; II, 75;
 III, 36, 40, 50.
Thecidea wetherelli, I, 304, 363; II,
 74; IV, 253, 257.
 — sp., IV, 294.
 Thixendale Pit, IV, 209, 268.
 Thornwick, IV, 207, 241, 242 (pls.
 xxv, xxvii, xxxvii, xxxviii).
 Tombstone, III, 23, 24 (pl. xiii).
Toulminia, I, 360.
Trapezium trapezoidale, I, 365.
Tremabolites perforatus, III, 36, 43,
 49.
 Trimmingham, II, 60–67.
Trochus schlueteri, I, 365.
Turbo gemmatus, I, 314, 365; II, 18,
 45, 46, 75; III 8, 43, 50.
 Tyneham pits, II, 35, 39.
Uintacrinus, I, 298 (figure), 330–
 334, 361; II, 72; IV, 221, 293.
 — (arm-ossicles), I, 298.
 — at Brighton, I, 347.
 — band, I, 346; II, 7, 11, 17, 24,
 30, 31, 34; IV, 221.
 Uncleby Stoop, IV, 243, 268.
Ventriculites convolutus, I, 360; II,
 71; IV, 292.

- Ventriculites cribrosus*, I, 360; II, 71; III, 49; IV, 292.
 — *decurrens*, I, 360; II, 71; III, 49; IV, 292.
 — *impressus*, I, 360; II, 71; III, 43, 49; IV, 246, 292.
 — *infundibuliformis*, I, 360; IV, 264, 292.
 — *mammillaris*, I, 360; II, 71; III, 43, 49.
 — *radiatus*, I, 360; II, 67, 71; III, 49; IV, 292.
Verrucocaelia tubulata, I, 360.
Vincularia disparilis, I, 309, 345.
 — *santonensis*, I, 345.
 Walkington, IV, 253.
 Walmer, IV, 273.
 Walmsley Siphon, IV, 205.
 Walton's Collection, IV, 245, 247, 252.
 West Bottom, II, 4 (pl. ix).
 West Cliff Cottage, III, 8 (pls. ii, vi).
 Westlake (E.), II, 62.
 Westwood, IV, 268.
 Wetherell Collection, IV, 250.
 Wetwang, IV, 268.
 Weybourne, II, 63.
 Wharram, IV, 247, 268.
 Wharram Percy, IV, 243, 268.
 Whitaker's 3-inch tabular, I, 295, 301, 302, 305, 330.
 White Cliff, III, 11, 12, 14 (pls. iv, xiii).
 White Hill Pit, IV, 236.
 White Ness, I, 295 (pl. x).
 White Nothe, II, 3-5, 8, 9.
 Whiteway Pit, II, 39.
 Whitlands, III, 9 (pl. xiii).
 Williams (F. R. B.), IV, 274.
 Wood, I, 359.
 Woods (H.), on Chalk Rock fossils, I, 314.
 Wool, II, 3, 13, 37, 63, 64.
 Worbarrow Bay, II, 22, 30 (pl. x).
 Worbarrow Tout, II, 3, 5 (pl. x).
Zeuglopleurus rowei, I, 300, 353, 362; II, 54; IV, 256, 293.
 Zigzag at Langdon, I, 307.
 Zonal measurements, see Measurements.
 Zonal junction between *cuvieri* and *gracilis*, I, 319.
 — *planus* and *cor-test.*, I, 311, 314.
 — *Marsupites* and *quadratus*, I, 337, 340.
 Zones of various authorities, I, 293.