forsook their old haunts, and slowly retreated into more congenial regions to the north; and others, like the sturdy, irrepressible hippopotamus, that old inhabitant of this country which even "Time" before the Flood, as well as the supposed "Flood" itself, seems to have spared, retired to their present abode on the bank of the Nile and other parts of Africa.

INFLUENCE OF GEOLOGY ON THE EARLY SETTLEMENTS
AND ROADS.

By F. J. BENNETT, F.G.S.

It is generally admitted that we owe much to our mothers in the formation of our characters, but at the same time we also owe no small share to the physical environments of the particular spot in which we were born, and where we passed some years of our lives. The mountaineer differs from the lowlander, and the dwellers on the coast from those inland. Those who have to struggle with adverse physical conditions, and who live toilsome lives, differ much in character from those to whom Nature has been bountiful, and to whom toil is unknown. The awful phenomena of volcanic regions cause the inhabitants of those districts to be superstitious in the highest degree, though in most of the isolated districts in our country we also find much superstition. All this, of course, is well known, and has been most ably treated by Buckle in his 'History of Civilization.'

My object is to show that geology has also played a very important part in determining the sites of some of the early settlements, and the direction and position and general condition of roads; it may be added, too, that the courses of rivers have been much influenced by geology.*

My remarks will be confined to this country, and I do not intend to go further back than to Neolithic times, our knowledge of the much remoter Palæolithic period being far too scanty to afford any reliable data.

The early settlers of the remote Neolithic period must have been very much restricted in their choice of the sites for their settlements. They were, no doubt, at first a pastoral people, and later on tillers of the ground; their only tools or weapons were of stone

* The connection of geology with scenery has been well shown by Sir A. Ramsay in his 'Physical Geology and Geography of England,' and by Dr. Geikie in his 'Scenery of Scotland.'

or bone, and, therefore, ill-adapted to fell trees, or to clear and cultivate the soil. These early settlers then must have been confined to those formations and situations unfavourable to the growth of trees, and where open expanses of turf for pasture were to be found, and where suitable stones for their tools could be procured. All these conditions are to be found on the chalk downs, though not confined to them.* Of course, even with their primitive tools and by the aid of fire, clear spaces could have been made in the forests, but I imagine the naturally cleared spaces would have had the preference, especially with the early settlers. When it came later on to a struggle for existence, the better armed would seize the river-valleys, and the ruder people would be confined to the downs.

On these downs we find abundant traces of the early settlements in the shape of camps and tumuli, though the former may have been only used as places of refuge. The surface of the ground is strewn with flints, and here and there we find the chipped tools of the early settlers.

That the turf of these downs dates back to very early times has been pointed out by me in a paper read before the Newbury Field Club†, in which reference was made to the figures cut in the chalk downs. Whatever the age of these chalk turf intaglios may be, it is quite evident that these downs were in turf long before they were cut. The White Horse at Uffington, the "Wilmington Giant," 240 feet high (near Lewes), bearing a staff in his hand, and the "Cerne Giant," 180 feet high, with a club measuring 121 feet, are well known. The cross of Prince's Risboro', 100 × 50 feet, and that at Bledlow close by, are not perhaps so well known.

Hence we may infer that these downs are much in the same state now as they have been for a very long period of time. Then we have the names of Highclere, Burghclere, and Kingsclere on the chalk downs near Newbury. What the age of these names may be is not certain, but the termination "clere" would seem to denote a clearing.

We find abundant evidence that these spaces had been cultivated, as they are marked all over with slight ditches and "baulks," forming square inclosures.

Mr. Baigent pointed out at the excursion of the Hampshire Field Club to Burghclere in July, 1885, that there was documentary

* The Cotswold Plateau consists of open downs, and so also the eastern moorland of Yorkshire. Here we find extensive prehistoric remains.

† See 'Trans. Newbury Field Club,' Vol. iii, p. 255.

evidence showing that these hills had been cultivated from very early times down to the time of Edward III., and that it was due to the ravages of the Black Death in 1347 that they went out of cultivation.

Again, Mr. Topley, in his most interesting paper on the 'Parish Boundaries in the South-East of England,'* states that the face of the Chalk escarpment around the Weald is divided among 125 parishes, 119 of which belong to parishes lying beneath the escarpment, and only six to the Chalk above. He considers that the latter were the earliest settlements. On the plateau where there is no drift, he says, all was turf, and there are found abundant Celtic remains. He says, further on, "Taking the case of that part of Sussex represented in Plates II. and III., we can have little doubt that the whole of the Chalk area as far west as the River Arun was quite open land."

These are the arguments, not very strong ones perhaps, for the proof of the early settlements on the open down and moorland country. We may add that we find the modern settler prefers the prairie to the forest; in the open prairie he can begin to plough and get in his wheat at once with no clearing to do. Leaving the true chalk down country, we come to Norfolk and Suffolk, at the meeting of these counties near Brandon. Here we find an open chalk country, and were it not that the Chalk is covered with a variable drift of clay and sand, in which the latter predominates in that a coating, mostly very thin, but sometimes thick, covers everything, we might have had a down country. As it is, owing to the sand covering, it is a wild, mostly barren, heath. Now and then we find large woods, mostly of fir, but these are of recent introduction, and probably the original state of the country was that of heath and scrub. Flint knapping, as Canon Greenwell† has pointed out in his able paper on 'The Opening of Grimes' Graves,' has been carried on there from Neolithic times down to the present day. Brandon seems to have been the Birmingham of that period, and the centre, perhaps, whence the flint knappers spread. It was the occurrence of the Chalk-with-Flints, and the particular flint bed best suited for flint implements that determined the site of the Brandon settlement. The observations of Canon Greenwell, supplemented by those of Mr. Skertchly, show that the flint knappers

* 'Journal of the Anthropological Institute,' Vol. iii.

† "The Opening of Grimes' Graves," 'Journal of the Ethnological Society of London,' January, 1871.

of the present day are the direct descendants of the Neolithic workers; they mine for the same bed of flints in a manner only slightly different from that their far-off ancestors adopted; they also chip the flints in the same way, and the tools they now use are copies of the old stone and bone ones. The present workings are on the Ling Heath, on the Suffolk side of the river; the old workings at Grimes' Graves are on the Norfolk side, and the pits are some 250 in number. The old workers reached the flint bed by a direct vertical shaft from twenty to sixty-five feet in diameter, and then worked out the flint in galleries, which seem to have connected all the shafts. The flint seems to have been removed from the bottom of the shaft by ropes of hide, or by ladders made out of the trunks of trees. The modern way is to reach the Chalk by a series of short slanting shafts, with level landings at intervals, the workman carrying the flint on his head, placing it on the landing, then climbing up the incline, and so on till he reaches the surface. The old workers removed the chalk only above the flint bed; the modern ones above and below the flint. The Neolithic worker seems to have used a rude saucer-shaped oil lamp, made out of chalk; the present ones use wax candles. The "Floor Stone" is the name of the flint bed from which the implements were made. That bed at Grimes' Graves is about seven inches in thickness; about twice that of the bed in the modern workings, and of a much finer grain. The ground for some distance round Brandon is strewn with flint chips, and worked flints are also very numerous; and not only may surface Neolithic specimens be found, but the river-gravels and the brick-earths at and near Brandon yield Palæolithic implements, thus affording evidence, no doubt, of a settlement of much greater antiquity in this area.

After settlements came towns and villages, and the part that geology has played in determining their sites is a subject of much interest. As before remarked, the early settlements were on the open country, and if we take the case of the North and South Downs we find few, if any, traces of the early settlers in the Weald, the reason being that this part of the country was one vast forest (Anderida), and for the most part inaccessible to the people of the Stone Age. The most thickly-wooded parts of the Weald, Mr. Topley points out,* were those occupied by the clay,

* *Op. cit.*

now the arable land. What is now left of this forest is that on the less valuable light land, where the trees would not be so vigorous as on the clay. Later on, we find at the foot of the escarpment numerous villages, most of them resting on the Upper Greensand, and we find the parish extending from the Gault up the scarp ; so that each village had its due share of pasture, arable, and woodland. This very equitable arrangement would of itself denote that the country has been settled a long time, and that the inhabitants felt the necessity of living peaceably together. These villages would obtain their water supply from the springs at the junction of the Chalk and the Upper Greensand.

Generally throughout England in the wide areas of the Clay formations no towns or villages were to be found where the clay was alone to be met with, but where beds of sand and gravel capped the clay their occurrence decided the sites of the communities as being places where water could be found ; so that the mere presence of the old towns and villages would show the spots where the water-bearing strata existed. This was notably the case in the London Clay of London, on which the extensive clay tracts were bare of houses before the existence of the great water companies.

Mr. Topley, in his paper before referred to, says that "the eastern part of Northumberland is much covered with Drift deposits, chiefly Boulder Clay, there rise up in many places isolated areas of sandstone belonging to the Coal Measures and Millstone Grit. On these rocky patches most of the ancient villages and the more important hamlets are built. Here the soil is dry, and springs occur at the edge of the clay. The sites of these old settlements were determined by the surface soil."

The question will at once arise how, if these early settlements were, in the case we have been discussing, confined to the now dry and springless chalk downs, did they obtain their water-supply ? In some of these broad upland valleys we find the Bournes (sometimes called Lavants, Nailbournes, Winterbournes, and Gypsies) which are intermittent streams and only burst forth every three or four years ; but it has been remarked that as it is very probable that the rainfall in former times was greater than it is now, so these Bournes may then have been permanent streams. We have, however, still to account for the water-supply for the cattle on the downs and for that of the camps, which has been a matter of much conjecture. I think the water-supply in both these cases may have

been from dew-ponds, which are well known to be of ancient origin. These dew-ponds were, no doubt, found naturally at first in the hollows in the ground, the water being kept up by such beds as the Clay-with-Flints that covers extensive tracts on the Chalk. Afterwards it would be found that the ditches of these camps also acted as dew-ponds, the tramping along them during their excavation puddling the chalk sufficiently, and so making it watertight; or clay might have been employed for that purpose. These wet ditches would also add to the strength of these camps.

A few words may here be said about dew-ponds. These ponds are said to attract the mists, which are denser and more frequent at these high elevations than in the low grounds; and the rain and snowfall is also greater, both of which causes would help in keeping them full. The rainfall is found to increase three per cent. for every hundred feet, and it must be borne in mind that the evaporation on the high grounds is much less than on the low lands. Mr. Baldwin Latham states that he does not know a single dew-pond that has not a certain amount of drainage into it. He also noticed the case of a lake in Wales at an elevation of 2,000 feet when the water seemed in direct communication with the clouds while the sky all around was quite clear. These ponds are still being made on the high spurs of the chalk downs. They should be so situated that the slope of the spur is toward them, thus taking some of the drainage from it. They vary from thirty to forty-five feet in diameter, the bottoms are puddled and so made watertight, and they are never known to fail when properly constructed. Many of the modern ponds are cemented at the bottom, and if properly done will last a long time. One thousand sheep have been daily watered from some of them in seasons of drought.

We now come to the next division of our subject, viz., the connection of geology with roads.

As a cyclist from the days of the "boneshaker," I have naturally paid much attention to roads, and as a student of geology have long seen how much that science has to do with them. Some ten years ago a friend of mine, no geologist, but a shrewd man and an experienced rider, had taken a bicycle tour from Norfolk into Derbyshire and back; and on getting from him the line of his route, and without telling him my reason for so doing, I took my geological map (Ramsay's Map of England) and plotted out the roads he had followed from it, putting in and colouring the geology of all the different formations he had passed over, and then draw-

ing up in a tabular form an estimate of what was the gradient, road material, general condition, and average riding state of the roads over each of the formations he had ridden over, and then sent it to him asking him to say how far it accorded with his experience. He wrote back to say that he was completely astonished that a person who had not ridden these roads (as in my case) should be able, from the geology alone, to form so accurate a conception as to their general condition, &c. Again, when walking out soon after this with a professional geologist, a colleague of mine, in a country well known to him—he having mapped it—but quite fresh to me, I said “Now I will try and tell you what the geology is from the surface of the road alone,” and I was able to say correctly in each instance that it was either bare chalk, sand, or clay, very much even to his surprise, since, not being a cyclist as well as a geologist, he had not paid the same close attention to the matter that I had.

Again, by taking a map on a scale of at least one inch to a mile and noting the number of roads passing through any district, we may get some idea of the nature of the strata; for if we find that there are few roads we may infer that road-metal is scarce and that the strata comprise either loose soils with no hard beds, or clays without any stone bands. The fertility or sterility of a district, too, is often shown by the size of the farms and the fields. Where the fields are small, and therefore numerous, we may gather that the land is fertile and therefore valuable, but where they are few and large we may, as a rule, conclude that the land is either sterile or less fertile. We often find a greater number of footpaths when the land is comparatively valueless and unproductive.

There can be little doubt that in pre-Roman times, and before the art of road-making, the means of communication were confined mainly to those parts where the strata supplied road-metal and the roads were not liable to be flooded, and where, as in the case of the chalk downs, there were no forests. For a long time in Britain there must have been no real roads, nothing but mere trackways, and many of these only available in the dry seasons.

Cæsar's advent, however, must have found the Britons in a state of some considerable civilization, as we find they used in their battles a vast number of chariots. The use of wheeled vehicles always denotes considerable constructive powers and therefore a great advance in manual skill. Unless these chariots were confined to the

open down country, where no roads would be needed, they would have been useless without some kind of road, and yet it appears from Cæsar that the charioteers (*essedarii*) formed a regular part of their army and that they usually fought from them, so that it may be that they had something in the shape of roads that would at least have been available in the summer time, warfare being impracticable in the winter. No doubt these chariots were of a very light construction, and perhaps the bodies were made of wicker covered with skins, like coracles. These chariots may have been confined to the tribes of the eastern and southern coasts, who, according to Cæsar, were more civilized than the rest, and on these coasts we find the down country.*

But whether the Britons made anything at all in the shape of roads it is quite certain that the introduction of the Roman highways must have caused as complete a revolution in the traffic and life of the period as did the coach roads much later on, or the railways of the present day. Parts of the kingdom inaccessible before, and cut off from all intercourse, were rendered accessible.

The first Roman roads constructed were, no doubt, from the landing places of the invading fleets to the great British settlements near the coast-line, and thence to the principal military stations.

We find many early British strongholds and all the pre-historic ones on the commanding elevations on the chalk and other downs. The old camps follow closely the contour lines of these hills. These and other forts would be at once reduced by the Romans and their roads would frequently be directly to them.

So scientifically were these Roman roads constructed that some around Rome remain in use without being repaired down to the present day. The number of them in Britain is most astonishing, though there is little left of them as originally constructed, and that remnant is confined to the hard rock country, where, stone being abundant, there would be no great temptation to remove the road material. But where these roads passed through the softer beds, the hard stone of which they were made was to a large extent removed in later times and used for building purposes.

It may now be interesting to show the mode of construction of

* The Pilgrim's Way, passing, as it does, many ancient earth-works, is presumably pre-Roman (*vide supra*, p. 155, and the references there given), as are also some of the tracks through what was once the forest of Anderida. (See 'Oldbury and its surroundings,' by George Payne, Maidstone, 1888).—[Ed].

these roads. The Romans are said to have adopted their first ideas upon this subject from the Carthaginians, and it is extremely probable that the latter people may, from their commercial activity and from the sandy nature of their soil, have been compelled to turn their attention to the best means of conveying their merchandise to the different parts of their territory. It must not be imagined, however, that the Roman employed from the first the elaborate system about to be described.

Vitruvius enters into no details as to road-making, but he gives most minute directions for pavements, and the fragments of ancient pavements still existing and answering to his description correspond so exactly with the remains of the military roads that we cannot doubt that the processes in each case were identical, and thus Vitruvius, combined with the poem of Statius on the *Via Domitiana*, will supply all the technical terms.

In the first place two shallow trenches (*sulci*) were dug parallel to each other, marking the breadth of the road. This in the great roads, such as the *Via Appia*, &c., varied from 13 to 15 feet; the *Via Tusculana* is 11 feet, and less important roads, such as the one which leads to the Temple of Jupiter Latialis, on the summit of the Alban Mount, which is singularly perfect to this day, seem to have been exactly eight feet.* The loose earth between the trenches was removed till a solid foundation (*gremium*) was reached; but, if the ground was soft or swampy, piles were driven. Above the *gremium* were four distinct strata, the lowest, or *statumen*, of stones not smaller than the hand could grasp; above this the *rudus*, a mass of broken stones cemented with lime, rammed down hard, and nine inches thick; above this the *nucleus*, broken bricks and pottery, in small pieces, and cemented with lime

* It is most interesting to find that this is the width of the *Via Julia* between Soudley and Blackpool Bridge, in the Forest of Dean, part of the military road from Gloucester (*Glevum*) to Caerleon (*Isca Silurum*) made by Julius Frontinus in the reign of Vespasian, as shown by the skilful researches of Mr. John Bellows. It is thus described by the late Sir W. V. Guise: "Where it remains perfect it consists of roughly-squared blocks of conglomerate or of Millstone Grit, of ten inches to a foot cube each, with a well-set line of marginal stones, about fifteen inches long by five inches wide and ten inches deep. These bordering stones, which are of hard Forest rock, are again supported by a buttress-line of large blocks outside, and set a few inches below the level, serving probably also as a gutter to prevent washing away of the substratum. The average width of the roadway is eight Roman feet; that is, rather less than eight English feet. The strength of the work is such that, after the lapse of all these centuries, but for the use that has been made of it as a quarry for roads, fences, and buildings, it would have been in good order still."—*Proc. Cotteswold Nat. Field Club*, Vol. vi (1872-6), pp. 189, 287.—[Ed.]

six inches thick. Uppermost was the *pavimentum*, large polygonal blocks of the hardest stone (*silex*), and, near Rome, of basaltic lava, irregular in form, but fitted with the greatest nicety and making one solid mass. The centre was a little elevated to permit the rain to run off. When the road passed over solid rock the *statumen* and the *rudus* were dispensed with, and the *nucleus* spread at once over the rock. Footpaths strewn with gravel were also made.*

It can easily be imagined that roads so made must have rendered all the parts of our country served by them easily accessible; and as the early settlements were on the firm and hard strata, the Roman roads would be constructed to them, and thence also road metal could be conveyed to those portions of the roads passing over the soft strata, where before there had been no roads. Coal must have been conveyed along these roads for considerable distances, for we find the Romans using this fuel in their hypocausts for warming their houses; but whether they discovered this mineral or learnt its use from the natives is uncertain. These roads may also have contributed to the opening up of our iron and lead mines, of which metals we know the Romans raised large quantities.

Such roads as the Romans made would be far less affected by the varying subsoil than the very thin-skinned roads now in use.

It was no doubt part of the policy of the Romans in the erection of their buildings and in the construction of their roads to make them so massive and permanent. The nations brought under their sway would thus be compelled to conclude that they intended their rule to be equally strong and settled, and the moral effect of all this must have been very great.

After the departure of the Romans, we find from internal evidence that our roads right up to the Middle Ages remained in good condition, for we learn that very rapid journeys were then made. But after that time a very rapid deterioration set in, till from the seventeenth to the middle of the eighteenth century the roads became so bad that travelling was only resorted to in cases of dire necessity. Down to the year 1736 the roads round London even were so bad that in wet weather a carriage took two hours to crawl from St. James's Palace to Kensington. Those portions of the country where the softer beds prevailed, and which were distant from water communication, must again have been quite isolated.

* I am indebted to Smith's 'Dictionary of Antiquities' for the above account.

But in the Middle Ages merchandise seems to have been conveyed mostly on pack-horses and by packmen, and we often find, in parts of the country, roads still called "the packway." It was this kind of traffic that, by strings of horses, caused most of the "hollow ways" we still find in many parts of the country, though some no doubt are due to natural causes. Some of these hollow ways are to be seen side by side with the coach roads, and are very deep and narrow. In sandy districts deep-cut lanes are a most marked feature, and are due mainly, of course, to the soft nature of the soil into which the pack-horse traffic would cut deeply, and a channel being thus made the rain would soon hollow it out. These lanes are so narrow that the projecting packs would easily touch the sides, thus aiding the excavation.

So bad were the roads toward the end of the last century that, in spite of the canals, commerce suffered so much that Parliament had to take up the matter; and then we find Macadam and Telford coming to the rescue, and on the advent of the railways our roads had reached a great pitch of perfection.

Telford seems to have followed the Roman construction much more closely than Macadam, and laid a firm pavement first and then the broken stone bed on the top, whereas Macadam considered the paved bottom as useless, and constructed his roads wholly of broken stone. The majority of roads as at present constructed are on Macadam's plan. All the London roads seem to be made this way, and when steam rollers are used they quickly consolidate; but for some years our roads have been deteriorating most seriously, owing to the neglect of the teachings of Telford and Macadam as to their maintenance.

Where a very thick coating of hard stone is used, such as we find in London, the geology of the district does not affect them very much so long as that coat is kept in proper repair. When, however, we have a thin bed of stone, such as is the case in the country roads (and, as the rolling-in is, with most short-sighted policy, left to the traffic, this bed must be thin), we find that the roads will vary with the subsoil, even if one description of metal be used. For instance, if we take the case of a road passing over a clay and sand subsoil and metalled with one kind of metal, we shall find that during wet weather the clay subsoil portion will be much softer than the sand subsoil portion, and that in dry weather the clay part will keep firm much longer than the sand part.

Not only does geology affect the general condition of the

surface of the road, but it also affects the gradients. These, of course, may have been equalized where the roads have been carefully engineered; but the majority of roads have not been so treated. Clay, sand, limestone, and such hard rocks as granite (and these four divisions will include all roads) have each their own angle of rest, and thus have each their own gradient; and as each of them in turn come to the surface this change in the formation will effect a change of feature in the road.

Springs will arise where clay is capped by sand, and, again, if a harder and more compact bed occur among those that are more porous and more fissured.

We will now take some of the formations that are widely distributed, and see how they affect the roads.

Taking the case of roads passing over such formations as the Oolite, we find that these beds make some of the worst roads we have, especially if they are metalled with the same rock. These roads are slippery and muddy in wet weather, and dry into ruts under the action of the sun, wind, and frost; whilst in very dry weather they are extremely dusty. The gradients are usually long and gradual, though very steep for a short distance at the scarp.

The gradients of roads on the Chalk formation—I refer to those portions that are free from drift—are much the same as those of the Oolite. When the Chalk is well metalled with flints picked off the fields we have very good roads. The flint being siliceous it much modifies the effect of the limestone, and prevents the roads becoming slippery. These roads passing over an open country soon become dry after wet, and keep firm a considerable time in dry weather. If the coat of metal be thin, the chalk will come to the surface during rain, and especially in frost, when what are termed “mustard pots” are formed. These thin roads will become rutty on drying. Some of the best of the Chalk roads are those along the dry Chalk Valleys, the bottoms of which are filled up with an accumulation of flints, most of which have worked their way down the flanks of the hills, thus making a good, natural foundation for the roads.

Mountain Limestone roads have very long and very steep gradients; and, though far better than the Oolite roads, they become muddy and greasy in wet weather, and, unless well made, rutty and dusty in dry weather, the metal used being commonly the broken Mountain Limestone.

In the London Clay district we often get very steep, though

short rises, especially if the hills be capped with gravel. Here, again, much depends on the way the road is metalled: if indifferently done, the roads will be bad; but if well done, the roads will be fairly good, and occasionally very good. Near London these roads are metalled with some hard rock.

The Boulder Clay roads of the Eastern Counties, in the area of the thick Chalky Boulder Clay, must be well made. They then form good roads; but in those parts where the Boulder Clay is thin and patchy the roads are bad, though, of course, much might be done to improve them. As much of the Chalk in this part is covered with Boulder Clay, we find that as a rule the gradients resemble those of the Chalk, and when the sand and chalk beneath the clay come to the surface, the surface of the road is affected by these beds. The metal used is the stone picked off the fields, unless gravel can be obtained.

The roads in the area of the Bagshot Beds present long and easy gradients, with long stretches of almost level road on the top of the Bagshot table-lands. The subsoil being mostly dry, and a gravel drift being of almost universal occurrence, road metal is plentiful, and these roads soon dry after wet and are never greasy in frost, being of a siliceous nature. They do not stand a very long drought, unless, as in some parts of Berkshire and Hampshire, the beds contain much clay, and the gravel also has a clay matrix and binds well.

The best roads are found in the districts of the Hartshill quartzite, the Clee Hill stone, and the Whinstone.

Many towns are now using the Clee Hill stone, and find that the increased cost of this stone is more than made up for by the much decreased cost of scavenging. In one case where a limestone was used the proportion of mud per mile to that where the Clee Hill stone was used was 500 tons to 60.

We may, in conclusion, glance at the way that geology affects railroads, and the same remarks that apply to roads will apply to them, though in a modified degree, owing to the very thick ballasting used. Those lines passing through a clay country, or through formations throwing out much water, require far more care and attention than those passing through dry and rocky districts. Both cuttings and embankments—which are only the cuttings rearranged—are constantly slipping in clayey formations during wet weather, both in summer and winter,