AN INDEX

TO

"THE ZONES OF THE WHITE CHALK OF THE
ENGLISH COAST."

("PROC. GEOL. ASSOC., XVI (6), 1900; XVII (1), 1901; XVIII (1), 1903;
XVIII (4), 1904; XX (4), 1908.)

By C. DAVIES SHERBORN.

IN these contributions to our knowledge of the White Chalk many observations are scattered throughout the text, which it seems desirable to bring together by means of an index.

The history of a fossil species will be best understood by taking the references backwards, as much new information from each area has been collected and presented in part. V for the first time.

The papers are referred to as I (Kent and Sussex); II (Dorset); III (Devon); IV (Yorkshire); and V (Isle of Wight).

Ackland Wold, IV, 243.

Actinocamax, IV, 270.

— *granulatus*, I, 297, 301, 334, 337, 339, 343, 348, 366; II, 13, 26, 35, 49, 57, 58, 76; IV, 218, 237, 239, 251, 261, 296; V, 284, 311, 339.

— (deformed), IV, 251, 283.

— *merceyi* (see *A. granulatus*).

— *plenus*, II, 49; IV, 202; V, 217, 238, 260.

— zone, I, 317, 321; II, 6, 8, 33; IV, 202; V, 217, 238, 260, 262, 263, 274, 275.

— *quadratus*, I, 334, 343; II, 11-13, 27, 35, 57, 58, 76; IV, 225, 239, 260; V, 230, 284, 311, 339.

— zone (name of), I, 345; IV, 261.

— zone, I, 290, 330, 333, 334, 335, 337, 339; II, 11, 26, 30, 34, 36, 41, 56; IV, 225, 231, 259; V, 224, 230, 246, 254-256, 258, 264, 266-268, 271, 279, 281, 283, 284, 310.

— *toucasii*, II, 49.

— *verus*, I, 299, 348, 366; II, 49; IV, 251, 262, 296.

— *westphalicus*, II, 49; IV, 272-274.

Afton Down, V, 234, 254 (pl. xxi); military road over, 234.

Alum Bay, V, 232 (pls. xiv-xvi).

Alum Bay House Pit, V, 253.

Ammonites, IV, 252, 267, 288; V, 308, 311, 315.

— *catinus*, I, 366; III, 34; V, 293.

Ammonites cunningtoni, I, 366; II, 44, 58, 75; III, 34, 51; V, 293.

— *leptophyllus*, I, 299, 301, 334, 337, 341, 344, 347, 366; II, 17, 49, 58, 75; IV, 252, 256, 295.

— *peramplus*, I, 366; II, 44; III, 34, 41, 51; V, 293, 297, 339.

— *pseudo-gardani*, IV, 267, 295.

— *wharramiensis* (a MS. name), IV, 288.

Annis' Knob, III, 5, 8, 14, 16-18, (pls. vii and xiii).

Anomaeodon angustus, I, 367.

Antedon, III, 36, 38, 49.

— *tundgreni*, I, 361.

— *perforata*, I, 361.

— *striata*, I, 362.

Apes Down, V, 270.

Apesdown House, V, 270.

Aphrocallistes, II, 67, 71; V, 323, 336.

— *porrhais*, V, 297, 300, 339.

— *mantelli*, I, 366.

— sp. I, 366.

— sp. III, 38, 41, 50.

Aptychus, I, 299, 347; II, 57; IV, 268, 296; V, 311.

— *leptophyllus*, V, 311.

— *porilocki*, V, 307, 311, 315, 339.

— *rugosus*, II, 61, 75.

Arched Rock, V, 225 (pl. ix).

Argyll Rock, II, 32, 35.

Arish Mell, II, 11, 13, 22, 24, 26, 28 (pls. vi, vii and x); IV, 261.

Armstrong (H. E.), photographs, V, 326.

Arratt's Hill, III, 12 (pls. viii, xiii).

- Arreton, II, 46.
 Arreton Church, Pit N. of, V, 263.
 Arreton Down, V, 263, 266.
Arthraster dixonii, III, 47, 49.
 Ashengrove, V, 270, 271.
 Ashey Down, V, 261, 266.
 Ashlam Wold, IV, 268.
 Asteroidea, I, 362; II, 72; III, 49;
 IV, 293; V, 318, Spencer's mono-
 graph on, 319.
 Augusta Stairs, I, 301.
Avellana humboldti, I, 366.
Avicula caerulescens, V, 321, 339.
 — *tenuicostata*, IV, 266, 295.
Axogaster cretacea, I, 361; II, 72;
 IV, 293; V, 298, 322, 336.
 Bacon Hole, II, 22 (pl. x).
Baculites baculoides, III, 51.
 — *bohemicus*, I, 366.
 Balanid (new), IV, 254, 296.
 Ballard Down, II, 28.
 Ballard Point, II, 5, 7, 8, 27, 32, 33;
 IV, 261.
 Bantam Hole, I, 306, 310.
 Bar Cave, V, 227.
 Barber's Rock, II, 25-27 (pl. x).
 Barnet Shoot, IV, 205, 206.
 Barnet Shoot Pit, IV, 232, 233.
 Barrois on Yorkshire, IV, 195; on
 Isle of Wight, V, 215.
 Barrois' "Sponge-bed," I, 295, 301,
 305, 329.
 — (spurious), I, 323, 329, 332.
 — zones, I, 293; on map of 5 m.
 to 1 in., V, 331.
 Barton-on-Humber, IV, 202, 242.
 Bat's Head, II, 3, 5, 7, 8, 14 (pls. i,
 iii, ix).
 Beachy Head, I, 321, 330 (pl. ix);
 II, 44.
 Beacon Hill, IV, 217, 251 (pls. xxxv,
 xxxviii).
 "Bedwell line," I, 294, 302 (pl. x);
 V, 308.
 Bedwell "sponge-bed," I, 294.
 Beer, III, 11, 15-20 (pls. iv, vi-viii,
 xiii).
 Beer Head, III, 20 (pls. ix, xiii).
 Beer Stone, III, 22, 23, 27, 28 (pl.
 xi).
Belemnitella lanceolata, I, 343, 346;
 II, 58, 60, 76; V, 311, 314.
 — *mucronata*, I, 345, 346; II, 28,
 60, 75; IV, 260; V, 314, 339.
 — zone, II, 28, 36, 39, 41, 59;
 V, 231, 248, 253-256, 259, 266-272,
 279-281, 284, 313, Tertiary Sea-
 bottom, 330.
 Belemnites, II, 49; IV, 239, 256.
 Belle Tout, I, 321, 323, 329 (pl.
 ix).
Belonostoma cinctus, I, 367.
 Bembridge Down, V, 258.
 Bembridge Fort, V, 236.
 Bempton Cliffs, IV, 205 (pl. xxv).
 Bempton Grange Pit, IV, 232, 233.
 Berry Cliff, III, 10, 25-27 (pls. x,
 xii).
Beryx, I, 367.
 Bessingby, IV, 236, 237, 266, 268,
 271.
 Beverley, IV, 243, 262, 267, 268.
Bicavea bed, V, 220, 238, 246, 257,
 260, 264, 205 (pls. xxii, xxiii).
Bicavea rotiformis, V, 220, 235, 263,
 284, 300 (called "Defrancia" in
 II and III).
 — *urnula*, V, 302.
 Bindon Hill (Dorset), II, 22, 28 (pl.
 x).
 Bindon Hill (Devon), III (pis. iii,
 vii).
 Birling Gap, I, 321, 330 (pl. ix).
 "Black band" (in *A. plenus*-zone),
 IV, 199-203 (pl. xvii-xx).
 Black marl band (I. of Wight), V,
 219, 234, 238, 257, 260, 263, 264,
 268, 275, 281, 283 (pls. xxii, xxiii).
 Black Rock, II, 5, 11, 13, 23, 24,
 (pl. x); IV, 261; V (pl. x).
 Black Rocks, II, 22 (pl. ix).
 Blackmore (Dr. H. P.), II, 62-66;
 IV, 250, 267; V, 293, 297, 299,
 303, 305, 306, 311-317.
 Blake (J. F.), on Yorkshire, IV, 195.
 Boat Knoll (Pit S.E. of), II, 39.
Bourgueticrinus, I, 361; II, 72; III,
 34, 38, 49; IV, 253, 256, 266, 293;
 V, 306, 338.
 — *aequalis* I, 344.
 — (barrel), I, 297, 304 (pl. viii).
 — (*cor-ang.* head), V, 302.
 — (*cor-test.* head), V, 301.
 — (dumb-bell form), I, 344 (pl.
 viii).
 — *ellipticus* (= *Bourgueticrinus*
 supra), V, 306, 311.
 — *mucronata*-zone, II, 62; V, 318.
 — nipple head, I, 297, 330 (pl.
 viii); II, 7, 11, 26, 30, 31, 56; V,
 308.
 — (*quadratus*-zone, I, 334, 344, (pl.
 viii); II, 57; V, 311.
 — (stumpy head), I, 304 (pl. viii).
 — (*planus* head), V, 299.
 Bowcombe Down, V 276.
 Bowcombe Barn Farm, V, 277, 282.
 Brading, Pits near, V, 268 (pit 37,
 pl. xxii).
 Brading Down, V, 260.
 Brading Station, V, 268.
 Branscombe, III, 24-27.

- Branscombe West Cliff, III, 24-27 (pls. x, xiii).
- Breil Head, IV, 212, 217, 247-249, 274 (pls. xxix, xxxviii).
- Briary Pit, V, 253.
- Bridlington, IV, 197, 260, 261, 287 (pl. xxxviii).
- Brighstone Down, V, 274.
- Brighton, I, 336, 339, 341, 346 (pl. ix); II, 62; IV, 255, 273.
- Brixton. See Brighstone.
- Broadstairs, I, 301.
- Brydone (R. M.), II, 64-66; on *mucronata* bryozoa, V, 322.
- Bryozoa, not listed unless of zonal value, V, 328.
- Bryozoa in *planus*-zone, III, 44; in *cor-test*-zone, I, 329; III, 45; in *Marsupites*-zone, IV, 258; in *quadratus*-zone, I, 337, 342.
- Bryozoon (rotiform). See *Bicavea*.
- Buckle Inn, I, 335.
- Buckman (S. S.), his zonal work, V, 325.
- Buckton Cliffs, IV, 198, 203.
- Buckton Hall, IV, 205, 206 (pl. xxxix).
- Buckton Hall Pits, IV, 231, 233, 235.
- Buddlehole Spring, V, 274.
- Burdale, IV, 241, 251, 253, 268.
- Burton Pit, II, 38.
- Burton Agnes Pit, IV, 237, 271.
- Cable at Culver, V, 236.
- Cable at Dover, I, 306, 310.
- Caeloptychium agaricoides*, IV, 292.
- Caelosmilia laxa*, I, 344, 361; II, 58, 72; IV, 269, 296; V, 313, 321, 336.
- Calbourne, V, 271.
- Calbourne Bottom, V, 271.
- Calbourne Reservoir, V, 279.
- Calf Rock, II, 14 (pl. ix).
- Calliderma latum*, II, 63, 72; should be *Pycnaster angustatus*, V, 319.
- Calopogma obconicum*, IV, 292.
- Camerospongia*, III, 43; V, 295.
- *aspera* I, 361; V, 336.
- *capitata*, I, 361.
- *subrotunda*, I, 361.
- Canterbury Hole, I, 307.
- Cardiaster*, II, 44.
- *ananchytis*, I, 313, 363; II, 61, 73; IV, 252, 256, 262, 294; V, 316, 337.
- *colteauanus*, III, 43, 45, 49; IV, 211, 248, 294; V, 301.
- *cretaceus*, III, 33, 38, 40, 50; V, 294, 337.
- *pilula*, I, 301, 333, 337, 338, 342, 363; II, 12, 13, 26, 27, 30, 35, 55, 56, 59, 61, 73; IV, 226, 265, 294; V, 231, 283, 310, (in *mucronata* chalk) 311, 316, 337.
- “*Cardiaster pilula*” (Barrois), IV, 276, 218.
- zone, I, 345; II, 58.
- *pygmaeus*, I, 318, 324; III, 32, 33, 50; V, 294, 337.
- sp., II, 73.
- Carisbrooke, V, 269, 280, 282.
- Carisbrooke Reservoir, V, 270.
- Carnaby, IV, 237, 265.
- Carter (C. S.), on marling in Lincolnshire, V, 250.
- Carter Close Lane Pit, IV, 235.
- Carter Lane, IV, 212.
- Caryophyllia cylindracea*, I, 299, 361; II, 55, 72; V, 307, 309, 336.
- “Castrum” at Seaford, I, 332-334.
- Cat Nab, IV, 206.
- Cephalites*, V, 295.
- *benettii*, I, 360; III, 49; V, 336.
- *catenifer*, I, 361.
- *longitudinalis*, I, 360.
- Cerithium saundersi*, I, 366.
- Chalk, Salts in the, V, 214.
- Chalk Rock, I, 306, 310, 312, 325; II, 7, 8, 15, 20-23, 33, 46, 47; III, 8, 43; IV, 210 (see also *Proc. Geol. Assoc.* xvii (4), 1901, p. 190); V, 219, 241 (see *Spurious Chalk Rock*); in Isle of Wight, 331.
- Channel Tunnel zigzag, I, 316.
- Chapel Rock, III, 4 (pls. i, ii, xiii).
- “Charleses,” I, 322.
- Charton Cliffs, III, 10.
- Chatterthrow, IV, 203, 206, (pl. xxxviii).
- Cheverton Down, V, 277.
- Chillerton Down, V, 273.
- Chloritic Marl, II, 6, 33.
- Cidarid clavigera*, I, 304, 326, 328, 362; II, 45, 46, 72; III, 35, 42, 49; IV, 293; V, 294, 296, 301, 305, 317, 337.
- *hirudo*, I, 304, 319, 324, 362; II, 44, 45, 62, 72; III, 27, 34, 40, 42, 49; IV, 242, 248, 252, 256, 266, 293; V, 294, 296, 301, 305, 317, 337.
- *perornata*, I, 304, 362; II, 48, 72; III, 43, 49; IV, 252; V, 299, 301, 304, 337.
- *pleracanthus*, II, 62, 73; V, 292, 317, 337.
- *sceptirifera*, I, 304, 362; II, 46, 48, 72; III, 45, 49; IV, 252, 256, 266, 293; V, 301, 304, 317, 337.
- *serrata*, II, 62, 73; V, 317, (with triple denticles) 317, 337.
- *serrifera*, I, 309, 313, 326, 328, 362; II, 44-46, 73; III, 35, 42, 49; V, 294, 296, 301, 337.

- Cidaris sorigneti*, III, 35.
 — *subvesiculosa*, II, 62, 73; IV, 252, 256, 266, 293; V, 296, 305, 317, 337.
 — n. sp. (*mucronata*-zone), II, 62, 73; V, 317.
Cimolichthys lewesiensis, I, 367.
Cirripedes, II, 66.
 Clatterford, V, 282.
 Cleft near Beer Head, III, 19 (pl. xiii).
 Cleft (Great) at Pinhay, III, 8 (pls. ii, xiii).
 Cleveland, III, 3, 4 (pl. xiii).
 Cliff End (Sewerby), IV, 252, 262, 265.
Ctiona, II, 61; V, 323.
 — *cretacea*, I, 359; II, 71; IV, 293; V, 336.
 Close Nooks, IV, 206 (pl. xxxviii).
 Cockburn's (General) Collection, I, 316; III, 35; IV, 250.
 Cockpit Head, II, 24, 27 (pl. vi).
 Coddenham (Suffolk), IV, 267.
 Coffin Pit, II, 38.
 Common Hole, IV, 217 (pl. xxxviii).
 Compton Bay, V, 216 (pl. viii).
 Compton Chine, V, 234, 257.
 Compton Down, V, 257.
Confervites, I, 359.
 Connett's Hole, III, 12, 14, 16 (pls. v, xiii).
 Contortions in Chalk, IV, 206, 232, (pls. xxiv, xxxviii).
 Coombe Pit, II, 38.
 Cooness Nook, IV, 212.
Corax affinis, I, 367.
Corax falcatus, I, 367; II, 76; III, 51.
 — *pristodontus*, I, 367.
Cosciniopora infundibuliformis, I, 360; II, 71; IV, 292; V, 336.
 Court Barn Lane, III, 27, 28.
 Cover Hole, II, 5, 28-30 (pl. x).
 Cow Corner, II, 31 (pl. x).
 Cow Gap, I, 321 (pl. ix).
 Cradle Head, IV, 212, 217 (pls. xxix, xxxviii).
Crania egnabergensis, III, 40, 45, 50; IV, 242, 245, 253, 257, 268, 294; V, 302, 309, 312, 320, 338.
 — var. *costata*, I, 345; II, 57, 65, 74; V, 319, 338.
 — var. *striata*, I, 314, 326, 345, 363; II, 57, 74.
 — *parisiensis*, I, 363; IV, 253; V, 306, 309, 338.
Craticularia filtoni, I, 317, 360; II, 71; III, 41, 49; V, 295, 298, 336.
Cribriolina (quadratus form), I, 341; II, 56; IV, 269; V, 313.
 Crick (G. C.) on *Act. granulatus* (deformed), IV, 283.
 — on Belemnites, IV, 270.
Crioceras sp., III, 51.
 Crofts' Collection, IV, 245.
 Cromer, V, 323.
 Crowe's Shoot, IV, 203, 208, 242-244.
 Crowlink, I, 330 (pl. ix).
 Cuckmere, I, 321, 329, 332, 335 (pl. ix).
 Culver, The, V, 235, 237 (pls. xvii-xx).
 Culver Down, V, 236.
 Culver nodule beds, V, 229.
Cyphosoma, IV, 245.
 — *corollare*, I, 304, 362; II, 73; IV, 245, 252, 266, 293; V, 305, 317, 337.
 — *koenigi*, I, 304, 328, 362; II, 54, 73; V, 305, 310, 317, 337.
 — *radiatum*, I, 311, 313, 325, 326, 362; II, 45, 46, 73; III, 34, 38, 40, 49; IV, 241, 245, 293; V, 294, 296, 298, 301, 305, 337.
 — *spatuliferum*, I, 304, 362; V, 299, 305, 337.
 Danes' Dike, IV, 206, 271, 287 (pl. xxxv).
 Darby's Hole, I, 323.
 "Defrancia," II, 23, 46; III, 19; see *Bicavea*.
Dentalium turonense, I, 366.
 Devon, III.
Diastopora oceani, II, 45.
Diblasus, III, 39, 49.
 — *gravenis*, V, 307.
 Dibley (G. E.), Collection of Belemnites, IV, 274.
 Dike's End, IV (pls. xxxv, xxxviii).
Discoidea dixonii, I, 317, 318, 324, 325, 363; II, 44, 45, 73; III, 32, 40, 49; V, 293, 296, 299, 337.
 Donkey Linhay Rocks, III, 27.
 Dorking, II, 62.
 Dorset II, 2; V, 314-316.
 Dorset Pit, II, 38.
Doryderma ramosum, I, 349, 359; II, 71; V, 307, 336.
 Dover, I, 305, 315 (pl. x) and *Proc. Geol. Assoc.* xvli (4), 1901, p. 190; II, 44; III, 32-45; IV, 244.
 Dowlands, III, 3, 10.
 Downend Pit, V, 264.
 Driffeld, IV, 260, 262, 267, 268.
 Drift of Shingle, Sussex, I, 348.
 Dumpton Gap, I, 301.
 Dungy Head, II, 3, 5, 15 (pl. ix).
 Durdle Bay, II, 5 (pl. ix).
 Durdle Cove, II, 15 (pl. ii); slide-planes, 15 (pl. iii and ix).

- Durdle Door, II, 3 (pl. ix).
 Duxmore Farm, pit S.E. of, V, 267.
 Eastbourne, I, 321 (pl. ix.).
 East Ebb, III, 12, 14, 15 (pls. vi, xiii).
 East Leys Pit, IV, 235.
 Echinoderms infilled with flint as evidence of age of flint, V, 289.
Echinoconus band, I, 295; V, 304.
 — (shape variations), V, 309.
 — *albogalerus*, V, 304, 309, 337.
 — *castanea*, I, 318, 324, 363; II, 44, 73; III, 21, 33, 38, 40, 49; V, 294.
 — *conicus*, I, 299, 303, 328, 331, 337, 349, 362; II, 48, 54, 61, 73; IV, 251; V, 304, 309, 316, 337 (this "species" has, in the Isle of Wight paper, been referred to its four proper forms — *albogalerus*, *conicus*, *globulus*, and *vulgaris*, q.v.).
 — *globulus* I, 299, 363; V, 309, 337.
 — *subrotundus*, I, 318, 324, 325, 363; II, 44, 45, 73; III, 34, 40, 49; V, 294, 295, 337.
 — *vulgaris*, V, 299, 304, 309, 337.
Echinocorys in *planus*-zone, I, 336.
 — absent in *Ter. gracilis*-zone, IV, 205, 210, 243.
 — of *mucronata*-zone, II, 61; V, 315.
 — with thin test, I, 308, 309, 329; IV, 251.
 — *vulgaris*, I, 362; II, 73; III, 49; IV, 239, 250, 255, 265, 293; V, 304, 310, 314, 337.
 — var. *gibbus*, I, 301, 303, 308, 313, 328, 333, 337, 338, 342; II, 26, 27, 48, 56, 57, 59; III, 42, 44; V, 301, 308.
 — (depressed), V, 310.
 — (dome-shape) I, 297, 303, 338, 342; V, 304, 308.
 — (dwarf pyramidal), I, 343.
 — (ovate), I, 303; V, 304.
 — (pointed dome), V, 310.
 — (subgibbous), I, 338.
 — (subpyramidal), V, 308.
 — var. *pyramidatus*, I, 297, 303, 330, 333, 337, 338, 349; II, 7, 26, 56, 57; IV, 256.
 — *scutatus* (the correct name for *E. vulgaris*).
 — (young forms of), V, 316.
Elasmostoma scitulum, I, 361.
Enchodus leuesiensis, I, 367.
Enoplocyrtia leachi, I, 366.
 Enthorpe, IV, 247.
Epiaster gibbus, I, 303, 305, 363; II, 48, 62; V, 304, 337.
Epiphaxum auloporoides, I, 361; III, 39, 49; V, 307.
Eschara acis, I, 309, 313; II, 46; V, 302, 306, 313, 322.
 — *danae*, I, 345.
 — *galeata*, V, 322.
 — *lamarcki*, I, 309; IV, 258; V, 322.
 — *stigmatophora*, V, 322.
 Etton, IV, 214, 247, 274.
Exogyra haliotoidea, I, 365.
 Fall Hole, IV, 212, 214 (pl. xxxviii).
 Falling Sands, I, 321.
 Fan Hole, I, 310 (pl. x).
 Farringford House, pit S. of, V, 254.
 Ferriby (S.), IV, 202 (pl. xx).
 Fimber, IV, 251–253, 256, 273.
 Five Barrows (Shalcombe), pit S.E. of, V, 257.
 Five Barrows (Newbarn Down), V, 273.
 Flamborough, IV.
 Flamborough Sponges, IV, 262–264.
 Flamborough Station pits, IV, 236 (pl. xxxix).
 Flamborough Station Well, IV, 236.
 Flint, Age and Origin of, V, 289.
 Flintless belt in *Marsupites* zone, V, 245, 265.
 Flints of *cuvieri*-zone, II, 41; III, 30; IV, 228.
 — of *gracilis*-zone, I, 315; II, 41; III, 30; IV, 228, 229; V, 289.
 — *planus*-zone, I, 310, 325; II, 41; III, 30; IV, 228, 229; V, 241, 289.
 — *cor-test.*-zone, I, 306, 327; II, 41; III, 31; IV, 229; V, 290.
 — *cor-ang.*-zone, I, 305, 329; II, 41; IV, 228, 229; V, 290.
 — *marsupites*-zone, I, 295, 346; II, 41; IV, 230; V, 291.
 — *quadratus*-zone, I, 340; II, 41; IV, 231; V, 291.
 — *mucronata*-zone, V, 291.
 Flints in Yorkshire, IV, 228, 230.
 Flower's Barrow, II, 30 (pls. vii, x).
 Folkestone, I, 317.
 Foraminifera, I, 359.
 Ford's Point, I, 322, 325.
 Foreness, I (pl. x).
 Fossils, microzoa not listed, V, 328.
 Fossils, names of, V, 328.
 Fossils, number collected for zonal facts, V, 324, percentage necessary for zonal purposes, 331.
 Fountain Rock, II, 4, 7, 9.
 France, chalk zones of, I, 293.
 Frenchman's Fall, I, 306, 307.
 Freshwater Bay, V, 222 (pls. ix, x), old road at, 234 (pl. ix, xxi),

- military road near, 234 (pls. ix, xxi).
 Freshwater Waterworks, pit at, **V**, 254.
 Friars Bay, **I**, 336, 337, 339 (pl. ix).
 Further Point, **I**, 332.
 Gallows Hole, **IV**, 215.
 Garstons Down, **V**, 272.
 Garstons Farm, **V**, 272.
 Gasteropods in Yorkshire Chalk, **IV**, 288.
 Germany, chalk zones of, **I**, 293; **IV**, 262, 267.
 Gills, **IV**, 268.
Glyphocyphus radiatus, **I**, 318; **II**, 44; **III**, 33, 38, 41, 49; **V**, 294.
 Gore End, **I**, 294 (pl. x).
 Gore Pit, **I** (pl. ix).
 Gottenleaze, **V**, 271, 279.
 Graeme's Barn Pit, **IV**, 236.
 Grand Arch, **V**, 228 (pls. xii, xiv).
 Gravesend, **IV**, 274.
 Grays, **IV**, 274.
 Great Cleft, **III**, 8 (pl. ii).
 Gregory (J. W.), on *Zeuglopleurus*, **I**, 353; on *Bicavea*, **V**, 220, 337.
 Grey marl band (I. of Wight), **V**, 219, 220, 238, 241, 257, 263, 264, 275, 281 (pls. xxii, xxiii).
 Griffith (C.), **II**, 62-65; **IV**, 250; **V**, 216.
 Grimstone Wold, **IV**, 268.
 Grit Bed, **I**, 317, 323; **II**, 23, 43; **III**, 29, 32, 33; **V**, 240.
 Grossouvre on Belemnites, **IV**, 270, 274.
Guettardia stellata, **I**, 317, 359; **II**, 71; **III**, 41, 49; **IV**, 292; **V**, 336.
 Gull Nook, **IV**, 206 (pls. xxxviii, xxxix).
 Gun Garden; **I**, 322, 323.
 "The Hall," **III**, 19 (pl. viii).
Hamites, **IV**, 264, 295.
 Hanbury Tout, **II**, 5 (pl. ix).
 Handfast Point, **II**, 32, 38.
Haplophragmium, **III**, 41.
 Harboro', **V**, 275.
 Harnham, **IV**, 271.
 Hartendale Gutter, **IV**, 223 (pls. xxxv, xxxviii).
 Haven Cliff, **III**, 11 (pls. iii, vii).
Hemaster minimus, **I**, 317, 325, 363; **II**, 44, 45, 73; **III**, 33, 40, 49; **IV**, 241, 294; **V**, 293, 296, 298, 301, 305, 337.
 Hermit's Hole, **V**, 237.
 Hesse, **IV**, 241.
Heteroceras reussianum, **I**, 366.
Heteropora pulchella, **I**, 309; **V**, 302, 306.
Heteropora sp., **V**, 322.
Heterostinia obliqua, **I**, 359; **II**, 71; **IV**, 292; **V**, 336.
 High Down, **V**, 226, 233, 253 (pl. ix).
 High Stacks, **IV**, 215, 217, 249, 250, 252, 256, 271 (pls. xxxiv, xxxviii).
 High Towthorpe, **IV**, 288.
 High Wood, **V**, 271.
 Hill (Wm.) on Yorkshire, **IV**, 200.
 Hill Ends, **IV**, 228.
Hipponyx, **I**, 365.
 Hodges' Flagstaff, **I** (pl. x).
 Hoglease Copse, pit at, **V**, 266.
Holaster placenta, **I**, 309, 312, 325, 328, 363; **II**, 45, 46, 73; **III**, 19, 35, 40, 42, 45, 49; **IV**, 248, 294; **V**, 296, 299, 301, 305, 337.
 — *planus*, **I**, 309, 311, 312, 314, 325, 326, 363; **II**, 45, 73; **III**, 35, 40, 42, 49; **IV**, 208, 241, 243, 248, 294; **V**, 295, 337.
 — — — (uncertain occurrence of), **II**, 6.
 — — — zone, **I**, 292, 308, 310, 325, (*Proc. Geol. Assoc.*, xvii (4), 1901, p. 190); **II**, 6, 9, 14, 20-23, 33, 40, 45; **III**, 4, 5, 7, 9, 14, 16, 19, 20-23, 28, 30, 41-44; **IV**, 203, 209, 229, 242; **V**, 220, 227, 241, 257, 260, 263, 264, 268, 274, 276, 280, 284, 298.
 — — — (base of), **I**, 311.
 — — — (name of), **I**, 314.
 — — — (wanting at Seaford Head), **I**, 336.
 — *trecensis*, **I**, 312.
 — *suoglobosus*-zone, **II**, 6, 8, 33; **IV**, 199-201, 207; **V**, 260-275.
 Holderness, **IV**, 260.
 Holmes' Gut, **IV**, 208, 210, 243 (pl. xxxviii).
 Holworth House, **II**, 4.
 Holywell, **I**, 321, 324 (pl. ix).
 Hooken, **III**, 10, 16, 20 (pls. ix, xii, xiii).
 Hooken Beach, **III**, 21.
 Hope Gap, **I**, 332.
 Hornsea Well, **IV**, 260.
 Humble Point, **III**, 11.
 Huntow Pits, **IV**, 235, 236.
 Idlecombe Down, **V**, 277, 278.
Idmonea cretacea, **V**, 306.
Infulaster excentricus, **IV**, 251.
 — *rosiratus*, **I**, 363; **IV**, 218-220, 249, 256, 266, 294; **V**, 292, 305, 337.
 — — — zone, **IV**, 219, 248.
Inoceramus brongniartii, **I**, 314, 365; **II**, 45, 46, 75; **III**, 32, 40, 43, 50, **IV**, 241, 244, 295; **V**, 296, 300, 338.

- Inoceramus* (cf.) *cuneiformis*, IV, 295.
 — *cuvieri*, I, 317, 318, 365; II, 75; III, 40, 50; IV, 208, 241, 295; V, 251 (value in the field), 302, 306, 338.
 — *involutus*, I, 304, 305, 331, 365; IV, 253.
 — *labiatus* (See *Ino. mytiloides*).
 — *lamarcki*, III, 32, 38, 40, 50; IV, 241, 244, 295; V, 296, 302, 312, 338.
 — *lingua*, IV, 218, 258, 261, 295.
 — — (long narrow) IV, 269.
 — — zone, IV, 225, 259.
 — *mytiloides*, I, 317, 318, 365; II, 44, 75 (all as *labiatus*); III, 32, 37, 38, 40, 50; IV, 241, 295; V, 293 (does not occur higher than R.c.), 296, 338.
 — (cf.) *undulata*, IV, 295.
 — sp. (Woods), I, 314, 365; II, 46, 75; III, 50, IV, 244, 295; V, 300, 338.
 — spp.; 75.
 — sp (*mucronata* form). V, 320, 338.
 Jackdaws' Crag, IV, 204 (pl. xxi).
Janira, see *Neitheia*.
 Johnson, (W.), V, 294.
 Joss' Stairs, I (pl. x).
 Jukes-Browne (A. J.), on I. of Wight, V, 216.
 Kemps' Stairs I, (pl. x).
 Kent, I, 294.
 Kern marl-pit, V, 261.
 Key Hole, IV (pl. xxxviii).
 Kindlescar, IV, 217 (pl. xxxviii).
 King & Queen Rocks, IV (pl. xxxiii, xxxviii).
 King Rock, II, 6.
Kingena lima, I, 300, 363; II, 64, 74; III, 36; IV, 242, 244, 253, 257, 268, 294; V, 292, 306, 319, 338.
 Kingsdown, I (pl. x).
 Kingsgate, I, 295, 301 (pl. x).
 Kings' Hole, III, 12.
 Kirkella, IV, 214, 247, 274.
 Kirk Hole, IV, (pl. xxxviii).
 Kitchen, The, V, 227.
 Kitchin (F. L.) on *Terebratulina rowei*, I, 355 (pl. viii).
 Kit Pape's Spot, IV, 198 (pl. xvii, xxxviii, xxxix).
 Lambert (Jules) on *Cardiaster*, III, 32, 33.
Lamna appendiculata, I, 367; II, 76; III, 51; IV, 296; V, 298, 301, 323, 339.
 Lamplugh on Yorkshire Chalk, IV, 197, 287.
 Lamplugh on Conditions of Accumulation of *quadratus*-zone, IV, 287.
 Lamplugh, Coll. of Sponges, IV, 263, 287.
 Lamplugh, Coll. of Micrasters from Bessingby, IV, 266.
 Lang (W. D.) on *Onchotrochus*, V, 297.
 Langdon, I, 305 (pl. x).
 Langdon Stairs, I, 320.
 Leather Court Point, I, 302 (pl. x).
Leiodon, I, 367.
Leptophragma murchisoni, I, 360; II, 67, 71; IV, 292; V, 307, 323, 336.
 Life Hill, IV, 268.
Lima cretacea (olim *mantelli*), V, 297, 339.
 — *decussata*, V, 296, 300, 309, 339.
 — *granosa*, I, 365; II, 65, 75; IV, 295.
 — *granulata* (olim *errore granosa*), V, 320, 321, 338.
 — *hoperi*, I, 300, 328, 364; II, 55; IV, 258, 295; V, 297, 300, 306, 309, 339.
 — *mantelli* (see *L. cretacea*), I, 365.
 — *pectinata*, I, 365.
 — *wintonensis* V, 300, 339.
 Limerstone Down, V, 274.
 Liming of Fields; in Isle of Wight, V, 250; in Lincolnshire, V, 250.
 Lithology of *cuvieri*-zone, I, 292; II, 40; III, 29; IV, 229; V, 288.
 — *gracilis*-zone, I, 292; II, 40; III, 30; IV, 229; V, 288.
 — *planus*-zone, I, 292; II, 40; III, 30; IV, 229; V, 290.
 — *cor-test.*-zone, I, 291; II, 40; III, 31; IV, 229; V, 290.
 — *cor-ang.*-zone, I, 291; II, 40; IV, 229; V, 290.
 — *marcupites*-zone, I, 291; II, 41; IV, 230; V, 290.
 — *quadratus*-zone, I, 291; II, 41; IV, 231; V, 291.
 — *mucronata*-zone, II, 41; V, 291.
 Little Beach, III, 20.
 Little Down, V, 271, 279.
 Littlecombe, III, 27.
 Long Close Bottom Pit, II, 39.
 Long Copse, V, 273.
 Longlands Farm, Pit S. of, V, 259.
 Longlands Pit, IV, 235.
 Lukely Brook, V, 282.
 Lulworth Cove, II, 3, 21 (pl. x).
 Lydden Zigzag, I, 316.
 Lynch Plantation, III (pl. xiii).
 Lynhams Road Pit, IV, 234.
Macropoma mantelli, I, 367.

- Magas pumilus*, II, 28, 35, 63, 75 ; V, 232, 284, 314, 319, 338.
 Maiden's Grave Slack Pit, IV, 234.
 Main Bench, V, 228.
 Man o' War Cove, II, 3, 5, 17, 24 (pl. ix).
 Marcasite, IV, 219, 222, 230.
 Marconigraph Station, Culver, V, 236 (pl. xvii).
 Margate, I, 295, 349 (pl. x) ; IV, 250, 255, 258, 273.
 Margate Sewer, I (pl. x).
 Market Weighton, IV, 250.
 Marl, IV, 227, 230.
 Marling of fields in Isle of Wight and Lincolnshire, V, 250.
 Marr (J. E.), on mutations and zones, V, 326.
Marsupites, I, 296, 331, 333, 334, 338, 341, 361 ; II, 41, 72 ; IV, 218, 221, 293 ; V, 308, 338.
 — at Rottingdean, I, 347.
 — at Shoreham, I, 346.
 — in Devon, III, 3.
 — zone, I, 291, 294, 301, 302, 331, 346 ; II, 6, 10, 14, 25, 30, 34, 41, 52 ; IV, 222, 223, 254 ; V, 223, 229, 244, 284, 308.
 — (name of), I, 300 ; V, 308.
 Martins' Rock, III, 23 (pl. xiii).
 Measurements of zones : Kent, I, 320 ; Sussex, I, 350 ; Dorset, II, 42 ; Devon, III, 46 ; Yorkshire, IV, 275 ; I. of Wight, V, 284.
 Mefsty Down, V, 262.
 Meyer's zones, III, 47.
 Melbourn Rock, II, 23 ; III, 29 ; V, 217, 240, 293.
Melecerites (no zonal value), IV, 246.
 Melton Bottoms, IV, 202.
 Mersley Down, V, 262, 266.
Metopaster cornutus, III, 38, 39.
 — *mantelli*, V, 338.
 — *parkinsoni*, I, 362 ; V, 338.
 — *uncatus*, I, 362 ; V, 338.
 Meudon, II, 62, 64.
 Meyer-Eymar on Belemnites, IV, 270.
 Micheldever, IV, 273.
Micrabacia coronula, V, 298, 336.
Micraster, II, 46, 47, 48 ; III, 35, 44 ; IV, 238, 245, 266 ; (see also *Quart. Journ. Geol. Soc.*, lv, 1899, pp. 494-544, pls. xxxv.-xxxix).
 — in *cor-test*-zone, I, 308.
 — in *mucronata*-zone, V, 317.
 — in *quadratus*-zone, V, 311.
 — with the thin test, I, 309.
 — *cor-anguinum*, I, 338, 363 ; II, 57, 62, 73 ; IV, 219, 250, 293 ; V, 304, 309, 311, 337.
Micraster cor-anguinum, var. *latior*, I, 303, 363 ; II, 54, 73 ; V, 304, 337.
 — var. *rostratus*, I, 300 ; II, 54 ; V, 309.
 — — tabular, I, 307, 323, 329.
 — — zone, I, 291, 301, 329 ; II, 6, 10, 17, 20, 24, 29, 34, 40, 48, 52 ; III, 6 ; IV, 216-221, 229, 249 ; V, 222, 228, 243, 258, 261, 264, 266, 276, 278, 284, 304.
 — — (name of), I, 305.
 — *cor-bovis*, I, 311, 313, 316, 325, 326, 363 ; II, 44, 73 ; III, 15, 38, 39, 42, 49 ; IV, 245 ; V, 296, 298, 337.
 — *cortestudinarium*, I, 303, 328, 363 ; II, 73 ; III, 42, 44, 49 ; V, 301, 304, 337.
 — — tabular, I, 307, 328, 332.
 — — zone, I, 291, 306, 327, 335 ; II, 6, 9, 14, 17, 20, 21, 23, 24, 29, 34, 40, 41 ; III, 7, 17-20, 31, 44, 45 ; IV, 205, 209, 211-215, 229, 246 ; V, 226, 242, 262, 282, 284.
 — *decipiens*, V, 299.
 — *leskei*, I, 311, 313, 326, 363 ; II, 73 ; III, 39, 40, 42, 49 ; IV, 245 ; V, 298, 337.
 — — zone, I, 312.
 — *præcursor* (Group), I, 303, 363 ; II, 45, 73 ; III, 42, 44, 49 ; IV, 213, 245, 247, 294 ; V, 298, 301, 304, 337.
 Microzoa not listed, V, 328.
 Middle Bottom, II, 4, 7, 8, 9, 11, 12, 37 (pls. i, ix).
 Military road over Afton Down, V, 234.
 Mitchells' Rock, III, 23, 24 (pl. xiii).
Miraster hunteri, V, 338.
 — *parkinsoni*, I, 362 ; V, 338.
 — *rugatus*, V, 338.
 — *uncatus*, I, 362 ; V, 338.
 Monastery Pit, II, 29, 39 (pl. x).
 Mora Cottage, V, 269.
 Mortimer's Museum, IV, 198, 245, 247, 250, 253, 262, 264, 265, 267, 268, 288.
 Morton Manor, pit N. of, V, 260.
 Mosasaur, IV, 296.
 Mottistone Down, V, 275.
 Mount Joy, V, 280.
Mullea, I, 331.
 Mupe Bay, II, 5, 18, 22 (pl. x).
 Nanny Goat's House, IV, 200, 204, 240 (pl. xxi).
Natica vulgaris, I, 365.
Nautilus, IV, 267, 295 ; V, 293.
 — *atlas*, III, 4, 50 ; V, 297, 339.
 — *sublævigatus*, I, 366, III, 350.
 Needles, The, V, 228, 232 (pls. xiii, xiv).

- Needles Hotel Pit, **V**, 253.
Neithea dutemplei, **I**, 364.
 — *quadricostata*, **I**, 364.
 — *quincocostata*, **I**, 364; **II**, 65, 75; **III**, 40, 50; **V**, 339.
 Newbarn Down, **V**, 272.
 Newbarn (N. of Afton Down), **V**, 256.
 Newbarn Farm (Calbourne), **V**, 271, 279.
 Newcombe, **IV**, 211, 213, 248, 274 (pl. xxxviii).
 Newcombe Saddle, **IV**, 212.
 New Ditch Point, **V**, 217, 227 (pl. x).
 Newhaven, **I**, 335, 336, 339 (pl. ix).
 Newlands Farm, **II**, 5 (pl. ix).
 Nodewell, **V**, 253.
 Nodular bands at the Culver, **V**, 236, 239, 245, 246; not at Downend, 265; not at Scratchell's, 229.
 Norfolk Coast, **V**, 324, 334.
 North Dale Pit, **IV**, 235.
 North Foreland, **I** (pl. x).
 North Sea Landing, **IV**, 208, 242, 243, 245 (pls. xxviii, xxx, xxxviii).
 Northfleet, **IV**, 273, 274.
 Norwich, **II**, 60, 62-67; **III**, 43; **IV**, 243, 261, 264; **V**, 315, 316.
 Nostriels, The, **V**, 235, 236, 239, 242 (pl. xx).
Notidanus microdon, **I**, 367; **III**, 45; **IV**, 296.
 Nunwell Down, **V**, 268.
 Nunwell Rookery, Pit S. of, **V**, 268.
 Old Door, **IV** (pl. xxxviii).
 Old Harry, **II**, 38.
 Old Nore Point, **I**, 337 (pl. ix).
 Old Roll Up, **IV**, 205.
 Oldpepper Rock, **V**, 217, 227 (pl. x).
Onchotrochus serpentinus, **I**, 304, 361; **II**, 66; **III**, 37, 49; **V**, 295, 297, 300, 307, 336.
Ophiraphidites anastomans, **I**, 359.
Ophiura, **I**, 362; **II**, 72; **III**, 49; **IV**, 256, 293; **V**, 299, 338.
Oreaster bulhiferus, **II**, 63, 72; should be *Pycnaster angustatus*, **V**, 319.
 — *obtusius*, **I**, 362.
 — *pistilliferus*, **II**, 72.
 Osborne View Cottage (Carisbrooke), **V**, 270.
Ostrea acutirostris, **I**, 365; **III**, 36; **V**, 338.
 — *alaeformis*, **I**, 300, 365; **II**, 65.
 — *curvirostris*, **I**, 365; **II**, 75.
 — *hippodium*, **I**, 365; **II**, 75; **III**, 36, 50; **IV**, 246, 295; **V**, 306, 338.
Ostrea lateralis, **I**, 345, 365; **II**, 58 75; **III**, 50; **V**, 306, 312, 338.
 — var. *striata*, **I**, 345, 365; **V**, 312.
 — *normanniana*, **I**, 365; **II**, 75; **III**, 36, 50; **V**, 306, 338.
 — *proboscidea*, **IV**, 203, 242, 243, 295.
 — *semitlana*, **I**, 365; **II**, 75; **III**, 50; **V**, 306, 338.
 — *vesicularis*, **I**, 365; **II**, 65, 75; **III**, 34, 36, 38, 50; **IV**, 242, 246, 255, 262, 295; **V**, 306, 309, 338.
 — *wegmanniana*, **I**, 345, 365; **II**, 75; **IV**, 253, 255, 258, 262, 295; **V**, 300, 306, 309, 338.
 Ovingdean, **I**, 340.
Oxyrhina mantelli, **I**, 367; **II**, 76; **III**, 51; **IV**, 296; **V**, 298, 323, 339.
Pachinion scriptum, **I**, 359; **V**, 307.
 Painsthorpe Wold Pit, **IV**, 209.
 Pan Down, **V**, 281.
 Paramoudras, **II**, 37; **IV**, 203, 209 (pl. xxx).
Parasmilia, **IV**, 253.
 — *centralis*, **I**, 299, 304, 361; **II**, 72; **III**, 39, 49; **IV**, 253, 258, 293; **V**, 295, 297, 300, 302, 307, 313, 322, 336.
 — var. *gravesana*, **I**, 304, 361; **V**, 307.
 — *cylindrica*, **I**, 361; **IV**, 258, 293; **V**, 307, 313.
 — *fittoni*, **I**, 361; **II**, 58, 72; **III**, 49; **IV**, 258, 293; **V**, 307, 313.
 — *granulata*, **I**, 299, 304, 361; **IV**, 253, 293; **V**, 302, 307, 336.
 — *mantelli*, **I**, 304, 361; **V**, 307.
 — *monilis*, **III**, 37.
 — sp., **II**, 72.
 Parson's Barn, **II**, 32.
Pavolunulites, **I**, 329; **V**, 302.
 Pay Down, **V**, 272, 276.
Pecten campaniensis, **V**, 320, 321, 339.
 — *concentricus*, **II**, 65.
 — *cretosus*, **I**, 364; **II**, 65, 75; **III**, 50; **IV**, 295; **V**, 306, 321, 339.
 — *mantellianus*, **V**, 306, 321.
 — *pexatus*, **III**, 22, 40, 50; **V**, 296, 300, 339.
 — *pulchellus (campaniensis est)*, **II**, 65.
 — *quincocostatus*, **V**, 339.
 Pegwell, **I**, 295, 302 (pl. x); **IV**, 250.
Pentaceros boysi, **V**, 338.
 — *bulhiferus*, **V**, 338.
 — *bullatus*, **V**, 338.
 — *pistilliferus*, **II**, 73; **V**, 338.

- Pentacrinus*, I, 313, 317, 325, 326 ; II, 45, 46 ; III, 34, 38, 40, 42, 49 ; IV, 243, 293 ; V, 338.
- *agassizi*, II, 63, 72 ; V, 294, 296, 299, 338.
- *bronni*, II, 63.
- Pentagonaster megaloplax*, V, 338.
- “ Peruvian,” I, 348.
- Petrel Hole, IV, 212 (pl. xxxviii).
- Pharetrosporgia strahani*, I, 329, 331, 361 ; II, 71 ; V, 307, 336.
- Phillips’ divisions of Chalk, I, 293.
- Pholodocladia ramosus*, I, 360.
- Pinhay, III, 3, 4, 17 (pls. i, ii, xiii).
- “ Pinnacles,” III, 21 (pl. x).
- Pits, difficulty of zoning greatly exaggerated, IV, 231 ; V, 331.
- Pitt’s Farm, Calbourne, V, 271.
- Placotremis cretaceum*, I, 361 ; V, 307, 336.
- Plastic clay, thickness of, in I. of Wight, V, 332.
- Pleurotomaria*, IV, 268 ; V, 300.
- *perspectiva*, I, 314, 365 ; II, 46, 75 ; III, 8, 43, 50 ; V, 297, 303, 339.
- sp., IV, 295.
- Plicatula barroisi*, I, 310, 314, 329, 365 ; II, 46, 47, 75 ; III, 36, 40, 43, 50 ; V, 302, 321, 338.
- *sigillina*, I, 365 ; II, 75 ; III, 50 ; IV, 295 ; V, 338.
- Plinthosella*, V, 307.
- *compacta*, I, 360 ; II, 71 ; V, 336.
- *nodosa*, I, 360.
- *squamosa*, I, 360 ; V, 336.
- Plocoscypha*, I, 317.
- *convoluta*, I, 361 ; II, 71 ; III, 49 ; IV, 293 ; V, 336.
- *fenestrata*, V, 336.
- *labrosa*, I, 361 ; V, 336.
- Pluckham, IV, 253, 268.
- Podoseris*, III, 37 ; V, 298.
- Pollicipes fallax*, II, 66, 76 ; V, 322.
- *glaber*, I, 366 ; V, 300, 337.
- Polyblastidium racemosum*, I, 360 ; V, 307.
- Porina filigrana*, II, 65 ; V, 322.
- Porochonia simplex*, I, 360 ; IV, 292 ; V, 307.
- Porosphæra* (See Hinde, *Quart. Journ. Microsc. Soc.*, 1904, pp. 1-25, for figures and nomenclature), I, 299, 304 ; II, 58 ; IV, 254, 258, 267, 269, 293.
- *arrecta*, IV, 293 ; V, 307, 336.
- *globularis*, I, 299, 304, 338, 344, 361 ; II, 71 ; III, 49 ; IV, 293 ; V, 307, 310, 313, 323, 336.
- Porosphæra nuciformis* (olim *woodwardi* errore), IV, 293 ; V, 307, 313, 323, 336.
- *patelliformis*, IV, 293 ; V, 336.
- *pilolus*, I, 304, 344, 361 ; II, 67, 72 ; III, 49 ; IV, 293 ; V, 307, 313, 323, 336.
- *woodwardi*, I, 304, 344, 361 ; II, 58, 67, 72.
- (cushion shape) II, 67 ; V, 323.
- Portheus*, I, 367.
- Portobello, I, 336 (pl. ix).
- Pot Stones, II, 37.
- Pound’s Pool, III, 19.
- Preston’s Bower, V, 227.
- Prior (G. T.), Report on Siliceous Nodules, V, 289.
- Protosphyraena ferox*, I, 367.
- Pteria* (*Avicula*) *cærulescens*, V, 321, 339.
- Ptychodus*, IV, 296.
- *mammilaris*, I, 367 ; III, 51 ; V, 295, 301, 339.
- *polygyrus*, I, 367.
- Pug Pit, II, 38.
- Purbeck Fault, II, 7, 32 (pl. viii).
- Pycnaster angustatus*, V, 319, 338.
- Pyrgoma cretacea*, II, 66, 76 ; V, 322.
- Radiolites mortoni*, I, 319, 365 ; III, 36 ; V, 297, 339.
- Ragadina sulcata*, I, 359.
- Raisthorpe, IV, 268.
- Ramsgate, I, 302 (pl. x).
- Redcliff, I (pl. x).
- Red colour of fossils in *quadratus*-zone, II, 27 ; in *mucronata*-zone V, 253, 254.
- Red Hole, II (pl. v).
- Reighton, pits at, IV, 233, 242.
- Reticulopora obliqua*, I, 309 ; II, 46 ; V, 302.
- Rhyncholith, III, 38, 50.
- Rhynchonella cuvieri*, I, 317, 318, 325, 364 ; II, 44, 45, 74 ; III, 32, 37, 38, 40, 43, 50 ; IV, 241, 244, 295 ; V, 293, 338.
- zone, I, 292, 317, 321, 323 ; II, 6, 8, 19-22, 31, 33, 40 ; III, 8, 9-15, 18-23 (abnormal at Berry), 25-29, 32-39 ; IV, 199, 200-223, 229, 240 ; V, 217, 239, 257, 258, 260, 262, 263, 268, 272-275, 277, 280, 284.
- (name of), I, 319 ; V, 293.
- *limbata*, I, 310, 328, 345, 364 ; II, 57, 63, 74 ; III, 45 ; IV, 268, 295 ; V, 302, 312, 319, 338.
- var. *lentiformis*, II, 64 ; III, 45 ; V, 319.

- Rhynchonella plicatilis*, I, 300, 314, 326, 333, 338, 345, 349, 364; II, 64, 74; III, 32, 36, 40, 43, 45, 50; IV, 245, 294; V, 300, 302, 309, 312, 320, 338.
 — var. *octoplicata*, I, 314, 345, 364; II, 75; V, 312, 320.
 — *reedensis*, I, 364; II, 64, 74; III, 40, 43, 45, 50; IV, 244, 252, 255, 257, 262, 268, 295; V, 309, 320, 338.
 — *woodwardi*, I, 364; III, 32, 40.
 Riggs, IV, 253.
 Ringwould, IV, 250, 273.
 Rock, V, 275.
 Roe's Hall, V, 227.
 Roedean, I (pl. ix).
 Rottingdean, I, 337, 339, 349 (pl. ix).
 Rousden, III, 3, 10.
 Rowborough Farm, V, 277.
 Rowe (A. W.), collection, V, 324.
 Rowridge, V, 278.
 Runton, II, 67.
 Ruston parva, IV, 237, 265, 271.
 Ryde Waterworks, V, 263, 267.
 St. Lucas' Leap, II, 32, 33.
 St. Margaret's, IV, 273.
 St. Margaret's Bay, I, 301, 302, 305 (pl. x).
 St. Mildred's Bay, I, 295.
 St. Oswald's Bay, II, 3, 5, 10, 19 (pl. ix).
Salenia geometrica, I, 300, 362; II, 55; V, 317, 337.
 — *granulosa*, I, 318, 362; II, 46, 75; III, 33, 38, 49; IV, 241, 256, 293; V, 294, 296, 301, 317, 337.
 Salisbury, I, 343, 349; II, 60, 62-66; IV, 250, 257, 267, 271.
 Saltdean, I, 337 (pl. ix).
 Saltmore Copse, pit at, V, 266.
 Salts in the inland Chalk, V, 214.
 Sanwick, IV, 206, 207 (pls. xxvi, xxxviii).
 Scale Nab, IV, 205, 232 (pls. xxiv, xxxviii).
Scalpellum fossula, I, 366; II, 76; V, 322.
 — *maximum*, I, 366; II, 76; III 51; IV, 254, 296; V, 298, 300, 322, 337.
Scaphanorhynchus subulatus, I, 367; III, 36, 45, 51.
Scaphites, IV, 237, 264, 265, 295.
 — *binodosus*, IV, 265, 295.
 — *geinitzi*, I, 366.
 — *inflatus*, IV, 265, 295.
 — sp., IV, 295.
 Scratchell's Bay, V, 227, 228, 233 (pls. xii-xiv).
 Scratchy Bottom, II, 16, 17 (pls. iii, iv, ix).
 Seaford Head, I, 332-335, 339, 346, (pl. ix).
 Seaton, III, 11 (pl. xiii).
 Selwicks Bay, IV, 215 (pls. xxxi, xxxii, xxxviii).
Semicytis rugosa, V, 302, 306.
Semieschara arborea, V, 322.
 — *woodsii*, V, 322.
Septifer lineatus, V, 312, 339.
Serpula ampullacea, I, 363; II, 66, 73; III, 39, 50; IV, 294; V, 300, 303, 307, 337.
 — *avita*, II, 44; III, 34, 38, 50; V, 294, 337.
 — *canteriala*, V, 322, 337.
 — *cincta*, V, 300, 303, 337.
 — *difformis*, II, 66, 74.
 — *fluctuata*, I, 363; II, 74; III, 50; IV, 294; V, 300, 303, 323, 337.
 — *gordialis*, I, 363; II, 66, 73; V, 303, 337.
 — *granulata*, I, 363; II, 73; III, 50; IV, 294; V, 295, 300, 303, 337.
 — *ilium*, I, 309, 313, 326, 344, 363; II, 46, 47, 58, 66, 73; III, 44, 45, 50; IV, 294; V, 300, 303, 307, 313, 337.
 — *macropus*, I, 363; II, 73; III, 50; V, 303, 337.
 — *pentangulata*, V, 300, 337.
 — *plana*, I, 66, 74, 363; III, 50; IV, 294; V, 300, 303, 337.
 — *planorbis*, II, 74.
 — *plexus*, I, 363; II, 74; V, 303, 307, 313, 337.
 — *pusilla*, V, 322, 337.
 — *sexangularis*, V, 323.
 — *turbinella*, I, 300, 331, 344, 363; II, 55, 58, 66, 73; IV, 248, 253, 294; V, 307, 310, 313, 322, 337.
 — sp., II, 74.
 — sp., III, 50.
 — sp. (thin smooth), V, 300, 337.
 — sp. (6 or 7 angles), V, 322, 337.
 Seven Sisters, I, 329, 330, 339, 346, 347 (pl. ix).
 Sewerby Cliff, IV, 260-262, 265-267, 271, 287 (pls. xxxvi, xxxviii).
 Shag Rock, V, 239, 242 (pl. xix).
 Shakespeare's Cliff, I, 305, 316 (Pro. Geol. Assoc., xvii (4), 1901, p. 190).
 Shalcombe, V, 256, 257.
 Shalcombe Down, V, 256.
 Sheepwalk Lane Pit, IV, 236.
 Sherborn (C. D.), on Tertiary Seabottom, V, 330; on Barrois' Map, 331; on zonal junctions, 331.

- Sheringham, II, 63, 67; V, 323.
 Shide Quarry, V, 281.
 Shoreham, I, 346.
 Shorwell Shute, V, 273.
 Siliceous nodules, V, 218, 234, 240, 257, 261, 281, 283, 289 (pl. xxii).
Siphonia koenigi I, 359; II, 71; IV, 292; V, 307, 336.
 Sixpenny Hill, IV, 234, 250.
 Sledmere, IV, 253, 267, 268.
 South Down Common, III, 20-22.
 South Ferriby, IV, 240, 241.
 South Foreland, I, 307, 310.
 South Sea Landing, IV, 217, 249-251, 271 (pls. xxxv, xxxviii).
 Speeton, IV, 198, 241, 242, 245 (pl. xxxviii).
 Speeton Cliffs, IV, 204, 243 (pls. xxi-xxiii).
 Speeton Gate Pits, IV, 235.
 Speeton Station Pits, IV, 233, 235.
 Spencer (W. K.), on Asteroid ossicles, V, 319.
 Spines of *Cardiaster*, IV, 262; *Echinocorys*, I, 340; *Holaster*, IV, 262; *Micraster*, I, 340.
Spinopora dixonii, IV, 293; V, 336.
Spondylus, IV, 245.
 — *dutempleanus*, I, 364; II, 65, 75; III, 36, 40, 45, 50; IV, 258, 295; V, 295, 338.
 — *latus*, I, 364; II, 75; III, 36, 39, 40, 43, 50; IV, 258, 295; V, 338.
 — — var. *aequicostatus* III, 36, 50.
 — *royanus*, I, 364.
 — *spinosus*, I, 364; II, 65, 75; III, 40, 43, 45, 50; V, 306, 321, 338.
 Sponges, II, 45, 67; IV, 220, 254, 258, 262-264.
 "Spurious Chalk Rock," V, 219, 234, 238, 241, 257, 260, 263, 264, 268, 275, 277, 281, 283 (pls. xxii, xxiii).
 Stag Rock, V, 225 (pl. ix).
 Standen Copse, pit at, V, 266.
 Stather collection, IV, 214, 226, 247, 250, 265.
Stellata inclusa, I, 359; IV, 293.
Stephanophyllia bowerbanki, V, 297, 336.
 — *melchlini*, I, 361; II, 66, 72; V, 307, 322.
Stichophyma tumidum, I, 359; II, 71, V, 307.
 Stone Pit Lane Pit, IV, 233.
 Stone Pit Wood Pit, IV, 236.
 Stottle Bank Nook, IV, 214, 215, 217 (pl. xxxviii).
 Strahan (A.), on Dorset, II, 2; on Isle of Wight, V, 214-216.
 Studland Bay, II, 32, 33, 36, 38; IV, 261; V, 314, 316.
 Sun Corner, V, 228, 233 (pl. xii).
 Suture partings, IV, 225, 228, 289 (pl. xxxvii).
 Swaintondown Gate, V, 278, 279.
 Swanage, II, 33.
 Swyre Head, II, 10 (pls. iii, ix).
Synhelix sharpeana, V, 307.
Talpina, II, 61; V, 323, 336.
 Tapnell Down, V, 257.
 Telegraph cable at Dover, I, 306, 310.
 Telscombe, I, 336 (pl. ix).
 Tennyson's Beacon, V, 227, 233 (pl. x).
Terebratulina carnea, I, 310, 313, 319, 326, 364; II, 46, 64, 74; III, 34, 43, 45, 50; IV, 244, 294; V, 300, 319, 320, 338.
 — *obesa*, II, 64.
 — *pentangulata*, II, 64.
 — *semi-globosa*, I, 304, 309, 313, 319, 338, 364; II, 64, 74; III, 34, 38, 43, 45, 50; IV, 208, 242, 244, 252, 257, 268, 294; V, 300, 320, 338.
 — — var. *albensis*, I, 319; III, 38; V, 295.
Terebratulina gracilis, I, 313, 316, 364; II, 44, 74; III, 36, 39, 43, 50; IV, 208, 210, 241, 243, 294; V, 295 (2), 300, 338.
 — zone, I, 292, 315, 321, 323; II, 6-8, 19-22, 31, 33, 40, 44; III, 5, 7-13, 16, 20-23, 28-30, 39-41; IV, 200-203, 207, 229, 241; V, 218, 240, 257, 260, 263, 264, 268, 274, 277, 280, 282, 284.
 — — (name of), I, 319.
 — *rowei*, I, 298, 331, 349, 355, 363 (pl. viii); II, 7, 26, 27, 30, 31, 55, 56, 57, 74; V, 308, 309, 312, 338.
 — *striata*, I, 349, 363; II, 74; III, 38, 50; IV, 253, 257, 268, 294; V, 309, 338.
Teredo amphishæna, I, 365; II, 75; III, 36, 40, 50; V, 295, 339.
 Tertiary Sea-bottom, V, 330.
Thecidium wetherelli, I, 304, 363; II, 74; IV, 253, 257; V, 306, 309, 320, 338.
 — *vermiculare*, V, 320, 338.
 — sp., IV, 294.
 Thixendale Pit, IV, 209, 268.
 Thornwick, IV, 207, 241, 242 (pls. xxv, xxvii, xxxvii, xxxviii).
 Tombstone, III, 23, 24 (pl. xiii).
Toulminia, I, 360.
Trapezium trapezoidale, I, 365.

- Treacher (Ll.), on Tertiary Sea-bottom, **V**, 332.
Tremabolites perforatus, **III**, 36, 43, 49.
 Trimmingham, **II**, 60-67; **V**, 323.
Trochus schlueteri, **I**, 365.
Truncatula aculeata, **V**, 306.
Turbo, **V**, 300.
 — *gemmatus*, **I**, 314, 365; **II**, 18, 45, 46, 75; **III**, 8, 43, 50.
 Tyneham pits, **II**, 35, 39.
Uintacrinus, **I**, 298 (figure), 330-334, 361; **II**, 72; **IV**, 221, 293; **V**, 308, 338.
 — (arm-ossicles), **I**, 298.
 — at Brighton, **I**, 347.
 — band, **I**, 346; **II**, 7, 11, 17, 24, 30, 31, 34; **IV**, 221; **V**, 223, 229, 244, 258, 264, 276, 278, 279, 283, 284.
 Uncleby Stoop, **IV**, 243, 268.
Ventriculites convolutus, **I**, 360; **II**, 71; **IV**, 292.
 — *cribosus*, **I**, 360; **II**, 71; **III**, 49; **IV**, 292; **V**, 336.
 — *decurrens*, **I**, 360; **II**, 71; **III**, 49; **IV**, 292; **V**, 336.
 — *impressus*, **I**, 360; **II**, 71; **III**, 43, 49; **IV**, 246, 292; **V**, 336.
 — *infundibuliformis*, **I**, 360; **IV**, 264, 292; **V**, 336.
 — *mammillaris*, **I**, 360; **II**, 71; **III**, 43, 49; **V**, 336.
 — *radiatus*, **I**, 360; **II**, 67, 71; **III**, 49; **IV**, 292; **V**, 307, 323; 336.
Verrucocelia tabulata, **I**, 360; **V**, 307.
Vincularia bella, **V**, 322.
 — *disparilis*, **I**, 309, 345; **V**, 306.
 — *indistincta*, **V**, 302.
 — *santonensis*, **I**, 345; **V**, 313, 322.
 Walker (J. F.), his zonal work, **V**, 325.
 Walkington, **IV**, 253.
 Walmer, **IV**, 273.
 Walmsley Syphon, **IV**, 205.
 Walton's Collection, **IV**, 245, 247, 252.
 Watcombe Bay, **V**, 245 (pl. xi).
 Wellow Down, **V**, 257.
 West Bottom, **II**, 4 (pl. ix).
 West Cliff Cottage, **III**, 8 (pls. ii, vi).
 West Standen Farm, **V**, 282.
 Westlake (E.), **II**, 62; his measurements in I. of Wight, **V**, 284, 326.
 Westover Down, **V**, 271, 276.
 Westover Plantation, **V**, 272.
 Westwood, **IV**, 268.
 Wetherell Collection, **IV**, 250.
 Wetwang, **IV**, 268.
 Weybourne, **II**, 63; **V**, 323.
 Wharram, **IV**, 247, 268.
 Wharram Percy, **IV**, 243, 268.
 Whitaker (W.) on I. of Wight, **V**, 215.
 Whitaker's 3-inch tabular, **I**, 295, 301, 302, 305, 330.
 White (H. J. O.), **V**, 312, on Tertiary Sea-bottom, 332.
 White Cliff, **III**, 11, 12, 14 (pls. iv, xiii).
 White Hill Pit, **IV**, 236.
 White Horse, The, **V**, 236, 239, 242 (pls. xviii, xx).
 White Ness, **I**, 295 (pl. x).
 White Nothe, **II**, 3-5, 8, 9.
 White Pit Lane, **V**, 280.
 White Siliceous Nodules in *gracilis*-beds, **V**, 218, 234, 240, 257, 261, 281, 283, 289 (pl. xxii).
 Whitecliff Bay, **V**, 236, 247 (pl. xviii).
 Whiteland Homestead, **V**, 283.
 Whiteway Pit, **II**, 39.
 Whitlands, **III**, 9 (pl. xiii).
 Wight, Isle of (central ridge) **V**, 269, (western ridge) 252, (eastern ridge) 258, (maps) 330, 334.
 Williams (F. R. B.), **IV**, 274.
 Wood, **I**, 359.
 Woods (H.), on Chalk Rock fossils **I**, 314.
 Wool, **II**, 3, 13, 37, 63, 64.
 Worbarrow Bay, **II**, 22, 30 (pl. x).
 Worbarrow Tout, **II**, 3, 5 (pl. x).
 Yar, Western, **V**, (pl. xxi).
 Yarborough Monument, **V**, 236.
 Yarbridge, pit near, **V**, 258.
 Young (G. W.), **V**, 312.
Zeuglopleurus rowei, **I**, 300, 353, 362; **II**, 54; **IV**, 256, 293.
 Zigzag at Langdon, **I**, 307.
 Zonal measurements, see Measurements.
 Zonal divisions on maps, **V**, 325.
 Zonal fossils, Knowledge of, **V**, 331.
 Zonal junctions, **V**, 331.
 Zonal junction between *cuvieri* and *gracilis*, **I**, 319.
 — *planus* and *cor-test.*, **I**, 311, 314; **V**, 303.
 — *Marsupites* and *quadratus*, **I**, 337, 340.
 Zonal theory correct, **V**, 325.
 Zones of various authorities, **I**, 293.
 Zoological Summary, general, **V**, 291, 328.

Alum Bay to Highdown

ISLE OF WIGHT.

Scale, 6 inches to 1 Mile.

Highdown to Freshwater.

Freshwater to Tapnell Down.

Tapnell Down to Pay Down.

ISLE OF WIGHT

Scale, 6 inches to 1 Mile.

C.D. Sherborn, inv.

Reproduced by permission of the Controller of H.M. Stationery Office, Weller & Graham Lith, London E.C.
from the 6 inch Ordnance Survey.

CENTRAL AREA.

- Zone of *Belem. macronata*.
 " " *Actin. quadratus*.
 " " *Marsupites*.
 " " *Micraster cor-ang.*
 " " *Micraster cor-test.*
 " " *Holaster planus*.
 " " *Tereb. gracilis*.
 " " *Rhynch. cuvieri*.

ISLE OF WIGHT.

Scale, 2 inches to 1 Mile.

C.D. Sherborn, inv.

Reproduced by permission of the Controller of H.M. Stationery Office.
 from the 6 inch Ordnance Survey.

Wells & Graham, Lith., London, E.C.