disorders of nervous system or of internal secretions to explain certain joint conditions, it seems that back of these causes there are likely to be still more remote ones for the sudden breaking down of normal vital activities of nerve cells or cells of internal organs when these are origins of arthritis. It is easy to imagine that some unknown parasitic organisms gain access to the body, or reside in the lumen of the intestinal canal and there contribute their products to the blood through this important portal of entry, and that these are the primal factors in such late developing and persistent joint changes.

Also it is easier to suppose that certain remote causes act indirectly through nervous structures and other organs rather than to believe in the alternative supposition of normal activities of nerve cells or those of body tissues abruptly becoming abnormal so commonly in adult life from causes wholly within themselves. These are simply matters of conjecture, of course, but seem better than no ideas at all.

Vaccine treatments for chronic joint conditions. —

One can picture the healthy reaction of severely overtaxed tissues as hygienic measures are effectively instituted; and imagine the relief to the joints when inflowing blood contains proportions of irritants diminished below limits at which the latter begin to exert their harmful effects, and when the blood contains increased percentages of normal healthy constituents.

Nor does it appear extraordinary that introduction of toxic bacterial substances, which set body tissue cells working actively and draw upon their reserve resistances, should not be as efficient in restoration of health as improved vascular relations induced by hygiene. Hygienic vascular conditions act continuously and beneficially without violent reactions such as are noticed after some vaccine treatments.

In order to gain desired therapeutic effects with vaccines of increased antagonistic qualities in the blood toward specific micro-organisms, tissue cells must be irritated by such bacterial poisons; and it seems rather severely taxed in chronic disease in order to get reactions sufficiently great to overcome the resistant bacteria. Micro-organisms of chronic diseases are survivors of previous engagements with their host, and have intrenched themselves in the tissues; so that there are dangers of overstimulating the latter, and exhausting their vitalities to a very harmful degree without eradicating the invading parasites. Failures of vaccine treatments, therefore, occasionally presumably mean subsequent accelerations of growth of the micro-organisms that are present, and these periods of increased multiplication of bacteria perhaps wouldn't have occurred if vaccines had not been used.

When dealing with vital resistances of tissues that cannot be estimated accurately or quickly, and when bacterial parasites are known to have high resistances, it seems wiser to cling to measures of hygienic character that are less likely to

do harm if they do no good. It seems safer to influence favorably all normal processes within the body, known and unknown ones, through hygienic combinations than to gain desired results by incompletely understood specific irritants; by toxic substances that may have additional harmful effects, unrecognizable at first, in addition to the properties for which they are administered.

Admission must be made, however, that there are slow, steady gains at times in affected joints when patients are undergoing vaccine treatments. These gains are due apparently to these measures, but in the hands of less skillful administrators the tissues become fatigued and tissue resistances are lowered; moreover, skeptics can say that beneficial effects are mainly due to hygienic measures that are simultaneously carried on. Although vaccines have proven their value in some acute diseases, the limits of their applicability have not been well defined yet, and therefore it seems to the writer better to rely for the present mainly upon hygienic measures in chronic arthritis.

(To be continued.)

Symposium.

FOURTH MASSACHUSETTS CONFERENCE ON TUBERCULOSIS.

INTRODUCTORY REMARKS ON OPEN-AIR ROOMS.*

BY JOSEPH LEE,

Member Boston School Committee.

WHAT is most important in this matter of open-air rooms is a general recognition that treatment rather than diagnosis is the important thing. All rooms should be fresh-air rooms. All children need to breathe. It is not important whether they breathe because they are sick or because they are well. They are air-breathers in either case.

Even if we were to confine our attention to the anemic and other delicate children, it would still be necessary that all the rooms should have fresh air, because these delicate children are not found in squads of forty, each in a single building in a single grade, but are scattered through the grades and through all the schools, sometimes one, two or three in a room. It would cost the City of Boston about \$100,000 a year to look after the anemic in separate rooms, whereas the same thing can be done at little or no expense by opening the windows in every room. We should, it is true, incidentally improve the health of the children who are already well, but that is a result from which we need not recoil.

The great use of an open-air room is to serve as an object lesson as to the effect of open air upon school children. Now and then we get sensational results like that of the boy who has gained twenty pounds this year in one of our open-

* Abstract of address before the Fourth Massachusetts Conference on Tuberculosis, Boston, March 22, 1912.

air rooms. A more typical result is in a fresh-air room (that is, a room where the windows are kept open, but nothing else is done), where the attendance since the windows were opened has increased from 94 $\frac{1}{2}$ to 96 $\frac{1}{2}$ %. Of similar significance is the experience in an open-air room where the children have bags, but dislike to wear them, where the temperature ranges down to 50, and where there have been no colds now for the last two years.

Of course for the children with tuberculosis there ought to be a fuller fresh air, or rather outdoor, treatment, and I believe that much is still to be worked out in regard to such cases in Boston and elsewhere. But important as these are, I return to my general proposition that we ought not to continue our American practice of not looking after the child's health until he is sick, running parallel, as it does, to our not looking after his morals until he has committed a crime. The main thing to be done is to improve the health of the children who are still well by giving them air to breathe.

Perhaps the rooms where nothing special is done except to open the windows are most important because they present an example that can be universally followed.

What is keeping us back now is the general fear of fresh air on the part of the community at large. Every one who will keep his office windows open and note the difference upon his working hours and upon the number of colds he has will help the cause along.

OPEN-AIR ROOMS IN SPRINGFIELD.*

BY RALPH B. OBER, M.D., SPRINGFIELD, MASS.,

President, Association for the Prevention of Tuberculosis, Springfield.

THOUGH much has been written about open-air schools during the last two or three years since the establishment of the first school in Providence, — and many such schools have started throughout the country, — in hopes that some of the audience are not familiar with the modern school and its workings I intend to give a brief description of the one established in Springfield the latter part of last year.

I believe a regular outdoor school is much preferable to an open-window school. In the first place, it is built for the purpose of demonstrating the value of fresh air. This the children appreciate. They also come to feel the value of regular food and systematic rest. It differs from the ordinary school much as sanatorium treatment differs from home treatment. Children are kept under control all day and from the start hygiene goes hand in hand with education. There has always been a contest between physicians and teachers, but in this open-air school harmony exists and doctor and teacher both become enthusiastic. While I am speaking of enthusiasm, let me say that practically every one connected with these schools gets the same interest.

The Springfield Association for the Prevention

* Read before the Fourth Massachusetts Conference on Tuberculosis, Boston, March 22, 1912.

of Tuberculosis considers the open-air school its best asset. It does more teaching, it causes more thinking, it draws more sympathy and interests the general public more than any other branch of work in its fight against tuberculosis.

The interest in Springfield came to a great extent from the successful school in Hartford and from that excellent book of Mr. Sherman C. Kingsley, of the United Charities of Chicago, published by the Elizabeth McCormick Memorial Fund. At the time of the publication of this book, the school committee purchased one for each school in the city. Interesting articles appeared in the press from time to time, so when the opportunity came for establishing such a school there was little prejudice against it, as was evidenced by the fact that a list of over one hundred children was presented to fill a school of thirty-five capacity.

At a meeting of the Anti-Tuberculosis Association in August, 1911, it was voted to expend not over \$750 to initiate this project. The school committee voted to furnish teachers and educational equipment for the school, and the committee on city property agreed to equip the building with desks and chairs. Site was chosen in the rear of the Lincoln School, one of the city's newest and best schools. The use of two large basement rooms was given by the city property committee, one of which was equipped by them as a dining-room, with one corner panelled off for a kitchen. The other room is used as the rest-room, with a corner panelled off to accommodate shower and tub bath and wash bowls. The school committee and committee on city property voted to co-operate in this enterprise at the request of the Anti-Tuberculosis Association, and there was little if any opposition.

The building, as you see from the photos, is a low, bungalow type building — 20 feet by 30 feet, — 8 feet high at the sides, 12 feet in the middle. Around the sides to a height of one and one-half feet runs a panelling to prevent foot-draughts. The building is protected on all sides by awnings, which raise from the bottom up, running on rods by means of metal rings sewed to the duck. The base of the awning is secured tightly to the water board on the panelling, and the whole awning works by means of pulleys. It has shown itself to be storm-proof. A 20-foot platform adjoins the building, — for games and exercise. The building is set on short brick columns laid in cement. It faces east, with the long sides on the south and north. This enables children to get the full value of the sun shining over their shoulders and not in their faces. The building is shingled and stained dark oak-brown. The awnings have dark brown stripes, giving the whole an attractive appearance. The cost of the building complete with awnings was \$550. Its construction was supervised by the agent of the city property committee at no cost to the association. Emphasis was laid on the purpose for which the school was built, and in most cases wholesale prices were obtained on materials used.

In the rest-room special cots were provided,

made to order by a local firm. The cot is shorter than the adult cot, with head slightly raised. They cost us \$1.10 each. Army blankets were furnished (two to a child). Each child has a pair of very heavy felt boots for winter wear.

The dining-room contains two long rectangular tables with benches for seats. The tables are covered with white oil cloth. The kitchen contains the usual cooking implements, a gas stove, sink with hot and cold water and plenty of shelf room for dishes and supplies.

The school is maintained by the Anti-Tuberculosis Association and the school committee, the latter furnishing the teachers and educational materials. The association hires a cook, who is in charge of the dining-room.

A visitor from the Anti-Tuberculosis Association visits the school frequently and has charge of the buying of food. The cost per pupil averages between 11 and 12 cents for actual food. The cost including services of cook raises the rate to 15 cents per capita for two lunches and one dinner. Food is the simplest possible compatible with a sufficient caloric value. A sample day's menu would be,—

Breakfast: Oatmeal and milk, bread and butter.

Dinner: Beef stew, mashed potatoes, bread and butter, milk.

Supper: Cocoa, Indian meal mush, bread and butter.

A brief program of the daily routine is as follows:

Breakfast,	8.30- 8.55
Recitations,	8.55- 9.40
Physical exercises,	9.40- 9.45
Recitations,	9.45-10.20
Recess and physical exercise,	10.20-10.40
Recitations,	10.40-11.30
Preparation for dinner,	11.30-11.45
Dinner,	11.45-12.15
Rest and sleep,	12.15- 1.15
Play,	1.15- 1.30
Recitations,	1.30- 2.25
Recess and physical exercise,	2.25- 2.45
Recitations,	2.45- 3.30
Supper,	3.30- 3.45

The children are selected from the various schools by the medical inspectors, then referred to the open-air school for complete physical examination, where the most suitable cases are selected. In addition to anemia and malnutrition, a few children have been admitted who showed nervous symptoms, such as chorea or marked inability to attend the ordinary school.

In the latter class comes one boy who has been unable to attend regular school for more than two or three months a year owing to eye trouble and marked nervousness. He has been a steady attendant now for three months, is showing marked development mentally and yet the only change has been that of attending this school.

The children are not chosen entirely from the poor. Several of our pupils come from well-to-do families. It seemed to the association that the problem was one of health and not of poverty.

On this account no prejudice exists against the school because of charity.

It is intended to issue meal tickets in the near future and charge all alike. If on investigation it is found that some cannot pay, this charge will be abated. In each case, the social visitor of the association visits the home, endeavoring to improve the home conditions. In this way the financial standing of the family can be fairly well judged. As the children cannot know who pays and who does not, the same standing will be preserved.

At present the gifts of enthusiastic parents in the line of food and other materials show a generous interest.

As to results, the school has been open only thirteen weeks and, therefore, there is little to show. An average gain in weight of 3 lb. has been made. Capricious appetites have yielded to the regular school diet, and one rarely hears complaint. This, in some cases, extends to the home, and the child long used to special dishes now eats what the rest have and is satisfied. Children hate to leave the school and there have always been cases waiting for admission.

In addition to the open-air school, Springfield has an open-window room, of which I show a picture. The teacher tells me the children are harder to manage than in regular school because of increased activity and alertness. Colds have been less prevalent in this room than usual and the number of contagious diseases seems to have fallen off. In the near future there will be many open-window rooms in the city.

As to the cost for this open-air school, it is considerable. Yet it seems worth the money. A city of 90,000 would not, at most, need more than two such schools, and they are of real benefit to the community. In the future the advent of open-window rooms may prevent children reaching the stage requiring this semi-sanatorium treatment. Until then these schools can be used as nuclei for demonstrating the value of fresh air to the public at large, and thus indirectly help the fight against tuberculosis.

In closing, I wish to quote a remark from the "Open-Air Crusaders": "A state which spends every year \$1,187,000 in educating children who die of tuberculosis before reaching their twentieth year can well pause to consider the money value of preventive work."

OPEN-AIR ROOMS.*

BY HENRY D. CHADWICK, M.D.,

Superintendent, Westfield State Sanatorium.

PREVIOUS to 1910 there was no sanatorium provision for children under fourteen years of age. In that year the sanatoria at North Reading, Lakeville and Westfield were opened and a few applications were made for the admission of young children having pulmonary tuberculosis. A few children have been cared for at each of these sanatoria, but their admission was not encouraged

* Read before the Fourth Massachusetts Conference on Tuberculosis, Boston, March 22, 1912.

because it seemed undesirable to have adults and children in close association in the wards. It was soon found, however, that it was much easier to care for several children than for one or two. When in groups they were more contented, kept by themselves, and annoyed the other patients far less.

The first of this year the trustees decided to send to Westfield all children who made application, provided parents would consent to their going so far from home. By segregating as many as possible in one institution, a school could be maintained. Therefore, in January, a school session of two hours daily was begun, with an attendance of from ten to twelve children. One of the adult patients offered to act as teacher. Most of the children were eager to begin and attended willingly. Although they were patients in the sanatorium, and, therefore, ostensibly invalids, they developed sufficient animal spirits each day to make it difficult for this volunteer to maintain order. Considering that this teacher, except for two hours a day, was one of their own number in the family of patients, this was not surprising.

The number of children admitted gradually increased until we now have at Westfield twenty-six patients from five to sixteen years of age, or 15% of our whole number.

On March 11, a trained teacher was employed and the school work is going on in a very satisfactory way. One section of the women's pavilion is now occupied with children, and in one end of this a school session is held from 9.30 to 11.30 daily, except on Sunday. There is an intermission of ten minutes for lunch. After dinner the children lie on their beds until 2.30. Another lunch is served and the teacher then takes them under her charge until 5 o'clock. This period is spent out of doors, playing games and tramping about the fields, woods and brooks. The teacher is kept busy answering a steady stream of questions which begin with "what" or "why." The children from the cities who have never seen a pine cone or picked a pussywillow do not have to be urged to attend these afternoon periods of real nature study.

The time when a child patient begins school work depends entirely upon their physical condition, and of course frequent interruptions of this daily routine occur, whenever symptoms of acute disease indicate that rest in bed is needed.

An outdoor school in connection with a sanatorium is necessary to maintain discipline and prevent the children who are away from all home restrictions from running wild. They would otherwise lose all sense of courtesy and respect for their elders and associates. For this reason alone it would be worth while, but in addition much school work can be accomplished.

When their disease becomes arrested and there is no open tuberculosis, they ought, after discharge from the sanatorium, to continue their school life in open-air rooms.

Von Pirquet and other careful investigators have proven that nearly all children under fourteen years of age react to the tuberculin test, show-

ing thereby that they have in some way become infected with tuberculosis.

Tuberculous infection in childhood seems to be an automatic process on account of the almost universal distribution of the tubercle bacillus in the homes, schools and places of amusement which make up the environment of developing children.

Until a few years ago it was taught in most books of medicine that pulmonary tuberculosis was rare in children under ten or even fifteen years of age. Recent pathological investigation reveals the fact that involvement of the lungs is the most frequent of all forms of tuberculosis, in children as well as in adults. A tuberculin reaction in older children has a serious significance only when symptoms showing a localization of the disease can be discovered, or in the absence of such signs, if a child has a little rise of temperature in the afternoon, is undeveloped, or anemic. Such children should be sent to a sanatorium, where they will usually make rapid improvement, and their resistance raised to such a degree that serious disease is prevented.

It is interesting to review the evolution of the anti-tuberculosis movement. A marked advance was made in 1898 when Massachusetts opened a sanatorium at Rutland for the treatment of curable cases of tuberculosis. This was a step in the right direction, but nevertheless the problem of eradicating the disease was approached in the middle instead of at either end. No attempt was made to isolate or segregate the many terminal cases of consumption who remained in their homes and continued to disseminate their disease among the most susceptible individuals, namely, the children. Thus infection occurred much faster than sanatoria could be built to cure them.

It was necessary at that time to begin sanatorium work in this way in order to prove not only that pulmonary tuberculosis was curable, but that it was curable in Massachusetts. The next important step was soon agitated, and provision made for the more advanced cases by the completion in 1910 of three state hospitals.

Now the steady growth of sentiment for better housing provision, medical inspection of the pupils and open-air schools makes the third, and, to my mind, the most important advance toward striking tuberculosis from its present place at the head of the list of preventable diseases.

It has already been shown that open-air and open-window schools have been successful in restoring debilitated children to health. It is proposed in many places to have one such room in all modern schoolhouses and to place therein selected children whose physical condition is impaired. Why not go a step further and do away with the expensive methods of ventilation now in vogue? These systems supply a vitiated atmosphere, superheated and excessively dry or artificially humidified, which for efficient service demands tightly-sealed rooms; in other words, a synthetic preparation containing oxygen is substituted for fresh air as it is freely supplied by nature. Instead of one healthful room in each building to care for such children as are made ill in the other rooms,

which are so arranged that they harbor disease and spread infection, why not have all the school-rooms of all the buildings built so that air as it comes from nature's laboratory may have free egress and exit?

The present idea of one open-air room in a building bears the same relation to sanatorium work at the present day as did the attempt in 1898 to cure a few patients who had tuberculosis in an early stage, without making any attempt to isolate the advanced cases, which were allowed to spread infection promiscuously among their friends and associates.

We should give the children who are well a chance to keep well, and in the same way, and at the same time, raise the resistance of those who are infected, but not necessarily diseased.

My idea of a modern school building in which these conditions will be met is one in which every room is open on at least two sides. In large city schools this could be arranged by a building in the form of a hollow square with a large courtyard or playground in the center. The upper sash of each window should have muslin instead of glass, so that winds and stones could be excluded, but the passage of air would not be much impeded. Heat could be procured by sufficient radiation under the windows to keep the temperature of the room about 60°. The humidity would approximate that of the outside air.

Under such conditions the teacher and children could keep comfortable without being burdened with heavy clothing. Although fresh air in its natural unchanged condition is what children thrive on, it does not follow that schools need be conducted out of doors in winter. Cool air is refreshing, cold air is stimulating, but extreme cold is debilitating and dulls the children's mental perceptions. I believe that the degree of cold should be graduated or modified as can be readily done in open-window schools by the method previously referred to.

I hope eventually a hospital school building will be erected at Westfield. The children could be more satisfactorily cared for, better discipline could be maintained if they were kept entirely separate from the adult patients with whom association is not conducive to either mental or moral improvement. That there is need of such a school building is shown by the fact that there are now in the four sanatoria sixty-nine children from five to sixteen years of age. Applications for the admission of children are rapidly increasing in number, as only recently has their admission been encouraged.

A teacher's task in such a school is many sided, and it will take a woman of more than the usual attainments to be successful as a teacher of books, a player of games and an instructor in the mysteries of nature.

MAINTENANCE OF ISOLATION HOSPITALS.*

BY WM. C. HANSON, M.D., BOSTON.

THE WORK OF THE STATE INSPECTORS OF HEALTH.

THE State Inspectors of Health are physicians legally recognized as sanitarians, each one in charge of a health district.

Although the Commonwealth is divided into fourteen health districts, the district lines are of minor importance in the accomplishment of desired results. One health district may offer opportunities for investigation which are nearly or entirely absent in another district. Then, too, by allowing a State Inspector of Health to cross district lines, he may become exceptionally proficient in one or more branches of public health work. Such a plan does not affect the carrying out of certain executive functions by the State Inspector of Health in charge of his own health district. It does, however, bring out the very best qualities there are in the men, for it makes it clear to a man who is to merit success that his standard of work must be maintained on the principle that the work itself, not the individual official, will always have first consideration. It therefore is expected that in addition to the performance of certain official duties, a State Inspector of Health will become exceptionally proficient in some one or more branches of public health work. Thus, the supervision of the State Inspectors of Health by the State Board of Health is based upon broad general principles, the work itself always having first consideration.

One function of the State Inspectors of Health is to gather information concerning the prevalence of tuberculosis and to disseminate knowledge as to the best methods of preventing the spread of this disease; but the State Inspectors of Health have other work to do. Not only are they obliged to gather information concerning the prevalence of tuberculosis, but concerning all influences and diseases that are or may be dangerous to the public health. All such investigating work relating to the prevention of the spread of disease constitutes the most important of all the duties of the State Inspectors of Health.

Dr. MacKnight¹ will show you the results of one particular investigation relating to tuberculosis. His results, which necessitated a great deal of traveling, represent much detailed work over a considerable period of time. Such work is expensive, but you will have the opportunity to judge whether it is worth while. Such work is limited, as I shall fully explain, by a limited expense appropriation, so that you may have the opportunity to judge whether you care to have it continued.

The important thing in the legislation respecting the work of the State Inspectors of Health is, in general terms, it seems to me, that it is advisory legislation. The more general functions of the State Inspectors of Health are advisory functions.

*Read at the Fourth Massachusetts Conference on Tuberculosis, Twentieth Century Club, 3 Joy St., Boston, Friday, March 22, 1912, 2.30 P.M.

¹ Dr. MacKnight, State Inspector of Health, spoke upon "What Happens to Patients Released from State Sanatoria."

The work carried on during a given year by the State Inspectors of Health relative to tuberculosis varies according to the special problems presented in the different health districts. The amount of work accomplished is limited by the amount of time and energy that the State Inspectors of Health can give to the subject. Their time and energy for this work, however, is limited chiefly in two ways: First, by a very limited appropriation for salaries and expenses; second, by the numerous powers and duties other than those relating to tuberculosis conferred and imposed upon them by the Legislature.

The question as to the relative importance of the different kinds of work of the State Inspectors of Health is settled by the Legislature. An act requiring the inspection of station-houses, for example, carries with it an annual appropriation of \$800; one requiring the investigation of tuberculosis, an appropriation of \$6,000. Then, there is the original health district act with its limited salary appropriation, which means that either of two courses of action must be taken; viz., either the appointment of efficient men who can give perhaps the greatest part, but not all, of their time to the state work, or the appointment of men of mediocre ability, who would plod along, but accomplish little, through the full number of work-day hours.

Fortunately, owing to the wisdom and foresight of one of our ex-governors, we have to-day as State Inspectors of Health a body of men whose professional standing and record in the community are good. Judging from practical experience, it may fairly be said that the majority of the State Inspectors of Health are making a big private sacrifice, temporarily, owing to their interest in the state work, and their realization of the good that can be accomplished in the field of preventive medicine. Naturally, too, they hope that in the near future their efforts will be appreciated by the public to such a degree as to be adequately compensated for financially, so that their entire attention can be given to hygiene and state medicine.

In order that you may have a clear idea as to the varied work of the State Inspectors of Health, I will merely enumerate the principal subjects and then go on with the special topic on the program. Their work relating to diseases dangerous to the public health, as has been said, is the most important. This work brings the men in close practical co-operation with the local authorities throughout the Commonwealth.

Another important subject is the investigation of water supplies and sewerage systems, again a work which brings the men in close touch with the local health authorities. In this work the State Inspectors of Health aid the water and sewerage department of the State Board of Health.

Another important branch of public health work is that of health inspection in factories. In the study of the health of persons employed in factories is included the physical examination of many young persons, and, so far as possible, the detection of occupational diseases or disorders and of tuberculosis and other communicable dis-

eases among both minors and adults. This branch of work also includes the enforcement of certain laws relating to the sanitation of the factory buildings.

Another equally important branch of public health work is the inspection of tenement houses where clothing is made. The primary object of such inspection in tenement houses is to guard the public health against the spread of tuberculosis and other infectious diseases by means of infected wearing apparel. The work accomplished has resulted in the maintenance of higher sanitary standards in the congested tenement homes. The friendly visits to the homes and the close personal contact with the workers have been a great educational force in the development of higher standards of hygienic living.

Other branches of the work of the State Inspectors of Health are the inspection of school buildings; of mercantile establishments; of police station-houses, lock-ups, houses of detention, jails, houses of correction, prisons and reformatories; and the inspection of slaughter-houses.

REPORT ON THE MAINTENANCE OF ISOLATION HOSPITALS BY CITIES AND TOWNS OF MASSACHUSETTS.

It seems best to introduce this subject in such a way that one will be in a position to understand all phases of it, rather than enter into a discussion blindly. First, I may say that my report on the subject is only a portion of a report that will appear in print in the *Monthly Bulletin* of the State Board of Health. The full report will be ready for the public within the next two weeks. Any person may have a copy of this report by making application to the office of the State Board of Health, either through the mail or in person. The report, it must be understood, was made following the enactment of a law last June relating to the establishment of isolation hospitals. Any reference, therefore, that I may make to isolation hospitals relates to this particular law enacted last June. This law remained on the statute books about eight months. It is now changed and another law, very different in scope, was enacted on the 24th of last month. My report, therefore, on the subject which I am about to present was made before the enactment of the new law. In other words, it should be borne in mind that objections by local officials referred to in the report might not hold under the new law. Under this new law, renewed efforts will have to be made before we can say anything as to results.

Now, to go back a minute to an old law² still in force, a law which provides that a local board of health (that is, a board of health of a town or city) may, if they see fit, cause any person sick with a communicable disease to be removed to a hospital or place which can be subjected to the regulations of the board, or if such removal cannot be done without danger to the patient's health, the board may consider the house or place in which the patient remains a hospital and act accordingly.

* Revised Laws, Chapter 75, § 42 (§ 36).

This law, however, is distinct from the one in question.

Let us now, at the start, be sure that we understand the meaning of isolation hospital according to the generally accepted definition. In the first place, by "hospital" is meant an establishment or institution for the care of persons who require medical or surgical treatment. By "isolation hospital" is meant one of a class of hospitals set apart for the reception and treatment of persons ill with certain communicable diseases declared by law to be dangerous to the public health. In Massachusetts, an isolation hospital is defined by law to include the reception of persons ill with smallpox, scarlet fever, diphtheria and tuberculosis. This does not mean, however, that all these different diseases shall be cared for in one establishment. A special hospital may be erected for the reception and treatment of cases of smallpox; it consequently becomes known as a smallpox hospital. Similarly, in the case of tuberculosis, if the establishment or institution is used exclusively for the reception and treatment of persons ill with tuberculosis, it is known as a tuberculosis hospital or sanatorium.

The practical side of the subject is this: there must be in the towns and cities of Massachusetts some arrangement to provide locally for the reception and treatment of persons ill with certain diseases dangerous to the public health in order to diminish the spread of such diseases. Among persons who are in comfortable circumstances, living in comfortable homes, it may be possible to isolate the patients properly at their homes and keep them under strict isolation until the danger of other persons contracting the disease by direct or indirect contact is practically eliminated.

Inasmuch, however, as almost every community has some poor people living under conditions which make proper isolation in the home impracticable, if not impossible, and as many persons are ignorant of the ways in which infectious diseases spread, and consequently fail to appreciate the need of strict isolation and quarantine, it is essential that hospitals or places be provided or that some suitable provision be made within reasonable access to every community for the isolation of those persons who cannot be properly cared for in their homes.

The subject now before us is how the State Inspectors of Health are aiding the State Board of Health in the enforcement of the laws relating to the maintenance of isolation hospitals by the cities and towns in the Commonwealth. This particular report, however, as I have said, relates specifically to the law enacted last June, now changed in scope.

Following the enactment of the 1911 law, an early inquiry throughout the Commonwealth by the State Inspectors of Health brought two main results: (1) that but few cities met the technical requirements of the law, and (2) that many practical difficulties confronted the local communities in their attempt to comply with the law as it was phrased.

Shortly after the passage of the act, plans for hospital construction were presented at the office of the State Board of Health for consideration in five instances, two of which were acted upon and approved by the State Board of Health.

The next step was to reach all the towns in the Commonwealth for the purpose of interviewing their governing bodies and representative citizens as regards the enforcement of the law. At various conferences called by State Inspectors of Health in many districts the attendance was good. The first conference was in the Cape district. The plan suggested itself to Dr. MacKnight, State Inspector of Health of that district. Through the courtesy of the Hon. Eben C. Keith, a member of the Governor's Council, all of the Cape boards were represented at this conference. Copies of the law were presented to all present and a general discussion followed. The first criticism was the drastic and mandatory nature of the act. There was difference of opinion as to whether the isolation hospital and tuberculosis hospital should be in combination or separate, whether the tuberculosis hospital should be one wing and the isolation hospital another wing, what sort of central arrangement might be made for the accommodation of a nurse or physician, and other such questions. Information was desired as to the general purpose of the law, especially in towns where there had been but very few cases of contagious disease within several years, — for instance, Cuttyhunk, Gosnold, Truro. Truro, for example, had one case of tuberculosis at the present time which was costing the town \$15 per week, — one tenth of the annual tax income. The town of Mashpee was supporting two cases of tuberculosis at the Sassaquin Sanatorium in New Bedford, which was privately conducted, at an expense of \$15 to \$18 per week. The town of Brewster was recorded as being unable to support a hospital and being unwilling to enter into an agreement with other towns to "establish and constantly maintain" in common such a hospital. It was the consensus of opinion that not enough consideration was given the matter previous to the enactment of the law as to the actual needs in the small towns for provisions to care for persons ill with contagious diseases. It was asserted that the enforcement of the law as it was enacted must of necessity entail hardship, since the tax-rates were quite high and the population not sufficiently large to meet the situation without the impoverishment of the towns. Considerable discussion developed as to whether, if the hospitals were established, they were to be maintained daily or whether they could be equipped and closed when not required, and opened as occasion arose.

A similar conference was held at Wood's Hole on Dec. 5. An interesting fact in connection with this meeting was that two members of the board of health of a remote town made a trip of eighteen miles each way in a motor boat to attend the meeting. In spite of this interest, however, the men felt that they would be unable to persuade the taxpayers at the town meeting to vote an appro-

priation for a hospital which all agreed was unnecessary.

At another conference later on, among the objections made to the act were the following: The unreasonable nature of the act by the hardship forced upon the town; its unnecessary mandatory features; its impracticability; the result of impoverishment of the town; inability to comply with the request of the State Board of Health if one was made; impossibility of collecting fines.

The State Board of Health are now in possession of the facts as to existing local hospital provisions in every city of the Commonwealth and in all the larger towns and in nearly all of the smaller towns with a population of two thousand inhabitants or over, and in many of the smallest towns. This report, as I have said, is to be made public in the *Monthly Bulletin* of the Board to be issued within the next two weeks. In the report is discussed the need of isolation hospitals, as is also the question of making arrangements between cities or between cities and towns for the care of persons ill with communicable diseases. The need of hospital provisions for towns is discussed, as are also the difficulties of establishing and maintaining such hospitals by the towns.

In closing, I have one suggestion to make. The public should recognize that the provision of isolation hospitals and the maintenance of such hospitals by towns and cities is but one step towards the solution of the difficulties arising in the attempt to control the spread of infectious and contagious diseases.

What is most essential is the careful investigation by the local board of health of each person stricken with a communicable disease. The investigation should be made immediately on the report of the disease by the attending physician, a member of the household or the person having charge of the patient.

There should be a reasonably careful supervision of isolation and quarantine during the entire course of the disease in order to prevent the spread of infection.

In cases where proper isolation cannot be obtained at home, the local board of health should cause the infected person to be removed to a hospital or place where proper isolation can be obtained, provided the removal can be made without danger to the patient's health. Otherwise, the house or place in which the patient remains should be considered as a hospital and all persons residing in or in any way connected therewith should be subject to the regulations of the said local board of health.

It is quite possible that if such action were taken local authorities would begin to see the need, more than they do now, of isolation hospitals for the reception of the sick who cannot be properly isolated in their homes.

WHAT HAPPENS TO PATIENTS RELEASED FROM STATE SANATORIA? *

BY ADAM S. MAC KNIGHT, M.D., FALL RIVER,
State Inspector of Health.

THE information I have to present has been obtained by painstaking investigations. The cases represent a small group of patients known to have had treatment in some state sanatorium. They however were not selected. The facts were dispassionately collected and are therefore of the highest value.

Patient No. 1: Discharged from Lakeville Dec. 20, 1910, against advice. Was out and around for a short time and was said to have been careless in personal habits. Resided in a tenement dwelling. Now dead.

Patient No. 2: Discharged from Lakeville Dec. 28, 1910. This patient, a man, could not be found at the address given on his discharge notice from Lakeville. Neither inquiry at the office of the local board of health of the city in which he formerly resided nor inquiry at the headquarters of the local anti-tuberculosis society brought light concerning his whereabouts. Apparently the patient got out of the way in order to avoid being found by the health authorities.

Patient No. 3: Discharged from Lakeville Jan. 12, 1911, against advice. Went directly home and to bed, where he stayed until he died, January, 1912. In this instance the sanitary conditions in the home were very good and proper care was taken to prevent the spread of infection.

Patient No. 4: Discharged from Lakeville Jan. 19, 1911, for breach of discipline. The residential address given on the discharge paper was that of a tenement block, where it was found on investigation that the patient had lived previous to his stay in the sanatorium. No knowledge of this patient's whereabouts could be found either by the local health authority or by myself.

Patient No. 5: This patient, a man, absconded from Lakeville on Feb. 20, 1911. He first returned to a tenement block where he lived before entering the sanatorium. Then he went to a tenement in another part of the city, again to a tenement in another locality, and still later to another tenement in the same city, where he was found to be living. This tenement was in a two-story block where the patient lives with his wife and four children. He was found to be working as a weaver in a local cotton mill and he was there sought out, questioned and examined. His present history consists of a decided loss in weight, nightly chills and sweats. He is short of breath, weak and nervous. When last seen he was attending ten looms and was kept busy practically every minute of the day. A physical examination revealed the unmistakable fact that he was in an advanced stage of tuberculosis. When last seen only a short time ago his home conditions were found to be poor. His wife, on physical examination, was shown to be in a moderately advanced stage of tuberculosis. Both man and wife slept in a stuffy room with the windows closed at night. Evidently, the man had not benefited by his stay at the sanatorium. He and his wife were noticed to be careless in their habits and to expectorate promiscuously. A visiting nurse for a local anti-tuberculosis association stated that two of the four children in the family were tubercular.

Patient No. 6: This patient, a girl, was discharged from Lakeville on March 31, 1911, as an arrested case. She returned to the address given on her discharge card, — a clean, orderly apartment in a tene-

* Read before the Fourth Massachusetts Conference on Tuberculosis, Boston, March 22, 1912.

ment block and eventually took up her studies in school. While the girl was discharged as an arrested case and her parents now believe her to be in excellent health, a physical examination showed that she was in a moderately advanced stage of tuberculosis. She had lost 4 lb. since leaving the sanatorium. She expectorated occasionally and took no special sanitary precautions to prevent the spread of infection.

Patient No. 7: This patient, a girl, was discharged from Lakeville May 1, 1911, for breach of discipline. The only information that could be obtained relative to this patient was that she returned to her home, a tenement with distinctly bad sanitary conditions; shortly afterwards was married and went away to parts unknown.

Patient No. 8: This patient, a woman, was discharged from Rutland Nov. 25, 1911, as an arrested case. She was found to live in a clean, neat little cottage house. She has been out and about much of the time and has just returned from a visit out of the state. Physical examination, together with a history of repeated attacks of coughing and expectoration, showed that there was an active process of the disease in the upper part of one lung. She was having a continued afternoon temperature.

Patient No. 9: This patient, a boy, was discharged from Lakeville on June 9, 1911, for breach of discipline. He returned to his home amidst distinctly bad sanitary conditions. His father had been an alcoholic for fifteen years. The boy was careless and dissolute. Finally, last month, he was committed to an industrial school as an incorrigible.

Patient No. 10: This patient, a girl, was discharged from Lakeville July 19, 1911. The condition of the patient on discharge from the sanatorium was not given. She returned to her home, a neat tenement apartment, then went to a local tuberculosis hospital, where she died three weeks after admission.

Patient No. 11: This patient, a man, was discharged from Lakeville Nov. 21, 1911. His condition on discharge was not given. The local board of health was found to have no knowledge relative to the patient. Moreover, the case had never been reported to the board. All trace of this individual is lost.

Patient No. 12: This patient, a woman, was discharged from Lakeville July 19, 1911. Her condition on discharge was not given. She returned to her original address, stayed there for a time and then went to live with her sister. Later, she returned to Lakeville, where she is at the present time. When at home she was said to have been careless in her habits and to take no sanitary precautions to prevent the spread of infection.

Patient No. 13: This patient, a man, was discharged from Lakeville Aug. 9, 1911, with no statement as to his condition at that time. He returned to his residence before entering the sanatorium, took his bed and died on the first day of the following month, — Sept. 1, 1911. After his return from the sanatorium, no advice or assistance was given him by the local health authority.

Patient No. 14: This patient, a man, was discharged from Lakeville Aug. 2, 1911, with no statement as to his condition. He did not return to his former home, but went to a town in another state, where he died during the winter.

Patient No. 15: This patient, a woman, was discharged from Lakeville on Aug. 20, 1911, with no statement as to her condition at that time. She stated, however, that she was called an "arrested case." She was found to live in a small, clean cottage, amidst good sanitary conditions. She, however, sleeps in a stuffy room with the windows tightly closed

during the night. With a history of poor appetite, occasional night sweats, marked weakness, she was found on physical examination to have a moderately high temperature with rapid pulse, together with such physical signs as to make it clear that she is in a moderately advanced stage of the disease with an active process going on in one lung.

Patient No. 16: This patient, a woman, was discharged from Lakeville Aug. 16, 1911, with no statement as to her condition at that time. She returned to her former residence, worked out at house cleaning for two or three months, then went to the Rutland Sanatorium. While at home she received no advice or assistance from the local health authority. She lived in a crowded apartment in a three-tenement block.

Patient No. 17: This patient, a woman, was discharged from Lakeville, Aug. 30, 1911, with no statement as to her condition at that time. No knowledge concerning this patient could be obtained from the local health authority and no trace of the patient could be found.

Patient No. 18: This patient, a man, was discharged from Lakeville Sept. 11, 1911, for a breach of discipline. No statement was given as to his condition at the time of discharge. The man's whereabouts are unknown.

Patient No. 19: This patient, a woman, was discharged from Lakeville Sept. 29, 1911, against advice, with no statement as to her condition at that time. The report of the patient's illness had never been made to the local health authority, and no trace of the patient can be found.

Patient No. 20: This patient, a man, was discharged from Lakeville Sept. 3, 1911, against advice. The local board of health had no knowledge as to his whereabouts and no trace of the patient can be found.

Patient No. 21: This patient, a man, was discharged from Lakeville Sept. 29, 1911, against advice. He returned home in bad condition, living but a month. He was out and about for a short time only. It was said that he took little or no care of himself and was careless in his habits as regards the avoidance of spreading infection.

Patient No. 22: This patient, a woman, was discharged from Rutland, April 11, 1911. Has not improved. She was given some care and attention by the local board of health, but she died on the 19th of the September following. The tenement in which she lived was occupied by eight other persons.

Patient No. 23: This patient, a man, was discharged from Rutland, Sept. 26, 1911, as an arrested case. On returning home he went to a local tuberculosis hospital, where he stayed a week. He then stayed at home and was out and about on the street and elsewhere. He was said to have been careless in his habits as regarding avoidance of spreading infection. He lived in a three-story tenement amidst distinctly bad sanitary conditions, where he died the following December.

Patient No. 24: This patient, a man, was admitted to Rutland, in June, 1911, and discharged from that sanatorium on Sept. 11, 1911, as an arrested case. While at Rutland his sputum was always found to be negative. Physical examinations showed no signs of tuberculosis. The man works every day at hard labor. He has just been insured by one of the best known insurance companies for three thousand dollars. It is believed that the man never had tuberculosis.

Patient No. 25: This patient, a man, was discharged from Rutland; date not given. The local board of health had no knowledge of this man. According to some reports he was dead. The man was found to be living in a porch shack and to have considerable cough night and morning. On physical examination he

showed evidence of an active process of tuberculosis in one lung. His home conditions are sanitary.

Patient No. 26: This patient, a man, was discharged from Rutland, Oct. 27, 1911, as an arrested case. He returned to his original residence, — a five-tenement block. He slept alone in a small room which had but one window, and this not exposed to the sun at any time during the day. Since his discharge he has worked off and on as a spare weaver (sometimes known as "sick" weaver). Recently he discontinued this work to sell candy on the street for a candy manufacturer. Physical examinations showed the patient's condition to be temporarily improved.

Patient No. 27: This patient, discovered during an investigation of the preceding 26 patients, left Rutland, June, 1908. Since discharge he has lived in two cities and one town, changing residence six times in four years. He has worked in two mills and as an insurance agent. He has lived in four tenements and two boarding houses and has taken meals in twenty-four restaurants. He travels daily in the electric and goes to theaters weekly. Physical examinations show this man to be in an advanced stage of tuberculosis and a constant menace to persons with whom he comes in contact.

A classification of the 27 patients investigated falls naturally into three groups.

Group A, those patients who were known to be alive on Feb. 1, this year, viz., 9 in number.

Group B, those patients known to have died previous to Feb. 1, 10 in number, or 37% of the total number investigated.

Group C, those patients, 8 in number, who were lost sight of at the time of their discharge from the sanatorium. Concerning these patients there is no definite information available.

Of the 9 patients known to be alive on Feb. 1, this year, 2 had returned to the sanatorium and 1 had been committed as an incorrigible to a correctional institution. Physical examination of the remaining 6 patients showed 2 patients with the disease far advanced, 1 well advanced and 2 moderately advanced. The remaining patient appeared to be temporarily improved. Each of the 6 patients examined had, at some time within the past two years, been resident in a state sanatorium and should have profited by the instruction received there. These persons, on returning home, should have taken reasonable precautions to protect their own health and the health of those with whom they came in contact. The exact conditions under which these persons were found to be living and the precautions they were taking to protect others from infection may be summed up as follows:

1. Patient living in a tenement surrounded by distinctly bad sanitary conditions and working in a cotton mill; spitting promiscuously; and taking little or no care of himself or thought of others; wife ill with tuberculosis and it was alleged two children ill with the same disease.

2. A patient discharged as arrested found living under good sanitary conditions but careless as to expectoration.

3. A patient discharged as arrested now in a moderately advanced stage of the disease. Was found living under good sanitary conditions but

careless as to expectoration. Has traveled considerably since his discharge.

4. Patient was found living in a neat cottage home, but was afraid of fresh air; slept in a close, stuffy room with windows tightly closed. Went out occasionally and was careless about expectorating.

5. Patient discharged as arrested. Has been working as a spare weaver in a cotton mill. Slept alone in a room with windows open, but has been taking no care as regards expectorating.

6. A migratory patient in a well-advanced stage of tuberculosis who was a constant menace to other persons.

The following facts were disclosed as regards the patients who left the sanatoria and since died:

1. Careless in habits; lived in tenement house under bad sanitary conditions.

2. Did not return to city in which he lived before going to the sanatorium.

3. Careless in personal habits and a menace to others until he died.

4. Lived in a tenement home; was out and about, spitting promiscuously and careless in personal habits.

5. Living under bad sanitary conditions.

6. Actively sick with tuberculosis and a constant danger to other persons.

The remaining 4 patients in this group received proper care, living amidst good sanitary surroundings.

Of the patients concerning whom no definite information is available at the present time, 1 ran away from the sanatorium; 3 were discharged for breach of discipline; and 2 were never reported to the local board of health. Of the remaining 2 patients, no information of any kind has been available since they left the sanatorium.

Briefly stated, the investigation disclosed the fact that 9 of the 27 patients discharged from a state sanatorium were known to be living, while 10 had died since leaving the institution and 8 were at large without any knowledge of the fact by a local health authority. Of the 9 persons known to be living, 3 are now inmates of a state sanatorium, while each of the remaining 6 is careless as regards the spread of infection. A striking fact which the investigation disclosed is that each patient returned from the state sanatorium as "an arrested case" was found on physical examination either in an advanced or moderately advanced stage of the disease.

The investigation further disclosed the fact that persons are discharged from state sanatoria to go whither they may. They sometimes return to their original place of residence, or they may seek new domiciles in the same city. They may never return to their original location, but may go to other cities or even other states. In any event it appears that no person or organization is responsible or assumes responsibility for the care and conduct of patients discharged from a state sanatorium.

It is a fact that most of the 27 patients investigated on leaving the sanatoria have been found to be careless in their personal habits, especially

as regards the prevention of the spread of the disease among well persons. They have thus failed to profit by the instruction received at the state hospitals.

Another fact made clear by the investigation and well illustrated by the experience of one patient is that some of the physicians who recommend sanatorium treatment are not sufficiently expert in making a proper diagnosis.

Another fact made clear by the investigation is that a considerable proportion of the patients discharged from a state sanatorium as an "arrested case" relapse immediately or shortly afterwards into a condition of well-advanced sickness. On returning home the patients are generally left to their own resources.

To correct this condition of affairs, it would seem that there should be in certain prescribed localities within the state designated officials who should at all events have exact knowledge of the prevalence of tuberculosis within these localities, men who should have knowledge of the physical and social condition of each person entering a state sanatorium, together with a knowledge of their condition during their stay in hospitals and at the time of discharge. These officials should also have general oversight of the sanitary and other conditions affecting all persons ill with tuberculosis within their respective localities.

At the present time the duties of the State Inspectors of Health relating to tuberculosis may be stated briefly as follows:

(1) To gather all information possible concerning its prevalence.

(2) To disseminate knowledge as to the best methods of preventing its spread.

(3) To report to the State Board of Health any minor employed in a factory who is found to have the disease.

(4) To report to the State Board of Health and to the proper local health authority every case discovered in a tenement workshop.

(5) To notify local boards of health of any person found to be endangering the public health.

(6) To do what they can toward seeing that the notification laws which require householders and physicians to report any known case to local health authorities are enforced.

The State Inspectors of Health from their knowledge respecting the sanitary condition of their districts and concerning all influences that are or may be dangerous to the public health and from their knowledge and experience in factory conditions are in a position to accomplish still more good by being legally required to keep a record of the dwelling place, occupation and physical condition of all persons in their respective districts who have been inmates of the state sanatoria, and from time to time forward to each state sanatorium a report of the condition of the persons who have been treated therein.

THE RELATION BETWEEN STATE AND LOCAL HEALTH AUTHORITIES.*

BY FRANCIS GEORGE CURTIS, M.D.,

Chairman Newton Board of Health.

IN the paper which I have the honor of presenting to you to-day I have attempted to show those aspects of my subject which present themselves to a local health officer from time to time in the course of his daily work. Many of the matters referred to have occurred in my own experience, and the subject is treated from a slightly personal viewpoint.

I believe, however, that many of the problems and criticisms, for I shall have some criticisms to make, are such as have occurred to many if not all of the local authorities who are engaged in similar work, and are, therefore, worthy of consideration and discussion here.

In dealing with tuberculosis, the local health authorities are brought into fairly close contact with two sets of state officials; these are the Trustees of the Hospitals for Consumptives, and the State Inspectors of Health.

It is well to consider how this contact is brought about; of what it consists; what seem to be its weak points and how they can be remedied.

As the contact with the Trustees of the Hospitals for Consumptives comes first it seems best to take that up first and follow with the consideration of the contact with the State Inspectors of Health.

When the report of a case of tuberculosis is sent to the local board of health by the attending physician, a report required by law in all such cases, the first question to be decided is whether the patient shall go to an institution for the care of persons suffering from tuberculosis, and, if the decision is in the affirmative, whether to a private hospital or to one of the state sanatoria.

As few municipalities have hospitals, either public or private, for the care of tuberculosis, and as, even when such hospitals exist, the expense is greater than at a state sanatorium, the decision of the local authorities is usually in favor of a state sanatorium, provided a vacancy exists.

Unless the case is far advanced or the conditions surrounding it are very bad, I fear that most local boards are willing to wait a month or so until a vacancy does occur.

The first step in getting the patient to a sanatorium consists in making out the necessary application and forwarding it to the Trustees of the Hospitals for Consumptives. Having done this, the local board, in the majority of instances, seems to consider that it has done all that is necessary in the matter and, with the exception of occasionally wondering when the Trustees are going to report on that case, dismisses the matter from consideration and turns its attention to other matters.

Of course the Trustees have no knowledge of local conditions nor of the urgency of the case, and the application is considered in regular course and a report made. The patient finally reaches

* Read before the Fourth Massachusetts Conference on Tuberculosis, Boston, March 22, 1912.

the sanatorium and the responsibility of the local board of health ceases. When, however, the patient is discharged from the sanatorium, the local board again assumes its responsibility, provided it knows where to locate the patient. It frequently happens that the patient does not return to the place from which he was admitted, and his whereabouts are unknown.

In dealing with any case of tuberculosis the local board of health is actuated by two motives, which necessarily oppose each other somewhat. These motives are, first, how to do the best that can be done for the patient himself, and, second, how to do it as cheaply as possible, so that the annual appropriation order may not be exceeded.

This latter desire is a very real factor in the action of many boards of health and may explain why some of them appear to oppose the removal of patients with tuberculosis to a hospital or other institution. It is probably a fact that a health board would be considered justified in over-running the annual appropriation in the face of a sudden outbreak of smallpox, and the city fathers who control the purse strings would acknowledge that the board had acted wisely in so doing and grant the necessary funds to meet the extra expense, but let the same board incur extra expense for the care of tuberculosis, a disease much more dangerous than smallpox, and it would undoubtedly find itself plunged into a sea of troubles.

This brings up a point in regard to which the Trustees and the local health authorities are somewhat at variance, namely, the acceptance by the Trustees of applications for admission to the state sanatoria of which the local health authorities know nothing until they receive notice of the admission of the case, to be followed in due time by a demand for payment of the bill for its care.

These applications are made out by private physicians and forwarded either by the physicians themselves or by some local charitable society and are then acted upon by the Trustees, without any notice to the local board that they have been received.

This method of procedure on the part of the Trustees is the cause of much criticism by the local health authorities and is also a cause of friction between departments which should work together in harmony, as they have the same objects in view, namely, the welfare of the patient and the protection of the public.

The local boards of health realize that the Trustees wish to extend the benefits of skilled treatment to the sick with as little red tape as possible, but they believe that they are more fully acquainted with local conditions than are the Trustees, and are better fitted to judge whether the particular case under consideration should have the benefit of hospital treatment, rather than some other case in the same municipality.

They also believe that there is no principle of law or equity which justifies a citizen or combination of citizens, as, for instance a private physician, or the local anti-tuberculosis association, taking action which fixes liability upon the mu-

nicipality in which they reside, without that municipality having any voice in the matter. Besides this, such action makes it utterly impossible for the local board to have any idea what liability it may have to meet at any given time.

There seems to be a further question of a violation of the provisions of the statute governing diseases dangerous to the public health.

No one would think of moving a case of smallpox or diphtheria from one municipality to another without permission of the local boards of health, not only of the places from which and to which the patient was to be moved, but also of those boards through whose jurisdiction it must pass.

Under the statute law of Massachusetts tuberculosis has been declared a disease dangerous to the public health; the inference seems obvious.

In my own city during the past year 12 cases of tuberculosis have been admitted to state sanatoria without the local board of health knowing that the applications had been filed.

It is not claimed that these 12 cases did not need sanatorium treatment, nor that the local board was called upon to meet the expense in all cases, but it is claimed that sanatorium treatment was not needed in some of them, as shown by the fact that the patients did not remain in the sanatoria more than a few weeks after admission and that the local board of health knew this and could have so informed the Trustees, thus saving much unnecessary work.

Again, many of these cases go in as private cases; that is, they agree to pay their own expenses, or some local association or charity agrees to be responsible for the charges.

After the patient has been admitted he learns that others from his own place are there at the expense of the municipality and naturally he thinks that he should be relieved from the expense and declines to pay, saying he is unable to do so. Besides this, the local association after some months may come to the conclusion that such assistance as they are able to afford might better be applied to some other use, and so withdraw their guarantee. Then the local board of health is called upon to meet the expense.

The local board, either by its own efforts or by the assistance of the Charity Department, can very easily find out about the ability of a given case to meet his or her own expenses at a sanatorium.

It also naturally knows more about the surroundings of the case and the necessity of sanatorium treatment. This information it can and will readily furnish to the Trustees if only it receive notice of the application before the patient is admitted instead of after.

It does not seem to be too much for the local health authorities to ask the Trustees to notify them that an application has been filed for the admission of a case, and ask for information regarding it, before the patient is admitted to the sanatorium.

If a patient needs hospital care there is no doubt that the local authorities would much prefer to have him go to a state sanatorium rather than a

private institution, because they know that he will receive better care in the former and at a less expense, and, as has already been stated, the question of expense is a very real one to most local boards of health.

After the patient has been admitted to a sanatorium he passes from under the supervision of the local authorities until such time as he may be discharged.

On the discharge of a patient the Trustees, through the superintendents of the sanatoria, promptly notify the local authorities of the municipality from which the patient was admitted, of the fact, giving the last known address. In looking over these notices of discharge there is a notable absence of any record of the patient's condition at the time of discharge. For instance, in a dozen discharge notices received during 1911, three only make any reference to the patient's condition, unless, indeed, the patient has died, in which event the fact is noted.

In the three instances noted, the statements "arrested case," "apparently cured," appear. Of the other cases, one is discharged for "breach of discipline," two "at her own request against advice," while the others have no comment.

Among those discharged without comment, a reference to the dates show that three were discharged within three weeks of admission. The question naturally arises, Why was this done? Was there a misdiagnosis on the part of the physician who signed the application, or what?

This question of discharge opens a large subject, and it is one in regard to which all of us, state officials and local health authorities, seem to be very lax. We have not the courage of our convictions or else we have no convictions.

Under the laws of the Commonwealth, tuberculosis is declared to be a disease dangerous to the public health, and we, as physicians and health officers, know that it is, or at any rate, may be easily transmitted to others; we know that the death-rate from tuberculosis is high, far higher per 100,000 of the living than that of scarlet fever or diphtheria, and yet we allow persons in a presumably dangerous condition to leave the hospitals where they are under treatment practically at will.

We would not for a moment think of allowing a patient with scarlet fever or diphtheria to leave an isolation hospital until he was free from danger to others; why, then, should a patient with tuberculosis have such liberty?

It would seem to be the part of consistency to treat such patients as we do other transmissible diseases, and when they have once been sent to an isolation hospital hold them there until they are no longer dangerous to others.

Whether such action on the part of the state or local authorities would be possible to enforce at present is an open question, but it certainly seems to be the logical method.

Until it can be done, the local health authorities must confine their attention to continuing the work of the state authorities among the discharged patients, by instruction, by means of

nurses and circulars and such other means as seem best.

It is freely admitted that the local authorities are lax in following up cases that have been discharged and keeping in touch with them. Very few boards of health make a practice of doing this very necessary part of the work, and even when the cases are followed up, it is done in a more or less perfunctory manner. Time was lacking to obtain many facts in regard to this part of the work, but from the little information that could be obtained it is very evident that, except in some larger municipalities, it is practically neglected.

There is no doubt that these cases should not be neglected, but should be followed up and urged to continue, as far as possible, in the course of life which they have been taught at the sanatoria.

The problem of dealing with those cases which have been judged fit for sanatorium treatment and, after a longer or shorter time, have been discharged for "breach of discipline" or "at their own request against advice," is a more difficult one. They need treatment or they would not have been committed to a sanatorium; they have been discharged, not because the disease has been arrested, but for some other reason, and the Trustees are naturally reluctant to receive them a second time, and the local board can do little or nothing with them, as it can only advise them as to what they shall do, and they are usually more or less refractory and will not take advice. Then they are a constant danger to their own families and to the community.

This brings us face to face again with the inconsistency of our present methods of dealing with the tuberculosis problem, and I can only repeat what I have already said, that we must have the courage of our convictions and deal with such cases as we do with other communicable diseases, or else throw up our hands and confess that the solution is beyond our power.

Tuberculosis differs from certain other diseases dangerous to the public health in that it is not self-limited and that, in ordinary, untreated cases, the patient becomes more dangerous as time goes on. Further than this, as long as the patient is able to go about, he may insist upon so doing and we have not yet reached the point when we can take him by force and isolate him. Even if we could do this, it is in my opinion an open question whether it would not defeat its object by causing persons to conceal their condition until too late to do them any good by treatment.

The relation of the local health authorities with the State Inspectors of Health differs in great measure from that with the Trustees.

It is necessary for the local authorities to notify the State Inspectors of Health of each reported case of tuberculosis, and the latter visit the cases and report on them to the State Board of Health.

As far as actual power over the cases is concerned, that of the State Inspectors of Health is simply advisory, and while such advice is of great

FRACTURE OF THE GREATER TUBEROSITY OF THE HUMERUS.—COUES.

Separation of greater tuberosity of humerus from rest of upper humeral epiphysis by muscular action alone. Boy of twelve years.

value, it rests entirely with the local authorities whether it shall be adopted or neglected.

In the majority of instances, the local authorities are more than glad to have the advice and assistance of the State Inspectors of Health and the two work together in harmony, as is proper between men who have the same object in view.

In conclusion, while the three bodies referred to are in harmony with each other in the general treatment of the problem before them, it appears that there are certain matters of detail in which this harmony might be increased.

The weak points seem to be, first, the admission of patients to a sanatorium without previously notifying the local health authorities that an application has been filed, and requesting information in regard to the patient; second, the failure of the local authorities to follow up cases which have been discharged as "arrested cases" and help them to take care of themselves, and third, the lack of power for local boards of health to compel careless cases to take proper care of themselves or to remove them forcibly to a hospital.

WORK TREATMENT FOR CONSUMPTIVES.*

BY ARTHUR T. CABOT, M.D.,

Chairman of the Trustees of the Massachusetts Hospitals for Consumptives.

DR. Cabot discussed the place of rest and exercise in the treatment of pulmonary tuberculosis. He described the mechanism by which the body is conquered by the disease and the relation of this process to exercise and rest. He also described the graded exercise as carried on by Dr. Marcus Patterson in England and in the Massachusetts State Sanatoria. In conclusion, Dr. Cabot stated that both exercise and rest are most valuable factors in the treatment of tuberculosis, and pointed out the great danger of advising patients to exercise unless it is under the most detailed, close supervision of the physician.

Clinical Department.

FRACTURE OF THE GREATER TUBEROSITY OF THE HUMERUS BY MUSCULAR ACTION IN A CHILD.

BY WM. PEARCE COUES, M.D., BOSTON.

FRACTURE of a part of the upper humeral epiphysis is very uncommon; when, added to this, we have the condition caused by muscular action alone, it becomes extremely rare. But few cases are recorded. Ossification begins in the upper epiphysis of the humerus by three centers, one for the head, one for the greater and one for the lesser tuberosity. Bone is deposited in the epiphysis as early as the first year. The separate bony centers begin to merge together, forming the solid epiphysis at about six years; the greater tuberosity is the last center that becomes solid. The epiphysis is completely bony at puberty. Union of the upper epiphysis with the shaft does not take place until about twenty years of age.

* Abstract of address before the Fourth Massachusetts Conference on Tuberculosis, Boston, March 22, 1912.

Separation of any one of the centers of ossification of the humeral head by fracture of the cartilage uniting them is possible, but unheard-of, as pointed out by Poland.

REPORT OF CASE.

Abram C., twelve years of age, was seen at the Surgical Clinic of the Boston Dispensary, Dec. 20, 1911.

History.—Two days ago, when trying to lift a heavy wooden box, five feet high, it slipped. He had succeeded in lifting it some considerable distance, so that his shoulder was under it. To save his arm from being crushed, he threw his shoulder backward with great force. Immediately there was very great pain in the shoulder, with disability. He had no sleep for two nights on account of the pain; the arm and shoulder were helpless.

Examination showed a well developed and nourished boy. There was no history of previous injury to the shoulder. The shoulder was held in the "clavicle attitude," the hand of the opposite side supporting the forearm. There was not as much drooping, however, of the shoulder as is generally present in clavicle fracture. There was a well-marked rounded swelling about the acromion region and a little below. There was no ecchymosis and no crepitus. Active movements were impossible. Passive motion was exquisitely painful. The child came to the clinic alone, too late for a picture that day. No anesthetic was given. The shoulder and arm were immobilized and the patient was told to report next day for a radiograph. The next examination showed the swelling in the anterior shoulder region to be less tender, the head of the humerus rotating in the glenoid. There was a suggestion of inward pointing of the upper one fourth of the humeral shaft. The arm was put up with plaster of Paris shoulder cap, axillary pad, circular and cravat sling; dressing very comfortable. The x-ray that day showed a fracture of the greater tuberosity.

The rest of the epiphysis was not displaced.

Dec. 23 the swelling of the shoulder had almost disappeared. There was great tenderness to pressure over the region of the greater tuberosity. The apparatus is very comfortable. Uneventful recovery. The boy was examined on Feb. 29, 1912. All active motions of the shoulder free. No muscular spasm, no atrophy, no tenderness. He uses the arm perfectly. Excellent result. Unfortunately a picture could not be obtained at this visit.

Book Reviews.

Duodenal Ulcer. By B. G. A. MOYNIHAN, M.S., F.R.C.S. Second edition, enlarged. Illustrated. Philadelphia and London: W. B. Saunders Company. 1912.

The first edition of Moynihan's monograph was extensively reviewed in the issue of the JOURNAL for June 9, 1910 (vol. clxii, p. 789). The changes in the text of this second edition "have been chiefly concerned with the differential diagnosis of duodenal ulcer and the result of x-ray examinations of the stomach after the administration of bismuth." The book concludes with two appendices, in which are reported, in two separate groups for comparison, the cases operated upon prior to Jan. 1, 1909, and the cases operated upon in 1909 and 1910. The