O Σ 328. 68 u Herculis.

1885.40	16 ^h 13 ^m	58.6	4.52	IV	A 5.0	B 10.0	δ
43	16 2	57.4	4.50	IV	4.5	10.0	δ
1885.415		58.00	4.510		A 4.7	B 10.0	

O Σ 334.

1885.43	16 11	356.4	15.34	IV	A 7.0	B 10.0	a
48	16 37	356.3	15.22	IV	8.0	9.5	δ
51	17 7	356.4	—		7.0	9.0	c
1885.473		356.37	15.280		A 7.3	B 9.5	

O Σ 337.

1885.40	16 27	285.5	0.48	V	A 7.5	B 7.7	
43	16 29	287.1	0.51	V	8.0	9.5	
1885.415		286.30	0.495		A 7.7	B 8.6	

O Σ 339.

1885.40	16 20	178.9	2.96	IV	A 8.0	B 9.5	a
43	16 22	178.3	2.96	IV	7.5	10.0	a
1885.415		178.60	2.960		A 7.7	B 9.7	

O Σ 345.

1885.40	16 40	62.1	1.26	V	A 8.0	B 10.5	a
43	16 49	59.3	1.30	V	7.5	10.5	a
1885.415		60.70	1.280		A 7.7	B 10.5	

Nice 1886 juillet 20.

O Σ 359.

1884.59	18 ^h 3 ^m	351.1	0.62	V	A 6.0	B 6.5	δ
1885.48							

Peut-être simple (?). L'une des deux étoiles, variable d'après O. Struve, est peut-être invisible.

O Σ 368.

1885.43	17 18	213.5	1.09	V	A 8.0	B 9.0	a
48	17 4	211.3	0.95	V	7.5	9.0	δ
1885.455		212.40	1.020		A 7.7	B 9.0	

O Σ 370.

1884.61	19 5	14.5	19.67	V	A 7.3	B 8.0	δ
1885.43	17 10	13.9	19.51	IV	A 7.7	B 8.5	a
48	17 15	13.8	19.70	IV	8.0	8.5	δ
1885.455		13.85	19.605		A 7.8	B 8.5	

O Σ 437.

1885.72	21 10	47.0	1.56	IV	A 6.5	B 7.0	δ
72	21 11	45.0	1.64	V	6.5	7.5	δ
1885.720		46.00	1.600		A 6.5	B 7.2	

O Σ 452.

1883.72	21 5	179.0	1.20	V	A 8.0	B 8.5	δ
1885.72	21 49	180.3	1.11	V	8.0	9.0	δ
1884.720		179.65	1.155		A 8.0	B 8.7	

Perrotin.

On the Orbit of the Binary Star τ Cygni.

This interesting binary star was discovered in October 1874 by Mr. Alvan G. Clark with the 26 inch. refractor of the Washington Observatory. Using the measures by Dembowski, Burnham, Frisby and Tarrant, I have computed the orbit by the graphical method, and find the following provisional elements:

Elements of τ Cygni.

$P = 53.87$ years	$\Omega = 83^\circ 0'$
$T = 1863.99$	$\lambda = 205^\circ 26'$
$e = 0.3475$	$a = 1''.19$
$\gamma = 44^\circ 40'$	$\mu = -6''.68$

The following table shows a comparison between the recorded measures and the positions computed from the above elements.

Epoch	Observer	θ_o	θ_c	$\theta_o - \theta_c$	ϱ_o	ϱ_c	$\varrho_o - \varrho_c$
1875.11	Dembowski	174.6	174.8	-0.20	1.24	0.86	+0.38
1875.70	"	170.5	169.95	+0.55	1.32	0.89	+0.43
1876.79	"	161.6	161.6	0.00	1.25	0.93	+0.32
1877.48	"	157.4	156.7	+0.70	1.35	0.94	+0.41
1877.84	"	154.1	154.4	-0.30	1.19	0.97	+0.22
1878.41	Burnham	150.0	150.7	-0.70	1.06	1.00	+0.06
1878.54	Dembowski	147.4	149.95	-2.55	1.09	1.00	+0.09
1879.50	Burnham	148.3	144.2	+4.10	0.90	1.05	-0.15
1880.78	Frisby	137.4	137.45	-0.05	1.04	1.12	-0.08
1885.90	Tarrant	116.3	116.7	-0.40	1.10	1.37	-0.27

The magnitudes of the components are about 3^m.7 and 7^m.8. As far as I know the orbit of this star has not been previously computed.

Ballysodare, Co. Sligo, Ireland, 1886 Sept. 6.

J. E. Gore.