expect to be some day, but I was, I think, the first professor of psychology as a separate subject, not only in America, but anywhere. When our present psychology is so young, it is natural that there should be difference of opinion, and even confusion, in regard to its scope and methods.

Our great problem, it seems to me, is the one I have already mentioned as common to all the biological sciences—the extension and coördination of the genetic and quantitative methods. And we have really accomplished a great deal. There was no laboratory of psychology in America, and only one in the world, prior to 1883. Now they are everywhere—perhaps forty in American colleges and universities. In nearly all these laboratories experiments are in progress, which are enlarging our knowledge of sensation, of movement, of feeling and of action. Parallel with this development of experimental psychology, bringing our science into fruitful relations with the physical and mathematical sciences, there has been a noteworthy advance in genetic psychology—witness the address of the President of our Association this year—placing mental development in close touch with all the biological sciences. At the same time increased knowledge of the relations of body and mind has made almost a special science of physiological psychology. Degeneration is a phenomenon common to all the biological sciences, but unfortunately one very prominent in the subject-matter of psychology. Here we have a wide field with many points of contact with pathology and medicine. In the interrelations of minds we cross the paths of anthropology, of sociology, of philology and of history. Psychology is concerned with art and with conduct; it is essential to a sane philosophy.

The subject-matter and the problems of psychology are entangled with those of many sciences, but perhaps with none so

closely as with those represented in this discussion. We students of psychology need to know what you are doing, and welcome as a help this affiliation of societies. We hope that you in turn will find that psychology should not be neglected, but that it contributes something to each of the biological sciences and to the advancement of science as a whole.

Physiology. PROFESSOR JACQUES LOEB, University of Chicago.

IF it be true that the fundamental problem of Physics is the constitution of matter, it is equally true that the fundamental problem of Physiology is the constitution of living matter. I think the time has come for Physiology to return to its fundamental problem.

Living matter is a collective term for the qualities common to all living organisms. Comparative Physiology alone enables us to discriminate between the general properties of living matter and the functions of specific organs, such as the blood, the nerves, the sense organs, chlorophyll, etc. Nothing has retarded the progress of Physiology and Pathology more than the neglect of Comparative Physiology. Comparative Physiology shows that secretion is a general function of all living organisms and occurs even where there is no circulation. Hence it was *a priori* false and a waste of time to attempt to explain secretion from the experiments on blood pressure. Oxidation occurs regardless of circulation, and it was *a priori* a waste of time to consider the blood as the seat of oxidation. Comparative Physiology has shown that the reactions of animals to light are identical with the heliotropic phenomena in plants. Hence it is a mistake to ascribe such reactions as the flying of the moth into the flame to specific functions of the brain and the eyes. Sleep is a phenomenon which occurs in insects and plants, and it would

be a waste of time to attempt an explanation of sleep on the basis of phenomena of circulation. The best interests of Physiology and Pathology demand that the systematic development of Comparative Physiology be one of the physiological problems of to-day.

May I be pardoned for calling attention to one special field of Comparative Physiology which I believe to be especially fertile? I refer to the field of Physiological Morphology. I applied this name to the investigation of the connection between the chemical changes and the process of organization in living matter. Two series of facts allow us to connect these two groups of phenomena: (1) The fact that phenomena of fermentation lead to an increase in the number of molecules, and thus bring about an increase of osmotic pressure in the cells. This increase of osmotic pressure is the source of energy for the work of growth. (2) The facts of heteromorphosis, *i. e.*, the possibility of transforming in certain animals one organ into another or substituting one organ for another, through external influences, such as gravitation, contact, light, etc.

The exact and definite determination of life phenomena which are common to plants and animals is only one side of the physiological problem of to-day. The other side is the construction of a mental picture of the constitution of living matter from these general qualities. In this portion of our work we need the aid of physical chemistry and especially of three of its theories: Stereochemistry, van 't Hoff's theory of osmotic pressure and the theory of the dissociation of electrolytes. We know that the peculiar phenomena of oxidation in living matter are determined by fermentative processes, and we venture to say that fermentations form the basis of all life phenomena. It has been demonstrated that

fermentability is a function of the geometrical configuration of the molecule. *Saccharomyces cerevisiæ* is a ferment for such sugars only as have three, or a multiple of three, atoms of carbon in the molecule. Among the Hexaldoses only d-glucose, d-mannose and d-galactose are fermentable, while their stereoisomeres are not fermentable. But the influence of the geometrical configuration goes farther. Voit has suggested, and Cremer has demonstrated, that there is a far-reaching parallelism between the fermentability and assimilation of Carbohydrates. Higher animals as well as yeast cells are able to form glycogen from such carbohydrates as are fermentable by yeast. The further development of these stereochemical relations and their extension to proteids and nucleins is another of the problems of Physiology which will contribute to the main problem, the analysis of the constitution of living matter. I believe that the influence of stereochemistry will be more or less directly felt in many branches of Physiology, in questions of heredity as well as in the theory of space sensations, as E. Mach has already intimated.

Van 't Hoff's theory of osmotic pressure permits an application of the law of conservation of energy to a class of phenomena to which this law was hitherto inapplicable, namely, the phenomena of growth, functional adaptation, secretion, absorption and even pathological processes, such as œdema. The physiologists who thought that the blood pressure determined secretion could not understand why secretion took place under a higher pressure than the blood pressure. Comparative Physiology shows that secretion does not depend upon circulation, and the theory of osmotic pressure indicates that the osmotic pressure in the cells is more than twenty times as high as the blood pressure. The work of secretion is done by osmotic pressure, and not by blood pressure. A

prominent physiological chemist has become a vitalist because he could not explain why the secretions differ from the blood from which he thinks they are formed. He overlooks, among others, the fact that the protoplasm possesses the quality of semipermeability, which means that it allows certain substances to pass through, and others not. In my opinion, the working-out of a theory of semipermeability is one of the main physiological problems of the day.

The theory of the dissociation of Electrolytes is of fundamental importance in the analysis of the constitution of living matter. Pharmacology will feel its influence most directly. Everything seems to indicate that the specific physiological effects of inorganic acids are due to the number of positively charged Hydrogen Ions in the unit of solution, and the specific physiological effects of alkalis to negatively charged Hydroxyl Ions. But the universal bearing of the theory of dissociation upon Physiology will perhaps be best seen in the field of animal electricity. An active element of living matter is negatively electric to its surrounding parts. We may assume that an acid is formed in the active part, and that the passive parts are neutral. The positive Hydrogen Ions of the acid have a much greater velocity of migration than the Anions. Hence the former will diffuse more rapidly into the passive tissue than the Anions, and the active tissue will remain negatively charged.

At no time since the period immediately following the discovery of the law of conservation of energy has the outlook for the progress of Physiology appeared brighter than at present. But in order to reap the full benefit of our opportunities we must bear in mind that the fundamental problem of Physiology is the determination of the constitution of living matter, and that in order to accomplish our task we must make

adequate use of Comparative Physiology as well as Physical Chemistry. Pathology, in particular, will be benefited by such a departure.

Developmental Mechanics. PROFESSOR T. H. MORGAN, Bryn Mawr College.

IN the last few years a new movement has started in embryology known as *Entwicklungsmechanik*, developmental mechanics, or rather the mechanics of development. In the few minutes at my disposal I shall try to show :

I. How the term *Entwicklungsmechanik* arose and how it has been defined.

II. I shall try to give an idea of the kind of work that has been done.

Roux, in 1885, first used the word developmental mechanics and defined it as the study of the causal morphology of the organism. It is of importance to note that Roux uses the word mechanics not only in its physical sense, but in its wider philosophical meaning. Therefore, in the definition of developmental mechanics as the study of the causal morphology of the organism, Roux means simply that the changes in form through which the embryo passes are the result of a series of causes, and these causes are what the new study proposes to investigate.

It may seem pretentious to state that this is a new study, for every embryologist must believe that the ultimate goal of his work is to determine, as far as possible, the causes of development. But let us look a little more closely into Roux's position.

Perhaps the problem may appear clearer if we consider it in the form of a concrete example. In what way, for instance, would the study of the mechanics of development differ from ordinary descriptive embryology?

We see the egg segment and then form a blastula, gastrula and larva. Descriptive embryology gives a series of pictures of these