Left: Typical installation of "cordless B" positions in a machine switching office. Right: Call indicator at an incoming trunk position in a manual office showing number 4259 displayed. Two of the clever dodges whereby the automatic telephone is enabled, pending its complete installation throughout the city, to work with the manual offices

The Mechanical Hello Girl

An Automatic Telephone Switchboard That Can Take Care of the Busiest Exchange

By H. A. Mount

THE automatic telephone is not new. Efforts to build a telephone system in which any subscriber could be automatically connected with any other desired subscriber without the aid of a human hand, began in 1879, only three years after Dr. Bell produced the telephone.

But an automatic telephone exchange in a big city, such as New York, where there are in the neighborhood of a million telephone stations served by 100 central offices is decidedly new and of great significance. In the years between 1879 and the present many inventors have tackled the problem and there have been many systems of automatic telephony invented. Automatic telephones have been used successfully in towns and smaller cities for several years but their introduction into the big centers of population like Chicago, Philadelphia or Boston presented obstacles which seemed well nigh insurmountable.

Where a community is served with a single central office or two or three central offices the engineering problem was comparatively simple. A system had to be devised which merely made it possible for any subscriber in the system to reach any other subscriber.

But in New York not only must each of the 1,000,000 subscribers be able to reach any other, but due to the large area involved, many of the calls involve extra charges, which means that they must be supervised, timed and ticketed. Then there are the following general classes of service demanded by the public: Flat rate limited, message rate, official, coin box unlimited, and pay station. Add to this single party, two party and four party service and picture a densely populated surrounding country with several hundred towns and cities from which come and to which go thousands of messages each day, all of which have to be supervised, timed and recorded.

That an automatic telephone system capable of doing all these things and many others could be devised seems little short of marvelous. And yet the biggest problem of all was not in doing these things, but in devising a system which would operate in harmony with the existing manual central offices.

It will be seen that the task involved in changing to automatic telephones in a large city is stupendous and it would be a physical impossibility to convert the whole system at one time. The change must take place gradually, one central office at a time changing to automatic switching, until the whole job is accomplished. The change must be made without interrup-

tion of service and for a period of some years the new automatic apparatus must work in harmony with manual apparatus.

The first part of New York's automatic system is now in operation and the whole city is to be converted to automatic switching as fast as apparatus can be manufactured and installed. The process will be so slow, however, that telephone officials say they will not have to discharge a single operator replaced by an automatic switchboard. Due to labor turnover, on the other hand, the company continually employs new operators. The steadily being and it is the telephone engineers that in 1920 New York will

until it reached the called line on a very much smaller multiple group than the total number of lines in the exchange.

The first system to find any commercial application makes use of this fundamental trunking principle. The switches are the "up and around" type with 10 vertical and 10 rotary steps, each switch accommodating 100 lines or 100 trunks. A dial with the 10 digits 1 to 0 is provided at each subscriber's station. The subscriber in calling manipulates this dial. This sends impulses to the switches, which cause them to build up the connection desired.

For example, when a subscriber calls a four digit number, as 9653 in a 10,000-line system, the first movement of the dial by the calling subscriber will send nine impulses to the central office corresponding to the thousands digit, and the switch under direct control of these impulses will step up nine times and extend the line to another switch which serves the ninth thousand. The next movement of the dial will send six impulses and this will cause the switch of the ninth thousand to step up six times and extend the line to a switch which is capable of reaching the hundred lines of the sixth hundred of the ninth thousand. The next movement of the dial will send five impulses to correspond to the tens digit and will cause this last switch to step up five times. The last movement of the dial will send three impulses which will cause this same switch to take three rotary steps and thereby complete the connection. Of course the system is more complicated than this because there is machinery for automatic ringing, for giving busy signals, and the like. But most of the automatic systems in use follow these general lines. There have been many minor improvements in this system but the general principle has not been altered.

More recently there has been devised the "automanual" system, which as its name implies, includes some of the features of both the automatic and manual systems.

In this system the subscriber calls central and gives his number in the usual fashion. But Central sets up the number on a switchboard with very much the appearance of an adding machine and the switching is done automatically.

There were several reasons why these systems, although used successfully in many places, could not be adapted to the needs of large cities. It was found that too great a mass of machinery and equipment would be needed and to meet this objection a new type of switch

THE telephone a complexity could hardly have foreseen gling to reproduce the human of a wire. The suggestion that this vast network of wires and performed automatically seems at first blush preposterous. But every day it is harder to recruit the army of operators needed for the manual exchanges. It becomes ever more necessary to devise, not a means of doing away with the operator, but merely of getting along with the operators that can be obtained. Largely on this account a determined effort has been made to apply automatic telephony to the large and busy exchange as well as to the small and comparatively idle ones; and incredible as it may seem, this has been a complete success. We may look forward with certainty to the day when any two instruments in New York City may be connected without the intermediate agency of any human operator. This is the story which Mr. Mount presents to us here.—THE EDITOR.

have at least 2,700,000 stations served by 225 offices.

The first makers of automatic telephones had a single exchange to deal with and only a few subscribers. The first machine switches produced had a separate switch for each line, so arranged that it could find and connect directly with any other line in the exchange. The long adherence to this plan was probably one of the principal causes for failure of these early systems. The first systems to succeed to any marked extent made use of a scheme of trunking whereby the calling line was extended link by link

had to be devised. The basic necessity of having a large number of trunks in one group added another difficulty—the system could not be laid out on a 10 x 10 or decimal basis. At the same time it was obviously desirable that the calling device be operated by the subscriber on a decimal basis. With a large number of trunks in one group, it was found that there was not sufficient time between one set of impulses and the next to permit the switches to hunt and find an idle path or trunk.

To meet these and other objections the "sender" was devised and it is declared to be the greatest single advance in the art since the selector switch. Instead of controlling the switches directly by the impulses from the subscriber's dial, these impulses are received and literally stored up by the sender. The sender then allows the switches to go upward to the desired point and then stops them by removing their driving power. This permits the usual decimal system of numbering, but the sender can be arranged to translate these decimal impulses to any desired non-decimal system, permitting the most advantageous arrangement of wiring and switches to meet any given condition. It permits the elevators or switches to hunt over any number of trunks in a group without any reference to the speed of the calling device. This fact permits the building of rugged power-driven switches which can be operated at their best speed on circuits local to the central office. It solves the most serious problems of the large cities by permitting the most economical arrangement of trunks outgoing from any office; it allows trunk groups to be made larger or smaller and permits shifting the multiple from one place to another to meet changing conditions. Thus, the sender makes the system flexible and less costly and the most economical layout can be used without fear that future expansion in any direction will be blocked.

It must be remembered, however, that the transition period in a large city extends over a number of years and during at least half of this time most of the calls would originate in manual offices. One of the chief problems to be met was finding a satisfactory method of sending calls from manual offices to mechanical offices and from mechanical to manual offices.

Three successful methods of handling service from manual to mechanical offices have been worked out, each best suited to a certain condition. In the simplest of these, the manual operator is provided with a dial similar to the subscriber's dial and when she receives a call for a mechanical station she dials it for the subscriber, having first "plugged in" on an idle trunk line.

Diagram showing progress of a call from an automatic subscriber to another automatic instrument or to a manual-station subscriber

The advantage of this system is its low first cost but it has the disadvantage that where the number of calls is large it slows down the operator. It will be used only in small cities where traffic is light.

Another is called the "key indicator" plan, and permits the manual operator to complete a call to a mechanical office very speedily without the aid of any other operator. When the subscriber gives the number desired, if it is in a mechanical office, the operator depresses a key corresponding to that office and an idle trunk line is automatically selected for her and indicated by the flashing of a small lamp. She "plugs in" on this line, having depressed the digits of the desired subscriber's number on a 10-button "numerical key" with which she is provided. A "sender" which has been attached automatically proceeds to guide the connections in the distant mechanical office. This plan is to be used in offices where it is proposed to retain the manual equipment for a number of years, as it involves a large cost and extensive changes of equipment in the manual office.

The third plan and the one to be quite frequently used is the scheme of using "cordless B" operators in the mechanical offices. The plan contemplates that the call will come in to the manual switchboard in the usual way and that the operator will handle the call as though it were to another manual office. At the incoming end, the "cordless B" operator will receive the

number and will set up the number on the keys before her. A "sender" is provided to receive and register this number and to cause the desired line to be found and rung. This plan has the advantage that no changes are necessary in the manual office.

Calls from a mechanical to a manual office are always handled in the same manner. The manual operator has before her a "call indicator" consisting of a table of figures, any one of which can be illuminated by lights beneath them. The incoming call is indicated in the usual manner but instead of having the subscriber repeat the number wanted, it is set up on the "call indicator" by the illuminating of the proper figures. Thus so far as the full mechanical subscriber is concerned a call through a manual office appears to him the same as a call to another subscriber in his office. The operator then puts through the call in the usual manner.

In fact, the progress of a call through a full mechanical system is parallel in a striking way to that of a call through the manual system with which we are familiar and it may make the function of the apparatus more clear if we consider

the similarity. When a subscriber in a manual system removes his receiver to make a call, he causes the line relay at the central office to pull up and light a lamp associated with an answering jack. An operator takes up the answering plug of a cord pair, plugs in and answers. In a full mechanical system the subscriber removes his receiver, causing his line relay to pull up but instead of lighting a line lamp, it applies current to a row of contacts on the "line finder banks" and starts an elevator called a "line finder" going upward in search of this row of contacts. When the line finder reaches his contacts it is caused to stop by having its driving power removed.

Thus there is a marked similarity between the answering jack and the line finder contacts of the line finder bank; between the line finder and the answering cord; and between the operator finding and plugging in to an answering jack and the line finder finding and attaching itself to the contacts on the bank. After this, in the manual system, the operator, after plugging in, throws a listening key and she notifies the subscriber she is ready to receive his order by saying "number, please." In the mechanical system, the "line finder" has associated with it a "sender selector" which proceeds to find and attach an idle "sender" during the period that it is finding the calling subscriber's line. The "sender" notifies the calling sub-

(Continued on page 51)

Left: General view of the installation for automatic switching. Right: Selector frame, showing details of multiple bank, multiple brush, and part of control mechanism. The apparatus that makes automatic telephony a success in the busiest exchanges

PATENTS

IF YOU HAVE AN INVENTION which you wish to patent you can write fully and freely to Munn & Co. for advice in regard to the best way of obtaining protection. Please send sketches or a model of your invention and a description of the device, explaining its operation.

All communications are strictly confidential. Our vast practice, extending over a period of seventy years, enables us in many cases to advise in regard to patentability without any expense to the client. Our Handbook on Patents is sent free on request. This explains our methods, terms, etc., in regard to Patents, Trade Marks, Foreign Patents, etc.

SCIENTIFIC AMERICAN
contains Patent Office Notes. Decisions of interest to inventors—and particulars of recently patented inventions.

MUNN & CO., SOLICITORS OF PATENT
Woolworth Building, NEW YORK
Tower Building, CHICAGO, ILL.
Scientific American Building, WASHINGTON, D. C.
Hobart Building, SAN FRANCISCO, CAL.

Annual Subscription Rates Scientific American Publications

Scientific American (established 1845) one year \$5.00
Scientific American Monthly (established 1876) one year \$5.00
Postage prepaid in United States and possessions, Mexico, Cuba and Panama.

Foreign Postage

Scientific American \$1.50 per year additional.
Scientific American Monthly 72c per year additional.

Canadian Postage

Scientific American 75c per year additional.
Scientific American Monthly 38c per year additional.

The combined subscription rates and rates to foreign countries, including Canada, will be furnished upon application.

Remit by postal or express money order, bank draft or check

Classified Advertisements

Advertising in this column is \$1.00 a line. No less than four nor more than 12 lines accepted. Count seven words to the line. Orders must be accompanied by a remittance.

BUSINESS OPPORTUNITIES

SUBSTANTIAL Manufacturing Corporation wants capable men to establish branch and manage salesmen. \$300 to \$1500 necessary. Will allow expenses to Baltimore as explained. Address, Treasurer, 416 N. Howard St., Baltimore Md.

AGENTS WANTED

AGENTS—\$40-\$100 weekly; free samples, gold sign letters; anyone can put on store windows; liberal offer to general agents. Metallic Letter Co., 431X N. Clark Street, Chicago.

FOR SALE

AN important lot of black Nickeloxide mixed with fat oil, proportion 1 to 3, for sale. Please send offers to "U. F." 12726, care of SCIENTIFIC AMERICAN.

HELP WANTED

PATENT Office Draftsman. State experience and salary desired. Munn & Co., 233 Broadway, New York City.

WANTED

REFRACTOR, 4 inch or larger, of standard make, equatorially mounted with circles. F. H. Chandler, Belgrade Lakes, Maine.

WANTED

THE exclusive manufacturing rights of some machine, device, or article in the metal line patented or otherwise, by one of the most completely equipped manufacturing plants in Indiana. Address W. F. M., P. O. Box No. 263, Bedford, Indiana.

For the Highest Prices send us false teeth, old and broken jewelry, platinum, diamonds, watches, old gold, silver, War Bonds and Stamps. Cash by return mail. Goods returned in 10 days if you're not satisfied. Ohio Smelting & Refining Co., 234 Lower Bldg., Cleveland, Ohio

IDEAS FOR INVENTORS

My Book
INVENTORS UNIVERSAL EDUCATOR
Illustrates 360 Mechanical Movements and Perpetual Motion, also decisions of courts on Patent cases and valuable advice on choice of attorneys
Price, \$2.00 postpaid everywhere
FRED G. DIETERICH, 661 Oway Bldg., Washington, D. C.

INSYDE TYRES
—Genuine inner armor for auto tires. Double mileage; prevent punctures and blowouts. Easily applied without tools. Distributors wanted. Details free.
America Accessories Company Dept. 229 Cincinnati, Ohio

Hudson River Night Lines

Daily from Pier 31, N. R., at Desbrosses St., weekdays 6 P. M. and 7 P. M. Sundays and Holidays, 6 P. M. and 9 P. M.; West 132nd St. half hour later (daylight saving time). Due Albany 6 o'clock following morning, Troy, 7.15 A. M. Direct rail connections to all points.

academy is a full-size Deisel oil engine, cut away to show how every part functions. The firing, scavenge and intake in the cylinder is illustrated by colored lights automatically operated.

It has been found that by the use of models instead of drawings or photographs the task of explaining a mechanism to the student is much simplified. Other nautical schools and in fact, schools of all kinds, have followed the lead of the Naval Academy in using models.

The motorist now can buy models made of cardboard and metal which show him the exact function of every piece of his motor car. In fact, any attempt to catalogue the varied practical uses to which models are put must end in the approved sale-bill style "and other uses too numerous to mention."

The foregoing names some of the more important uses, but overlooks perhaps the most common—that of employing models in the developing of patents. The U. S. Patent Office formerly required that a model be submitted before patent papers were granted. But this practise was discontinued after thousands of models had accumulated and finding storage space had become a problem. But every American citizen over the age of ten years has tucked away somewhere a model of "my invention."

The Mechanical Hello Girl

(Continued from page 41)

scriber it is ready to receive his order by giving him a distinctive buzz called a "dial tone."

As the next step in the manual operation the calling subscriber gives his order verbally to the operator. In the mechanical system the calling subscriber dials his order to the sender by pulling the letters and numerical digits of the number desired, in succession.

Assuming that the call is for another subscriber in the same office, the manual operator gives the desired number to a "B" operator in her own office over the call wires, gets a trunk assigned and extends the calling line to the "B" operator by plugging the calling cord of the pair she has used in answering into the outgoing trunk leading to the "B" position. The mechanical "sender," upon receiving the office code letters from the subscriber dial, recognizes their significance and causes the "district selector" (elevator), which is definitely tied to the line finder previously used, to start up and select an idle path or trunk leading to an "incoming selector" (elevator) in the same office. The analogy is evident between the "calling cord" of the manual system and the "district selector" of the mechanical, as well as the manual outgoing trunk multiple jacks which terminate at the "B" operator's position to the district selector banks which terminate incoming selectors on the incoming frame.

The "B" operator locates the desired subscriber's number in the multiple before her by first locating the hundred, then the strip, then the particular line. She then tests the line to see if it is busy. If it is not she inserts the incoming trunk into the multiple jack and ringing is started automatically. If the line had been busy, she would have inserted the trunk plug into a "busy back" jack. The mechanical step corresponding to all this is when the "sender" causes the incoming selector to locate the group of trunks leading to the particular 500 lines in which the desired number is located. This causes a non-busy trunk to be selected and then causes the "final selector" (elevator) on the end of that trunk to locate the hundred, then the ten and finally the particular unit line desired. The "final selector" tests the line to see if it is busy, and if it is not establishes the connection. Ringing is started automatically. If the line is busy the connec-

The secret of automobile top success lies in the secret composition used only in

Genuine
Pantasote
TRADE MARK Top Material

Rain, sun, heat, cold, grease do not injure this composition. That's why a Pantasote covered top serves best and looks best the longest.

Look for this Pantasote Label inside the top—it protects you against substitution which is not uncommon.

The Pantasote Company
Bowling Green Building, New York City

ACTION

— with the New Stromberg Carburetor is as quick as thought. A rush of power instantly follows the demand on your engine. Efficiency is always on its finest edge. On the traffic-choked boulevard or out in the open stretches, you are master. You can slow down to a snail's pace—surge ahead at express speed—stop—start, at will—your machine is under control.

In addition to this—you get most miles per gallon. These are facts—proved absolutely by service and fully explained in literature, which will be sent you upon request. Write for it. State name, year and model of your car.

Stromberg Motor Devices Co.
Dept. 716 64 E. 25th St.
CHICAGO, ILL.

New STROMBERG Does it! CARBURETOR

"Say it with Flowers"

A Pleasant Journey and a safe return are most sincerely expressed with Flowers.

You can "Say it with Flowers" in any part of the United States and Canada through the Florists' Telegraph Delivery Association

For Gunsmiths, Tool Makers, Experimental & Repair Work, etc.

From 9-in. to 18-in. swing. Arranged for Steam or Foot Power, Velocipede or Stand-up Treadle.

W. F. & J. Barnes Co.
Established 1872.
1999 Ruby Street
Rockford, Ill.

STILLS

WATER STILLS, made entirely of heavy copper, one or three gallon capacity, price \$25.00 and \$40.00 respectively. Shipped prepaid by express or parcel post the same day we receive your order. Ideal for distilling water for automobile batteries, industrial uses, and drinking purposes.

BOYER & CO., Dept. 10, Farnam Bldg., Omaha, Nebr.

We Will Make It

Anything in a metal stamping or novelty produced from any metal and finished in any color.

Waterbury Button Co., Waterbury, Conn.

Cleartone Phonographs

\$4.00 to \$200.00 Retail

Our Sundry Dept. offers Needles 39¢ per thousand. Motors \$1.35 to \$14.75 each. Tone-Arms and Reproducers \$1.50 to \$5.75 per set. Main Springs 25¢ to 50¢ each. Records, Needles, Sapphire Points and Parts at reasonable prices.

Write for our 84-page catalogue, the only one of its kind in America, illustrating 85 different styles of Talking Machines and over 500 different Phonographic Parts.

LUCKY 13 PHONOGRAPH COMPANY
Export Dept. 46T, E. 12th Street, N. Y., U. S. A.

Motor Boats and Boat Motors

A New, Complete Book for Owners' Uses, Repairmen and Operators

DESIGN—CONSTRUCTION—OPERATION—REPAIR

Written by a corps of experts, edited by
VICTOR W. PAGE, M.E.

524 Pages (6x9), 372 Specially Made Engravings and Complete Working Drawings
Price, \$4.00; by mail, \$4.20

THIS is a complete handbook for all interested in any phase of motor boating, as it considers all details of modern hulls and marine motors, details exhaustively with boat design and construction, design and installation of all types of marine engines and gives expert advice on boat and engine maintenance and repair. Not only is boat construction fully treated but every needed dimension is given for building from complete, yet simple plans and construction is considered step by step. Everything from the selection of the lumber and laying out the boat molds to the finish of the completed craft is outlined in detail. The boats described have been built by the author and the plans are right. The book has also

A Special Chapter on Seaplanes and Flying Boats

SCIENTIFIC AMERICAN PUBLISHING CO., 233 Broadway, New York

SOUTH BEND LATHES

How to Run a Lathe
A 80 page book
For 10¢ Postpaid
Coins or Stamps

STRAIGHT AND GAP BED			
13 inch South Bend Lathe			\$385.00
15 " " " "			483.00
16 " " " "			550.00
18 " " " "			735.00
21 " " " "			900.00
24 " " " "			1,250.00

Over 25,000 in use. Est. 1906
Send for Free Catalog

SOUTH BEND LATHE WORKS
421 Madison Street South Bend, Ind.

UNISOL BOILER PRESERVER

Warranted without reserve, to remove boiler scale, prevent pitting and scale formation.

Pamphlet on request. Money back guarantee.

UNISOL MFG. CO. Jersey City, N. J.

WIRE

electrical, rope, air plane, piano, pipe organ, flat, hoops, bale - ties, tacks, nails, barbed wire, concrete re-inforcement, springs, netting, wire fences, steel posts, trolley-road wires and rail bonds, wire wheels, auto-towing cables, horse-aho's.

Illustrated Books Describing Uses, FREE

American Steel & Wire Co. F. B. Schenck, V.P. & G.S.A. CHICAGO

tion is not established and a "busy signal" is sent automatically back to the subscriber. The analogy between the subscriber's multiple on a manual "B" board and the combination of the incoming and final frames, while not perfect, is still rather striking.

No attempt has been made here to describe the intricate machinery which accomplishes the remarkably human results. They represent years of work on the part of many trained engineers and it would take volumes to describe them adequately. Neither has it been explained how all of the supervising, timing and ticketing of various classes of calls is accomplished. It must suffice, in the limited space available, to say that it is done and with much less error than occurs when these same operations are performed by human hands and brains.

While other improvements will undoubtedly add to the utility and economy of the automatic telephone, the instrument has now reached a stage of perfection where the large telephone companies are willing to invest millions in such equipment, and have already begun installations which will eventually cover the entire continent.

Of course most of these momentous changes will go on so gradually and with so little friction that the average man will not realize their significance. He will have his desk phone equipped with a dial and he will find the telephone numbers in the directory listed with the first three letters of the exchange name in capitals. He will find his service better, but he will take it all for granted and will worry his head very little over how it's done. But to the man who takes the trouble to investigate, this new development in modern science will be a never-ending source of wonder.

The Role of Asbestos

(Continued from page 42)

contaminate the original composition of the fluid.

Asbestos has a very wide adaptation in the automobile field, for, in addition to the already enumerated uses, which are of course found for it in automobile factories as well as elsewhere, it is used in wood form for the construction of enameling ovens and in other places requiring a structurally strong fire- and acid-proof material. Asbestos is particularly valuable in the actual operation of the automobile itself, as a gasketing material for cylinder heads and intake and exhaust manifolds; as spark plug packing, clutch facings and protective tubing for the electrical wiring; and in some cases in the manufacture of the tire fabric. Then the greatest use of all for asbestos in automobile operation is for brake-band lining, the production of which is approximately fifty million feet per year. The longest fibers are required for brake band lining and textiles. On account of its high coefficient of friction and resistance to heat and wear it is also chosen for brake drums on hoisting-engine cranes and like apparatus.

The familiar uses for asbestos in the home are the insulation of furnaces, steam and hot water pipes, hot air ducts and as a stove lining; as table covers, table mats, flat-iron holders and rests and fiber for gas logs; as a fireproof material for ceilings, walls, partitions and baseboards; and as stucco or roofing for the home, barn, silo or garage.

A list of the possibilities of asbestos is far from being exhausted by packings and heat insulations in the industrial field. The architect and engineer are further indebted to it for the safer, better and easier construction of fireproof buildings which its use in the forms of asbestos wood or "lumber," waterproofing felts and roofings has made possible. The variety of present uses in the building of business structures and homes indicates the almost unlimited range of possibilities

for this mineral in building construction.

Asbestos wood is remarkable in many ways. It is comparatively light in weight; structurally strong and practically everlasting. It can be "worked," fastened and painted like ordinary woods but unlike them it does not warp or crack in service. It is all the more remarkable because of the positive fire-protection it affords with a minimum thickness—as against brick tile and other materials—thereby saving valuable floor space. It is widely used as a fire barrier in walls, partitions, doors and ceilings in hospitals, libraries, depots, public buildings, residences, foundries, warehouses, machine shops, garages and almost every other type of building. In this application it takes the form of roofing, sheathing, window casing, moldings, cabinets, tank linings, flooring, and battens. For electrical purposes asbestos wood plain or impregnated is less absorptive, has greater dielectric strength, is lighter in weight, has greater insulation resistance, and is structurally stronger than competing materials; it will not crack under the highest voltage.

Asbestos is recommended for use as disconnecting switch bases for lightning arresters; primary fuse boxes; terminal blocks on motors and generators; panels for switchboards; switch barriers; faces for all kinds of rheostats; electric elevator controls; cabinets for distant control of oil switches; converter panels; busbar supports; and for many other places in the manufacture and uses of electric equipment.

Next to the heat-insulating and packing field the greatest use for asbestos is in the manufacture of fireproof roofings and shingles. Its inherent durability and immunity to fire and atmospheric conditions make it the ideal material for this purpose because of the protection from roof-communicated fire it affords both the individual and the community. The standard forms of asbestos roofings are, first, asbestos shingles, composed of asbestos fibers and Portland cement pressed together and cut to size and shape, and invariably used in the construction of homes and residences. Then there is asbestos felt roofing, made of asbestos felts cemented together with asphalt and shipped in rolls, and used both as a roofing material and in waterproofing the foundation walls of industrial and office buildings and similar structures. Finally, corrugated asbestos roofing, in which the asbestos felts are cemented to both sides of a sheet of corrugated steel to serve as a protection against rust and corrosion, is used on foundries and industrial buildings over skeleton frame construction as a roofing and siding.

Even in the theater asbestos is absolutely essential. In the curtain it serves as an armor against fire and the dangerous backdraft. Scenery is made from asbestos and the lights, both in the theater and home, are energized from distant generators through a system safeguarded by this same material. In the moving picture theater, which today is a recognized part of our social life, the patrons are protected from the spread of fire from the inflammable film by an asbestos-wood projecting booth. At the warehouses of the film distributors these highly inflammable films are stored in racks and cabinets made of asbestos wood.

Asbestos today is an industrial, architectural and domestic necessity in the strictest interpretation of that word. There is no substitute for it. No other known material possesses the inherent fire resistance, durability and adaptability of asbestos. It can be woven, spun, pressed, matted, molded, in fact made up in almost any form, either alone or in combination with other materials to produce the desired results. And what is very important, it readily combines with almost any material because it offers no chemical or physical reaction.