XX.—*Crystallography of Bromostrychnine.*

By H. A. MIERS, M.A.

CRYSTALLINE system. Rhombic.

$$a : b : c = 1.45907 : 1 : 1.19457$$

$$(100) : (110) = 55^\circ 34\frac{1}{2}'. \quad (010) : (011) = 39^\circ 56'. \quad (001) : (101) = 39^\circ 18\frac{1}{2}'.$$

Bromostrychnine.

The forms observed are:—

$$\begin{aligned} a &= \{100\}. \\ m &= \{110\}. \\ o &= \{101\}. \\ n &= \{102\}. \\ y &= \{112\}. \end{aligned} \quad \text{See Figure.}$$

	Calculated.	Observed.
<i>am</i>	—	55° 34½'
<i>ao</i>	—	50 41½'
<i>an</i>	67° 44'	67 46
<i>ay</i>	70 38	—
<i>yy</i>	38 44	38 37
<i>my</i>	54 5	53 50

The crystals are colourless and transparent; brittle, with a conchoidal fracture, but without observable cleavage.

Almost all are rectangular tables, exhibiting the faces *a* (large), *o*, *m*, and sometimes *n*.

The faces *y* are rare.

The large faces *a* are marked by curved striations in the direction of the edge *ao*.