that the persistency of the shock was of more significance than its severity; and when it was persistent, it afforded a strong link in the chain of evidence. The shock, however, he said, was more apparent than real; being due rather to the sympathetic than to the cerebro-spinal system, as was also the case in strangulated hernia. He thought its presence should not deter the surgeon from performing laparotomy; and in his own cases he had found that the collapse improved after the opening of the abdomen. Shock, however, affords no direct evidence of perforation; and a number of cases were on record in which, although perforation had actually occurred, there was little or no shock present, and death occurred almost without warning.

In the discussion which followed, Dr. Joseph D. Bryant, who opened the recent debate on the same subject in the Surgical Section of the New York Academy of Medicine, called attention to the necessity of discriminating sharply between the two forms of the operation, viz.: exploratory laparotomy and laparotomy in its entirety. The performance of the former he advocated much more frequently than was now the case; believing, as he did, that when done under proper conditions it exposed the patient to no unusual danger. The performance of the latter, however, was a much more serious procedure; involving no little skill, patience and expenditure of time, and requiring the most favorable conditions for its success. In this connection, he remarked that he would not consider a case of laparotomy in its entirety one in which there were found no injuries of the intestines or other viscera. In regard to shock, he agreed with Dr. Dennis that it was perfectly justifiable to perform exploratory laparotomy whether it was present or not. Whether the exploratory incision was to be made in the median line or not depended on the direction of the violence producing the wound. If this was towards the median line, the incision was to be made in the latter; but if the direction was from the median line, it was to be made at the seat of the external wound. He spoke also of the very great importance of hæmorrhage, and said that it was absolutely necessary, in performing laparotomy in its entirety, that every bleeding point should be satisfactorily secured. Not infrequently very slight oozing became changed to profuse hæmorrhage as soon as the abdominal contents were returned to their places, and the cavity was closed up. Experiments which he had made on dogs (shooting them in the abdomen, and then performing laparotomy), had further convinced him of the extreme importance of this element in gunshot wounds of the abdominal cavity.

Dr. E. G. Janeway said that the absence of hepatic dulness was a good general guide as to the existence of perforation of the intestines; but there were a certain number of cases which simulated this condition. Thus, in a case of typhoid fever under his observation, in which, on account of this symptom, perforation was supposed to have taken place, it was found at the autopsy that the resonance over the hepatic region was not due to perforation, but to the tilting of the liver.

Dr. H. M. Briggs also related a case which went

to show that loss of hepatic dulness was not an infallible sign of perforation. It was one, of peritonitis, and the absence of liver dulness being detected, it was naturally supposed that perforation had occurred. At the autopsy, however, it was found that this was not the case, but that the intestines had become forced between the liver and the abdominal walls.

Dr. J. W. S. Gouley said that he believed that the views expressed this evening were sound, and that laparotomy was justifiable when we had reason to believe that the hollow viscera had been injured. At the same time, numerous instances were on record in which recovery had taken place under these conditions, and as illustrations he related two cases which had come under his observation during the late war. In one instance the patient had a bayonet wound completely through the body, and in the other a pistol shot also passed completely through the body. In the latter case the right lobe of the liver, as well as the lower lobe of the right lung, was injured, and bile flowed freely out of both openings with the pus. Still, he did not hesitate to say that if he were to deal with such cases to-day, he should prepare himself to open the abdomen. An interesting case, with recovery, which had been under his care during the war, was also related by the President, Dr. Leale.

After this instructive scientific session the members adjourned to the library of the State Association, where they enjoyed a pleasant collation and social reunion, which included the passing around of a festal "loving cup," filled with a most delectable concoction, the offering of Dr. Flint. P. B. P.

TARTAR EMETIC VACCINATION.

TO THE EDITOR OF THE JOURNAL:

Dear Sir.—The articles of Drs. Woodworth and Ziegler bring the following facts to my recollection: As is well known, Prince Bismarck allowed, during the Franco-Prussian war, American surgeons to enter the services of his Government, and appointed the late Dr. Krackowitzer and Dr. Abraham Jacobi, from New York, a Board of Application, to certify diplomas and the respective ability of applicants, who were requested to send in a certificate of a regular medical practitioner in good standing, as to their previous lives, practice, etc. Having been accepted by the Board, I embarked on the Anchor line steamship "Europe" to Glasgow, and from there to the seat of war. After our services ended the well-known Dr. Knapp, of Berlin, was entrusted by his Government with furnishing us the funds for our return travel, and by-the-way, it was almost as hard to get out of the service as to get in, on account of "red tape."

Thinking that I could save some of the money, I started for Hamburg and looked around for a ship, where I could make my way as surgeon. I succeeded in finding the "Palmerston," bound for New York. We had 700 emigrants on board, no cabin passengers except me. The steerage was good and comfortable, food and water through all our long tedious journey excellent. On the seventh day out I was notified that an old man was sick, and on examining him I

found that he had small-pox. I separated him and the family, two grown daughters, from the rest of the passengers and began to disinfect the ship thoroughly with carbolic acid, sulphur and juniper berries, the latter more for the smell than anything else. The infected man was 67 years old, and died within three days. The daughters had small-pox rather severely, but survived. His clothes and everything pertaining to them were thrown overboard; the girls' clothing was steamed in a special oven. These three cases were the only ones which occurred on our ship. When the passengers heard of it there was quite a panic among them, but after I told them that all possible precautions would be taken by me to prevent the spread of the disease, they quieted down. I began now to inspect every passenger, including the crew, and found that about one hundred of the passengers were not vaccinated. There was no virus on board, and recollecting of having read somewhere about the identity of the pustules of tartar emetic and small-pox pustules, I resolved to try a few inoculations with tartar emetic.

I inoculated myself first, and having been re-vaccinated when fourteen years old, I could not find any difference between the two. From myself I inoculated some babies, and saw that the course was nearly identical with true vaccination; the pustules could not be distinguished from real vaccination pustules. It must be remembered that during our services in the Prussian army we had an extended opportunity to see small-pox (especially among the French), so that I am well aware of what I write. I inoculated all the passengers and had the satisfaction that every vaccination took. Our journey, on account of contrary winds, was a tedious and long one, lasting sixty days, though time passed swiftly enough for me. When we landed in New York I reported to the Assistant Health Officer of the port, the late Dr. Mather, of Albany, the incumbent, Dr. Cochran, then being sick. We got, without any trouble, a permit to land. I am perfectly convinced that by the combined care and cleanliness I extracted from the passengers, and the re-vaccination (or the *morale* of it?) succeeded in staying the ravages of the disease, which might have been very fatal in such a crowded ship as ours.

Yours respectfully, CARL PROEGLER, M.D.
Fort Wayne, Ind., January 24, 1886.

ASSOCIATION ITEMS.

AMERICAN MEDICAL ASSOCIATION.

The Thirty-seventh Annual Session will be held in St. Louis, Mo., on Tuesday, Wednesday, Thursday and Friday, May 4, 5, 6 and 7, commencing on Tuesday at 11 A.M.

The delegates shall receive their appointment from permanently organized State Medical Societies and such County and District Medical Societies as are recognized by representation in their respective State Societies, and from the Medical Department of the Army and Navy, and the Marine Hospital Service of the United States.

Each State, County, and District Medical Society entitled to representation shall have the privilege of sending to the Association one delegate for every ten of its regular resident members, and one for every additional fraction of more than half that number: *Provided*, however, that the number of delegates for any particular State, territory, county, city or town shall not exceed the ratio of one in ten of the resident physicians who may have signed the Code of Ethics of the Association.

Secretaries of Medical Societies, as above designated, are earnestly requested to forward, *at once*, lists of their delegates.

Also, that the Permanent Secretary may be enabled to erase from the roll the names of those who have forfeited their membership, the Secretaries *are, by special resolution*, requested to send to him, annually, a corrected list of the membership of their respective Societies.

SECTIONS.

"The Chairman of the several Sections shall prepare and read, in the general sessions of the Association, papers on the advances and discoveries of the past year in the branches of science included in their respective Sections. . . ."—*By-Laws*, Article 11, Sec. 4.

Practice of Medicine, Materia Medica and Physiology.—Dr. J. T. Whittaker, Cincinnati, Ohio, *Chairman*; Dr. B. L. Coleman, Lexington, Ky., *Secretary*.

Obstetrics and Diseases of Women and Children.—Dr. S. C. Gordon, Portland, Me., *Chairman*; Dr. J. F. Y. Paine, Galveston, Texas, *Secretary*.

Surgery and Anatomy.—Dr. Nicholas Senn, Milwaukee, Wis., *Chairman*; Dr. H. H. Mudd, St. Louis, Mo., *Secretary*.

State Medicine.—Dr. John H. Rauch, Springfield, Ill., *Chairman*; Dr. F. E. Daniel, Austin, Texas, *Secretary*.

Ophthalmology, Otology, Laryngology.—Dr. Eugene Smith, Detroit, Mich., *Chairman*; Dr. J. F. Fulton, St. Paul, Minn., *Secretary*.

Diseases of Children.—Dr. W. D. Haggard, Nashville, Tenn., *Chairman*; Dr. W. B. Lawrence, Batesville, Ark., *Secretary*.

Oral and Dental Surgery.—Dr. John S. Marshall, Chicago, Ill., *Chairman*; Dr. A. E. Baldwin, Chicago, Ill., *Secretary*.

A member desiring to read a paper before a Section should forward the paper, or its *title and length* (not to exceed twenty minutes in reading), to the Chairman of the Committee of Arrangements, at least one month before the meeting.—*By-Laws*.

Committee of Arrangements.—Dr. Le Grand Atwood, St. Louis, Missouri, *Chairman*.

AMENDMENTS TO BY-LAWS.

By Dr. Foster Pratt, Mich.—Each Section shall nominate its Chairman and Secretary—all other nominations to be made, as now, by the nominating Committee.

By Dr. I. N. Quimby, N. J.—Create a new Section, to be known as the Section on Medical Jurisprudence.

WM. B. ATKINSON, M.D.,
Permanent Secretary.

1400 Pine St., S. W. cor. Broad, Philadelphia.