This article was downloaded by: [Virginia Tech Libraries]
On: 12 March 2015, At: 06:49
Publisher: Taylor & Francis
Informa Ltd Registered in England and Wales Registered Number:
1072954 Registered office: Mortimer House, 37-41 Mortimer Street,
London W1T 3JH, UK

Annals and Magazine of Natural History: Series 5

Publication details, including instructions for
authors and subscription information:

<http://www.tandfonline.com/loi/tnah11>

LII.—On a new copepod of the genus *Doridicola*

Henry N. Ridley B.A.

Published online: 29 Jan 2010.

To cite this article: Henry N. Ridley B.A. (1879) LII.—On a new copepod of the
genus *Doridicola*, *Annals and Magazine of Natural History: Series 5*, 4:24, 458-458,
DOI: [10.1080/00222937908679866](https://doi.org/10.1080/00222937908679866)

To link to this article: <http://dx.doi.org/10.1080/00222937908679866>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all
the information (the "Content") contained in the publications on our
platform. However, Taylor & Francis, our agents, and our licensors
make no representations or warranties whatsoever as to the accuracy,
completeness, or suitability for any purpose of the Content. Any opinions
and views expressed in this publication are the opinions and views of
the authors, and are not the views of or endorsed by Taylor & Francis.
The accuracy of the Content should not be relied upon and should be
independently verified with primary sources of information. Taylor and
Francis shall not be liable for any losses, actions, claims, proceedings,
demands, costs, expenses, damages, and other liabilities whatsoever

or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

LII.—On a new Copepod of the Genus *Doridicola*.

By HENRY N. RIDLEY, B.A.

CEPHALOTHORAX broad oval, showing division into four segments. Antennæ—first pair seven-jointed, terminating in a flagellum; the third joint the longest, but not so long as the flagellum; the whole antenna as long as the cephalothorax: second pair three-jointed, ending in two claws, the terminal segment also bearing two smaller hooks. Mandibles flat and broad, with a single-jointed appendage with three setæ. First pair of maxillipeds two-jointed, with two terminal setæ; second pair similar, but with two terminal claws. Swimming-feet broad; both rami in all the feet similar, three-jointed, the terminal joint bearing three spines and two setose bristles; the middle joint shorter, with one lateral spine, and two setose bristles on the lower margin; basal joint with one lateral spine and one bristle; the outer margin of the segment setose. Fifth pair of feet a single joint supported on a lateral prominence of the segment, and terminated by two bristles. Abdomen of four segments, the first not swollen; terminal appendages short, bearing each three setose bristles.

Ovisacs oval. Colour white; pigment of eye rosy purple. Length 2 millims.

Habitat. The tentacles of *Anthea cereus*, var.

Locality. A pool at low water, near Ilfracombe, North Devon. August 1878.

Obs. This animal closely resembles *Doridicola agilis* of Leydig; but is distinguished by its habitat, colour, and shape of the last pair of thoracic feet, also the absence of any swelling in the first abdominal segment, and a few other minor differences.

Like *D. agilis* it was extremely active and difficult to secure, concealing itself among the tentacles of the *Anthea* or clinging tightly to them.

There were no males present. If the animal has not been already noticed, I propose the name of *Doridicola antheæ* for it.

Note.—It may be worth recording that the variety of *Anthea cereus* on which I found the *Doridicola* was entirely of a dark purplish slate-colour, and does not seem to have been hitherto noticed.