the same way. Here again in pure Strain H all exceptionally vigorous or aberrant individuals should be discarded as being probably due to the entrance of foreign pollen.

I am not prepared at present to say what will be the probable cost of seed-corn when produced by this method, but have reason to suppose that it would be more expensive than by the present method; nor can I surmise what relation this increased cost will bear to the increased yield that will be produced. These are practical questions which lie wholly outside my own field of experimentation, but I am hoping that the Agricultural Experiment Stations in the corn-belt will undertake some experiments calculated to test the practical value of the pure-line method here outlined.

IMPROVEMENT IN GUERNSEY CATTLE.

By W. H. CALDWELL, *Peterboro, N. H.*

I regret in attempting to trace the improvement that has been made in Guernsey cattle that time will not allow a portrayal of the many interesting and vital conditions that have contributed to the settlement and development of the wonderful island—Guernsey—the home of the breed.

The group to which this island belongs, known as the Channel, or at one time called Alderney Isles, has had a most important place in the history of the civilization of the world. Their insular position separated as they are by those bits of silvery sea from England and the continent, dangerous of approach, well fortified, it is no wonder we find on them a sturdy race of people who take pride in conquests. Guernsey points with pride to Jersey that she was never conquered, while Jersey has never forgiven her sister for being a few miles nearer the London market.

It is to these two islands that we as breeders of dairy cattle owe much for the foundation of the two breeds of cattle so well known as producers of dairy products of the highest quality.

Right here, before taking up especially the Guernsey I wish to refer to the term which has in the past been often applied in rather a promiscuous manner to the cattle of this group—Alderneys.

Before the age of steam the chief trade of the Channel Islands with England was carried on by vessels that sailed between St. Malo, Brest and other ports on the French coast to England. On the voyages to London, Plymouth or Portsmouth these touched in turn at St. Helier,

Jersey, St. Peter Port, Guernsey, and St. Anne, Alderney, the latter being the last in their course. It was a common custom to say that they came from the last place where they touched, hence they were said to have arrived from Alderney, and the cattle they had on board were naturally called Alderney cattle, though in reality most of the stock came from Jersey, with a few from Guernsey and now and then a head or two from Alderney. Alderney has been a part or parish of Guernsey. The few hundred cattle on the island resemble the Guernsey and have been accepted at times in the Guernsey Island registers. Recently an attempt to start a herd register on Alderney has been made. This has been recognized by the English Guernsey Society Book, but the American Guernsey Cattle Club Register only accepts such animals as are entered in the herd register of the Royal Guernsey Agricultural Society or traces through ancestors to same.

The Island of Guernsey is 9 by 13 miles, comprising 10,000 acres, on which there are 36,000 people and practically all dependent on the soil and agricultural work for a living. With the exception of Alderney this island of Guernsey lies in the most exposed position, just where the waters of the Atlantic ocean and North sea are vieing with each other for supremacy. Yet we find this island in the latitude of northern Newfoundland, with this exposure to wind and wave, having so much sunshine and warmth from the Gulf Stream, that orange trees will grow and sometimes bloom, and the walled-in ganders of the stone cottage overflow with flowers and tropical plants. It confuses the mind to see all these beautiful plants in the open air and find that the tomato is only grown with great care under glass, and no burning heat to ripen corn. The mean temperature is as follows:

Spring months, March, April, May.....	47.7
Summer, June, July, August.....	59.9
Fall, September, October, November.....	53.8
Winter, December, January, February.....	44.2

Back in the darker ages when the life of the early Christian was shrouded with persecution we find on these islands evidence of refuge for those driven from the Continent. These islands situated between England and Continental Europe proved an enticing abode.

With their movement naturally were taken the cattle of adjacent countries. On the near coast of France were cattle noted for their rich milk and famous butter. These, the little black Brittanies and the Normans, laid the foundation of the Channel breeds. Professor Lowin

writing of the island cattle in general in the early part of this century uses the term Alderney and speaks of them as "Orange, fawn and white with a darker shade on head and neck, with a white switch," essentially a Guernsey of the modern day.

That the cattle of the islands were much alike originally is not to be doubted. This is shown in the two pictures. A and B.

Unquestionably the divergence came when the Jerseyman, skilled and persistent in breeding, sought to give the English fancier a cow to grace the lawns of the English estate. This he succeeded in with rich reward. The Guernseyman with his conservatism had faith in his yellow and white cow. To him, his was the farmer's cow with her golden skin and quiet temper.

ISLAND OF JERSEY.

ISLAND OF GUERNSEY

Illustrating types of cattle typical of the Islands before period of fashionable breeding began. Note similarity.

It is known as early as 1789 measures were taken against importation of stock to the islands. In 1819 more stringent laws were enacted, and importation of live cattle except for slaughter prohibited.

It was then that the islanders isolated themselves from the cattle kingdom and began their jealous work of improvement.

Friends, under such conditions what would you naturally think you would find the nature and nurture of the Guernsey to be? Nothing but lessons of gentleness, milked, cared for, tethered, and led to drink by the women and children. Pasture nearly the entire year, roots, hay, oil cake and oats, little or no heating or heavy foods. These conditions have contributed as a noble foundation for the enlightened dairymen of succeeding ages to build on.

INTRODUCTION TO AMERICA.

In 1833 the captain of a sailing vessel that called at the island was so much impressed with the fine quality of the cattle he brought to the port of Boston three head, bull and two heifers. These were sent to his brother on what is now known as Cow Island, in Lake Winnipisampee, in New Hampshire. Through the carefully kept diary and records of an elderly gentleman we were enabled to trace this importation to the custom records, and there owing to the great Boston fire in the 70's the record was lost.

About 1840 some of the older families around Philadelphia had Guernseys in their private dairies. These having given such good satisfaction the Fowlers about 1865 brought over some for sale in that city.

While on a pleasure trip to these islands in 1872 our present President of the American Guernsey Cattle Club, Mr. Jas. M. Codman of Mass., admired the color and character of the dairy products on the island and made an importation. This lot and their products so attracted the members of the Massachusetts Society for Promotion of Agriculture that Mr. Codman was induced to bring another lot over the next year and these founded the herds of the Codmans, Bowditchs, and Lawrences in Massachusetts.

By these some Connecticut gentlemen were induced to send a party to make selection on the island.

It soon became apparent that some means must be taken to preserve the records of the breed and so February 7, 1877, a meeting was called and the American Guernsey Cattle Club with its Register started with 150 animals whose pedigrees could be traced to the island.

ORGANIZATION AND GROWTH OF REGISTER.

For many years these cattle were jealously guarded on private estates, where the owners did not desire to push their herds from a breeders stand-point. Having ample opportunity for selling their surplus, little attempt was made for public recognition.

In 1889 and 1890 at the New Jersey Agricultural Experiment Station, and in 1891 and 1892 at Geneva (N. Y.) Agricultural Experiment Station, tests of the dairy breeds were made. Fire in one instance, and disease in another, unfortunately cut short these tests, but from the records published we find the following results:

New Jersey Experiment Station Report for 1889-1890.

Profit from three Guernseys.....	\$28.23
" " " Jerseys.....	18.67
" " " Holsteins.....	6.71
" " " Ayrshires.....	9.64
" " " Shorthorns.....	9.32

New York Experiment Station 1891-1892.

Young Heifers. Their first Season. Average, Ten Months.

Profit of two Guernseys.....	\$27.60
" " three Jerseys.....	22.17
" " one Holstein.....	5.75
" " four Ayrshires.....	3.67
" " two Holderness.....	4.65
" " two Devons.....	4.30

This is the first public appearance of the Guernsey. It is interesting to note in view of later work that their debuts should have been in connection with an Agricultural Institution. Next we find them at the World's Fair in 1893 in the Breed Test there.

It is not necessary to recite here the conditions surrounding the Guernsey work there. Through the liberality of a few enterprising admirers it was determined that the Guernsey should be represented. With a herd a large number of which were but the first year after importation, whose age averaged much less than that of opposing herds, with no allowance in rules for superiority in color of products, the Guernsey with a contribution of 26 head from which 25 was to be named, entered that long summer's race on contributed and borrowed money with no expectation of winning. When the season was over the reward to the Guernsey was great.

1st. It convinced her breeders more fully of her great promise.

2d. She had made a host of friends by her attractive appearance and honest work.

3d. The records bore out the experiment station trials in that she had made butter at the lowest cost per pound, as, Guernsey 13.1 cents; Jersey, 13.3 cents; Shorthorn, 15.8 cents.

Unquestionably this was the turning point in her career.

The Herd Register had been in existence for 15 years. Four volumes had been published, the fifth was in press and the five only carried the entry of bulls to 3572, of cows to 7080, a total of 10,652.

At the present time, just fifteen years later, the 18th volume is issued carrying the entries to over 40,000 and with 800 year's butter fat records

in the Advanced Register. An increase of three fold in the Register and an increased financial income to the club of five fold.

The work at Chicago was followed by some new undertakings.

January, 1895, with a spirit to better serve the breeders by more promptly publishing the Register and by making it a historical record of the breed, the publication of the Register was begun as a quarterly magazine and at the end of each year the four issues are bound in permanent form.

The next two years were given to a thorough checking up of the Herd Records and the adoption of permanent and convenient forms and system for the work of the Register. This led to the requirement of checking up with the original record by means of sketches the identity of the animals when every transfer is recorded, the first breed register to adopt such a course, and thus convey to the buyer an assurance, so far as the records can, that he is securing the animal he purchased and registered as such. We believe the integrity of the Register and the good name of the breed and breeder are inseparable. As important a step as the checking up of the transfers has been, another step is proposed. That is the placing of a heavy penalty on delayed registration and thus encourage the placing of the animals on record at an early age and before they pass through many hands; prevents jockeying.

A few years after the work of the Guernsey at Chicago and about when the work of verification of the Records was completed the desire to record and place before the public still further the work of the Guernsey in production of dairy products became apparent.

First this took the form of,

HOME BUTTER TESTS.

These were supervised by having samples of milk sent experiment stations every month and the station visiting the cows and herds three or four times during the year taking check samples. In this manner the work was carried out for two seasons and the following records brought out:

	Lbs. milk	Lbs. butter fat
Lilly Ella.....	12282.68	782.16
Lilyita.....	12812.73	710.53
Countess Bishop	7387.3	452.23
Doretha Gallo 4th.....	7410.75	390.63
Louise of Ellerslee.....	3962.00	234.07
Hill's Herd of five.....	6845.42	389.2
Mortons' Herd of five.....	7561.65	386.42

The Second Season.

	Lbs. milk	Lbs. butter fat
Glenwood Girl 6th.....	12184.33	572.2
Primrose Tricksey.....	9277.00	508.0
Gypsy of Racine.....	7879.10	432.8
Gill's Herd.....	10693.63	475.7
Hill's Herd.....	7660.70	421.8

At the close of this work came the

PAN-AMERICAN DAIRY BREED TEST.

The only test of dairy cattle in which all breeds participated was that at the Pan-American Exposition at Buffalo, N. Y., in 1901. In this the Guernsey was represented by five cows, as were all the other breeds. The test was wholly under the supervision of the Department of Agriculture of the Exposition and its purpose was to see which breed would make the *greatest net profit* upon each of the four following points:

- A—Production of butter fat.
- B—Production of churned butter.
- C—Production of total solids in milk.
- D—Production of total solids and gain in live weight.

At the close of the six months' test the Exposition announced the following awards:

The prize for the net profit in butter fat is won by the Guernseys by a net profit of \$4.66.

The prize for net profit in churned butter is won by the Guernseys by a net profit of \$5.86, the prizes on total solids, or milk production, being won by the Holsteins.

The Guernseys not only made butter at the least cost per pound but returned the greatest profit for every dollar invested in feed..

	Cost per lb. of butter	Profit for every dollar invested in food	
		Butter fat	Butter
Guernseys.....	9.31 cents	\$1.67	\$1.60
Jerseys.....	9.48	1.63	1.55
French Canadians.....	9.76	1.55	1.60
Polled Jerseys.....	9.80	1.54	1.46
Ayrshires.....	9.81	1.54	1.51
Red Polled.....	10.27	1.43	1.39
Holsteins.....	10.93	1.27	1.17
Brown Swiss.....	11.14	1.24	1.20
Shorthorns.....	12.10	1.06	1.01
Dutch Belted.....	13.27	.86	.84

During the entire time of the test there was exhibited in a glass case a sample of the butter made from the milk of each herd. This was made fresh once a week and submitted to an expert who scored same. The average score shows that the Guernsey butter ranked highest on flavor and color, and total score, thus being the best quality butter. We give these scorings in detail, believing they will be of interest. The scores used in judging the butter was as follows:

Flavor, 45; Grain, 25; Color, 15; Salt, 10; Finish, 5; Total, 100.

AVERAGE BUTTER SCORES.

	Flavor.	Grain.	Color.	Salt.	Finish.	Total.
Guernseys.....	41.54	24.83	14.97	10	5	96.34
Jerseys.....	41.25	24.90	14.65	10	5	95.80
Polled Jerseys.....	41.07	24.9	14.67	10	5	95.64
French Canadians.....	40.875	24.7	14.2	10	5	94.8
Brown Swiss.....	40.95	24.55	14.28	10	5	94.78
Shorthorns.....	40.89	24.43	14.27	10	5	94.59
Dutch Belted.....	40.925	24.375	14.175	10	5	94.475
Red Polled.....	40.86	24.34	14.27	10	5	94.47
Holsteins.....	40.75	24.26	14.38	10	5	94.39
Ayrshires.....	40.55	24.42	14.15	10	5	94.12

From these averages it will be seen that the qualities that have been claimed for the products were noticeable here. The desirable flavor which has been so highly prized wherever Guernsey milk or cream has been sold we find in the butter. It is not expected that the ability of the Guernsey to color her milk and butter is so pronounced in the summer season with green food at command, as compared with some of the other breeds, but it was readily seen in the samples of butter exhibited and in the scoring. The contrast would undoubtedly have been much greater in the winter season on dry feed.

Naturally enough with such a preparation, such a training in this line of work, as Guernsey breeders we were ready for a step which has done as much as any for the advancement of the breed. It was the establishment of the *Advanced Register*.

This was the first in the world where the basis of what the cow produced—butter fat—and for a year's period with the supervision and aid of the agricultural experiment stations.

The essentials of the work are:

- 1st. Former application and comparison of sketches and furnishing testers with sketches to prevent substitution of animals.
- 2d. Report of the detailed milk yield by the owner.

- 3d. Checking and verification of records by the reports of the testers.
- 4th. Publication of record with picture and feed record.

ALL COWS ADMITTED MUST EQUAL OR EXCEED ONE OF THE
FOLLOWING RECORDS.

Year's Milk Record.

If record is commenced the day the animal is two years, or previous to that day, she must produce within one year from that date, 6000 lbs. of milk. For each day the animal is over two years old at the beginning of her year's record, the amount of milk she will be required to produce in the year will be established by adding 3.65 lbs. for every such day to the 6000 lbs. required when two years old. This ratio is applicable until the animal is five years old, when the required amount will have reached 10,000 lbs. which will be the amount of milk required of all cows five years old or over.

Year's Butter Fat Record.

If record is commenced the day the animal is two years old, or previous to that day, she must produce within one year from that date, 250.5 lbs. butter fat. For each day the animal is over two years old at the beginning of her year's record, the amount of butter fat she will be required to produce in the year, will be established by adding .1 (one-tenth) of a pound for each such day, to the 250.5 lbs. required when two years old. This ratio is applicable until the animal is five years old, when the required amount will have reached 360 lbs., which will be the amount of butter fat required of all cows five years old or over. These yearly standards are based upon one complete year's record from the time of beginning, regardless of the time lost by being dry or calving during that period, should such be the case.

Seven Days' Butter Fat Record.

If record is commenced the day the animal is two years old, or previous to that day, she must produce within seven days from that date 10 lbs. butter fat. For each day the animal is over two years old at the beginning of her seven-day record, the amount of butter fat she will be required to produce in the seven days will be established by adding .00456 (456 hundred thousandths) of a pound for each such day, to the 10 pounds required when two years old. This ratio is applicable until the animal

is five years old, when the required amount will have reached 15 pounds, which will be the amount of butter fat required of all cows five years old or over.

THE RESULTS.

At present writing 764 year's records have been completed. They average: 7863.51 pounds milk, 406.93 pounds butter fat, 5.082 per cent, butter fat.

The highest records classified according to age are:

	Lbs. milk.	Lbs. butter fat.
Class A. (Mature Cow) Yeksa Sunbeam 15439 A. R. 331.....	14920.80	857.15
Class B. (4½ to 5 years old) Imp. Itchen Daisy 3d 15630, A. R. 100 Re-entry.....	13636.80	714.10
Class C. (4 to 4½ years old) Yeksarose 16610, A. R. 472, Re- entry.....	11710.40	678.16
Class D. (3½ to 4 years old) Robiline 2d 16117, A. R. 602...	11761.00	603.59
Class E. (3 to 3½ years old) Dolly Bloom 12770, A. R. 40, Re- entry.....	12674.83	623.94
Class F. (2½ to 3 years old) Yeksarose 16610, A. R. 472.....	11275.50	638.49
Class G. (2 to 2½ years old) Dolly Dimple 19144, A. R. 628 ..	14009.13	703.36

There is no better indication of what a breed is capable of doing than what it is doing year in and year out. Cows that will average several years in succession 12,000 pounds of 5 per cent milk, and this determined by public supervision, is most creditable. The highest yearly records made in connection with an Advanced Register of any breed in the world are now held by the Guernseys.

BEST GUERNSEY RECORDS.

One year.

17297.5 pounds milk—Dolly Bloom 12770 A. R. 602; 857.15 pounds butter fat (equivalent to 1000 pounds butter). Yeksa Sunbeam 15437 A. R. 331; 30 days—1960.4 pounds milk; 7 days—444.8 pounds milk, 22.034 pounds butter fat; 1 day—68.4 pounds milk, 3.625 pounds butter fat. All held by the three-year old heifer, Dolly Dimple 19144 A. R. 628, who also has the most remarkable record of any cow, any age, any breed, made under the public supervision of an Advanced Register in the world. This two-year old heifer made a year's record of 14,009.13 pound of milk, 703.36 pounds of butter fat, equivalent to 820.59 pounds of butter. This heifer has not only made this remarkable record as a

two-year old but she has since freshening in October the second time made the above thirty, seven, and one day records and also has given:

	Lbs. milk.	Lbs. butter fat.
18 days in October.....	927.1	41.63
Month of November.....	1898.6	85.25
Month of December.....	1909.6	91.85
Month of January.....	1806.4	88.51
Total 110 days.....	6541.7	307.24

An average of 60 lbs. milk. 2.8 lbs. butter fat.

Were I asked to name the Guernseys who had contributed most to popularize the breed I should include:

Materna and Mary Marshall, who were ranking Guernseys in the great tests the breed has been represented in.

Glenwood Girl 6th, as an illustration of a remarkable American bred family.

Yeksa Sunbeam and Dolly Bloom, as phenomenal producers of dairy products.

Auricula 2d for her long time continued record as a dairy cow.

Tricksey for the good descendants she has left.

King Coral, Benjamin, and Glenwood Boy of Haddon, as great dairy sires.

As an illustration of the benefits of judicious selection and value of individual study of animals I mention Hayes Rosie, who had a record of 14,633 pounds milk, 714.31 pounds butter fat. She was the dam of Yoeman, who was bred to Dolly Bloom, whose records are as a two-year old, 8841.5 pounds milk, 453.86 pounds butter fat; three-year old, 12674.8 pounds milk, 623.04 pounds butter fat; six-year old, 17297.5 pounds milk, 836.21 pounds butter fat.

The results of the selection was the remarkable heifer Dolly Dimple, to whom I have referred.

SCALE OF POINTS.

It seems fitting in view of the work here portrayed that as an organization we should throw aside the scale of points as made up from showing standpoint to adopt one based on utility.

In our preamble we said:

We recognize the Guernsey should be:

First. A dairy animal with a distinctive dairy temperament and con-

HAYES ROSIE. 15476 ADV. R-116

YEARS. RECORD

14633.08 LBS. MILK, 744.31 LBS. BUTTER FAT

A GRAND TYPE GUERNSEY

AND DAM OF —

*YEOMAN 11819
A BULL OF GREAT
INDIVIDUALITY
WHO WAS THE SIRE OF
DOLLY DIMPLE*

DOLLY BLOOM 12770. ADV. R-40

WHOSE YEARS RECORDS ARE —

17297.5 LBS. MILK, 836.21 LBS. BUTTER FAT AT 5 YRS. OLD

12674.8 " " , 623.94 " " " 3 " "

3841.5 " " , 453.86 " " " 2 " "

DAM OF —

DOLLY DIMPLE

DOLLY DIMPLE 19144 ADV. R 628

YEARS RECORD AS A 2 YR. OLD

14009.13 LBS. MILK, 703.36 LBS. BUTTER FAT

7 DAY RECORD

4444.8 LBS. MILK, 22.03 LBS. BUTTER FAT.

*AN IMPRESSIVE ILLUSTRATION OF
IMPROVEMENT IN BREEDING.*

formation, having a strong, nerve structure with a corresponding flow of nervous energy and every indication of capacity and vitality.

Second. In color of hair, a shade of fawn, with white on limbs and under part of body are considered the prevailing markings, and some degree of uniformity is desirable.

Third. One of the important distinguishing features of the breed is the presence of a yellow color in the pigment of the skin, which is indicative of rich golden color in the milk. This is very pronounced in the Guernsey and held by her to the greatest extent under all conditions of stabling and feed. The intensity of this trait is more marked in some animals and families than in others, but it should be kept at the highest standard. It is fast being recognized that this color is accompanied by a superior flavor in the milk and thus in the butter.

DAIRY TEMPERAMENT.

By dairy temperament is meant a strong overruling predisposition or tendency to turn the consumption of food towards the production of milk with a high content of solids, especially butter fat, as against the constitutional tendency so often seen to turn food into flesh. Even in the strongest dairy breeds there are more or less frequent out-crops in male and female of the flesh-making temperament. To breed from such animals, while we are striving to establish a prepotent dairy temperament or tendency, is not wise. All cattle bred especially for dairy purposes should possess a clear and decided dairy temperament, for it is that quality of character we most desire to establish, enlarge and perpetuate in the Guernsey cow.

This is especially indicated by the shape of the head, showing brain capacity, wide muzzle, open nostril, full bright eyes, feminine neck, and a construction of the back bone indicating a strong flow of nerve power and support from the brain to all of the maternal organs.

CONSTITUTION.

In breeding our domestic animals, especially for long service like the dairy cow, it is very important that they should have abundant vital power which we call "constitution." But constitution must be judged and measured by the peculiar function the animal is bred to fulfil. With the race horse the function is speed; with the steer, the laying on of flesh; with the dairy cow, the production of milk solids. In all these various functions, the animal, that is to represent any one of them must show not only large capacity in the line of that function, but also the

ability to endure long and well the strain of such function, and keep in good health. Constitution is best indicated by a full development at the navel, and strong abdominal walls, showing that the animal when in a prenatal state was abundantly nourished by the mother through a well developed umbilical cord.

PREPOTENCY.

In the scale for bulls, for the first time, we believe, in the history of dairy breeds, this point is introduced. The reason we have included it is that "prepotency" is the chief consideration in the selection of all male breeding animals. The pedigree and conformation is often all that can be desired, but because the bull is lacking in prepotent breeding power he is an expensive failure. This quality is, in a sense difficult to perceive or describe, but we know certain animals have it in high degree and others fail of it completely. It is fairly well indicated by vigor of appearance, strong resolute bearing, and abundant nervous energy. We would distinguish this from an ugly disposition. A bull is ugly by the way he is handled rather than by his breeding. What we want is strong, impressive blood. A dull sluggish spirit and action, we consider indicative of a lack of true dairy prepotency, but we would prefer breed to a rather sluggish appearing bull with first-class rudimentaries than to a stylish one with badly placed rudimentaries.

RUDIMENTARY TEATS.

We consider that a well balanced and well shaped udder in the cow is largely due to the way the rudimentary teats are placed on the sire. If they are crowded close together the result is likely to be narrow pointed udders. If they are placed well apart of good size and well forward of the scrotum, the effect, we think, will be to influence largely the production of well shaped udders in the resulting heifers and counteract the tendency to ill shaped udders inheritable from dams deficient in this respect. We believe the future excellence of the Guernsey cow will be greatly aided by close attention on the part of her breeders to this point.

Our division of the 100 points is as follows:

Cows.	
Dairy temperament constitutes.....	38
Udder formation.....	26
Milking marks, quantity.....	10
Milking marks, quality.....	6
Milking marks, color.....	15
Symmetry and size.....	5
	<hr/>
	100

BULLS.

Dairy temperament constitutes.....	38
Prepotency.....	15
Rudimentaries and milk veins	10
Color of milk in offspring.....	15
Symmetry and size.....	22
	<hr/>
	100

IN CONCLUSION.

Great as has been the growth of the Guernsey in popular favor and prosperous as has been her interests there is a sense of pride and satisfaction to those who have been associated with the breed that the ground she has gained has been won by her own honest efforts as a dairy cow. She has led by measuring her efforts by the critical test of a dairy cow *what she can do in the year race*, not what the butter maker might do with her products in short time trials. Records based on *butter fat* production for *extended periods* of time.

Returning the greatest amount for \$1.00 invested in food, making butter fat at least cost per pound, giving dairy products of the highest natural color and flavor, giving to the private estate that milk, cream and butter pleasing in appearance and excelling in usefulness, she and her grades being almost universally the favorites in the high class dairies of our large communities, such, friends, is the proud record of the Guernsey cow's advancement, and on such she appeals for recognition and support by the public.

THE ELIMINATION OF UNDESIRABLE VEGETABLE VARIETIES.

By LEONARD H. VAUGHAN, *Chicago, Ill.*

The general vegetable planting public today has but a slight knowledge of the vast increase in the number of names of vegetables listed by different seedsmen throughout the world in the past score of years. If a numerical summary of every name of each vegetable listed were made, the sum total would be almost incredible. A few years ago the U. S. Department of Agriculture, Bureau of Plant Industry, published a bulletin on garden beans, describing in detail some 400 varieties and 185 types, synonyms included. This did not include the names of hundreds of varieties of foreign beans, or the names of varieties listed by obscure seedsmen. Since that time, the writer does not remember a single year that from ten to twenty entirely new names or varieties have