DISCUSSION.

Mr. Burnett, after reading his paper, continued as follows:

I should like to show the arrangement of these "isophotal" curves, suggested in this paper. If we have here (referring to blackboard), a source of light, the customary method of plotting out its action has been to draw a curve on any arbitrary scale, showing the relative intensity in various directions in a vertical plane. My suggestion is that we consider the actual illumination throughout a plane of the space lighted and indicate the various curves of 1, 2, 3, etc.; or 10, 20, 30, etc., candle meters, the chart would be drawn to a scale of so many feet to the inch. The radial dimensions of these curves will be found to vary as the square root of the intensity of the light source in the corresponding direction, and all the of "isophotal" curves will be found to have the same general shape as the single light intensity curve as I now show, except as changed by shadows and diffusion. It would be at least interesting, if not of actual value, to proceed to chart out these curves in real instances. The only set that I have seen are those of Weber, which are referred to in my paper.

Having then mapped out the illumination throughout a vertical plane, we may show on our chart a surface upon which the light impinges, and draw a curve showing the distribution of the lighting in candle meters along a line of that surface intersected by the plane. A study of this sort of curves will show that the distribution of the lighting is much more uniform than a curve showing the intensity of the light in the various directions, radiating toward corresponding points of the surface.

From these rough curves which I have indicated, we make the deduction, as pointed out by Ryan, that the direction of the maximum intensity is different from and higher than the direction of maximum illumination.

As I show here, my instrument compares the normal lighting of the room falling upon this surface with the lighting on a similar and adjoining surface created by an adjustable lamp, suitable shades being provided to avoid interference between the lights and with the normal size of the pupil of the eye. Such an instrument would measure the illumination at the various points of a room and would furnish data for the construction of such a curve as I have indicated.

THE PRESIDENT:—Gentlemen, we have been presented with an exceptionally excellent array of luminous material, and the general subject is now open for discussion. We have with us this evening Prof. Nichols, a recognized authority on the subject before us. Prof. Nichols will open the discussion.

PROF. EDWARD L. NICHOLS:—Mr. President and Gentlemen: I came to-night to listen rather than to say anything, but I should like to express my admiration for the very admirable and ingenious manner in which Mr. Matthews has worked out the problem of rapid measurements of the mean spherical candle

power, both of the arc lamp and of the incandescent lamp. While it is true, of course, that the use to which a lamp is to be put, as the Chairman has stated in his introductory remarks, determines the question as to the direction in which the light shall flow, there can never be any other general method, I think, of comparing light-giving sources, except that of the mean spherical candle power. Whatever methods we use for our convenience or for special purposes, should after all be referred back to this, and the only reason why it has not come into general use, has, I take it, been that it has hitherto been most laborious and uncertain. Mr. Matthews has shown us how this can now be accomplished rapidly, and I am sure that he deserves the highest thanks of all interested in photometry for his labors in this field.

I should also like to say that I feel very strongly the point that the second reader, Mr. Burnett, made in his paper, with reference to the importance of the study of illumination as distinct from the mere photometric measurements of sources of light. We see growing indications everywhere of a realization of the importance of this side of our subject. I might say that we have in the laboratory at Cornell University made a step toward the practical study of these problems, by setting aside a room for the study of illumination. Dr. Sharp, who read a paper tonight, is the originator of that plan, and the room which he devised is being used. It is a room shaped something like this one, although not quite so large. The walls and ceiling can be draped in any desired way, so that the wall surface can be changed, using white, colored or black draperies. These draperies can be moved aside, and the walls, when the test is an important one, can be kalsomined or painted or coated with any desired pigment, and the floor can likewise be treated. The method which is employed and which I think is likely to yield important results, consists in dividing off the floor into squares of one metre and placing upon the floor at various points, a small white card the illumination upon which is determined in various positions by means of the Weber photometer. There are other devices for doing this, but this was the one that happened to be at our command and it works very well. The same piece of cardboard can then be placed on a movable stand at any desired height above the floor, and the illumination can be explored at a distance of one metre above the floor, two metres above the floor, and so on in detail. Thus the light field of the room can be plotted in detail, very much as one might study the magnetic field of a region, and maps can be made of the same. The lighting of the room is likewise capable of adjustment at will; that is to say, you can use as many lamps of a given kind as may be desired and those can be gropped as may be desired, in a central cluster, or around the walls or in any way, and the resulting illumination can be compared. I think that this is a line of work which will be very instructive to those who have occasion

to deal with artificial lighting, and it is certain that it ought to be carried on, not only in closed spaces of this kind, but likewise out of doors, since the question of the best method of street lighting is almost as important as the best method of lighting rooms. The fact has already been pointed out that our newer sources of artificial light are all too bright to be good for the eye, and I think there is no doubt but what the future of lighting as a fine art will consist, in a great measure, in placing the lamps where they themselves will not be seen, and getting the light from them in such directions and such quantity as may be most desirable for the work in question.

We are in the study of illumination only upon the threshold of exactitude. Dr. Sharp has pointed out that photometric measurements are capable of a considerable degree of precision, but photometry is only the beginning of the science of the study of illumination.

MR. FRANCIS R. UPTON:—The method of testing lamps by a comparison with a lamp in the same circuit, was one that solved many a hard difficulty that was met with in the early days of making incandescent lamps. The fact that Dr. Nichols was the first photometrist of incandescent lamps, is interesting, especially as he has followed that out for so many years. What he describes to-night regarding the study of illumination, is most important. What the light itself tests is nothing. It is what it does. That is what the public are looking at. There is one point about illumination that I have never seen mentioned; that is, the effect of the mass of light in New York City, and the mass of light in Newark, upon the clouds reflected back upon the landscape. At Orange at night, this is now so great that on a cloudy night, all the trees, all the houses, can be distinctly distinguished by the light from the clouds. This illumination is such that in New York harbor on any dark night you can see all the boats on the river and even the waves. I remember distinctly that when the question of putting arc lights on the piers or along the water front was discussed, it was thought that they would interfere with navigation. Now, the arc lights are so many, and the general illumination is so great that navigation is much aided.

THE PRESIDENT:—It is rather surprising to note that although clouds in the day time obscure the general illumination, clouds at night contribute to the illumination of the surrounding country. Mr. L. B. Marks has given a good deal of attention to this general subject.

MR. L. B. MARKS: The photometer of Prof. Matthews was brought to my attention about six months ago, and I at once became very much interested in the method of operation which was described to you by him this evening.

I find on looking over some of the literature relative to the subject of photometry, that in 1897, as I believe Prof. Matthews mentioned, the AMERICAN INSTITUTE OF ELECTRICAL ENGINEERS made the following recommendation as to the candle-power

rating of incandescent lamps. The Committee on Units and Standards reports: "Although incandescent lamps are at present rated by their horizontal candle-power, yet, since the only true criterion of the total quantity of light emitted by a lamp, is its mean spherical candle-power, we recommend that the rating of lamps should be based upon their mean spherical power so far as is commercially practicable."

Again, at the Great Barrington Convention of the INSTITUTE this year, a Committee further reported on the same subject in these words: "It is customary in industrial practice at the present time, to rate incandescent lamps upon the basis of their mean horizontal candle-power; but in comparing sources of light in which the relative distribution of luminosity differs considerably, the comparison should be based upon the total quantity of light or total flux of light emitted by each source."

The Committee appointed by the National Electric Light Association to investigate this question reported in 1902 in substance, that while in theory the mean spherical candle-power should be the final test for luminous radiation of incandescent lamps or other lamps, until such candle-power can be determined by a more correct and precise process than is now commercially available, it is best to depend upon the mean horizontal candle-power, etc.

In other words, it may be said that up to the present time we have had no means of commercially determining the mean spherical candle-power of incandescent lamps, that is, of making this measurement with the same accuracy and facility as now obtain in making horizontal candle-power measurements. Prof. Matthews shows us a practical way of obtaining the spherical measurement, and it is for this reason that his integrating photometer appeals to me most strongly.

My friend, Dr. Nichols, has long urged that the mean spherical candle-power unit is the only rational basis for rating incandescent lamps. Curiously, there has been great opposition to the adoption of this rating. At the meeting at Great Barrington, a distinguished representative of one of our leading electric light companies, took the ground that such a rating would be inexpedient for the reason that the people had been educated up to a 16 candle-power standard and that the lighting company would suffer if the lamps were sold on the basis of their mean spherical candle-power, which is really only about 13 c.p.

In this connection, I am reminded of our early experience in enclosed arc lighting. When the enclosed arc lamp first came out it was said that lamps of this type couldn't compete with open arcs because the maximum candle-power of the former was only about half that of the latter, for lamps consuming the same amount of energy. People had been educated up to the 2,000 c.p. standard of the open arc and it was contended that the lower rating of the enclosed arc would seriously handicap its introduction. This contention, it is true, was not without some founda-

tion for it took a few years to convince the people that the so-called 2,000 c.p. lamp was not giving them any more light than the 250 c.p. (mean spherical) lamp.

Now, we have an analogous situation with regard to the incandescent lamp. It is contended that the introduction of the spherical rating will seriously handicap the lamp companies, because the so-called 16 c.p. lamp will be rated at only about 13 c.p. But the spherical rating must come. It is the only true standard by which incandescent lamps can be properly compared, and its adoption will surely benefit the lamp companies as well as the lamp users.

Prof. Matthews has shown you how the instrument may be used for measuring the spherical reduction factor of the lamp, that is, the ratio of the mean spherical candle-power to the mean horizontal candle-power. This measurement is of considerable importance. I may say that some of the large lighting companies now specify in their contracts with the lamp manufacturing companies, that the reduction factor of the lamps supplied, must fall within certain narrow and specified limits. The direct measurement of this reduction factor has heretofore been impossible, but Prof. Matthews, as you have seen, has solved the problem in a very simple way.

It is quite as possible and practicable to rate a lamp according to its flux as according to its horizontal candle-power, and as Prof. Matthews has pointed out, the scale of his photometer may be calibrated either in lumens or in spherical c.p., so that the direct measurement of the total flux may be made with as great accuracy and celerity at the measurement of the horizontal c.p.

In ordinary measurements, as you know, it is necessary to slide the photometer carriage along the bar to obtain a setting. In the instrument we have before us, the photometer disc is fixed. Those who have had experience in making photometric measurements will appreciate the value of this improvement.

It also occurs to me that for making candle-power measurements of the Nernst lamp, in which case it is particularly important to measure the mean hemispherical intensity below the horizontal, an instrument of this kind will be very serviceable.

From a scientific point of view, the ingenious method by which Prof. Matthews has solved the question of the inequalities in the cosine law, is of extreme interest. Kennelly has also grappled with this very problem, and has attempted to solve the question by another method. The results of his efforts are quite well known. Prof. Matthews, however, attacks the subject from an entirely new and original standpoint. By a simple radial adjustment of the mirrors, he corrects not only for error in the cosine law, but also at the same time, for any difference in the coefficient of reflection of the mirrors. What is particularly interesting to me, as one who will be apt to use the instrument commercially, is the fact that the mirrors being once

set, need no further adjustment. For the solution of these various questions, I think Prof. Matthews deserves great credit.

MR. W. S. HOWELL:—The Lamp Testing Bureau some months ago tested one of Dr. Matthews' photometers, and found that its results checked very closely against results obtained by standard methods, so closely indeed, that we are now building one. We intend to use it for spherical measurements.

MR. F. S. SMITH:—Personally, I have been very much interested in Prof. Matthews' instrument, and I think that lamp makers are as much indebted to him as lamp users. I think that everyone who has gone into the matter at all, has appreciated that the existing methods of measuring incandescent lamps have been very unsatisfactory, and that the rating, in line with those measurements, has not been such as could be adapted to the various types. There was a paper here some little time ago which brought out that question very forcibly, and Prof. Matthew's instrument certainly reduces to a very simple matter, the question of the proper determination of the real value of a lamp.

THE PRESIDENT:—We have with us this evening, a gentleman who is the Physicist of the National Bureau of Standards, and is now a member of our Standardization Committee. He is here to-day to meet with that Committee—Dr. Rosa.

DR. EDWARD B. ROSA:—Mr. President, I cannot speak authoritatively on the subject of photometry. I can say, however, that I have listened with great pleasure to the papers that have been given; to the description of this very ingenious and practical photometer and to the account of the very satisfactory accuracy which has been attained in the Lamp Testing Bureau in their photometric work. I hope it will not be long before the Bureau of Standards will be able to contribute something to the subject of photometry. As soon as the new buildings of the Bureau are completed and equipped, work on that line will, I hope, be pushed with commendable energy, but at present, equipment is very moderate. We shall hope in the very near future, as I say, to take up photometry, and to be able to supply photometric standards wherever they are required.

THE PRESIDENT:—The subject is open for discussion, gentlemen. We will be glad to hear from any others. Mr. Rice.

MR. CALVIN W. RICE:—Mr. President, I take considerable pleasure in congratulating Prof. Matthews to-night. I think it is three years ago that I visited him in his laboratory to see the apparatus on which he was then working. There is no doubt of the satisfaction he had in showing me what he had then, and I think it must be the greatest satisfaction to him to be here to-night with the perfected device. I am not sure, but I think he was hoping to present this last June at Great Barrington, and was disappointed. Am I right? And therefore it is the added pleasure of finally succeeding. The remarks that Prof. Nichols made to-night are very interesting. I have a written com-

munication from Mr. A. J. Wurts—and, if possible, I would like to have the Secretary give him credit for the communication—suggesting the Room Photometer. In substance, it was just as Prof. Nichols outlined, as a practical commercial photometer for comparing illumination. If I might interject a request to every gentleman who will give remarks to-night, speaking as a member of the National Electric Light Association Committee on Standards, it will be a great help to the art if some one would suggest a satisfactory primary standard, something more permanent, something more definite, if I am correct in using that expression. We are still in need of an acceptable universal standard, and if anyone could suggest an acceptable universal standard that could be reproduced, I think it would be a great help to the art, and I hope that some one to-night in his remarks, would suggest something for the physicist to employ and develop.

THE PRESIDENT:—While Prof. Matthews was speaking, I recalled the very pleasant hour that I spent with him in his laboratory several years ago, and I was struck then with the thoroughness with which he entered into this work, and his paper this evening has shown how fully this work has been carried out, and how every detail seemingly has been elaborated so that he has a very complete instrument.

I notice Mr. W. J. Hammer. Mr. Hammer has given general attention to this subject.

MR. WILLIAM J. HAMMER:—I am afraid I cannot contribute very much to this subject, Mr. President. I think the suggestion that Dr. Nichols made, and which Mr. Burnett, Mr. Upton and others echoed regarding what the public wants in the way of illumination in any given area is an exceedingly important one, and an idea occurred to me which may not be a practicable one now, but which a little later Cornell University or the Bureau in Washington might be able to carry out, *i. e.*, that in such a room as Prof. Sharp arranged at Cornell, the illumination might be studied by placing selenium cells around the room. We know that all parts of a room have been studied in connection with ventilation and heating problems by placing thermometers in all parts of the room and subsequently plotting the curve showing the circulation of air and variation in temperature.

While I am somewhat familiar with the character of that remarkable substance “selenium,” and the manner in which it varies its resistance when exposed to a varying amount of light and also the difficulty often experienced in getting the same results twice from the same selenium cell, and of making it so that it would remain constant, still I believe that we shall ultimately be able by means of such selenium cells to study and plot out curves showing the varying degrees of luminosity in all parts of a room.

I had the pleasure during my recent trip abroad of seeing some very interesting work which had been done by Mr. Ernest

Ruhmer and his father in making the selenium cell much more constant and reliable, and I was very much impressed with the future possibilities of it, after witnessing the very interesting demonstrations made at the Ruhmer laboratory in Berlin.

THE PRESIDENT:—Are there others who desire to take part in the discussion?

MR. MARKS:—I understand that Dr. Stratton, of the National Bureau of Standards, is present.

DR. STRATTON:—I can do no more than say what others have said, that I am very much interested in the papers of the evening, especially that of Dr. Matthews upon his new photometer. As to the work of the National Bureau of Standards, Dr. Rosa has stated our position very well. We hope to be in a position to help you in the very near future and to report actual progress rather than plans. It has given me great pleasure to meet with you this evening.

THE PRESIDENT:—I will now call upon the readers of papers for any further remarks they may have and name them in reverse order—Dr. Sharp.

DR. SHARP:—Mr. President, I wish to speak on just one point, that is, with reference to the suggestion of Mr. Rice about standards. I think it would be very desirable indeed to have a better standard, and I would like if Mr. Rice would state specifically what objection he has to the incandescent lamp as a secondary standard of light. Those who have used incandescent lamps in that way, and their name is legion, have found them very satisfactory, I think, for most purposes of photometry; and it would be hard to imagine anything which will more perfectly fulfill the requirements of a source of light, reproducible anywhere and constant if properly used for a limited amount of use, than the incandescent lamp. I hardly think that it is a fair thing—I don't know that Mr. Rice intended to do anything of the kind—to cast aspersions on the incandescent lamp as a standard, without finding fault with it in a specific manner.

MR. RICE:—I would like to remark that I referred to the primary standards of candle power and not to the secondary standards.

MR. MARSHALL:—Mr. President, I have nothing further to add. It is often said that imitation is the sincerest flattery, and I wish to state that this photometer of Dr. Matthews, has been brought to the attention of the lamp works at Harrison, and that we have thought so favorably of it, that we have obtained permission from Prof. Matthews to build such a photometer, and that we are now building one.

THE PRESIDENT:—You intimated in your paper that it was not necessary to get such permission.

MR. BURNETT:—I am very glad to know that Dr. Nichols has undertaken to investigate these questions at Cornell and I was

surprised that we had not heard from him along that line before now.

The Weber photometer, which he is using, is a thoroughly developed instrument, but its objection is that it chokes off the light which impinges upon the surface, the lighting of which is to be measured, and adjusts it so as to bring it down to the lighting from a standard lamp on a surface at a fixed distance. The same difficulty, if it can properly be called a difficulty, exists with the Houston and Kennelly luminometer. In that instrument the light falls upon a surface of glass, is transmitted through it and is then choked off in a similar way so as to give an illumination equivalent to that of a small standard lamp at a fixed distance.

The object of such an instrument should be not in any way to vary the light which has fallen upon the surface, but to compare our standards with the light and thus get a direct measurement or comparison. I think I can say, without any show of egotism, but purely in the way of reference, that the instrument which I have suggested involves the desirable feature of Prof. Matthews' instrument, that the position of the photometer surfaces by which the lights are compared is not varied and does not require any adjustment of the position of one's head in taking the measurement.

THE PRESIDENT:—I think I may state in a word a résumé of the remarks which have been made upon Prof. Matthews' paper—that he has given us something of exceptional interest and value, his results show careful scientific work, and the embodiment of this work in an instrument which is of practical utility. It is well worked out. He has given us something which is valuable and useful, an advance is made in the art of measurement, and he has also given us an account of his work which is also of particular interest, as it shows an evolution. It is an instance of interesting personal work which has had a very happy outcome in successful results. Prof. Matthews.

PROF. MATTHEWS:—I do not think, Mr. President, that I have much more to say. I wish to express my hearty appreciation of Dr. Sharp's paper, because I think that photometry and photometric measurements have long been under a cloud. This is partly due to the fact that anybody thinks he can make photometric measurements, if he cannot do anything else—an opinion which is not true. The basis of photometry is a very simple thing, but the practice of it takes skill and experience, and therefore I was very glad to have brought up here some discussion which shows what can be done in good commercial photometry.

Of the many kind remarks that have been made regarding my own work, I wish to express my appreciation. I have put a good many years of work on photometric subjects. I think perhaps the remarks this evening will be inclined to increase the mean spherical radius of my head, if I am at all susceptible.

However, I thank you very much for the kind reception you have given me.

On motion, the meeting adjourned at 10.45 P. M.

[COMMUNICATED AFTER ADJOURNMENT BY EDWARD P. THOMPSON.]

Having followed the invention underlying Prof. Matthews' new photometer, through the United States and foreign Patent Offices, and having been unable to attend the meeting, I take pleasure in adding my commendation of the valuable experimental and practical work obtained by the author of the paper. It may not be amiss to add something about the actual novelty of the device considered as an invention. This may best be accomplished by quoting one of the claims granted by the United States Patent Office as an award for his ingenuity.

"In an apparatus for measuring candle power, the combination with the support for the light to be tested, of a photometer screen, and mirrors so fixed as to illuminate said screen proportionally to the mean spherical candle power of said light, said mirrors remaining stationary during the operation of measuring the light."

This is one of the twenty-three claims granted by the Patent Office. It serves to show that Prof. Matthews has originated a new type of photometer, and the members will no doubt greatly appreciate his services in providing an instrument which will so readily save time and tedious calculation.

I have also examined complete drawings of Mr. Burnett's photometer for measuring illumination in terms of the number of luxes instead of in terms of distance. The device as practically carried out is exceedingly simple, and without movable parts. There is nothing to get out of order.

CRITICISM ON THE MEAN SPHERICAL CANDLE POWER AS A STANDARD FOR ILLUMINATION.

[COMMUNICATED AFTER DISCUSSION BY ALEXANDER J. WURTS.]

The mean spherical candle power is unquestionably the present accepted standard of light, but in reviewing a subject of this kind, it often is instructive to consider whether we may not be somewhat biased by a practice, rule or standard which has ceased to be either useful or practical. The question arises as to whether we wish to continue this standard as our guide. Does the so-called standard meet with our approval? Does the mean spherical candle power, as a standard, measure that which we desire to have measured? In the opinion of the writer, it fails to do so and it would seem that something which more nearly meets our present needs should be devised.

In years gone by, when the incandescent lamp was practically the only electric lamp in commercial use, and later, even after the arc lamp had been introduced, the photometric determination