Annals and Magazine of Natural History: Series 6

Publication details, including instructions
for authors and subscription information:
<http://www.tandfonline.com/loi/tnah12>

LXVI.—On a new African Pierine Butterfly of the genus *Mylothris*

Arthur G. Butler Ph.D.

Published online: 06 Oct 2009.

To cite this article: Arthur G. Butler Ph.D. (1897) LXVI.—On a new African Pierine Butterfly of the genus *Mylothris*, *Annals and Magazine of Natural History: Series 6*, 19:114, 627-627, DOI: [10.1080/00222939708680586](https://doi.org/10.1080/00222939708680586)

To link to this article: <http://dx.doi.org/10.1080/00222939708680586>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs,

expenses, damages, and other liabilities whatsoever or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

behind the labrum is finely striated. The striæ on the third and fourth whorls are numerous and thread-like.

Arinia blanda.

Testa minima, dextrorsa, alba, subpellucida, tenuissime oblique striata, striis supra tergum anfr. ultimi magis distantibus; anfr. $5\frac{1}{2}$, perconvexi, penultimus ultimo latior, ultimus parvus, pone oblique descendens, ad labrum leviter ascendens, supra columellam varicose tumidus et constrictus; apertura subcircularis, longit. totius $\frac{1}{4}$ adæquans; peristoma incrassatum, reflexum.

Longit. 2 millim., diam. 1.

Hab. South Flores, at 4000 feet.

The constriction upon the body-whorl above the aperture marks the termination of the very fine striæ, those upon the rest of the whorl being conspicuously further apart.

LXVI.—On a new African Pierine Butterfly of the Genus *Mylothris*. By ARTHUR G. BUTLER, Ph.D. &c.

THE following species was received among the Old-World Pierinæ of the Godman and Salvin collection:—

Mylothris primulina, sp. n.

Intermediate in character between *M. asphodelus* and *M. sulphurea* from the Cameroons.

♂. Above milk-white, the costa and the basal area of primaries to end of cell bright cowslip-yellow, changing at base and on the basal half of costa to bright cadmium-yellow; a smoky black apical patch, rather broader than in *M. sulphurea*, a large spot almost confluent with the latter at end of second median branch, and a dot at end of first median branch also black: secondaries bright cowslip-yellow at base, six small black marginal spots. Body above greenish grey; abdomen creamy white at the sides. Primaries below with the cadmium-yellow at the base more extended and the apical third of the wing traversed by greenish-yellow internervular streaks; apical patch only visible through the wing, but seven black marginal spots: secondaries with the yellow at base slightly more extended and the base of costa cadmium-yellow, the outer border faintly tinted with primrose-yellow, the black marginal spots rather larger than above. Body below creamy white, the pectus with a feeble tint of primrose.

Expanse of wings 58 millim.

Ondo country, Lagos (*Sir G. Carter*). From Godman and Salvin coll.

We have two males of this very pretty species.