the boys from those of the girls at the asylum." Having such facts before us, we need, be it parenthetically remarked, wonder little that an ant should distinguish strangers of the same species from its own fellow-citizens. Nor need we feel surprised that the ichneumon should become aware of the presence of a larva deeply buried in perfectly opaque matter.

But the case which Dr. Davey has to describe is of a much more remarkable character. It is not the mere increase of the acuteness of one special sense in compensation for the loss of others. The delicate sense of smell possessed by Julia Brace enabled her to distinguish objects by recognizing minute shades of odor which for ordinary human beings are non-existent. But it did not undertake the direct functions of the eye or the ear. It did not, *e. g.*, enable her to read. What, however, is to be said when we find a blind and deaf woman examining a picture or a photograph with the fingers of the right hand, and then being able to give a description—often full and detailed—of its coloring and the several objects thereon? What must we think that she is communicating with "by writing with the finger on her face, which is so sensitive that it receives and transmits to the brain the slightest movements of the finger, whether moved up or down, across, or in any direction?"

The first comment made in many quarters will be a lamentation about spiritualism, jugglery, *dominant ideas*, and the like. On this hand let us first hear Dr. Davey describe his own position: "I shall treat the subject in hand from a physiological standpoint. Of matters supernatural or forces outside nature I know nothing. If any one here expects me to discourse or speculate on the immaterial, the metaphysical, he will be disappointed: for this single and sufficient reason, I believe in nothing of the kind. As a materialist I hold that to degrade matter as is now done, to regard matter as else than the mainspring—the only direct and sufficient cause of each one and all of the vital phenomena—else than the ever-potent force at work in and through both the organic and inorganic worlds—and as such doomed, in virtue of natural law, to realize, ever and anon, that sublime adaptation of means to the end, at once sustaining, perfecting, and all-wise—so I say to degrade matter is to stem the tide of truth, of progress, and humanity. Matter and force stand now, as they ever have done and will continue to stand, in the near relation to each other of cause and effect, and so it is they cannot be separated from each other." Surely after such a confession of faith we need not expect Dr. Davey to err in the direction of the occult and mystical!

The woman upon whom the observations have been made is a Mrs. Croad, of Clifton. She became totally blind in 1870, deaf in 1871, and is moreover partially paralyzed.

In the experiments performed, in the presence of Drs. Davey, Andrews, and Elliott, every precaution seems to have been taken. The blindness of the patient was not taken for granted, but she was thoroughly blindfolded. Although "the eyelids of Mrs. Croad have been for many years persistently closed by a spasmodic action of the muscles," a pad of cotton-wool was placed over each orbit; "the face was then covered by a large and thickly-folded neckerchief; this was tied securely at the back of the head, and—even more than this—more cotton wool was pushed up toward the eyes on either side of the nose. Not content, however, the aid of two fingers of a bystander were called into requisition, and with these a continued pressure was kept up outside and over the neckerchief and wool, and above the closed eyes." Moreover the room was on two occasions very thoroughly darkened. Under these circumstances the experiments were conducted, and, as far as can be judged by any one not actually present, the results must be accepted as decisive proof that the fingers were doing duty for the eyes. On a picture card or a photograph being handed to her, she "places it on or about the chin or mouth, and perhaps draws it across the forehead, but the minute examination of the card is apparently the work of the fingers of the right hand. These several acts are, for the most part, followed by a quiet and intense thought, a well-marked concentration of mind on the picture, when, after a short time, she writes on a slate kept near her a description—sometimes a full and detailed one—of the card, its coloring, and the several objects thereon. Occasionally her rapid and precise perception—or, if you prefer the word, conception—of the picture, and of the many, though minute and trifling, objects going to form its entirety, is really startling."

We have already mentioned the manner in which Mrs. Croad's friends communicate with her, by writing, so to speak, with the finger on her forehead. This the author does not think very remarkable, all that is requisite being a heightened sensitiveness of the nerves of the face. But her daughter communicates with her in a different manner. Miss Croad does certainly move her fingers over and about the face of her mother, but—unlike visitors and friends—forms few, if any, letters or words. "As a rule it was simply requisite that she put herself in a close or personal contact with her mother, to convey to her what was wished."

Mrs. Croad is also said—indeed Dr. Davey gives an instance from his own experience—to have the power "of detecting, as it were, by sympathy or by a community of ideas and feeling, any letter written by a friend of hers, and put into her hands by a third party." We should be rather disposed to refer this power, if it really exists, to an intensification of the sense of smell, as in the case of Julia Brace.

There are other features of the case for which Dr. Davey does not personally vouch, but which are much more inexplicable. Thus: "It is said by those near and dear to her that such is Mrs. Croad's prevision that she has been known to have foretold my own visits to her: what I mean is, that on my approach to the house she occupies, but when still at a distance from it, and unseen by any one about her—in fact not within sight—she has said 'Dr. Davey is coming; he will be here directly.'" This is, indeed, very difficult to believe, and we shall take the liberty of referring it to that great group of occurrences, real or supposed, on which we suspend judgment. The author mentions, however, that his friend Dr. Maclean had, in the earlier part of his practice, a hysterical patient who displayed "the same lucidity." "But this is clairvoyance," will be the exclamation of many, "and, if clairvoyance, delusion!" What it is to be called seems, however, to us a very subordinate question. The first consideration is, Are the details above given, of the perception of pictures and photographs with the fingers, actual facts? We must avow that we see no reason to doubt it. The woman is pronounced blind, not merely on current report, but on substantial medical authority. The precautions taken, in case she still possessed any remnant of sight,

seem fully sufficient, especially if we call to mind that on two occasions the room was darkened. The only loophole left for those who contend that Mrs. Croad and her friends are deceivers, and have succeeded in mystifying Dr. Davey and his professional friends, is the theory of collusion. Did any person present, for instance, and more especially the daughter, convey to Mrs. Croad hints as to the nature of the pictures and photographs by means of touches or pressure? It has been already stated that a peculiar "sympathy," or "community of ideas and sensations," existed between the mother and the daughter. This point has not escaped the attention of the author. He informs us that "Miss Croad stood or sat, as a very general rule, on the left of her mother and very close to her; in fact the head of Mrs. Croad reclined on the right shoulder of her daughter, to say nothing of the frequent, though temporary, contact of the fingers of Miss Croad with the cheek of her mother." Dr. Davey, therefore, very naturally asks, "In what relationship, if any, did such close and personal contact of these two persons stand to the strange perceptive power already explained with regard to the picture-cards and photographs? Was the said contact the cause or source in any degree of the lucidity or clairvoyance manifested over and over again by Mrs. Croad, and witnessed by so many?" It has been suggested that Miss Croad did, in some strange way, convey to her mother during the testing a knowledge of the cards, the objects represented on them, their colors, etc. Well, the suggestion was acted on: the same testing, on being again and again repeated, and in the absence of Miss Croad from the room occupied by her mother, proved altogether and conclusively in favor of Mrs. Croad. The same evidence of the same "transference of special sense" from the eyes to the fingers was always forthcoming.

Hence, therefore, except we are prepared to say boldly "*Tant pis pour les faits*," we must accept the phenomena as genuine, and may, if we please, pronounce them clairvoyance.

But we must now refer to the two cases where the experiments were performed, as it would appear successfully, in a darkened room. Here the eyes would evidently be at fault. Sight depends plainly on a perception of the rays of light partially absorbed by and partially reflected from the surfaces of bodies illuminated. But where there is no light, either absorbed or reflected, seeing, as we commonly understand it, can be performed neither by the eye nor by any other organ of the body acting vicariously in its stead. Two suppositions are, however, still open: Do objects which have been illuminated, and which in consequence of their varied coloration have been differently affected in different parts, retain for a longer or shorter time the power of acting upon a highly—we will say a morbid—sight organ? Is phosphorescence possibly a general property of matter, provided we had a sufficiently delicate test for its recognition?

Our second suggestion is, Do the phenomena above detailed prove the transference of the sense of sight from the eye to the finger-tips, or rather the development in them of a new sense not dependent on light in the ordinary sense of the term? The well-known experiment of Spallanzani on bats, which Dr. Davey quotes, as well as certain phenomena of insect life with which we have been much concerned, seem to favor this notion. The possibility of senses other than the five commonly recognized in man and the vertebrates generally cannot be rationally denied. Positive instances of their occurrence are still to seek.

Whether either of these suppositions will explain all the phenomena here noted is, however, doubtful.

The author says: "It should be stated that at my second interview with Mrs. Croad, and in the presence of Dr. Andrews and others, certain of my own personal and private convictions on a particular subject became as it would seem, in a strange and exceptional manner, known to Mrs. Croad. She asked me if I would allow her to tell me a secret in my own life-history, and would I be offended if she wrote it on her slate? I replied 'No.' That written on the slate was and is a fact, than which nothing could or can be more truthful and to the point. Dr. Andrews is prepared to verify this." Here all explanation of the present state of our knowledge is wanting. We fail to see how any known—it might almost be added any conceivable—sense could enable one person to perceive the past experience of another. Many readers will at once cut the knot by a simple denial. For our part we do not feel at liberty to escape from the difficulty in this manner. We are accustomed to accept the evidence of a gentleman and scientist unless we have already found him to be a defective observer and self-deceiver, or unless his statements are mutually contradictory or opposed not to imperfect and doubtful theories, but to established facts.

We read further: "It should be added, on the authority of Mr. Westlake, that Mrs. Croad asked his wife whether there was a room beyond (pointing where there was a passage). Being told 'Yes, two,' she said, 'What does the servant do down there at night when you are all in bed?' She was told that the servant had no business there, and the reply was, 'Well, she does go down there; I have known her do it more than once. She takes off her boots first.' It is added, 'We made inquiries, and found that when she thought we were all asleep the girl went into these rooms and helped herself'—little thinking that her movements would be traced by a blind and deaf woman!

It is to be deeply regretted that such statements as we find in Dr. Davey's pamphlet, instead of being carefully verified and then rationally studied, as would be the case if some novel phenomenon in inorganic nature were concerned, are contemptuously denied by some, and purposely interwoven with charlatanry by others.—*Journal of Science*.

COPYING INK WITHOUT A PRESS.

A PAPER on this subject by Prof. Attfield, F.R.S., etc., was lately read at the annual Pharmaceutical Conference at York. The author stated that for the past thirteen years all letters, reports, etc., that he had written had been transcribed into an ordinary thin-paper copying-book with no more effort than was employed in using a piece of blotting-paper. It had only been necessary to place the page of writing, note size, letter size, or even foolscap, in the letter-book, and use a leaf of the letter-book just as one would use a leaf of blotting-paper. The superfluous ink that would go into blotting-paper went on to the leaf of the letter-book, and, showing through the thin paper as usual, gave, on the other side of the leaf, a perfect transcript of the letter. Any excess of ink on the page either of the letter or of the copying-paper was removed by placing a sheet of blotting-paper between them and running one's hand firmly over the whole in the ordinary manner.

This ready transcription was accomplished, as would be anticipated, by using ink which dried slowly. Indeed,

obviously, the ink must dry sufficiently slowly for the characters at the top of a page of writing to remain wet when the last line was written, while it must dry sufficiently fast to preclude any chance of the copied page being smeared while subsequent pages were being covered. The drying must also be sufficiently rapid to prevent the characters "setting off," as printers term it, from one page on to another after folding.

The author then alluded to some difficulties attending the employment of the ink which had prevented its becoming an article of wholesale trade, but, he said, any chemist and druggist could make it and sell it, giving directions for use to customers. He himself had used it from year's end to year's end without any trouble whatever. It would be particularly useful to professional men and private persons.

The principle of the method of preparation consisted in dissolving a moderately powerful hygroscopic substance in any ordinary ink. After experimenting on all such substances known to him, he gave the preference to glycerin. Reduce, by evaporation, ten volumes of ink to six; then add four volumes of glycerin. Manufacture some ink of nearly double strength and add to any quantity of it nearly an equal volume of glycerin.

THE PROGRESS OF BACTERIA INVESTIGATION.¹

By G. MARPMANN.

No class of organisms has, during the last few years, incited so many experiments and has such results to register as the small limited division of the Protozoa to which Nägeli gave the name of "Schizomycetes." Whether these are fungi or algæ, belonging specially to the Oscillatoria, or are to be placed with the Monads at the commencement of the animal kingdom, is yet undecided. These beings form a kingdom by themselves, and have occupied, not botanists alone, but equally zoologists, chemists, physicists, medical men, and philosophers. Even the "lity" have become accustomed to take into account the bacteria as they are shortly named, which are described to them as "germs" and said to threaten health and life. Further, no other group of organisms have a similar sphere of distribution, since their existence is neither conditional upon water nor upon the oxygen of the atmosphere.

For this reason bacteria are found everywhere where organized matter presents to them the means of sustaining life; in water, in blood, and other animal juices and secretions, in plants, in the sediment of the deep sea, upon the glaciers of the highest mountains, and even in the freshly-laid hen's egg. They appear in abundance where organic matter putrefies slowly exposed to the air. Their spores and forms having the power of development occur in the air in every region and accumulate where the atmosphere is moist and but little disturbed.

Thus bacteria form a material for investigation easily obtainable, but their minuteness, transparency, and movements make them most difficult objects for examination. It is only in more recent years that, by the use of new methods of examination, it has been possible to study them more closely and also to figure the moving forms. Numberless observations are distributed throughout botanical and medical literature, and during the last ten years have taken a range known to no other class.

These facts impose upon journals dealing with departments of natural science the necessity of providing from time to time summaries of the progress of bacteria investigation. This is the object of the following lines, and I would remark beforehand that it is not intended to refer to all the observations of recent years, but rather to the principal of those which make us acquainted with the nature of bacteria and theories concerning them, and, when necessary to the explanation or establishment of a theory, to go back to the observations of earlier years.

1. *Recognition, Form, and Preservation of Bacteria.*—Most forms of bacteria are easy to recognize, and after one observation can scarcely again be confounded with other bodies. Only the smallest forms of micrococci or spheroid bacteria present some difficulties, and these may be mistaken, even by the practiced observer, for inorganic matter or coagulation. The chemical reaction of such colonies of micrococci was pointed out by Weigert.²

"The granular mass is insoluble in acetic acid, hydrochloric acid, caustic potash, glycerine, alcohol, chloroform, and oil of cloves. Hæmatoxylin alum colors it dark blue, as also does methyl violet with subsequent washing of the preparations in dilute acetic acid. The mass is colored red by carmine, hydrochloric acid, and glycerine, and brown by carmine and subsequent washing with dilute liquor ferri sesquichlorati. The formation is most beautifully seen when it is first treated with hæmatoxylin, then washed with dilute solution of potash, treated with concentrated acetic acid and examined in glycerine."

These reactions afford in doubtful cases certain evidence whether active bacteria or inorganic particles are before the observer.

So far as is known, all bacteria consist of single cells, and consequently their forms are not very manifold. Four fundamental forms are known: the spheroid, rod-shaped, thread-like, and spiral. These forms constitute at the same time the principal groups of the bacteria system. Of various experiments in systematic arrangement only the system of Cohn³ will here be referred to. This includes in forty-five species the whole of the Schizomycetes, together with their next phycochrome-containing allies.

The question now arises, Are the different species true, and, consequently, confined to one definite form, or can one form pass into another? This question has a background rich in results, as will be seen subsequently. It has for the time separated investigators in two opposite directions, and has, consequently, not found a settlement. Hallier⁴ saw the growth of bacteria into threads. Klebs⁵ saw the conversion of micrococci into bacteria and these into contractile pigment granules. Billroth⁶ assumes as the fundamental form the spheroid bacteria—*Coccobacteria septica*—which are said to multiply by elongation and division. Nägeli⁷ takes the same standpoint, assuming the spheroid cell to be the fundamental form, and ascribing to it likewise the power of elongation and transverse division. On the whole, the

¹ From the *Pharmaceutical Journal*.—Translated from the "Archiv der Pharmacie" [3], vol. xv., p. 31.

² "Jahresbericht der Schlesisch. Gesellsch. für Vaterland Cultur," 1875, p. 230.

³ "Beiträge zur Biologie d. Pfl.," vol. ii., p. 3.

⁴ "Zeitschrift f. Parasitenkunde," vol. ii., p. 2.

⁵ "Vierteljahrsschrift f. gerichtl. Medicin," 1873, p. 369.

⁶ "Untersuchungen über die Vegetationsformen der Cocco-bacteria septica," Berlin, 1874.

⁷ "Über die niederen Pilze," "Deutsche Med. Wochenschr.," 1876, p. 590.

morphological distinctions of the different forms appear to Nägeli to be "too small," and the functional distinctions as "not proven." For instance, according to him the lactic fermentation and putrefaction are caused by the same bacteria. On the other hand, he disputes the passing of bacteria into the higher fungoid forms.

The other section, who maintain the truly specific character of the different bacteria, have their principal supporter in Cohn, according to whose investigations of the "Hauercillen" the specific character of this form is established. Ogston² brings direct evidence against the opinion of Billroth and Nägeli as to the transformation of the micrococci. He bred micrococci under a Lister's bandage in fresh hen's egg, and obtained a perfectly pure cultivation of them.

After forty days' cultivation of the injected egg at a blood heat, it was full of micrococci. It showed only the yolk broken up, the white being unaltered; while eggs that were heated with other organisms gave off a striking odor and showed an altered white with a blackened yolk. The final decision upon the specificity of a definite form is bound up with the difficulty of the pure cultivation of these smallest of organisms. Nägeli, in 1876, maintained a pure cultivation to be impossible. We have seen that Ogston has effected this with a micrococcus form, and therefore we may hope

Fig. 1.—Bacilli with terminal filaments. Magnified 500 times.

that it is not impossible to accomplish a pure cultivation of other forms. However, the direct observation of a change of form is equally difficult, probably more difficult than a pure cultivation. And it may be that to the united observations of Hallier and Klebs equally as little argumentative force belongs as to the theoretical conclusions of Billroth and Nägeli, but further arguments in this direction are not forthcoming.

On the other hand it is established that the relative dimensions alone are not sufficient to establish a species, since the propagation takes place both by transverse division and formation of spores, and therefore a single form would have a different dimension according to the age. Possibly particular actions belong to separate stages of the development, though this opinion loses generally in probability through the observations of Cohn upon the rapidity of the multiplication. In the domain of the chemistry of fermentation it has been demonstrated experimentally by Fitz³ that two different glycerine fermentations are effected by two different forms of bacilli, one form being double the size of the other. According to the products of the fermentation Fitz distinguishes them as the ethyl and butyl bacillus.

The opinion that the forms are quite definite which produce the known fermentations and infective diseases, that these forms are not changed by grafting upon other substrata, and that they are confined within quite narrow conditions of life, has been strengthened by various experiments upon pathogenic Schizomycetes; for instance, Koch⁴, upon *Bacillus anthracis*, the carbuncle bacillus; by Klein,⁵ upon *Bacillus minimus*, in the typhoid of swine; by Klebs and Tommase⁶ upon *Bacillus malarie*, the excitant of malarial fever; by Obermeyer, Heydenreich, and others, upon the forms of Spirochætes in relapsing fever, and many other observations too numerous to mention.

A similar perplexity existed during sixty years in the dis-

Fig. 2.—Spirillum udula. Magnified 500 times. Faintly colored with methyl violet.

tinguishing of the Diatomaceæ. Many species that were based upon differences in size had to be abandoned when investigators had learnt to recognize the developmental history of the families. So also the developmental history of the Schizomycetes will explain their systematology.

For the preservation of bacteria a very beautiful method has been made known by Koch⁷. It consists in drying the liquid containing the bacteria in a very thin layer upon the object glasses, so as to fix the bacteria in a plane, treating this layer with coloring material, and then again moistening it to restore the bacteria to their natural shape and make them distinctly perceptible, so that the preparation may be

inclosed in a preservative liquid and finally be photographed. Object glasses with dried bacteria last for a long time, and can be transmitted very well. For the moistening of the layer Koch uses a solution of one part of acetate of potash in two of water. In this solution the bacteria take their original form without becoming loosened from the glass. For coloring he uses a mixture of a few drops of a concentrated spirituous solution of fuchsin or methyl violet with fifteen to thirty grains of water. The preparation so colored may be inclosed in concentrated solution of acetate of potash or in Canada balsam.

For photographing a preparation colored with aniline brown is best suited; this must be inclosed in glycerine. By this method bacteria investigation is essentially promoted. As above remarked, the small size, the movability, the absence of color or the power of refracting light, cause the greatest difficulties in the investigation of these beings. It is impossible in a swarm of moving bacteria to fix one specimen so as to measure or to figure it. By the method of Koch these difficulties are removed, and photography renders the more delicate conditions which are not perceptible in a direct observation or only with much trouble. In this way the glistening filaments which were first seen by Cohn, and afterward by Dollinger and Drysdal with great difficulty, are beautifully visible in the photographs. Mucus vesicles,

Fig. 3.—Spirochætes from the mucus of human teeth. Magnified 500 times.

spores, membrane, and protoplasm contents can also be well distinguished.

PHYSIOLOGY OF THE BACTERIA.

Bacteria are parasites; like all fungi they take oxygen from organic and inorganic oxygen compounds and give off hydrogen, which combines with the elements present to form hydrogen compounds. They are anaeroids, that is, they can develop and multiply in the absence of air. Some forms appear to require the exclusion of air for their regular development. The proof of this was furnished in 1876, by Hufner. He allowed pieces of flesh to stand in an exhausted vessel during two weeks together with water and some drops of putrid liquor. The gases evolved consisted of carbonic acid, hydrocarbons, and free hydrogen. The mass was putrescent, and showed an abundant development of bacteria. A simple method of detecting hydrogen in fermenting liquid was given by Selmi, which consists in mixing powdered sulphur with the fermenting substance, when the hydrogen set free combines with the sulphur to form sulphureted hydrogen. By this means the separation of hydrogen by moulds was recognized by Gignio Cugini. This simple fact furnishes an explanation of the chemical action of bacteria and the lower fungi. It may be affirmed that the action of bacteria generally is a reducing and exceptionally an oxidizing one. Whether exceptional forms can live—that is, can be propagated—upon air and water is doubtful; toward most bacteria air acts as a poison, as does light also toward many. These kinds take up their necessary oxygen from definite compounds of the nutritive substance. A chemical decomposition results, as final products of which CO₂, CH₄, and H in the case of non-nitrogenous substances, and NH₃ in that of nitrogenous substances, have a tendency to appear. If the free hydrogen comes into contact with the oxygen of the atmosphere water and ozone are formed.

From this it may be concluded that bacteria excluded from atmospheric air exercise a reducing action, and in the presence of air probably an oxidizing one. Reducing actions are frequently referred to the life-process of bacteria.

Fig. 4.

Thus the conversion of nitrate into nitrite was, as far back as 1868, ascribed by Schonbein, to the life-process of lower organisms.

Griessmayer,² Meusel,³ and others found bacteria always to be the cause of the formation of nitrites in water.

The reduction of sulphuric acid by species of *Beggiatoa* has long been known; it takes place with separation of sulphur and sulphureted hydrogen. To this action many medicinal springs owe their contents in sulphureted hydrogen.

Oxidation processes go on, as already stated, probably only in the presence of air. Direct observation upon this point have been published by Pflüger,⁴ who investigated the phosphorescence of putrefying organic matter, and found that phosphorescent fish, wood, etc., lose their phosphorescent powers in a vacuum and recover it upon access of air. Schizomycetes were recognized as the cause of the phosphorescence in phosphorescent fish, wood, and the

slime of marshes. Bechamp¹ referred the oxidation of acetic acid to the action of bacteria.

According to the experiments of Schlösing and Muntz,² the oxidation of ammonia to nitric acid in the soil depends upon the presence of bacteria in the earth. Bacteria would, therefore, also play an important part in the saltpeter plantations.

These processes are unimportant when compared with the changes which, known under the collective name of "fermentations," are due to the life-process of bacteria and the lower fungi. Ever since the commencement of scientific chemistry, from the time of Lavoisier, these fermentations have been an *enfant terrible*. Experiments to explain them have not been wanting, but investigators have been lacking the intellectual freedom to maintain the truth. Until the time of Darwin, all, or at any rate most, naturalists lay in the shackles of petty authorities, and these were not disposed to lose one atom of their intellectual sway.

Even at the present time, much in connection with this subject remains dark, so that we have often to content ourselves with empty words; nevertheless every year brings with it great empirical results which throw more and more light upon this darkness. But the scientific results of our time depend for the most part upon the unprejudiced judgment of empirical observations. That this was not the case

Fig. 5.—*Bacillus anthracis*, with formation of spores. Magnified 700 times.

thirty years since an example from Berzelius will show. Gay Lussac ascribed fermentation to the oxygen of the atmosphere, and subsequently to electricity. Fabroni sought the cause in the reaction of vegetable acids upon sugar. Berzelius now discovered fermentation to be a contact action; that is to say, he assumed in the ferment a catalytic power, which Liebig subsequently sought to explain by saying that the ferment itself was in a continued state of change, like sulphuric acid on the formation of ether. Putrefaction was said to depend upon the oxygen of the atmosphere, and preservation to the absence of this oxygen. For instance, peas boiled in closed flasks to get rid of the oxygen present in them were said to be thereby preserved.

C. de Latour³ having, in 1836, recognized the yeast plant to be the cause of fermentation, this opinion was dealt with by Berzelius in the following words:⁴ "In studying the formation of yeast under the microscope, C. de Latour has observed that it forms small globules, the number of which continually increases as though they were seed produced through a new kind of plant life, and Schwann goes so far as to declare that yeast is a species of living fungoid plant, because he has seen these globules aggregate to dendritic formed masses. This is, however, only a scientific poetic fiction!" So far the historical.

A table of the different processes of fermentation is found in vol. i. of Hoppe-Seyler's "Physiological Chemistry." He distinguishes two principal kinds of fermentation: those which are produced by ferments, complex organic compounds, in the absence of living organisms; and those which take place only in the presence of definite organized bodies. To the latter belong the decompositions of albuminoid bodies by bacteria. Whether these decompositions are directly occasioned by the life process of the bacteria, or whether the bacteria generate a ferment which induces fermentation, has not yet been decided with absolute certainty; neverthe-

Fig. 6.—Splenic fever Bacteria: *Bacillus anthracis*, with blood corpuscles. Magnified 700 times.

less the formation of a ferment has not yet in any case been clearly proved. Upon the ground taken it is the same whether the bacteria are directly or indirectly the excitants of this process.

The decompositions of albuminoid liquids, and the importance which these have for the animal organism, were well suited to excite the interest of physicians and surgeons in the highest degree, and we find that since about 1865 medical literature has been enriched by communications upon the subject in a yearly increasing number. We find since that time a transference of the bacteria investigation from the chemical and botanical literature into the medical.

As above remarked, bacteria are present in all the specific bacteria fermentations; these are, first, the putrid fermentations; in the second rank the lactic acid fermentation; and probably, in addition, some fatty acid and viscous fermentations of less importance.

It may possibly be affirmed that the putrid fermentation

¹ "Beiträge zur Biologie der Pflanzen," vol. ii.

² "Upon Abscesses," "Archiv f. Klin. Chirurg.," 1880, vol. xxv., p. 3.

³ Article "Bacillus," Eulenburg, "Real-Encyclopädie der gesammten Heilkunde," 1880.

⁴ Koch, "Wundinfektionskrankheiten," Leipzig (Vogel) 1878; and Cohn, "Beiträge z. Biologie d. Pflanzen," vol. ii., p. 2.

⁵ "Proceedings of the Royal Society," 1878, No. 185.

⁶ "Archiv f. Experimen. Pathol. und Pharm.," vol. x.

⁷ Koch, "Verfahren zur Untersuchung, zum Conserviren und Photographiren der Bacterien;" Cohn, "Beiträge zur Biologie der Pflanzen," vol. ii., p. 3.

¹ Erdmann, "Journal," vol. cv.

² "Berichte d. deutsch. chem. Gesellschaft," 1876.

³ "Berichte," 1875.

⁴ "Archiv f. die gesammte Physiologie," 1875, vol. ix., p. 223.

¹ "Comptes Rendus," vol. lxxxiii., p. 158.

² "Journal de Pharmacie," 1871, vol. xxvi., p. 381.

³ "Comptes Rendus," vol. iv., p. 905.

⁴ Berzelius, "Chemie," vol. viii., p. 85.

is the final process of all decompositions of nitrogen compounds produced by bacteria. It has been demonstrated by Tyndall, Cohn, Koch, Pasteur, and many others that in the absence of bacteria no putrid fermentation takes place. Since this was demonstrated, experiments have been made to prepare a ferment from bacteria, but up to the present time ineffectually.

For this purpose P. Bert¹ used compressed oxygen, to separate organized from unorganized ferments, since he maintained that he had found the development of bacteria to be destroyed by it. But it was proved by Pasteur,² Joubert, and Chamberlain that the assumption of Bert was not correct. The last-mentioned brought together the results of his investigations in fifteen theses; the seventh thesis was: "Bacteria retain life and the power of development even in oxygen gas under the pressure of several atmospheres." Further, Bert attempted to kill the bacteria in a putrid liquid by means of alcohol, and finding putrid properties in a precipitate obtained through alcohol, concluded that it was a ferment. Through the experiments of Davaine,³ on

Fig. 7.—Sheep's blood, with various sizes of micrococci. Magnified 700 times.

the other hand, it was shown that probably the bacteria are killed, but not the spores, and that consequently alcohol checks the development of bacteria only so long as it is sufficiently concentrated. Feltz⁴ prepared a spirituous extract from putrescent blood, which must have contained the ferment. This extract showed no putrescent action. From his experiments it appears that in putrescent blood no diastatic ferment, and no liquid virus would be contained; that the poisonous properties belong only to the organized bodies; that these bodies are destroyed at 150° C, and that therewith the poisonous character of the substance disappears. Further, he affirmed that probably compressed oxygen destroyed the elongated bacteria, but not the spores or globular bacteria.

Hiller,⁵ one of the most zealous representatives of the ferment theory, repeatedly attempted to prove it by experiments which depended upon the separation of the bacteria from the substratum. He filtered putrid liquids through an earthenware cylinder, washed the residual bacteria with water, and found that these bacteria no longer possessed putrid properties. From this he concluded that bacteria are quite harmless bodies, which are present rather as accidents in the respective liquids. The corresponding action he attributed to a ferment which was present in the atmosphere as a solid body. Whether this ferment is soluble in water, and how the intensified potency of the ferment occurs with increased inoculation, is not evident. However, Hiller's experiments gave rise to criticism, because there was so much in them which was not clear, and his conclusions were refuted by the following experimental results.

Klebs, Pasteur, and Joubert found that splenic fever blood, which by filtration through an earthenware cylinder had been deprived of its bacteria, had lost its specific poisonous properties. On the other hand, these were found to be present in increased proportion in the residue.

Koch pointed out the changeableness of bacteria, especially of the *Bacillus anthracis*.

Heydenreich found that spirillæ in the blood of the living, died upon the increase of the body temperature by about 1° C. Downes and Blunt,⁶ found that light stopped the development of the bacteria of putrefaction and fermenta-

Fig. 8.—Various forms of Bacilli, with spores. Magnified 500 times.

tion, direct sunlight having the stronger action and diffused light the weaker. By these results Hiller's are more than refuted.

Hoppe-Seyler says in his "Physiological Chemistry": "Putrescent substances do not cease to decompose albumen and hippuric acid when the lower organisms therein are killed by ether." On the assumption that the spores would resist dilute ether. I undertook, in the summer of 1879, the following series of experiments. A putrid solution of meat, which contained numerous moving bacteria, was mixed with an equal quantity of a fresh solution of meat, in order that during the period of the experiment there might be no want of nutriment. 50 c.c. of this liquid, previously neutralized with acetic acid, was placed in each of four vessels provided with gas tubes, and to the first portion 1 c.c. of ether, to the

second 1 c.c. of chloroform, to the third 1 c.c. of benzin, and to the fourth 1 c.c. of carbon bisulphide was added. A microscopic examination showed that in every case the bacteria had subsided into the quiescent state. These vessels were then placed separately each under a bell glass, together with concentrated sulphuric acid.

In the specimens with ether and benzin some movable bacteria became perceptible, taking an average of three experiments in four days. The vessels, closed with a cork, gave upon warming a faint reaction of ammonia.

The two other specimens remained unchanged up to the seventh day. Some c.c. of colorless hæmatoxylin solution were then put in and the flasks corked. The chloroform specimen became somewhat reddened on the tenth day, but the carbon bisulphide not until the fifteenth day. These results confirmed my assumption.

According to all these experiments bacteria must be considered to be the direct cause of the putrid fermentation, and the decompositions can be explained through the three following processes: first, the direct decomposition of the nutritive material by the bacteria; second, the reaction of the liberated hydrogen, and third, the ozone possibly formed.

Fig. 9.

In direct connection with the experiments upon bacteria fermentation stand the disturbances of the metamorphoses of tissue produced by bacteria.

After the connection of bacteria was recognized, and the absolutely toxic property of certain substances containing bacteria was demonstrated, it was thought in this case, as in that of fermentation, that the substance would be found that produced these decompositions. The representative of the ferment theory sought here an alkaloid, the ideal septicine. As this theory is perfectly identical with the ferment theory, I can only refer to what has been previously stated, calling attention to Pasteur and Joubert's results, that splenic fever

Fig. 10.—Moving Micrococci from Drinking Water with traces of Albuminoid Substances. Magnified 800 times. Colored with Fuchsin.¹

blood, which has been freed from bacteria, is innocuous when injected into the veins, and that on the contrary, the bacteria filtered out from it when introduced into the blood of healthy animals reproduce splenic fever.

As above remarked, it is the infective diseases which are directly caused by definite species of bacteria. Through the labors of Pollender, Brunell, Davaine, Klebs, Cohn, and

Fig. 11.—Aggregations of Micrococci from Drinking Water containing larger traces of Albuminoid Matter. Magnified 500 times.

Koch, the *Bacillus anthracis*, Koch, was recognized as the originator of splenic fever.

The signification of the bacilli first seen by Pollender and Brunell in the blood from splenic fever was for a long time doubted, until Davaine by inoculation furnished the proof that these are first multiplied locally, and that afterward their diffusion in the blood and the spleen bring on the serious phenomena of the disease. The same observers found moreover that the membrane of the ovum is impermeable to bacteria, in consequence of which the fetus of a diseased animal is not infected; it follows as a further consequence that the bacilli one are the bearers of the virus. The developmental history of this form was exactly studied by Koch.²

The *Bacillus minimus*, Klein, was recognized to be the

originator of pneumo-enteritis by Klein.³ This disease is also carried by the introduction of infective substances into the stomach.

Klebs and Tommasi and Crudeli⁴ found in the soil of the Pontine marshes a definite bacterium, the *Bacillus malaria*, which when injected into animals produced the most severe forms of intermittent fever. Griffini found the same fungus in the soil of the Lombardi rice fields, and Marchiafava found it in several men who had died in Rome of virulent intermittent fever.

Obermeyer discovered, in 1870, in the blood of a patient suffering from recurrent fever, a spirochæte, which is probably identical with *Spirochæte plicatilis*, Ehrenb., occurring in water. Heydenreich⁵ found that this fungus is very sensitive to variations of temperature. With a surrounding temperature of 15° to 22° C., it lives 14 days; at 37° to 38°, it lives only 15 to 21 hours; at 39° to 40°, only 4, or at most 9½ hours; and at 42° to 46°, it dies on an average in 2 hours. During the paroxysms these spirochætes occur constantly in the blood. According to Klebs they cannot be cultivated in pure water. In diphtheria a specific fungus, the *Microsporion diphtheriticum*, has been found.

Of the numerous investigations of septicæmia those of Pasteur and Joubert⁶ are prominent. These authors came to the result that septicæmia is caused by different putrefactive vibrios, and they believe that as many kinds of septicæmia occur as there are species of putrefactive vibrios.

In syphilis, glanders, and tuberculosis small moving corpuscles are found, which, however, on account of their minuteness have up till now presented great difficulties in their investigation. Nevertheless, the specific diseases have been produced by the introduction of these corpuscles into animals, while liquids that had been freed from the fungi were inactive. The connection of many other diseases with bacteria may be presumed, although up to the present time positive proof has not been brought forward. Of these may be mentioned cholera, plague, yellow fever, catarrh, inflammation of the internal organs, and articular rheumatism.

The question now arises, how do the bacteria get into the body? From the diffusion of these organisms, it is clear that we must consume a not inconsiderable number of them daily in our food and drink. However, they spend in the stomach and digestive canal only a miserable existence, since the acid liquid of the stomach is prejudicial to their living. Only when from other causes the acid of the stomach diminishes can the bacteria develop and then possibly induce disturbances in the metamorphoses. Still even here there are hinderances, since none of the pathological bacteria, with the exception of the *Microsporion diphtheriticum*, appear to be able, or only with difficulty, to penetrate the sound animal skin or mucous membrane. If, on the other hand, lesions in the skin are present, an easy way for the bacteria into the blood is thus opened. But probably these cases are referable mostly to the definite infection. As abiogenesis has not yet been proved, the only remaining possibility is the reception of the fungus with the inspired air.

Not long since it was believed that infection was effected through poisonous gases; the ozone in the atmosphere was suspected of producing certain inflammatory diseases, and to nitrous acid was ascribed the property of accelerating particular processes of fermentation, especially in a thundery atmosphere. Tyndall⁷ showed that gases in these respects are very harmless. He placed vessels containing putrescent liquids in a germless compartment containing such gases together with clear sterilized solutions of meat. The con-

Fig. 12.—Micrococci from a Drinking Water containing H₂S. Magnified 500 times.

tents of the latter remained clear as long as no particles were carried over into the liquid.

After this experiment there remain only the bacteria as the bearers of the infection. If these are carried into the lungs with the inspired air their development is retarded by the oxygen, and this takes place in proportion to the vigor with which the breathing goes on. On the other hand the bacteria which are already in course of development, and consequently adhere especially to organic cell remains, develop more readily and can multiply in the blood. But the longer the introduction of these organisms into the blood continues, the more must the blood become adapted to the bacteria and the more the latter must multiply.

It is known that the forms of bacteria which have the greatest power of development require to be in dark, moist

¹ "Comptes Rendus," 1877, vol. lxxiv., p. 1130.

² "Contralbutt für Chirurgie," 1879, No. 3.

³ "Comptes Rendus," 1877, vol. lxxiv., p. 1322.

⁴ *Ibid.*

⁵ "Berliner klinische Wochenschrift," 1877.

⁶ "Pharmaceutical Journal" [3], vol. viii., 512.

¹ Figs. 10, 11, and 12 are drawn from nature. The drinking water was always drawn from the spring to be examined into perfectly clear white flasks. These flasks were allowed to stand through a night, and in the morning a drop was removed from the bottom of the flask by means of a pipette and submitted to microscopic examination.

² Cohn, "Beiträge zur Biologie der Pflanzen," vol. ii., page 3.

¹ "Proceedings of the Royal Society," No. 185. 1878.

² "Archiv für exper. Path. u. Pharm.," vol. xi.

³ "Klinische und mikroskopische Untersuchungen über den Parasiten des Rückfalltyphus und die morphologischen Veränderungen des Blutes in dieser Krankheit." Berlin, 1877.

⁴ "Comptes Rendus," 1877, vol. lxxv., p. 101.

⁵ *Nature*, 1877, vol. xvi., p. 9.

places, containing an atmosphere poor in oxygen. By various examinations of cellar air, especially in fermentation cellars, which I had to carry out last winter in connection with a brewery, I found this fact confirmed.

In March of the present year I made some examinations of free air, in order to ascertain the possibility of a quantitative difference dependent upon the direction of the wind. The experiments were carried on in Schwerin i. M., in the loft of a two-storied house. Ten liters of air was drawn through about 3 c. of water free from bacteria. The water was placed in a small test tube, and the end of the inlet tube, which dipped beneath the water, was drawn out to a point. The small apparatus was fixed in the open air at a distance of about 5 feet from the house. The examination was made once daily for ten days. With a magnifying power of 500 I always found rod bacteria when an easterly wind was blowing; with a northerly wind fewer appeared to be present, as also with a calm, which, however, only lasted one day. In consequence of other work the experiments had to be discontinued, but it is desirable that similar experiments should be carried out for a longer time in different places, regard being paid especially to the direction and strength of the wind, temperature, moisture, etc.

Of similar importance to the occurrence of bacteria under different conditions is the subject of the circumstances under which the bacteria from putrescent matter get into the atmosphere. As scarcely any experiments upon this subject were known to me, I examined, in the summer of 1879, various accumulations of putrescent matter as to the bacteria they gave off to a current of air. Three series of experiments were arranged; with putrescent liquid; with moist infected earth; and with pulverulent dry infected earth. In order to bring as much air as possible into contact with the material, they were placed in a three liter flask lying down. The apparatus consisted of an air filter of cotton-wool, α ; a clear sterilized solution of flesh, β ; the flask for the putrescent material, γ ; another solution of flesh, δ , and the aspirator. The air swept through the point 1, over the material, and then passed through the funnel-formed opening of the tube, 2, into the flesh solution, δ . In every experiment air was drawn through for an hour and then the connection at ϵ was closed by a pinchcock.

In the experiments with putrescent liquid a turbidity was manifested in the flesh solution, δ , after two days, and with moist earth in the same time; but with pulverulent earth it had already become turbid in eight hours. The solution of flesh in β remained clear in every case. From these results it can be concluded that putrescent matter gives off its bacteria to a current of air with especial facility after drying; and that, on the contrary, liquid and moist putrescent matters give them off in proportion as they are disturbed by the air, the diffusion depending here on the strength of the current of air.

The greatest difficulty in the entire bacteria investigation is presented in the explanation of the pathogenic action. Theoretic attempts to solve this question have not been wanting, but the predisposition of individuals to account for different infections were all deficient in the scientific bases of experimental proof. Recent years have in this respect not brought any decisive experiments upon this subject. This finds an explanation in the fact that the preliminary questions are of a purely chemical nature, and can only be worked out by physiological chemists.

From the analogous fermentation phenomena conclusions may probably be drawn with some certainty as to the pathogenic processes. In the first place the general phenomena of infectious diseases exclude the acceptance of a specific poison. If a septic poison were produced by bacteria the diseases would have a course analogous to cases of poisoning. Schmiedeberg and Bergmann prepared such a "sepsin," which, however, proved to be more innocuous the purer it was. Panum, Nenski, Fitz, and Selmi obtained from infected matters different characteristic fermentation products, some of which could produce, for instance, stupor, weak action of the heart, and possibly increase of temperature, but the biological changes thus produced are only short links of the chain of phenomena of disease peculiar to the infection.

The mechanical attraction of bacteria to the sides of a vessel, and their considerable aggregation in the capillaries especially, evidently provoke special phenomena. Of great interest also are the gases evolved. The quantity of oxygen consumed in fevers amounts, according to the experiments of Mathieu and Maljeau,* to from 0.1 to 0.5 more than normal.

The heat developed by hydrogen as well as ozone authorizes the assumption that these gases play an important part in the increase of temperature. This possibly explains the *post mortem* increase of temperature, which in cases of fever frequently reaches 2° C. It has to be demonstrated experimentally how these gases behave in healthy animals in respect to rise of temperature.

It is incumbent upon chemists to study the decomposition products of the normal constituents of blood, etc., produced by bacteria, and physiologists to examine the influence of these products upon the metamorphoses of tissue. It would then be probably possible to explain the immunity of many classes of animals and separate individuals against different infective materials, as well as the diversity of diseases which are produced by different specific forms of temperature.

The practical results of the bacteria investigations are manifest in methods of preservation and disinfection, the antiseptic treatment of wounds by Lister's dressings and in the knowledge of epidemic diseases. Tyndall set forth the merits of Pasteur, the most active of bacteria investigators, in an address delivered at Glasgow on the 19th of October, 1876, in the following words: "If the labors of Pasteur be taken together, it can be said without exaggeration that the value of his work exceeds by far the war indemnity which France has paid to Germany. He restored to France the silk industry, rescued a numerous population from ruin, and set the looms of Italy again in activity." Our means of preservation and disinfection have given rise to entirely new processes in many technical industries, and it may be foreseen that still very much may be accomplished by a rational estimation of the results of bacteria investigation.

The results of bacteria science are of especial value to all who have to do with the examination of articles of food. Most of the questions which are brought to the "stationen" in Germany by private persons concern such articles of food as through external characters or special action following their use raise the probability of their being decayed or injurious to health. Chemical analysis of such substances, as a rule, leaves us in the lurch, and just as the microscope reveals to us many sophistications, so in these cases it alone can tell us whether the product in question is in a condition injurious to health.

The examination of water for drinking purposes is complete only with the aid of the microscope, and the alleged injuriousness to health finds its confirmation in the detection of bacteria. There is probably at the present day no chemist who believes that the traces of nitrous acid, ammonia, etc., which he is able to detect in a drinking water can be in any way injurious to health.

During my superintendence of the Schwerin station for the examination of articles of food, etc., in the examination of drinking water I have found in some eighty cases that always where nitrous acid was detected, spheroid bacteria—micrococci—were present. In many cases according to the quantitative analysis the water would have been looked upon as good, but the presence of micrococci induced me to give my opinion that the water might under certain conditions act injuriously to health and that, therefore, its use should be avoided as much as possible. But where only a faint reaction resulted from tannin solution, the water was condemned as injurious to health, since I acted upon the presumption that water with traces of albuminoid matter is a nutritive solution for bacteria, and these develop to a greater extent in such a solution and can readily pass into the organism.

On one occasion, when gastric symptoms were referred to a drinking water containing micrococci, the symptoms disappeared upon the avoidance of the water. Further, in a sample of vanilla numerous moving bacteria were detected; food prepared with this flavoring had provoked headache and nausea.

On two occasions samples of beef, with the soup prepared from them, were received for examination. The soup had not been used on account of its milky appearance. Both in the flesh and in the soup bacilli and micrococci were found. The cause was due probably to diseased or decayed flesh. Also in braxy mutton, which had produced symptoms of poisoning after its use, numerous rod bacteria were found.

As remarked, in the waters only micrococci, not rod bacteria, were found, it would be interesting now to examine, whether in the water of alleged infective springs, which are suspected of spreading epidemics, rod bacteria are to be detected.

Pasteur and Joubert* found in their water examinations that the water of the Seine at Paris contained numerous germs of bacteria. A drop taken up the stream, but especially one down the stream, was always fertile, and developed several species of bacteria, the germs of some of which resisted heating in non-acid liquids to 100° C., and a dry heat of 130°, during several minutes. They found further that the distilled water of their laboratory always contained germs, though less than ordinary water. Distilled water prepared in vessels absolutely free from germs remained perfectly free from them.

Water from springs springing from the interior of the earth, which had not been contaminated by the dust of the atmosphere, the surface of the earth, or open flowing water, contained no trace of bacteria germs.

Finally, it has been found that these germs have so small a diameter that they pass through every filter.

We have now seen that the results of bacteria investigation are first of general importance; but that, secondly, they appeal in a special degree to the consideration of pharmacists and chemists, who have to do with the examination of articles of food.

PRIZES WORTH STRIVING FOR.

THE Royal Academy of Medicine of Brussels announces a prize to be awarded in January, 1884, of eight thousand francs (\$1,600), for the best explanation of the pathology and therapeutics of the diseases of the nervous centers, especially epilepsy, illustrated by clinical data and experiments. If the essayist is successful in making a decided advance in the therapeutics of such diseases; if, for instance, he discovers a successful treatment for epilepsy—he is to receive, in addition to the sum above stated, a second sum of twenty-five thousand francs (\$5,000). This money has been placed in the hands of the Academy by a person who does not wish his name to appear.

In Italy, the Academy of Medicine of Turin offers a prize of twenty thousand lire (\$4,000) for the best essay on "The Physiopathology of the Blood." This is the Riberi prize, and is open to the world, but the essay must be either in the Latin, French, or Italian tongue.—*Medical and Surgical Reporter*.

A CASE OF PROLONGED SOMNOLENCE.

That may serve as a companion piece to that of the sleeping Hungarian in Pennsylvania, is reported from one of the hospitals of Niederweisel, in Germany. The twelve-year old daughter of an innkeeper fell into a deep trance in March, 1880, and continued in that condition for the entire remainder of the year. No medicine was given her, and the small quantity of nutriment that was prescribed had to be administered by forcing her mouth open. She had normal sleep at night, but during the day lay wholly motionless, and apparently without sensation or consciousness. At first much emaciated, her appearance subsequently became fresh and healthy. About the beginning of the present year she suddenly recovered her power of speech, and was soon wholly restored in other respects. She is now entirely well. It is also said that during the whole period of her suspended animation she was fully cognizant of everything that took place about her.—*Medical Record*.

SWINE RAISING.

PURE air helps to make pure blood, which, in the course of nature, builds up healthful bodies. Out-of-door pigs would not show so well at the fairs, and would probably be passed over by judges and people who have been taught to admire only the fat and helpless things which get the prizes. Such pigs are well adapted to fill lard kegs, whereas the standard of perfection should be a pig which will make the most ham with the least waste of fat, the longest and deepest sides, with the most lean meat; it should have bone enough to allow it to stand up and help itself to food, and carry with it the evidence of health and natural development in all its parts. Pigs which run in a range or pasture have good appetites—the fresh air and exercise give them this—hence they will eat a great variety of food and much coarser than when confined in pens. Nothing need go to waste on the farm for lack of a market. They will consume all the refuse fruit, roots, pumpkins, and all kinds of vegetables, which will make them grow. By extending the root patch, and planting the fodder corn thinner, so that nubbins will form on it, and by putting in a sweet variety, the num-

ber of pigs may be increased in proportion. A few bushels of corn at the end of the season will finish off the pig. The pig pasture will be ready the next year for any crop, and ten times the advantage accrue to the farm than if the pigs are confined in close pens, for, as pigs are usually managed on the farm, but little manure is ever made from them.—*Col. F. D. Curtis, in American Agriculturist for October*.

AN ANCIENT DWARF.

AN interesting burial mound was opened near Monterey, Ky., recently. The mound was about four feet high, and contained a great many large stones. Apparently they had been carried a long way up a steep hill. At the bottom was found the remains of a strange being, just four feet high. His bones were very sound; his forehead was not an inch high, but was very broad. He was put away very carefully between flat rocks and covered with charcoal. On the mound there was a very large rotten stump, which looked as if it might have been a white oak three and a half feet in diameter. In the grave was found a spear, seven inches long, of red flint, also very curious flints of smaller size, and at his feet a singular speckled flint with a fine edge to it. The bones are not red like an Indian's, but of a dark, ashy color. The teeth are perfect and seem to have been used a long time, which proves that he was old although only four feet high. There are other mounds similar to this one in that locality. They differ materially from the common Indian graves.

A CATALOGUE, containing brief notices of many important scientific papers heretofore published in the SUPPLEMENT, may be had gratis at this office.

THE Scientific American Supplement.

PUBLISHED WEEKLY.

Terms of Subscription, \$5 a Year.

Sent by mail, postage prepaid, to subscribers in any part of the United States or Canada. Six dollars a year, sent, prepaid, to any foreign country.

All the back numbers of THE SUPPLEMENT, from the commencement, January 1, 1876, can be had. Price, 10 cents each.

All the back volumes of THE SUPPLEMENT can likewise be supplied. Two volumes are issued yearly. Price of each volume, \$2.50, stitched in paper, or \$3.50, bound in stiff covers.

COMBINED RATES—One copy of SCIENTIFIC AMERICAN and one copy of SCIENTIFIC AMERICAN SUPPLEMENT, one year, postpaid, \$7.00.

A liberal discount to booksellers, news agents, and canvassers.

MUNN & CO., Publishers,
37 Park Row, New York, N. Y.

TABLE OF CONTENTS.

	PAGE
I. ENGINEERING AND MECHANICS.—Steam Plowing Engine. 2 figures. Improved Double Drum Steam Plowing Engine. 1 figure. Tank Locomotive, Dutch Rhenish Railway. 1 figure. Observations on English Railroads. The great shops at Crewe. Characteristics of English locomotive construction.—English vs. American methods. The Raab Central Power Locomotive. 3 figures. The Canada Pacific Railway. History of the project. Description of route.—A great enterprise. A Burning Oil Train. A New Style of Passenger Car. Drying Stove for Printed Sheets. 3 figures. Renault's Drying Stove. The Manufacture of Mineral Wool.	4839 4839 4841 4841 4842 4842 4843 4843 4846
II. TECHNOLOGY, ETC.—Upon the Useless Part of the Objective and a New Light Stop. Photo-printing in Munich. Albert's establishment.—A photo-printing machine.—Photo-printing in colors. Ink for Copying without a Press. The Correct and the Incorrect Thing in Cotton.	4846 4846 4846 4846 4846
III. HYGIENE, MEDICINE, ETC.—The Opium Habit. Its nature and treatment. The Transfer of Sensation. Some remarkable developments of abnormal sense perceptions.	4850 4850
IV. ELECTRICITY, ETC.—Electricity on Tramways. Faure's Secondary Battery.—Comparison with the Planté battery. Functions of the Electric Discharge.—Spottiswoode's British Association lecture. Electrical Horticulture.—New paper on applications of electricity to horticultural and agricultural purposes. By Dr. C. W. Siemens.	4847 4847 4847 4848
V. AGRICULTURE, ETC.—The Structure of Greenhouses.—Boston methods in lettuce growing. Gathering and Storing Apples. Keeping Vegetables in Winter. The Cultivation of Medicinal Plants in Lincolnshire. By E. M. Holmes.—Peppermint.—Dill.—Caraway.—Rosemary.—Hembane.—Aconite, etc.	4849 4849 4849 4849 4849
VI. ARCHITECTURE, ART, ETC.—Melrose Abbey.—Drawn by S. R. P. A full page illustration. History of Melrose Abbey.	4844 4845
VII. MICROSCOPY, ETC.—The Progress of Bacteria Investigation. By G. MARPMAN.—A valuable summary of recent observations and theories.—Recognition, form, and preservation of bacteria.—Physiology of bacteria.—Action of bacteria in infective diseases.—Results of bacteria investigation. 12 figures.—Apparatus used in studying bacteria and microscopic views of various disease-producing bacteria.	4851 4851
VIII. MISCELLANEOUS.—Countermands and Protections.—Trade practices injurious to manufacturers. Winnipeg, Manitoba. 1 figure.—Birdseye view of Winnipeg, the capital of Manitoba.	4843 4845

PATENTS.

In connection with the *Scientific American*, Messrs. MUNN & Co. are Solicitors of American and Foreign Patents, have had 35 years' experience, and now have the largest establishment in the world. Patents are obtained on the best terms.

A special notice is made in the *Scientific American* of all inventions patented through this Agency, with the name and residence of the Patentee. By the immense circulation thus given, public attention is directed to the merits of the new patent, and sales or introduction often easily effected.

Any person who has made a new discovery or invention can ascertain, free of charge, whether a patent can probably be obtained, by writing to MUNN & Co.

We also send free our Hand Book about the Patent Laws, Patents, Caveats, Trade Marks, their costs, and how procured, with hints for procuring advances on inventions. Address

MUNN & CO., 37 Park Row, New York.
Branch Office, cor. F and 7th Sts., Washington, D. C.

* Centralbl. f. d. med. Wissenschaft, 1878, No. 15.

* Comptes Rendus, 1877, vol. lxxiv., p. 206.