No. 1,469.—“The Repairs and Renewals of Locomotives.”

By ALEXANDER McDONNELL, M. Inst. C.E.¹

THE expenditure required to maintain locomotives in efficient order varies according to the kind of traffic on the line, the age of the engines, the way in which the number of engines is increased by the addition of new ones on account of the growth of traffic, the state of the permanent way, and the nature of the curves and gradients of the line. Of all these the average age of the engines affects the cost of repairs most, so that on a railway, the traffic of which is rapidly increasing, the cost of repairs will generally be less than the average, unless the rate of increase in the number of engines is much less than that of the traffic receipts. The cost of repairs and renewals on nine railways from July 1868 to June 1876 is shown in Appendix I., and the increase in the number of engines and in the traffic receipts on six of these railways, from July 1868 to December 1875, in the following table (Plate 1):—

	LONDON AND NORTH WESTERN.			MIDLAND.		
	Dec. 1868.	Dec. 1875.	Increase per cent.	Dec. 1868.	Dec. 1875.	Increase per cent.
Number of engines	1,527	2,019	32·2	689	1,196	73·6
Train miles . .	11,461,870	16,329,406	42·4	7,248,104	11,724,269	61·7
Traffic receipts .	3,430,522	4,764,348	38·9	1,681,161	3,078,841	83·1
Receipts per train } mile. . . . }	s. d. 5 11·83	s. d. 5 10·02	..	s. d. 4 7·66	s. d. 5 3·02	..
Receipts per engine	2,246	2,360	5·0	2,440	2,574	5·5

	GREAT NORTHERN.			GREAT WESTERN.		
	Dec. 1868.	Dec. 1875.	Increase per cent.	Dec. 1868.	Dec. 1875.	Increase per cent.
Number of engines	493	533	8·1	867	1,223	42·2
Train miles . .	4,346,768	5,821,009	33·9	7,381,504	10,630,569	44·0
Traffic receipts .	1,136,882	1,514,300	33·2	2,024,366	2,918,546	44·2
Receipts per train } mile. . . . }	s. d. 5 2·77	s. d. 5 2·43	..	s. d. 5 5·82	s. d. 5 5·89	..
Receipts per engine	2,306	2,841	23·2	2,335	2,386	2·2

	LANCASHIRE AND YORKSHIRE.			GREAT SOUTHERN AND WESTERN.		
	Dec. 1868.	Dec. 1875.	Increase per cent.	Dec. 1868.	Dec. 1875.	Increase per cent.
Number of engines	455	670	47·2	120	138	15·0
Train miles . .	4,258,678	5,823,798	36·7	1,037,911	1,275,170	22·8
Traffic receipts .	1,274,285	1,841,403	44·5	273,148	382,351	40·0
Receipts per train } mile. . . . }	s. d. 5 11·81	s. d. 6 3·88	..	s. d. 5 3·16	s. d. 5 11·96	..
Receipts per engine	2,800	2,748	decrease 1·8	2,276	2,770	21·7

¹ The discussion upon this Paper occupied portions of two evenings.

The average cost of repairs and renewals of engines during the above period is given for these six railways in the following table:—

COST OF REPAIRS and RENEWALS from JULY 1868 to DECEMBER 1875.

	Wages per Train Mile.	Materials per Train Mile.	Total.
	d.	d.	d.
London and North-Western	1·522	1·549	3·071
Midland	1·324	1·549	2·873
Great Northern	1·562	1·643	3·205
Great Western	1·932	1·288	3·220
Lancashire and Yorkshire	1·523	1·673	3·196
Great Southern and Western	1·539	1·912	3·451

Of these the Midland is the lowest; but on reference to the table it will be seen that the number of engines had increased 73·6 per cent. It does not therefore follow that the Midland railway was managed more economically than the Great Northern, on which the number of engines has been increased only 8·1 per cent., while the traffic receipts have increased 33·2 per cent. So large an addition of new engines, although it appears to have been justified by the augmentation of the traffic receipts, must make a considerable difference in the cost of repairs; and possibly the expenditure on the Great Northern may have been more economical than that of the Midland, on which line the cost of repairs will probably increase. The expenditure on the Great Western for wages, nearly 2*d.* per train mile, is much higher than on the other lines, on which it only amounts to a fraction over 1*d.*, and the Author is unable to find any explanation for it, as the increase appears too large to be due to any difference in the form of accounts.

The receipts per train mile being high and the receipts per engine low on the London and North-Western show that that Company has a greater number of engines compared with the work to be done than the Great Northern, where the receipts per train mile are low and per engine relatively high. There has been a large addition to the number of engines on the Lancashire and Yorkshire; still the cost of repairs is as high as on other lines, on which the engines are reputed to be kept in more efficient order.

Even at the risk of entering too much into the statistics of a single railway, the Author thinks that the most trustworthy information as to the repairs and renewals of engines can be given by

a careful examination of the result of rebuilding the locomotives on the Great Southern and Western railway of Ireland, with which he has been connected for several years. There is nothing exceptional in the position of this railway, in the miles run per engine, in the receipts per engine, or in the receipts per mile. The steepest gradients worked over are 1 in 128 on the main line, and 1 in 100 on the branch lines, exclusive of the gradients of 1 in 80 and 1 in 60 at Dublin and at Cork, up which the trains are "banked." The number of engines is smaller than on the principal English railways, so that an analysis of the expenditure is not so difficult. During the period from 1868 to 1875 the cost of repairs and renewals was in excess of the average, on account of the expenditure having been too low in previous years, and because the carriage makes the cost of materials slightly in excess of the average in England. In the discussion on a Paper by Mr. R. Price Williams, on "The Maintenance and Renewal of Railway Rolling Stock,"¹ Mr. Bramwell remarked, that if the different parts of an engine were renewed as they should be, an engine would have no termination to its life: "it would, in fact, go on,—a new blade and a new handle, and a new handle and a new blade,—so as to keep in existence perpetually." No doubt, if all the engines on a railway were of a good standard type, this should take place, and it would then be difficult to draw the line between repairs and renewals. In the present instance there is no difficulty in distinguishing repairs from renewals, because the new blade and the new handle were both required at the same time. In the year 1866 many of the engines were of an old and inferior design. None had received new boilers, although many of them were nearly twenty years old. The engines said to be rebuilt were entirely new, with the exception of a few wheels and frames taken from the old engines, and these were afterwards replaced by new ones, except in three engines.

When rebuilding was commenced, three types of engines were designed; and except that the first few engines were slightly modified to allow some of the wheels, &c., of the old engines to be used, these types have been carefully adhered to. Their general outlines and leading dimensions are shown in Plate 1.

The express passenger engine, Class 1, was designed for the mail and fast trains. The frames are inside, of solid plate, 1 inch thick. They are attached at one end to the cylinders, and at the other end to a cast-iron foot-plate, and are stayed by the motion-

¹ *Vide Minutes of Proceedings Inst. C.E., vol. xxx., p. 136.*

plate and by a plate in front of the fire-box. The boiler is of $\frac{1}{2}$ -inch Lowmoor plate, 4 feet inside diameter. Each ring of the boiler is formed of a single plate; and the two sides and top of the outside fire-box casing are also formed of a single plate. The fire-box is of $\frac{1}{2}$ -inch copper, the tube-plate being $\frac{3}{4}$ inch thick, and the two sides and crown are formed of a single plate. There are one hundred and eighty-five tubes of brass. The cylinders are inside, and 17 inches in diameter, the length of stroke being 22 inches. The driving wheels are 6 feet 6 inches in diameter, and are coupled to the trailing wheels. The valve motion is of the ordinary kind, a screw being used for reversing. The coupling rods have cast-iron bushes, lined with white metal. The axle-boxes are of cast iron, and have the brasses cast into them. The hornblocks, of cast steel, are attached to the frame all round the opening for the axle-box; they have adjustable wedges for taking up the wear of the axle-boxes. The slide-blocks are of cast iron, and the little end steps are of wrought iron, case-hardened. The boiler is attached to the frames at the smoke-box end, is free to expand at the fire-box end, and does not touch the motion-plate. The heating surface consists of: tubes, 835 superficial feet; fire-box 96, and fire-grate $17\frac{1}{2}$ superficial feet. The wheel base is, from the driving to the leading wheels 7 feet, and from the driving to the trailing wheels 7 feet 9 inches. The weight on the leading wheels is 10 tons, on the driving wheels it is 10·8 tons, and on the trailing wheels it is 9·5 tons, the total weight being thus 30·3 tons.

The performance of these engines for the year 1875 is given in the following table:—

Length of Journey.	Speed per Hour.	Average Load of Six-Wheel Carriages.	Maximum Load for Average of Whole Journey.	Maximum Load for Part of Journey.	Average Consumption of Coal per Engine Mile, 252,554 Miles.
Miles.	Miles.	Carriages.	Carriages.	Carriages.	lbs.
165 $\frac{1}{2}$	38	8·03	11·54	14	} 25·64
"	38	7·64	10·54	13	
"	30	8·56	14·67	21	
"	30	8·59	14·47	16	

AVERAGE WEIGHT OF CARRIAGES.

	Tons.	cwt.		Tons.	cwt.
1st class . . .	10	3	Composite . . .	8	10
2nd " . . .	9	8	Post Office vans .	10	0
3rd " . . .	9	10	Guards' vans . .	9	12

The coal was from South Wales, of good quality, though much of it was small, being broken in shipment.

These engines have run an average distance of 48,748 miles in each interval between general repairs. The cost for repairs, exclusive of shop expenses and tools, to the end of 1875 was 0·986*d.* per mile. It is shown in detail in Appendix V., Table 1, Class 1.

The light passenger engine, Class 2, is of similar construction: the chief dimensions are:—Diameter of cylinders, 16 inches; length of stroke, 20 inches; diameter of the driving wheels, 5 feet 8 inches; the wheel base is, from the driving to the leading wheels 6 feet, and from the driving to the trailing wheels 7 feet 11 inches. The weight on the leading wheels is 9·2 tons, on the driving wheels it is 9·2 tons, and on the trailing wheels it is 8·8 tons, the total weight being thus 27·2 tons. The heating surface consists of: tubes, 774 superficial feet; fire-box 88½, and fire-grate 16 superficial feet. There are one hundred and seventy-five tubes.

The performance of these engines for the year 1875 is given in the following table:—

Length of Journey.	Speed per Hour.	Average Load of Six-Wheel Carriages.	Maximum Load for Average of Whole Journey.	Maximum Load for Part of Journey.	Average Consumption of Coal per Engine Mile. 644,412 Miles.
Miles.	Miles.	Carriages.	Carriages.	Carriages.	lbs.
165½	32	6·17	9·64	10	} 23·36
"	30½	6·82	11·42	13	
"	30½	4·93	7·64	10	
"	32½	5·65	12·00	12	
"	26½	7·00	11·55	18	
"	28½	7·68	16·66	25	
"	28¾	7·17	15·00	15	
"	28	7·18	14·58	15	

These engines have run an average distance of 54,635 miles in each interval between general repair. The cost for repairs, exclusive of shop expenses and tools, to the end of 1875 was 0·809*d.* per mile. It is shown in detail in Appendix V., Table 1, Class 2.

The six-wheel coupled goods engine, Class 3, has already been described by Mr. Robinson in his Paper "On Modern Locomotives,"¹ and is in every respect similar to Class 1, as far as the general

¹ *Vide Minutes of Proceedings Inst. C.E., vol. xxxvii., p. 7.*

construction. The leading dimensions are:—Diameter of cylinders, 17 inches; length of stroke, 24 inches; diameter of the wheels, 5 feet $1\frac{1}{2}$ inch; the wheel base is, from the driving to the leading wheels 7 feet 3 inches, and from the driving to the trailing wheels 8 feet 3 inches. The weight on the leading wheels is 10·9 tons, on the driving wheels it is 10·1 tons, and on the trailing wheels it is 9 tons, the total weight being thus 30 tons. The heating surface consists of: tubes, 855 superficial feet; fire-box $101\frac{1}{2}$, and fire-grate $17\frac{1}{2}$ superficial feet. There are one hundred and eighty-five tubes.

The performance of these engines for the year 1875 is given in the following table:—¹

Length of Journey.	Time occupied in Running.	Time occupied at Stations.	Speed per Hour.	Average Load for Whole Journey.	Maximum Load.	Average Consumption of Coal per Engine Mile. 1,028,826 Miles.
Miles.	Hours. Mins.	Hours. Mins.	Miles.	Wagons.	Wagons.	lbs.
165½	9 22	3 26	17¾	31·5	50	37·6
107	5 50	2 16	18½	32·3	50	
107	5 40	3 46	19	24·8	51	
96½	5 25	3 52	17¾	29·9	49	
165½	8 37	3 8	19¼	27·7	52	
107	5 40	4 56	19	30·8	54	
107	5 36	1 45	19	30·7	52	
96½	5 29	3 30	17½	27·5	52	

The wagons, which are nearly all covered, weigh from $4\frac{3}{4}$ to $5\frac{1}{2}$ tons, and carry 6 tons. The probable average load is from 3 to 4 tons.

These engines have run an average distance of 44,232 miles in each interval between general repair. The cost for repairs, exclusive of shop expenses and tools, to the end of 1875 was 0·9d. per mile. It is shown in detail in Appendix V., Table 1, Class 3. These engines are from one to eight years old; nine of them have run from 23,700 to 50,000 miles; seventeen from 50,000 to 100,000 miles, and twenty-three from 100,000 to 238,890 miles.

¹ Mr. Robinson stated in his Paper that this class of engine took an average load of fifty-five wagons, with an average consumption of coal of 35 lbs. per mile. This, however, was the maximum load at the time. The maximum load taken during the year 1875, and the average consumption of coal during the same period, is given in the table.

In addition to these, tank engines (Plate 1) have been built for the branch lines. They have a bogie at the trailing end, on which the tank is carried; the leading and driving wheels are coupled, and the engines have 15-inch cylinders; in other respects they are similar to Class 2.

The greatest possible care has been taken to secure perfect uniformity. The cost of the engines is kept under six headings, which for convenience are denoted by the first six letters of the alphabet:—

A. The boiler complete with tubes, but without fittings.

B. The smoke-box, foot-plate, cab, splashers, &c.

C. Wheels, axles, frames, tires, springs.

D. Cylinders and machinery.

E. Mountings, injectors, safety-valves, &c.

F. Painting, lagging, sheeting, &c.

The cost of one of each class of engine, divided under each of these headings, is given in Appendix V., Table 2. It depends to a great extent on the kind of materials employed, and the price of all materials used in locomotives has varied greatly during the last few years. Table 3 (Appendix V.) has therefore been prepared, giving the weight, cost, and cost per ton of all the materials used in each of the three engines taken as examples.

In the following analysis of the expenses of maintenance and renewal, train miles are used in all cases of general expenditure; but when particular classes of engines, &c., are compared, engine miles are taken. The mileage is made out in the following form:—

MILEAGE FROM 1ST JANUARY, 1866, TO DECEMBER 1875.

	Ten Years ending December. 1875.
Passenger trains	13,974,654
Goods „	8,435,044
Total train miles	22,409,698
Banking	1,083,552
Shunting	958,275
Ballasting	830,542
Empty	28,161
Engines running on other lines	228,741
Total engine miles	25,538,969

Out of a total of seventy-one goods engines, twelve are daily in steam, shunting and banking, and three are always ballasting. The shunting done at stations by train engines, during the time allowed by the time-table, is not included in the shunting mileage,

although much is done in this way. Shunting in excess of the time allowed in the time-table is calculated at 6 miles an hour. None is effected by hydraulic power, and only an average of £953 was spent yearly for horse shunting in the above period. The time occupied in shunting and delays at stations, including the work done by both shunting and train engines, for a period of twelve months, has been, on an average, 7.95 minutes for each wagon attached to a train.

The cost of repairs and renewals from December 1859 to July 1876 is shown for each half-year on Plate 1. It has been impossible to separate the shop expenses and repairs of tools from general repairs of the engines before the year 1865. The whole expenditure is divided into repairs proper, renewals, repairs of tools, and shop expenses, and is given in pence per train mile. The average cost per train mile from January 1866 to December 1875 is as follows (credits for engine power, for ballasting, &c., being deducted):—

—	Wages.	Materials.	Total.
	<i>d.</i>	<i>d.</i>	<i>d.</i>
Repairs	0.895	0.693	1.588
Renewals	0.393	0.867	1.260
Repairs of tools and machinery . .	0.218	0.116	0.334
Shop expenses	0.161	0.144	0.305
Total	1.667	1.820	3.487

The total cost of renewals is given in Appendix V., Table 4, under the same six headings as were used in the examples of single engines, to which is added the cost per train mile run from January 1866 to December 1875.

The total cost of repairs for the same period is given in Appendix V., Table 5, under the same headings for materials, but for wages the division is simply into shop repairs and running-shed repairs.

The materials which form the most important part of renewals are those which as a general rule last longest, or have the longest life, as boiler plate, copper plate, wheels, frames, &c.; while the materials which are required for repairs have to be often renewed. The difference is clearly shown by the analysis of Tables 4 and

5 of the cost of renewals and repairs, into the most important classes of material used. This is given in Appendix V., Tables 6 and 7.

A great change has taken place on account of the extensive use of steel in locomotives, especially for axles and tires. Not only has the cost of tires been considerably reduced, but the indirect advantages have been very great. The length of time an engine is kept out of the shops, or the miles run between two general repairs, have been greatly increased by the use of steel tires, although some things have tended to neutralise the advantage, more particularly, in the Author's opinion, the injudicious use of white metal. In the years 1860 and 1861 the average mileage of the engines between two general repairs in the shops was 18,806 miles, while in the years 1874 and 1875 the average run between shop repairs of all engines was 40,648 miles. To estimate the advantage of steel tires, the sixteen years and a half from January 1860 to June 1876 have been selected for comparison. In the first five years iron tires were almost exclusively used; in the second iron was replaced to a great extent by steel on the engines, but iron tires were continued on the tenders; in the next five years steel tires were almost entirely used on engines, and on tenders iron tires were replaced by steel; and in the last year and a half this was exclusively the case. Appendix V., Table 8, gives a summary of this with the cost per train mile.

There is considerable difficulty in obtaining reliable information of the exact mileage run by iron tires, so as to compare it with the mileage run by steel tires on the same or similar engines, because when iron tires were used engines had their wheels often changed without a careful record being kept. The Author thinks that there should be great care in accepting the mileage of tires and axles whenever spare wheels are kept, so that the engines may have their wheels changed, as even when the greatest care is taken it is almost impossible to avoid errors. An average mileage may be obtained approximately, however, by taking all the tires used by a class of engine, and the mileage of the whole. In this way iron tires 6 feet 6 inches in diameter, on single-wheel engines, with 11 tons on the driving wheels, are found to have run on an average 114,533 miles, and steel tires on the same engines have run on an average 196,648 miles. Iron tires on engines with driving wheels 4 feet 6 inches in diameter, with four wheels coupled, have run on an average 52,295 miles, and steel tires have run on the same engines 105,673 miles. This seems to be a small

mileage, as steel tires on similar engines, with driving wheels 5 feet in diameter, have run 204,708 miles. The following table gives a few examples of the mileage of cast-steel tires:—

MILEAGE of STEEL TIRES to JUNE 1876.

Engines.	Diameter of Driving Wheels.	Number of Wheels Coupled.	Weight on Driving Wheels.	Engine Miles run.	Remarks.
	Ft. Inches.		Tons.		
7	6 6	4	10·8	From 167,320 to 262,698	All in use.
5	5 8	4	9·2	From 212,058 to 278,943	All in use.
2	5 8	4	9·2	From 218,006 to 234,229	Worn out.
10	5 0	6	10·1	From 166,533 to 209,847	All in use.

The Author regrets that he cannot supply the mileage of Bessemer steel tires, as generally when Bessemer steel tires were used the engines were old and broken up before the tires were completely worn out.

No reliable account of the average mileage obtained from iron crank axles can be given. Before the year 1865, when steel crank axles came into use, the account of crank axles was so carelessly kept, and the wheels of engines were so often changed without any note being made, that no trustworthy result can be obtained. Particular cases of the mileage of iron crank axles are given in the following table, showing in some instances a great mileage, but they cannot be considered as affording much information as to the average. All the engines have inside frames.

MILEAGE of IRON CRANK AXLES.

Diameter of Driving Wheels.		Number of Wheels Coupled.	Engine Miles run.
Feet. Inches.			
6	6	Uncoupled	334,458
6	6	"	343,949
6	6	"	326,265
6	6	"	308,405
6	6	"	281,729
4	6	Four	159,106
4	6	"	161,218
4	6	"	149,803
4	6	"	205,690
4	6	"	138,764
5	0	"	140,659
5	0	"	80,661
5	0	"	151,820

In 1865 steel crank axles were introduced. The result of the use of Bessemer steel crank axles is shown in the following table:—

MILEAGE OF BESSEMER STEEL CRANK AXLES to 30TH JUNE, 1876.

Diameter of Driving Wheels.	Number of Wheels Coupled.	Engine Miles run.	Remarks.
Feet. Inches.			
5 8	4	150,835	These axles were changed, the engines having received new cylinders similar to standard.
5 8	4	92,453	
6 0	Uncoupled	51,760	
5 0	6	200,740	
5 0	6	32,013	
5 0	6	213,204	
5 0	6	30,142	
5 0	6	176,101	
5 0	6	152,386	
			Broken.
			In use.
			Broken.
			In use.
			Broken.
			In use.

In addition to these, ten Bessemer steel crank axles are in use, all made by one firm; two of them have run 230,507 and 278,943 miles, four have run from 191,990 to 209,847 miles, and four have run from 172,640 to 187,165 miles. Of cast-steel crank axles one hundred and twenty-one have been used, and one hundred and nineteen are still in use; one with a flaw broke through the middle after running 12,280 miles, and one broke after running 111,043 miles. The way the last-mentioned axle was turned and the position of the fracture are shown in the following sketch:—

The following table gives the mileage up to the 30th of June, 1876, of the one hundred and nineteen cast-steel crank axles now in use:—

Twenty-six axles	have run less than	50,000 miles.
Thirty-eight	„ „	from 50,000 to 100,000 „
Twenty-nine	„ „	„ 100,000 to 150,000 „
Nineteen	„ „	„ 150,000 to 200,000 „
Seven	„ „	„ 200,000 to 243,638 „

Both iron and brass tubes have been employed.

Generally the water for the boilers has been good. During the ten years from 1866 to 1875 two thousand four hundred and thirty-three brass tubes¹ were used for repairs. The weight was 532 cwt., and the cost £2,386 12s. The average price was 9·6d. per lb., or 19s. 7d. each. The old tubes were sold for £736 9s. 5d., the average price being 6d. per lb.

During the same time one thousand and ninety-two iron tubes were used, costing £508 11s. 11d., or 9s. 3 $\frac{3}{4}$ d. each on an average. The total cost of tubes both for repairs and renewals was—

Brass tubes for repairs . . .	£2,386 12 0		
Credit old tubes	736 9 5		
		£1,650 2 7	
Iron tubes for repairs	508 11 11		
Credit second-hand tubes . . .	41 3 11		
		467 8 0	
Brass tubes for renewals . . .	9,108 12 4		
Iron " " " " "	202 14 6		
		9,311 6 10	
		£11,428 17 5	

The average mileage of a number of complete sets of iron and brass tubes is given in the following table. The iron tubes were worn out, but the brass tubes are still in use:—

	Total Miles.	Average Miles per Engine.	Remarks.
Twenty engines with iron tubes. .	3,338,746	166,937	Taken out.
Six passenger " brass " .	2,621,782	436,964	In use.
Fourteen goods " " " .	4,066,114	290,437	In use.

The rate of wages of the men employed in locomotive shops has increased of late years, but generally the expenditure for labour for the repair and building of locomotives has not increased, on account of the more extensive use of machinery. From the year 1860 to 1875 the rate for smiths, turners, and boilersmiths increased from 8 to 12 per cent.; that for labourers increased from 17 to 22 per cent. The rate of wages for fitters

¹ Of this number, twelve hundred and thirty-one tubes, costing £1,192 9s., were for the engines belonging to a line which became part of the Great Southern and Western by amalgamation; so that the value of brass tubes required for the repairs of all the engines except these was £1,194 3s.

did not increase from 1860 to 1875; probably the rate in 1860, and for several years after, was above the mean on other lines of railway. The average rate of wages estimated from one fortnight in each year is given in the following table:—

AVERAGE RATE of WAGES per DAY.

Year.	Class of Artisan.							
	Fitters.	Turners.	Machinemen.	Fitters' Labourers.	Boiler-smiths.	Boiler-smiths' Labourers.	Smiths.	Smiths' Strikers.
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
1860	5 2½	4 9½	2 10	1 11½	5 0	2 6	4 9½	2 3½
1861	5 0½	4 10½	2 9	1 10½	5 1	2 5	4 11½	2 3½
1862	5 2	5 0	2 9	1 11½	5 1	2 5	4 10	2 5
1863	5 1	5 0½	2 11	1 11	5 1	2 4½	4 9	2 4½
1864	5 1½	5 1½	2 10½	2 0	5 0½	2 5	4 10	2 5½
1865	5 0½	5 2½	3 0	2 0½	5 2	2 6	5 1	2 5½
1866	5 0½	5 2½	3 1½	2 0½	5 2	2 6½	5 1	2 4½
1867	5 2	5 0½	2 9½	2 2½	5 0½	2 6½	5 0	2 5½
1868	5 2	5 2½	2 11	2 3½	5 3	2 6½	5 0½	2 6½
1869	5 0½	5 2½	2 6½	2 1	5 1½	2 6	5 1½	2 6½
1870	5 0½	5 2½	2 7½	2 3½	5 2	2 7½	4 10½	2 7½
1871	5 0½	5 2½	2 6½	2 3½	5 2½	2 8	5 0	2 7½
1872	5 3	5 4½	3 1	2 5½	5 5½	2 8	5 2	2 8½
1873	5 2½	4 9½	3 2	2 6½	5 5	2 11	5 2	2 8
1874	5 3	5 5½	3 2½	2 6½	5 6½	2 10	5 2	2 8
1875	5 1½	5 3½	3 0	2 4½	5 7	2 11	5 2	2 7½

The following table gives the average working time and the rate of wages per day of nine hours for the half-years ending the 30th of June, 1872, and the 30th of June, 1875, apprentices being included with each class of workman:—

	1872.			1875.		
	Time worked per Week.	Wages per Week.	Wages per Day, 9 hours.	Time worked per Week.	Wages per Week.	Wages per Day, 9 hours.
	Days. Hrs.	s. d.	s. d.	Days. Hrs.	s. d.	s. d.
Fitters and apprentices	5 3½	19 11½	3 8½	5 3½	21 1	3 11
Turners and do.	5 3½	20 11	3 10½	5 2½	23 2	4 4½
Fitters' labourers	5 8½	14 4½	2 5	5 7½	15 2	2 7½
Boilersmiths and apprentices	5 4½	20 5½	3 8½	5 4½	21 8	3 11½
Smiths	5 6½	24 11	4 4	5 6½	26 7	4 7½

Appendix V., Table 10, gives in detail the materials used for repairs, the engines being divided into different classes. The age of the engines of each class is found by the average miles run from the time they commenced running to the 30th of December, 1875. A summary of this is supplied in Appendix V., Table 9. The cost of the repairs of locomotives on several foreign railways is also given in Appendices II. to IV. A comparison with foreign lines is often difficult, because the accounts are not made up exactly in the same way, and it is not known how far renewals are included in the published accounts.

The Author has carefully excluded everything from the tables which did not seem perfectly trustworthy and accurate. He takes this opportunity of thanking M. Forquenot, the chief Locomotive Engineer of the Paris and Orleans railway, for his great kindness in giving the cost of repairs and renewals on that line in a form similar to that used in this communication; also the cost of building one of his standard engines in detail. These tables are given in Appendix III. He has also to thank Mr. Wootten, the Locomotive Engineer of the Philadelphia and Reading railroad, for the information in Appendix II.

The Paper is illustrated by a series of diagrams, from which Plate 1 and the woodcut have been compiled.

I.—ENGLISH RAILWAYS (continued).—REPAIRS AND RENEWALS per TRAIN MILE.

Railway.	Wages or Materials.	Half Year ending											
		1869.		1870.		1871.		1872.		1873.		1874.	
		Dec.	June.	Dec.	June.	Dec.	June.	Dec.	June.	Dec.	June.	Dec.	June.
Lancashire and Yorkshire .	Wages.	1·371	1·429	1·469	1·396	1·405	1·416	1·276	1·441	1·716	1·557	1·531	1·604
	Materials.	1·572	1·473	1·514	1·826	1·805	1·548	1·606	1·647	2·124	1·836	1·656	1·488
	Totals.	2·943	2·902	2·983	3·221	2·978	3·210	2·964	2·882	3·840	3·393	3·187	3·092
Great Southern and Western .	Wages.	1·709	1·707	1·706	1·812	1·901	1·599	1·401	1·866	1·439	1·429	1·414	1·527
	Materials.	2·095	1·812	1·916	1·796	1·985	1·835	2·250	1·854	1·944	1·968	1·797	2·006
	Totals.	3·804	3·519	3·622	3·608	3·886	3·434	3·651	3·220	3·443	3·397	3·151	3·533
North-Eastern .	Wages.	1·967	2·100	1·918	1·918	1·912	1·951	1·873	1·986	2·069	2·170	2·408	2·452
	Materials.	1·662	1·969	1·731	1·694	1·637	1·610	1·512	1·767	1·743	1·984	1·919	1·800
	Totals.	3·629	4·069	3·649	3·612	3·549	3·561	3·385	3·753	3·812	4·154	4·415	4·252
Great Eastern .	Wages.	1·261	1·274	1·301	1·273	1·160	1·248	1·459	1·488	1·551	1·747	1·608	1·668
	Materials.	0·546	0·747	0·870	0·759	0·935	0·860	1·091	1·077	1·017	1·183	1·207	1·080
	New Engines	2·067	0·653	1·227	0·681	1·237	0·524	1·227	0·493	0·969	0·459	0·312	0·401
	Totals.	3·874	2·674	3·398	2·713	3·332	2·632	3·777	3·058	3·537	3·417	3·604	3·149
London and South-Western	Wages.	1·322	1·280	1·303	1·248	1·169	1·235	1·224	1·115	1·182	1·221	1·432	1·395
	Materials.	2·245	2·187	2·050	2·092	1·875	1·954	1·759	1·349	1·302	1·561	1·585	1·727
	Totals.	3·567	3·467	3·353	3·340	3·044	3·189	2·983	2·464	2·484	2·782	3·017	3·122

II.—AMERICAN RAILROADS.

TABLE 1.—PHILADELPHIA and READING RAILROAD (U.S.A.).
LOCOMOTIVE REPAIRS and RENEWALS, TEN YEARS ENDING NOVEMBER 1875.

Year ending	Number of Locomotives.	Miles.	Pence per Mile.			Average Load of Coal carried in each Train. (Ton = 2,240 lbs.)
			Repairs.	Renewals.	Total.	
Nov. 30, 1866	267	4,261,336	5·035	1·925	6·960	Tons. 471
„ 1867	268	4,356,385	4·833	0·301	5·134	458
„ 1868	269	4,500,135	4·567	0·337	4·904	449
„ 1869	297	5,159,301	3·642	1·364	5·006	467
„ 1870	309	5,100,175	3·727	1·697	5·424	474
„ 1871	343	6,543,138	2·783	0·849	3·632	512
„ 1872	377	7,248,778	2·825	1·102	3·927	521
„ 1873	400	8,351,682	2·571	0·514	3·085	512
„ 1874	405	8,119,077	2·515	0·786	3·301	523
„ 1875	410	7,690,534	2·313	0·588	2·901	553

For the purposes of the preceding statement the average value of the dollar in each year has been taken as follows:—

1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.
s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
2 11½	2 11½	2 11½	3 1	3 7½	3 7½	3 8½	3 7½	3 8½	3 6½

TABLE 2.—WEIGHTS HAULED in PASSENGER, GOODS, and COAL TRAINS in 1875, with AVERAGE COAL CONSUMED and COST of REPAIRS.

Train.	Miles run.	Loads (reduced to Tons of 2,240 lbs.)			Anthracite Coal used.		Engine Repairs in Pence per Mile.
		Average Weight of through Train, excluding the Engine and Tender.	Weight carried, exclusive of Engine, Tender, and Vehicles.		Tons of 2,240 lbs.	Lbs. per Mile.	
			Average Load.	Average through Load.			
Passenger	93	105·4	..	..	2·4	57	2·10
Goods .	93	Not given	162·5	75·9	3·6	87	2·13
Coal . .	190	{ Empty 294·0 Full . 846·6 }	666·6	552·6	10·3	121	3·13

PHILADELPHIA AND READING RAILROAD, U.S.A.

In reply to inquiries, the Author has received the following information, through the kindness of Mr. Gowen, the President, and Mr. Wootten, the Locomotive Engineer, of the above railroad :—

1st. "The mileage of engines which appears in the annual statement is made up by adding three (3) per cent. for shunting to the trip mileage when the engine is employed in hauling passenger, general merchandise, or coal trains; but when engines are employed in irregular service, such as ballasting, shunting, delivering material for construction or maintenance of road, hauling wood or other supplies for the use of the company, &c., the mileage is daily recorded by the conductor of the engine upon a sheet furnished for that purpose, and at the end of the month his report of the aggregate miles run is placed upon the record."

2nd. "The average mileage made by an iron fire-box, burning anthracite coal, is 42,000; of steel, with same fuel, 120,000 miles, and of copper, 45,000."

3rd. "A set of iron tubes will average 138,000 miles. Our experience with brass tubes when under test was so unsatisfactory, that their further use was abandoned."

4th. "A set of cast-steel tires $2\frac{3}{4}$ inches thick by 46 inches outside diameter, six wheels being coupled, the total weight on which is 51,000 lbs., will average 170,000 miles."

5th. "The annual cost of tires for all engines cannot be stated with correctness. Many of our engines were furnished with cast-iron tires having a chilled face, and the introduction of steel tires has been so gradual—covering a period of about seven years—that this question cannot be more satisfactorily answered than by stating that the cost for steel tires, per 1,000 miles run is \$2.41 (= 8s. 7d.), and for chilled tires \$5.12 (= 18s. 3d.) per 1,000 miles run."

6th. "The cost of a set of four cast-iron engine wheels 5 feet 6 inches diameter is \$565 (= £100 12s. 10d.), each wheel weighing 1,540 lbs.; their life may be safely estimated—ordinary wear and tear alone considered—at 600,000 miles."

7th. "The cost of a chilled bogie-truck wheel is \$18.65 (= £3 6s. 5d.), and its life averages 34,000 miles."

8th. "The cost of a standard passenger engine, having cylinders 17 inches by 22 inches, is \$13,603 (= £2,423 0s. 8d.); and the cost of a standard freight engine, having cylinders 18 inches by 24 inches, is \$11,436 (= £2,037 0s. 9d.), no allowance being made for use of shop machinery in either case."

9th. "Boilers made entirely of steel are not in use on the Philadelphia and Reading railroad."

III.—FRENCH RAILWAYS.

PARIS and ORLEANS RAILWAY COMPANY.—MATERIALS and WORKING.

"PARIS, 11th Nov., 1876.

"SIR,—I have made out and send you herewith, according to your desire :

"1st. Account of the costs of repairs and renewals of the locomotives and tenders of the Orleans Company during the year 1875.

"2nd. Detailed account of the construction of the engines Nos. 566 to 571 built in 1875 in the workshops of the Company.

"These two documents have been made out as far as possible in the form of those that you have been kind enough to send me. To do this, some inquiries have

been necessary, which have delayed my reply. If the subdivision of the expenses is not quite exact, it is at least sufficiently so to furnish a regular comparison.

"You will observe that our renewal expenses are markedly less than yours. This difference is principally due to the fact that our opened network has not ceased to increase, and that, in consequence, the old rolling stock bears but a slight proportion to the effective total; the cost of repairs has therefore been small, while the mileage, which serves as the divisor, is considerably increased. I have ascertained this cost by taking the average of the last ten years.

"The cost per ton of the engines 566 to 571 amounts to £58 7s. 9d., exclusive of general charges. Owing to the present low price of materials, the engines we are now contracting for will be less costly.

"Accept, &c.,

"V. FORQUENOT,

"L'Ingénieur en Chef du Matériel et de la Traction."

TABLE 1.—PARIS AND ORLEANS RAILWAY. REPAIRS and RENEWALS of LOCOMOTIVES and TENDERS for the YEAR 1875.

		Amount.			Total.			Per Mile.
		£.	s.	d.	£.	s.	d.	d.
<i>Wages.</i>								
Repairs . .	{Locomotives	33,255	14	5}	38,997	3	9	0·606
	{Tenders	5,741	9	4}				
Renewals . .	{Locomotives	4,880	19	11}	5,501	10	1	0·085
	{Tenders	620	10	2}				
Maintenance	{Tools	2,390	15	6	2,390	15	6	0·037
	{Machinery, workshop							
	{Stationary engines . .							
General workshop expenses .	{Foremen	2,267	6	8}	7,996	10	1	0·124
	{Accountants	756	1	3}				
	{Draughtsmen	1,027	17	5}				
	{Sundry clerks	893	16	9}				
	{Various	3,051	8	0}				
					54,885	19	5	0·852
<i>Materials.</i>								
Repairs . .	{Locomotives	48,821	18	5}	57,201	2	0	0·889
	{Tenders	8,379	3	7}				
Renewals . .	{Locomotives	12,811	6	2}	14,439	19	7	0·224
	{Tenders	1,628	13	5}				
Maintenance of machinery and tools, general workshop expenses . . . }		3,012	1	7	3,012	1	7	0·047
					74,653	3	2	1·160
					129,539	2	7	2·012
Train mileage = 15,450,344								

SUMMARY.

—	Total Wages.			Total Materials.			Total.			Per Mile.		
										Wages.	Materials.	Total.
	£.	s.	d.	£.	s.	d.	£.	s.	d.	d.	d.	d.
Repairs of loco- motives and tenders . . .	38,997	3	9	57,201	2	0	96,198	5	9	0·606	0·889	1·495
Renewals of loco- motives and tenders . . .	5,501	10	1	14,439	19	7	19,941	9	8	0·085	0·224	0·309
Maintenance of machinery and tools. General workshop ex- penses . . .	10,387	5	7	3,012	1	7	13,399	7	2	0·161	0·047	0·208
	54,885	19	5	74,653	3	2	129,539	2	7	0·852	1·160	2·012

TABLE 2.—PARIS AND ORLEANS RAILWAY. COST OF ENGINES NOS. 566-571, with SIX WHEELS COUPLED. Weight = 34 tons 1 cwt. 2 qrs. 12 lbs.

Division.	Wages.			Materials.			Total.		
	£.	s.	d.	£.	s.	d.	£.	s.	d.
Boiler, fire-box, tubes, Tenbrinck heating tube, chimney, dome, stays, pipe mounting	164	12	10	702	1	7	866	14	5
Ash-pan, foot-plate, cab, sand-box, and its gearing	45	1	7	58	12	10	103	14	5
Wheels, axles, journals, frame plates, springs, axle-boxes	112	16	10	361	14	5	474	11	3
Mechanism, cylinders, connecting rods, pumps, reversing gearing, &c.)	200	0	0	210	8	0	410	8	0
Cocks and safety-valves	17	14	5	43	8	9	61	3	2
Painting, brass sheathing	20	19	2	52	4	10	73	4	0
Totals	561	4	10	1,428	10	5	1,989	15	3
Cost per ton for the finished engine	16	9	5	41	18	4	58	7	9
Plus general charges	..			..			9	16	0
							68	3	9

TABLE 3.—PARIS AND ORLEANS RAILWAY. Cost of the CONSTRUCTION of ENGINES Nos. 566-571, with SIX WHEELS COUPLED.
Weight and Price of the Materials employed.

	Gross		Credits.		Net		Net Cost per Ton.	
	Weight.	Cost.	Weight.	Cost.	Weight.	Cost.	£. s. d.	£. s. d.
Boiler plates, side plates, cabs.	Cwt. qrs. lbs.	£. s. d.	Cwt. qrs. lbs.	£. s. d.	Cwt. qrs. lbs.	£. s. d.	£. s. d.	£. s. d.
Fine iron	157 2 13	194 0 0	7 2 5	1 16 9	150 0 8	192 3 3	25 12 2	25 12 2
Wrought iron	67 3 13	82 10 5						
Sheet iron	71 2 0	68 16 0						
Wrought wheels	11 2 23	14 0 9	56 1 3	14 16 0	94 3 5	150 11 2	31 15 4	31 15 4
Iron frame plates	75 2 3	113 16 0	3 0 5	0 17 7	72 1 26	112 18 5	31 3 2	31 3 2
Bolts, screws, rivets	54 0 26	41 13 7	20 1 24	5 16 10	33 3 2	35 16 9	21 4 9	21 4 9
Cast iron	27 2 0	32 0 0			27 2 0	32 0 0	23 5 5	23 5 5
Steel	100 2 15	70 9 7	6 0 12	0 12 10	94 2 3	69 16 9	14 15 6	14 15 6
Steel axles	13 3 0	21 4 0	0 3 26	0 4 10	12 3 2	20 19 2	32 16 8	32 16 8
Coupling pins (iron)	26 3 18	33 19 2	2 1 12	0 12 0	24 2 6	33 7 2	27 3 6	27 3 6
Steel tires	8 2 23	10 16 0	1 0 20	0 7 2	7 2 3	10 8 10	27 15 4	27 15 4
Brass tubes	44 3 13	60 16 0	1 3 24	0 9 7	42 3 17	60 6 5	28 2 6	28 2 6
Copper plates	56 0 24	320 11 3			56 0 24	320 11 3	114 1 0	114 1 0
Stays and copper rivets	24 1 14	121 18 5	2 0 3	8 6 5	22 1 11	113 12 0	101 12 6	101 12 6
Copper tubes	5 3 16	29 8 0			5 3 16	29 8 0	99 15 8	99 15 8
Bronze	3 1 6	25 4 0	0 1 16	1 13 7	2 3 18	23 10 5	162 1 8	162 1 8
Cocks	14 3 9	84 11 3	1 1 16	5 2 5	13 1 21	79 8 10	118 6 3	118 6 3
Boiler sheathing (brass) and various.	1 2 8	16 17 7			1 2 8	16 17 7	214 16 6	214 16 6
Bouvet injector	15 2 26	101 13 7	3 2 15	13 9 7	12 0 11	88 4 0	145 16 2	145 16 2
Tenbrink heating tube	1 1 25	12 16 0			1 1 25	12 16 0	173 15 5	173 15 5
	6 2 9	33 8 10	1 3 7	7 14 5	4 3 2	25 14 5	107 17 6	107 17 6
Total	790 3 4	1490 10 5	109 0 20	62 0 0	681 2 12	1428 10 5	41 18 4	41 18 4

TABLE 4.—PARIS AND ORLEANS RAILWAY.

Number of engines in 1875	828
Miles run by engines during 1875	17,141,934
Average miles per engine	20,703

COAL CONSUMED by ENGINES.

Year.	Price of Coal per "Tonne" (2,200 lbs.)	Coal consumed per Mile.		Cost of Coal per Engine Mile.
		Passenger and mixed.	Goods.	
	£. s. d.	lbs.	lbs.	d.
1859	1 9 9·6	21·625	32·757	4·092
1860	1 7 10·1	22·532	35·117	4·064
1861	1 5 2·0	21·660	37·506	3·723
1862	1 3 5·8	21·501	38·151	3·504
1863	1 0 6·9	22·656	41·610	3·263
1864	0 19 2·5	22·656	42·549	3·145
1865	0 17 1·3	22·646	43·966	2·915
1866	0 16 2·5	24·478	44·991	2·946
1867	0 16 4·2	24·719	45·015	2·906
1868	0 16 1·1	24·634	44·494	2·906
1869	0 15 2·2	25·821	46·266	2·850
1870	0 14 8·6	27·001	47·510	2·870
1871	0 14 6·9	27·267	53·939	2·937
1872	0 14 6·3	26·349	49·864	2·930
1873	0 16 2·2	25·725	47·298	3·106
1874	0 17 10·0	25·169	45·565	3·298
1875	0 18 7·1	26·048	46·876	3·593

AVERAGE NUMBER of CARRIAGES or WAGONS in a TRAIN.

Passenger or Goods.	Description of Vehicle.	Main Line.		Branch Lines.	
		Av. No.	Total Av.	Av. No.	Total Av.
Passenger trains .	Carriages	6·25		6·73	
	Vans, carriage-trucks, horse-boxes, post-office vans	4·44		3·06	
			10·69		9·79
Mixed trains . .	Carriages	6·39		4·78	
	Vans, carriage-trucks, horse-boxes, post-office vans	1·86		1·25	
	Goods wagons	5·09		6·93	
			13·34		12·96
Goods trains . .	Loaded wagons . . .	33·50		21·44	
	Empty wagons . . .	8·53		6·34	
			42·03		27·78

TABLE 5.—PARIS, LYONS, and MEDITERRANEAN RAILWAY. COST OF REPAIRS and RENEWALS of ENGINES and TENDERS in PENCE per TRAIN MILE.

Item.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.
	d.	d.	d.	d.	d.	d.	d.	d.	d.	d.
Wages . . .	1·601	1·250	·909	·845	·820	·769	·958	·910	·942	·978
Materials . .	1·453	1·376	1·313	1·288	1·381	1·055	1·497	1·355	1·588	1·877
Shop expenses .	·516	·456	·528	·346	·368	·385	·471	·400	·507	·806
Total . .	3·570	3·082	2·750	2·479	2·569	2·209	2·926	2·665	3·037	3·661

The amounts published in the accounts of the Paris, Lyons, and Mediterranean Company as repairs of engines include the cleaning of the engines. In the above figures, cleaning engines has been deducted. It is uncertain whether renewals are included in the above table.

COST of REPAIRS of ENGINES WORKING DIFFERENT TRAINS in 1874 in PENCE per TRAIN MILE.

Item.	Express.	Ordinary Passenger.	Goods.	Ballasting.	Shunting.
	d.	d.	d.	d.	d.
Wages	·536	·692	·921	·831	·792
Materials	1·030	1·327	1·767	1·593	1·519
Shop expenses	·294	·530	·656	1·829	·431
Total	1·860	2·549	3·344	4·253	2·742

AVERAGE LOADS of TRAINS.

Description.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.
Carriages in passenger trains . . .	9·919	11·370	11·918	11·188	11·351	11·351	11·351	11·065	11·150	11·421
Wagons in goods trains . . .	48·322	47·246	46·458	45·440	43·947	43·947	43·947	40·660	40·153	42·538
Average load of wagons . . .	Tons. 4·044	Tons. 4·291	Tons. 4·227	Tons. 4·169	Tons. 4·346	Tons. 4·346	Tons. 4·346	Tons. 4·842	Tons. 4·492	Tons. 4·272

CONSUMPTION of COAL in LBS. per MILE.

Trains.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.
Passenger .	30·233	31·112	32·959	32·760	33·947	36·683	40·093	36·644	38·034	35·156
Goods . .	67·449	69·115	68·579	67·484	70·025	76·107	81·809	76·667	73·991	66·946

Average cost of coal per ton in 1874 . . 25s. 10·694d.

Number of engines in 1873 1,666

" " 1874 1,804

TABLE 6.—NORTHERN RAILWAY. COST OF REPAIRS AND RENEWALS OF LOCOMOTIVES IN PENCE per MILE. FROM JANUARY 1872 to DECEMBER 1874.

Item.	Half Year ending					
	1872.		1873.		1874.	
	June.	Dec.	June.	Dec.	June.	Dec.
Repairs of engines . . .	d. 2·279	d. 2·234	d. 2·211	d. 2·410	d. 2·476	d. 2·596
„ „ wheels and tires	·189	·166	·041	·263	·283	·281
„ „ springs . . .	·026	·035	·039	·039	·035	·029
„ „ fire-bars . . .	·028	·022	·024	·051	·054	·052
„ „ tenders . . .	·239	·204	·200	·242	·248	·252
„ „ wheels and tires	·073	·066	·017	·115	·090	·087
„ „ springs . . .	·019	·015	·020	·023	·022	·020
Maintenance of tools and machinery	·020	·459	·189	·450	·081	·015
Totals . . .	2·873	3·201	2·741	3·593	3·289	3·332

IV.—PRUSSIAN RAILWAYS.
COST OF ENGINE REPAIRS, WITH AVERAGES PER MILE OF LINE AND PER TRAIN MILE RUN. YEAR 1874.
 (Excerpt, "Statistische Nachrichten von den Preussischen Eisenbahnen.")

Cost of Engine Repairs.															
Railway.	Length of Line.	Train Miles run.	Shop Repairs.								Credits ¹ for Old Materials and Debits for Repair of Hired Engines.		Total.		
			Small Repairs.		Wages.		Materials.		—	Per Mile.	Amount.	Per Mile.	Average per Mile of Line.	Per Cent. of First Cost.	
			Amount.	Per Mile.	Amount.	Per Mile.	£.	d.							£.
									£.	d.	£.	d.	£.	d.	
<i>State Railways.</i>			Miles.												
1. Eastern	869.05	5,934,030	17,995.6	.728	25,564.6	1.034	37,688.3	1.524	10,767.7	.485	92,016.2	3.721	105,887	7.6	
2. Lower Silesian and Berlin Junction	368.91	4,993,058	4,173.2	.201	15,879.0	.763	34,016.6	1.635	9,563.2	.460	63,632.0	3.059	172,444	5.5	
3 to 8. Sundry	1,307.07	11,322,680	31,978.8	.665	61,074.2	1.295	84,754.0	1.796	19,293.9	.409	157,913.1	3.347	120,821	..	
Total	2,545.03	22,249,768	53,547.6	.577	102,517.8	1.106	156,458.9	1.688	1,037.0	.011	313,561.3	3.382	123,207	6.5	
<i>Private Railways, partly under State control.</i>															
2. Düsseldorf, Warburg, &c.	701.17	7,909,976	64,775.5	1.965	31,480.5	.955	53,558.5	1.625	7,020.7	.213	156,835.2	4.758	223,730	8.1	
1 and 3. Sundry	807.65	5,287,880	8,579.7	.389	32,049.3	1.455	59,640.3	2.707	11,454.6	.520	88,814.7	4.031	109,974	..	
Total	1,508.82	13,197,856	73,355.2	1.354	63,529.8	1.155	113,198.8	2.059	4,433.9	.081	245,649.9	4.467	162,790	7.5	
<i>Private Railways not under State control.</i>															
22. Cologne and Minden	350.84	6,147,193	15,962.6	.623	21,515.6	.840	25,830.9	1.008	..	..	63,309.1	2.471	180,368	4.2	
23. Rhine	515.68	5,105,886	20,429.9	.960	24,976.3	1.174	19,442.4	.914	14,337.0	.674	50,511.6	2.374	97,967	4.8	
4, 5, 7, 8, 9, 10, 12 to 21, 24 to 29.	3,338.45	19,271,641	65,767.9	.819	84,599.6	1.054	116,421.8	1.450	24,237.0	.302	242,552.3	3.021	72,655	..	
Total	4,204.87	30,524,720	102,160.4	.803	131,091.5	1.081	161,695.1	1.271	38,574.0	.303	356,373.0	2.802	84,752	..	
6 and 11 not analysed	574.56	2,611,692							3,356.1	.308	42,758.0	3.929	74,414	..	
Total	4,779.43	33,136,412							41,930.1	.304	399,131.0	2.891	83,511	5.5	
Grand Total	8,833.28	68,584,036							45,327.0	.158	958,342.2	3.354	108,492	6.3	

¹ Credits in antique figures.

V.—GREAT SOUTHERN AND WESTERN RAILWAY OF IRELAND.

TABLE 1.—COST OF REPAIRS OF THREE STANDARD CLASSES OF LOCOMOTIVES FROM JANUARY 1866 TO DECEMBER 1875. (Exclusive of Shop Expenses, and Tools or Machinery.)

Description of Materials.	CLASS 1. 10 Mail Engines, 1,574,048 Miles.				CLASS 2. 20 Passenger Engines, 3,141,327 Miles.				CLASS 3. 49 Goods Engines, 5,100,013 Miles.			
	Amount.		Per Mile.		Amount.		Per Mile.		Amount.		Per Mile.	
	£.	s.	d.		£.	s.	d.		£.	s.	d.	
Copper plates . .	147	6	6	·023	15	17	10	·001	367	13	7	·017
„ stays . .	38	11	3	·006	14	8	6	·001	131	6	6	·006
Fire-bars and brick arch }	510	19	1	·078	609	12	11	·047	1,861	14	8	·088
Iron for smoke-box, foot-plate, &c. }	118	4	11	·018	119	3	3	·009	220	9	5	·010
Axles	..				336	19	3	·026	440	10	10	·021
Tires	171	2	7	·026	414	2	7	·032	356	8	11	·017
Springs	632	2	6	·096	628	8	10	·048	1,423	10	2	·067
Axle-boxes . . .	264	16	10	·040	304	7	10	·023	600	8	10	·030
Axle-brasses . .	167	17	1	·025	256	0	11	·020	504	14	1	·023
Big-end brasses .	23	17	8	·004	30	6	5	·002	81	10	8	·004
Cylinders and pistons	219	12	5	·034	485	7	10	·037	723	9	6	·034
Glands and bushes .	97	6	6	·015	140	6	9	·010	367	19	7	·017
Slide-valves . . .	119	14	4	·018	186	9	10	·014	307	3	6	·014
Eccentric liners . .	136	8	6	·021	192	14	3	·015	580	8	2	·027
Sundry white metal.	183	17	0	·028	264	16	9	·020	648	5	3	·030
Miscellaneous . .	752	1	8	·114	1,966	2	4	·150	2,215	11	10	·104
Totals	3,583	18	10	·546	5,965	6	1	·455	10,831	5	6	·509
Credits	680	19	4	·104	993	3	6	·076	2,157	2	4	·101
Net	2,902	19	6	·442	4,972	2	7	·379	8,674	3	2	·408
Wages	3,565	11	3	·544	5,622	18	10	·430	10,511	14	3	·492
Totals	6,468	10	9	·986	10,595	1	5	·809	19,185	17	5	·900

TABLE 2.—COST OF CONSTRUCTION OF THREE STANDARD CLASSES OF LOCOMOTIVES.
(Charges for Shop Expenses, Tools, or Machinery not included.)

Section.	CLASS 1. Mail Engines. Average Cost each.				CLASS 2. Ordinary Passenger Engines. Average Cost each.				CLASS 3. Heavy Goods Engines. Average Cost each.			
	Materials.		Wages.		Materials.		Wages.		Materials.		Wages.	
	£.	s.	d.	Total.	£.	s.	d.	Total.	£.	s.	d.	Total.
A Boiler . . .	435	14	0	529 9 0	406	3	7	517 4 7	535	17	3	644 13 10
B Smoke-box, &c.	71	10	10	106 2 6	80	17	10	155 19 7	83	5	10	158 12 4
C Wheels, frames, &c.	532	10	9	617 5 4	453	12	0	530 14 6	534	10	3	599 5 2
D Machinery .	138	9	10	333 8 9	131	11	3	290 6 2	169	1	1	354 10 7
E Mountings .	112	9	4	147 18 6	86	5	7	115 17 2	89	8	5	121 9 10
F Painting, &c.	46	5	3	76 9 5	42	9	5	57 19 3	42	2	5	61 8 9
Total . .	1,337	0	0	1,870 13 6	1,205	19	8	1,608 1 3	1,454	5	3	1,943 0 6

TABLE 3.—WEIGHT, COST, AND COST PER TON, OF MATERIALS USED IN THE CONSTRUCTION OF THREE STANDARD CLASSES OF LOCOMOTIVES.

Materials.	CLASS 1.			CLASS 2.			CLASS 3.		
	Weight.	Cost.		Weight.	Cost.		Weight.	Cost.	
		£.	s. d.		£.	s. d.		£.	s. d.
Boiler plate . . .	Cwt. qrs. lbs.			Cwt. qrs. lbs.			Cwt. qrs. lbs.		
Yorkshire iron . . .	75 2 20	131 13 6	34 16 0	62 2 20	98 4 0	31 6 8	76 2 18	135 15 3	35 8 4
Iron forgings . . .	9 0 7	9 18 5	21 17 10	4 0 24	4 13 3	22 2 6	6 0 19	7 10 4	24 7 4
Wheel " . . .	76 0 18	72 18 6	19 3 0	0 14	69 16 2	18 16 8	86 0 25½	84 17 9	19 13 9
Frame plates . . .	68 3 17½	172 13 9	50 2 5	53 3 26	128 14 3	47 13 4	86 0 25½	158 16 1	51 6 7
Staffordshire iron . . .	26 0 0	55 15 0	42 17 8	22 1 9	60 0 0	53 14 9	25 2 0	68 10 0	53 14 6
Bolts, nuts, and rivets . . .	119 0 27¼	64 12 10	10 17 5	94 0 13	76 7 10	16 4 8	89 0 12	67 12 6	15 3 6
Iron castings . . .	21 1 1	32 18 10	31 0 0	20 0 25½	44 1 0	43 11 3	22 1 6	52 15 1	47 6 1
Steel . . .	99 1 12	55 5 10	11 2 7	96 3 0	48 19 2	10 6 8	95 1 10½	47 15 10	10 0 6
Steel axles . . .	15 3 11	44 19 5	36 12 7	22 2 1	45 14 4	40 6 1	30 3 6½	65 14 8	42 13 6
Steel crank axles . . .	25 0 3	81 16 8	40 3 10	13 2 26	27 9 5	40 0 3	25 0 10	95 19 5	74 18 7
Steel tires . . .	56 2 11	107 10 8	38 0 0	50 2 23	97 12 6	75 0 0	50 2 13	100 3 7	40 0 0
Brass tubes . . .	37 2 27	132 1 11	70 0 0	27 1 12	137 4 10	100 6 8	36 0 15½	185 10 1	102 13 3
Copper plate . . .	22 3 5	104 2 9	91 7 5	21 3 23	99 19 9	91 1 8	25 0 23	140 2 1	111 3 4
" stays . . .	5 3 23	29 19 4	100 2 7	5 0 9	30 1 11	118 4 10	5 1 18	26 6 9	97 7 0
" tube . . .	2 1 25½	18 19 1	152 14 5	1 3 23½	18 9 3	189 5 11	1 2 0½	12 13 11	168 10 6
Brass castings . . .	7 2 21¼	29 7 8	76 8 10	7 3 23	31 17 2	80 1 5	9 1 6½	36 7 10	78 3 1
Injectors . . .	1 1 0	54 0 0		1 3 10½	39 10 0		1 3 10½	39 10 0	
Finished brass and sundries . . .	38 2 14	116 1 6		25 3 16½	96 16 11		33 3 5	113 6 1	
Totals . . .	734 0 27¼	1,358 16 10		627 1 3	1,230 1 9		700 1 18	1,474 7 2	
Credits . . .	6 3 21	21 16 10		8 1 11	24 2 1		5 3 11½	20 1 11	
Net materials . . .	727 1 6½	1,337 0 0		618 3 20	1,205 19 8		694 2 6½	1,454 5 3	
Wages . . .		533 13 6			462 1 7			488 15 3	
Totals . . .	727 1 6½	1,870 13 6		618 3 20	1,668 1 3		694 2 6½	1,943 0 6	

TABLE 4.—ABSTRACT of the COST of ENGINES and TENDERS RENEWED from JANUARY 1866 to DECEMBER 1875.

(Not including unfinished Work, or Charges for Shop Expenses, Tools, &c.)

Section.	Materials.				Wages.				Total.			
	Amount.		Per Train Mile.		Amount.		Per Train Mile.		Amount.		Per Train Mile.	
	£.	s. d.	d.		£.	s. d.	d.		£.	s. d.	d.	
A Boiler . . .	30,643	0 11	·328		6,332	7 3	·067		36,975	8 2	·395	
B { Smoke-box, cab, &c. . . . }	4,277	16 9	·046		5,252	17 2	·056		9,530	13 11	·102	
C { Wheels, frames, &c. . . . }	26,834	13 0	·287		5,505	17 0	·059		32,340	10 0	·346	
D Machinery . .	8,917	13 2	·095		12,014	19 7	·129		20,932	12 9	·224	
E Mountings . .	7,190	7 4	·077		2,416	6 5	·026		9,606	13 9	·103	
F Painting, &c. .	2,696	8 4	·029		1,381	1 5	·015		4,077	9 9	·044	
Total engines .	80,559	19 6	·862		32,903	8 10	·352		113,463	8 4	1·214	
Tenders (including tanks, bogies, &c., for tank engines.)	13,610	13 8	·146		4,563	8 10	·049		18,174	2 6	·195	
Totals	94,170	13 2	1·008		37,466	17 8	·401		131,637	10 10	1·409	
Credits (old engines and tenders broken up)	8,961	15 4	·096		..	..	..		8,961	15 4	·096	
Net Totals	85,208	17 10	·912		37,466	17 8	·401		122,675	15 6	1·313	
Average cost per engine for the 64 engines re-built . . .	1,258	15 0	..		514	2 4	..		1,772	17 4	..	
Average cost per tender for the 38 tenders re-built . . .	298	12 7	..		103	6 8	..		401	19 3	..	

TABLE 5.—SUMMARY of the COST of ENGINE and TENDER REPAIRS from JANUARY 1866 to DECEMBER 1875.

(Including Ballast Engines and Engines lent to other Companies.)

Section.		Amount.			Per Train. Mile.
		£.	s.	d.	d.
A	Boiler	13,544	17	2	·145
B	Smoke-box, cab, &c.	2,464	8	11	·026
C	Wheels, frames, &c.	24,184	4	6	·259
D	Machinery	23,490	15	3	·252
E	Mountings	5,528	10	4	·059
F	Painting, &c.	2,782	1	2	·030
Total materials for engines		71,994	17	4	·771
" " tenders		13,058	5	4	·140
" " engine and tender		85,053	2	8	·911
Credits		12,303	14	3	·132
Net materials		72,749	8	5	·779
Wages, shed repairs, engines.		28,776	7	1	·308
" shop "		45,604	14	11	·488
" repairs of tenders "		13,325	12	6	·143
Total materials and wages.		160,456	2	11	1·718

TABLE 6.—MATERIALS USED for RENEWAL of ENGINES from JANUARY 1866 to DECEMBER 1875.

Description of Materials.		Cost.			Per Train Mile.
		£.	s.	d.	d.
Boiler plate		9,310	11	1	·100
Copper plate		7,581	7	8	·081
" stays		1,537	18	1	·017
Tubes		9,311	6	10	·106
Wheels		7,662	19	6	·082
Axles		5,991	10	10	·064
Tires		5,990	3	4	·064
Frames		3,123	4	9	·033
Hornblocks		1,210	5	0	·013
Cylinders		2,687	17	0	·029
Injectors		2,838	1	2	·030
Sundries		23,314	14	3	·249
Total		80,559	19	6	·862

TABLE 7.—MATERIALS USED FOR ENGINE REPAIRS FROM JANUARY 1866 to DECEMBER 1875.

Description of Materials.	Cost.			Per Train Mile.
	£.	s.	d.	d.
Copper plate and stays.	3,337	19	9	•036
Boiler tubes	2,895	3	11	•031
Fire-bars and brick arch	6,018	12	2	•064
Axles.	5,382	10	6	•057
Tires	9,236	12	1	•099
Springs	6,411	3	0	•068
Axle-boxes and brasses	6,068	17	2	•065
Cylinders, pistons, &c.	3,810	15	0	•041
Slide-valves, glands, and bushes	3,621	16	4	•039
Eccentric straps and liners	2,487	16	1	•027
Sundry other patent metal.	3,716	13	6	•040
Miscellaneous	19,006	17	10	•204
Total	71,994	17	4	•771

TABLE 8.—COST OF TIRES FOR REPAIRS AND RENEWALS FROM JANUARY 1860 to JUNE 1876.

(The original thickness of the tires was $2\frac{3}{4}$ inches.)

Five Years 1860, 1861, 1862, 1863, 1864.											
Class.	Iron.			Steel.			Total.		Per Train Mile.	Miles.	
	£.	s.	d.	£.	s.	d.	£.	s.	d.		
Passenger	3,646	7	2	47	1	5	3,693	8	7	·165	5,365,352
Goods	2,817	5	1	698	4	3	3,515	9	4	·287	2,938,028
Total engine	6,463	12	3	745	5	8	7,208	17	11	·208	8,303,380
Tender	4,099	10	2	..			4,099	10	2	·119	..
Total	10,563	2	5	745	5	8	11,308	8	1	·327	..

Average price of tires during this period. } Iron tires, engine, 38/4 per cwt. Steeled tires, engine, 44/6 per cwt.
 " " tender, 33/3 " " " tender, 42/0 " Steel tires, engine, 72/0 per cwt.

TABLE 8 (continued).

Five Years 1865, 1866, 1867, 1868, 1869.

Class.	Iron.			Steel.						Total.			Per Train Mile.	Miles.
				Repairs.			Renewals.							
	£.	s.	d.	£.	s.	d.	£.	s.	d.	£.	s.	d.	d.	
Passenger . .	1,120	15	0	2,704	16	8	1,976	9	4	5,802	1	0	·222	6,267,399
Goods . .	866	7	2	1,668	16	8	1,074	8	6	3,609	12	4	·229	3,777,824
Total engine	1,987	2	2	4,373	13	4	3,050	17	10	9,411	13	4	·224	10,045,223
Tender . .	2,493	8	5	304	8	1	407	16	0	3,205	12	6	·077	..
Total . .	4,480	10	7	4,678	1	5	3,458	13	10	12,617	5	10	·301	..

Average price of tires during this period.	}	Iron tires, engine, 36/3 per cwt.	Steel tires, engine, 45/9 per cwt.
		" " tender, 33/9 "	" " tender, 30/4 "
		Steeled tires, engine, 47/11 per cwt.	

Five Years 1870, 1871, 1872, 1873, 1874.

Class.	Iron.			Steel.						Total.	Per Train Mile.	Miles.		
				Repairs.			Renewals.							
Passenger . .	£.	s.	d.	£.	s.	d.	£.	s.	d.	£.	s.	d.	d.	
Goods . . .	34	19	5	2,075	7	3	1,205	11	6	3,315	18	2	109	7,259,695
Total engine .	64	4	2	2,443	5	10	1,584	1	10	4,091	11	10	222	4,422,471
Tender . . .	99	3	7	4,518	13	1	2,789	13	4	7,407	10	0	152	11,682,166
Total . .	248	10	8	3,847	14	9	1,476	2	0	5,572	7	5	114	..

Average price of tires during this period.	Iron tires, engine, 24/7 per cwt.	Steel tires, engine, 37/11 per cwt.
	" " tender, 27/5 "	" " tender, 33/7 "

One Year and a Half, January 1875 to June 1876.

Class.	Iron.	Steel.						Total.	Per Train Mile.	Miles.		
		Repairs.			Renewals.							
		£.	s.	d.	£.	s.	d.	£.	s.	d.	d.	
Passenger . .	..	96	4	4	148	6	4	244	10	8	·025	2,340,736
Goods . . .	..	118	12	1	235	13	8	354	5	9	·062	1,368,940
Total engine .	..	214	16	5	384	0	0	598	16	5	·039	3,709,676
Tender . . .	..	637	11	11	259	7	0	916	18	11	·059	..
Total . .	..	872	8	4	643	7	0	1,515	15	4	·098	..

Average prices during } Steel tires, engine, 30/2 per cwt. Tender, 34/8 per cwt.
this period.

TABLE 9.—SUMMARY OF THE COST OF REPAIRING DIFFERENT CLASSES OF LOCOMOTIVES FROM JANUARY 1886 TO DECEMBER 1875.

Class of Engine.			Average Run per Engine during their Life.	Materials.		Wages.		Total.		
No.	Maker or Description.	Diameter of Driving Wheels.		How Coupled.	Amount.	Per Engine Mile.	Amount.	Per Engine Mile.	Amount.	Per Engine Mile.
<i>Passenger.</i>										
11	Sharp	5½	Single	465,471	1,736 3 4	.334	d.	£. s. d.	d.	d.
20	Bury	6	"	388,028	2,656 3 3	.391	.776	4,012 8 11	.776	5,778 12 3
13	G. S. and W. Ry.	6½	"	424,523	7,806 6 6	.575	.739	4,686 16 8	.739	7,342 19 11
10	Standard 1.	6½	D. & T.	157,369	2,902 19 6	.412	.634	8,624 1 0	.634	16,430 7 6
20	" 2.	5½	"	157,066	4,972 2 7	.379	.543	3,565 11 3	.543	6,468 10 9
10	Bogie tank, Standard 2A.	5½	"	85,140	928 12 1	.262	.429	5,622 18 10	.429	10,595 1 5
10	C. and Yl. Ry. tank	Various.	"	239,947	6,740 14 4	.837	.429	2,038 11 6	.577	2,967 3 7
							.847	6,829 19 11	.847	13,570 14 3
<i>Goods.</i>										
8	Bury	5	L. & D.	397,009	2,095 4 2	.561	.979	3,689 18 2	.979	5,785 2 4
17	G. S. and W. Ry.	4½	"	288,336	9,214 12 8	.617	.866	12,949 4 10	.866	22,163 17 6
8	"	4½	L. D. T.	316,880	5,493 1 2	.107	1.262	6,810 3 11	1.262	12,303 5 1
49	Standard 3	5	"	103,818	8,674 3 2	.408	.494	10,311 14 3	.494	19,183 17 5
	Unclassed	..	"	340,701	6,471 0 4	..	..	5,009 12 9	..	11,480 13 1
	Total engines.	..	..	243,440	59,691 3 1	.566	.704	71,381 2 0	.704	134,072 5 1
	Tenders	..	..	..	13,058 5 4	.141	.143	13,325 12 6	.143	26,383 17 10
	Total	..	..	..	72,749 8 5	..	..	87,706 14 6	..	160,456 2 11

THE REPAIRS AND RENEWALS OF LOCOMOTIVES.

TABLE 10.—ABSTRACT of MATERIALS and WAGES EXPENDED in REPAIRING ENGINES during TEN YEARS from JANUARY 1866 to DECEMBER 1875. EACH CLASS of ENGINE SHOWN SEPARATELY.

[To face page 34.

	PASSENGER ENGINES.																GOODS ENGINES.																																				
	11				20				13				10				20				10				10				8				1				8				49				Unclassed.	Total.							
	Single wheeled.				Single wheeled.				Single wheeled.				Four coupled D. & T.				Four coupled D. & T.				Four coupled D. & T.				{7 four coupled D. & T. 3 single wheeled.				Four coupled L. & D.				Four coupled L. & D.				Six coupled.				Six coupled.												
	Sharp Bros.				Bury & Co.				..				Standard 1.				Standard 2.				{Bogie tank engines. Standard 2a.				{Tank engines, Cork and Youghal.				Bury & Co.				..				..				Standard 3.												
	5 feet 8 inches.				6 feet.				6 feet 6 inches.				6 feet 6 inches.				5 feet 8 inches.				5 feet 8 inches.				5 feet 8 inches.				5 feet.				4 feet 6 inches.				4 feet 6 inches.				5 feet.												
Engine miles run in this period	1,248,806				1,629,032½				3,256,851				1,574,048¼				3,141,326¾				851,414½				1,932,920				895,492				3,584,631½				1,295,681½				5,100,013½				808,163¾	25,318,381							
Average life per engine in miles	465,471				388,028				424,523				157,369				157,066				85,140				239,947				397,009				288,336				316,880				103,818				340,701	243,440							
	Per Mile.				Per Mile.				Per Mile.				Per Mile.				Per Mile.				Per Mile.				Per Mile.				Per Mile.				Per Mile.				Per Mile.				Per Mile.				Per Engine Mile.	Per Train Mile.							
A	Copper plates	£.	s.	d.	d.	£.	s.	d.	d.	£.	s.	d.	d.	£.	s.	d.	d.	£.	s.	d.	d.	£.	s.	d.	d.	£.	s.	d.	d.	£.	s.	d.	d.	£.	s.	d.	d.	£.	s.	d.	d.	£.	s.	d.	d.								
	" stays	124	7	8	.024	14	0	2	.002	232	14	1	.017	147	6	6	.022	15	17	10	.001	11	1	1	.003	1,110	4	8	.138	21	12	5	.006	91	5	2	.006	199	15	11	.037	367	13	7	.018	34	10	3	2,370	9	4	.023	.020
	Tubes	37	14	9	.007	8	10	6	.001	162	3	4	.012	38	11	3	.006	14	8	6	.001	3	15	9	.001	218	15	11	.027	3	18	11	.001	100	8	4	.006	204	5	10	.038	131	6	6	.006	43	10	10	967	10	5	.009	.010
	Fire-bars and brick arch	164	15	9	.032	62	3	2	.009	641	8	10	.047	35	12	4	.005	157	5	2	.012	..	..	..	..	1,192	9	0	.148	3	5	8	.001	132	15	8	.009	457	5	11	.085	42	7	9	.088	5	14	8	2,895	3	11	.028	.031
	Sundries for boiler	117	6	2	.023	316	15	1	.047	507	15	9	.038	510	19	1	.078	609	12	11	.047	83	12	5	.023	129	4	7	.016	509	19	9	.137	728	14	3	.049	445	7	3	.082	1,861	14	8	.002	197	10	3	6,018	12	2	.057	.064
		74	13	1	.014	39	8	1	.006	162	16	0	.012	99	11	2	.015	123	13	10	.009	14	8	0	.004	249	3	8	.031	27	3	5	.007	135	17	0	.009	107	5	2	.020	189	13	2	.008	69	8	9	1,293	1	4	.012	.014
B	Sundries for smoke-box and platform	83	6	6	.016	104	1	10	.015	235	9	2	.017	187	0	10	.028	189	1	7	.014	35	13	2	.010	137	0	8	.017	103	0	5	.027	313	10	5	.021	219	6	9	.040	319	9	8	.015	537	7	11	2,464	8	11	.023	.026
C	Axles	38	15	9	.007	..	..	..	..	970	1	10	.074	..	..	..	..	336	19	3	.026	..	..	..	..	890	13	5	.104	..	..	..	..	1,406	12	0	.094	576	0	6	.107	440	10	10	.017	722	16	11	5,382	10	6	.051	.057
	Tires	163	18	4	.032	655	9	9	.097	1,723	3	5	.125	171	2	7	.027	414	2	7	.032	72	5	1	.021	1,435	4	9	.185	453	19	10	.122	1,748	9	6	.117	980	11	7	.172	356	8	11	.021	1,111	15	9	9,236	12	1	.087	.099
	Springs	184	19	0	.036	190	19	9	.028	846	5	0	.062	632	2	6	.096	628	8	10	.048	143	1	0	.040	390	18	4	.049	157	18	5	.042	1,016	16	2	.068	489	16	11	.090	1,423	10	2	.067	306	6	11	6,411	3	0	.061	.069
	Sundries for wheels and frames	43	11	0	.008	78	17	0	.012	103	16	5	.008	97	3	6	.015	253	7	2	.019	141	9	1	.040	153	14	4	.018	63	0	2	.017	238	17	8	.016	322	13	3	.060	327	15	11	.015	1,329	13	5	3,153	18	11	.030	.034
D	Axle-boxes	37	7	6	.007	366	6	3	.054	323	3	10	.024	264	16	10	.040	304	7	10	.023	177	5	7	.050	477	7	6	.059	205	2	11	.055	556	1	10	.037	211	2	10	.039	600	8	10	.028	141	17	0	3,665	8	9	.035	.039
	Axle-brasses	66	13	1	.013	44	6	5	.007	330	14	5	.024	167	17	1	.026	256	0	11	.020	74	14	7	.021	108	7	1	.013	35	4	2	.009	510	12	6	.034	175	9	11	.032	504	14	1	.024	128	14	2	2,403	8	5	.023	.026
	Big-end brasses	33	5	9	.006	22	11	4	.003	63	19	10	.005	23	17	8	.004	30	6	5	.002	0	12	2	..	23	19	11	.003	15	8	8	.004	100	0	6	.007	9	7	0	.002	81	10	8	.004	50	8	0	455	7	11	.004	.005
	Cylinders and covers	27	9	8	.005	9	6	8	.001	85	12	7	.006	133	8	0	.020	393	18	10	.030	4	2	4	.001	439	3	7	.054	54	13	2	.015	11	1	1	.001	286	19	6	.053	336	14	1	.018	396	0	5	2,228	9	11	.021	.024
	Pistons and sundries for cylinders	69	19	1	.013	56	18	0	.009	151	10	3	.011	86	4	5	.013	91	9	0	.007	26	17	8	.008	217	15	11	.027	79	18	5	.021	248	12	8	.016	139	6	6	.026	336	15	5	.017	76	17	9	1,582	5	1	.015	.017
	Glands and bushes	82	7	10	.016	151	13	3	.022	252	13	6	.019	97	6	6	.015	140	6	9	.011	32	19	10	.009	101	4	7	.013	108	12	1	.029	398	0	8	.027	154	16	4	.029	367	19	7	.017	99	5	8	1,987	6	7	.019	.021
	Slide-valve castings, brass	60	0	7	.012	111	4	9	.016	211	15	2	.016	119	14	4	.018	186	9	10	.014	26	7	10	.008	70	14	4	.009	92	0	8	.025	298	2	2	.020	96	16	3	.018	307	3	6	.014	54	0	4	1,634	9	9	.015	.017
	Eccentric liners	56	9	7	.011	115	13	3	.017	421	8	10	.031	136	8	6	.021	192	14	3	.015	49	19	6	.014	53	10	8	.007	103	2	8	.027	513	18	10	.034	177	5	11	.033	580	8	2	.027	86	15	11	2,487	16	1	.024	.027
	White metal	120	18	2	.023	317	15	5	.047	411	10	2	.030	183	17	0	.028	264	16	9	.020	73	12	5	.021	294	6	9	.037	274	17	8	.074	656	5	11	.044	253	1	4	.047	648	5	3	.030	217	6	8	3,716	13	6	.035	.040
	Sundries for machinery	70	10	2	.014	163	0	6	.024	248	8	0	.018	92	12	3	.014	672	19	1	.051	35	11	1	.010	163	5	3	.020	141	3	7	.038	369	11	6	.025	194	11	8	.036	424	18	2	.020	752	18	0	3,329	9	3	.032	.035
E	Sundries for mountings	289	6	3	.055	392	19	8	.058	666	19	7	.049	238	16	3	.037	470	16	4	.036	165	1	9	.046	356	12	0	.044	231	11	5	.062	920	6	8	.062	465	11	9	.086	725	5	8	.034	605	3	0	5,528	10	4	.052	.059
F	Sundries for clothing, &c.	140	9	4	.027	182	5	3	.026	385	6	8	.028	119	10	3	.018	218	2	5	.017	48	14	5	.014	183	1	2	.023	100	4	0	.029	428	0	6	.029	268	16	10	.050	406	10	11	.019	291	19	5	2,782	1	2	.026	.030
Total materials		2,088	5	0	.401	3,404	6	1	.501	9,138	16	8	.673	3,583	18	10	.546	5,965	6	1	.455	1,221	4	9	.344	8,396	18	1	1.042	2,794	18	5	.748	10,924	1	0	.731	6,385	14	11	1.182	10,831	5	6	.509	7,260	2	0	71,994	17	4	.682	.770
Credits		332	1	8	.067	748	2	10	.110	1,332	10	2	.098	680	19	4	.104	993	3	6	.076	292	12	8	.082	1,656	3	9	.205	699	14	3	.187	1,709	8	4	.114	892	13	9	.165	2,157	2	4	.101	789	1	8	12,303	14	3	.116	.131
Net materials		1,736	3	4	.334	2,656	3	3	.391	7,806	6	6	.575	2,902	19	6	.442	4,972	2	7	.379	928	12	1	.262	6,740	14	4	.837	2,095	4	2	.561	9,214	12	8	.617	5,493	1	2	1.017	8,674	3	2	.408	6,471	0	4	59,691	3	1	.566	.639
Wages, running-shed repairs		1,884	9	11	.362	1,507	17	7	.238	2,791	10	8	.206	1,670	5	8	.254	2,350	9	8	.179	749	4	10	.211	3,909	4	9	.485	1,078	14	2	.289	5,132	16	2	.343	2,321	19	6	.431	4,481	8	10	.210	898	5	4	28,776	7	1	.272	.308
Wages, shop repairs		2,157	19	0	.414	3,178	19	1	.501	5,892	10	4	.428	1,895	5	7	.289	3,272	9	2	.250	1,289	6	8	.366	2,920	15	2	.362	2,611	4	0	.700	7,816	8	8	.523	4,488	4	5	.831	6,080	5	5	.284	4,111	7	5	45,604	14	11	.432	.488
Total repairs		5,778	12	3	1.110	7,342	19	11	1.130	16,430	7	6	1.209	6,468	10	9	.985	10,595	1	5	.808	2,967	3	7	.839	13,570	14	3	1.684	5,785	2	4	1.55