JOURNAL

OF THE

FRANKLIN INSTITUTE

OF THE STATE OF PENNSYLVANIA,
FOR THE PROMOTION OF THE MECHANIC ARTS.

VOL. CXL.

OCTOBER, 1895.

No. 4

THE Franklin Institute is not responsible for the statements and opinions advanced by contributors to the *Journal*.

IRRIGATION; WITH AN EXAMPLE OF ITS APPLICATION IN THE ARID REGION OF WESTERN AMERICA.

BY A. B. WYCKOFF.

I. IRRIGATION.

Irrigation antedates authentic history. This statement is proven by the existence of most wonderful ruins in Asia and Africa, of pools or reservoirs, canals and aqueducts, of the construction and use of which only the most indefinite and unsatisfactory traditions can be obtained. Surmises exist in abundance, but no actual knowledge. These great monuments of hydraulic engineering have excited the wonder and admiration of modern scientists. In fact, until within a generation of the present, no practical advance had been made in the science of irrigation for 3,000 years. Many of the great irrigation works of antiquity were destroyed or abandoned as the results of wars or the convulsions of Nature, and as the ancient local civilization disappeared.

Vol. CXL. No. 838. 16

peared, the lands again became desert, and the small remnants of the races sank into savagery and barbarism.

The extent of some of these great hydraulic works can be conjectured from the ruins remaining. Lake Maeris, in Egypt, was constructed at least 2,000 years before Christ. Its dimensions were sufficient to regulate the annual inundation of the Nile, receiving the surplus waters when there was danger of a flood, and supplying the needed deficiency when the river reached a stage which would not irrigate the crops. This, with other large reservoirs of flood waters, enabled a population of 20,000,000, to exist in the valley of the Nile, while it now supports barely one-fourth of the number.

In ancient times the valleys of the Euphrates and Tigris, now almost a desert, were densely populated. Four thousand years ago the rulers of Assyria had converted those sterile plains and valleys into gardens of extreme productiveness, by the construction of immense artificial lakes for the conservation of the flood waters of the rivers, and great distributing canals for irrigation. One of these canals, supplied by the Tigris, was over 400 miles long and from 200 to 400 feet broad, with sufficient depth for the navigation of the vessels of that time. Throughout Judea the ancient Jews constructed many pools, tanks and wells for the irrigation of their fields. The Greeks of that age also understood the science of hydraulics, as is shown by the remains of great aqueducts. The Phœnicians converted a portion of Northern Africa into fields and gardens by extensive irrigation works. The Romans thoroughly mastered this science and drained the Pontine marshes, supplied Rome with the purest water and developed the agricultural resources of Italy. In France, Spain and Portugal they built aqueducts to supply the cities with water, and canals to irrigate the valleys. In India, tanks, reservoirs and irrigating canals were constructed many centuries before the Christian era, and a great part of that country was kept in the highest state of cultivation. Some of the tanks or artificial lakes covered many square miles, and were often fifty feet in depth. The English Government, in recent years, has re-

opened the ancient irrigating canals, and has built thousands of miles of new ones to prevent the recurrence of the dreadful famines formerly experienced in that densely populated country. About \$200,000,000 have been expended on these works, which pay a good interest on the investment through water rentals and the enormously increased revenue from the land taxes. In addition to the millions of acres reclaimed by the government works, each village has its tank, built of masonry and concrete, for domestic and irrigation purposes. The English also found extensive irrigation works in Ceylon, which they have improved and amplified during the last thirty years, thereby greatly increasing the population and revenues.

Most of the canals of China probably antedate the Christian era. They intersect the country in every direction and are used for navigation as well as irrigation. The water is lifted from the canals by primitive pumps or wheels worked by men or oxen. There is no extensive storage of water, although the country is well suited for it. While there are no ancient works in Japan, the entire arable lands, even to the tops of the hills, are most highly cultivated by small community irrigation systems, which conserve all the water from the numerous springs and streams.

America is not without ancient irrigation systems, as is proven by the ruins of extensive canals and large reservoirs found in Peru, Bolivia, Chili and the Argentine. Some of these have been renewed and new works constructed, especially in the Argentine Republic. Evidences exist in New Mexico and Arizona that in prehistoric times, a race now extinct, had extensive irrigation works and cultivated large areas. Some of the Indians in New Mexico, and the Moqui, Maricopa and Pima tribes in Arizona, have lived upon the same lands for hundreds of years by means of primitive systems of irrigation.

The importance of this subject is shown by the fact that more than half the human race subsist upon the products of irrigated lands. To a resident of the humid regions this statement is no doubt startling, but even a cursory investigation will convince him of its truth. The rice-eaters out-

number the wheat-eaters more than two to one, and all rice is grown by irrigation. The hundreds of millions in China, Japan and India live almost entirely on rice.

It is only recently that irrigation has become an important factor in our political economy. As long as the surplus population of the older States could obtain homes on the public domain in the humid regions, no thought of the reclamation of the arid lands was entertained. The insatiable craving for 160-acre farms even led to the settlement of the semi-arid regions of western Kansas and Nebraska, where the rainfall was known to be insufficient and unreliable. The result has been years of suffering and lost efforts, and even appeals to older communities for food. Had the past history of the world been rightly studied by our political economists, these hardy and intelligent pioneers might have been directed to the arid valleys of the great West, where prosperous and independent communities would now exist. But the practice of our farmers has been anything but practical and economical, and intensified cultivation and diversified crops are still repugnant ideas to the great majority of our agriculturists. However, the time has arrived when the problem of our arid lands has become one of the most important before our legislators. The tide which has so long been setting towards the cities must be turned to suburban life if we are to escape social convulsions. There are thousands of intelligent and industrious men anxious for country homes, but without knowledge as to where they can be found. They are told that Uncle Sam's free land is exhausted and, in consequence, when an Indian reservation with poor soil in some semi-arid region, is thrown open to settlement, there are thirty men on the rush line for every homestead. The money spent in reaching the reservation and waiting for the opening would have enabled them to acquire small prosperous homes under some irrigating ditch.

The country must be educated before the congested East will be relieved of its surplus population, and the arid lands of the West be settled. No more important practical and social question confronts us, and the philanthropists, states-

men and editors, should embark in this great educational movement. Already eminent men in Boston and Chicago have begun the formation of societies, similar to Chautauqua circles, to disseminate information regarding this subject, and they should be started in every town and village in the land. It is, no doubt, difficult to interest the residents of the humid regions in this matter; but after their experiences during the past few months, descriptions of the constant genial weather and abundant crops of all kinds in irrigated districts of the West should arouse a veritable enthusiasm and lead to a new crusade in search of homes in the arid regions.

With irrigation, agriculture is made a safe and secure investment. Contrast the life of a farmer under a good irrigation canal with one in the humid regions: the ever-corroding anxiety of the latter, watching and praying for rain while his crops wilt and die, or the sudden blasting of his hopes by storm and flood; while the former, in perfect security, cultivates his crops and turns in the life-giving waters when necessary. Compare, again, the existence of a clerk or mechanic, no matter how good his position, with the owner of twenty acres of unmortgaged irrigated land, cultivated to insure an abundance of nearly everything that his family consumes. The one is a servant with an insecure living, while the other is a virtual sovereign in his security and independence. In no situation in life should there be as much health, happiness, freedom and contentment for the average family as on the little irrigated estate, for their modest wants can be met and their daily bread secured as long as they remain frugal and industrious. The experience of a ministerial friend illustrates so aptly the difference that I may be pardoned for introducing it here. He was making a long bicycle trip, and at midday arrived at the residence of a farmer in western Kansas. He saw in the fields about the house very thriving and abundant crops, in great contrast with the locality through which he had recently passed. Although not in clerical garb, the good man thought that he should put in a word in season, and at the close of the meal, to which he had been invited,

he remarked to his host: "Mr. Brown, I noticed that you have very thrifty and abundant crops. You should be very thankful to divine Providence." The farmer looked at him for a moment and then said: "Stranger, we don't care nothing for Providence here, we're under the company's ditch."

As irrigation is the artificial application of water to land for the purpose of promoting agriculture, it follows, on account of the limited water supply, that only a small proportion of our arid lands can ever be brought under cultivation. But that does not proportionately diminish its economic value in comparison with the much greater area of the humid regions, for, as acre to acre, they are as six or eight to one. In other words, an industrious family on a twenty-acre farm, under an irrigating ditch, will attain a more secure and permanent prosperity than on the usual quarter section of land in the humid regions. In addition to the security of an independent livelihood, the arid regions offer other advantages. The larger amount of sunshine and dryness of the atmosphere conduce to greater healthfulness and more optimistic views of life. The small farm means intensive cultivation and more intelligence, nearer neighbors, less loneliness, greater social advantages, more churches, schools, telephones, electric lights, good roads—in fact, a new civilization with better homes and greater enjoyments than have been known in the older agricultural regions. The resultant man and woman should be a nobler type, with freer, fuller lives than the nervous, careworn, typical American.

Where are these new homes to be found, and how can they be secured? The one-hundredth meridian is virtually the boundary line between the old and the new. The older subjugating conquest of the continent stopped there, except in the localities settled by mineral developments and the narrow humid region along the Pacific Coast. This vast empire was once considered worthless by our statesmen, except for its mineral wealth and as a range for cattle and sheep. And yet this empire offers greater and more prosperous industrial possibilities than any other portion of our

country, because its resources are more varied and extensive. The land of the sage brush and jack rabbit is the most fertile and productive in the world, wherever water can be brought upon it, for nowhere is the soil so rich and the sunshine so constant.

In the arid and sub humid regions the Government still owns 570,000,000 acres. About 20,000,000 acres are in parks and 60,000,000 acres in Indian reservations. There are other lands given to States and private enterprises, but not yet patented, which would reduce the lands open to settlement to about 450,000,000 acres. Of course, the lands given States and corporations can be purchased, and much of the area of the Indian reservations will eventually be thrown open for settlement. A large percentage of this region is mountainous and not arable, and a still larger portion must remain desert and grazing lands from the absence of any known water supply for its reclamation. The most careful estimates of the reclaimable lands, without increasing their cost beyond a profitable figure by expensive reservoirs and canals, is 50,000,000 acres. Other sources of phreatic and artesian supply may be discovered, but it is not probable that more than 60,000,000 acres can ever be brought under cultivation by irrigation. However, that means a new empire, as, under the economic conditions of irrigated farming, that amount of land will support an urban and suburban population of at least 30,000,000 people.

These lands may be assigned to the different States about as follows :

Arizona	2,000,000
California	10,000,000
Colorado	5,000,000
Dakota	1,000,000
Idaho	4,000,000
Kansas	1,000,000
Montana	8,000,000
Nebraska	1,000,000
Nevada	2,000,000
New Mexico	3,000,000
Oregon	2,000,000
Utah	3,000,000
Washington	2,000,000
Wyoming	6,000,000

One result of the reclamation and utilisation of large areas of the arid lands through irrigation will probably be the increase of the rainfall in the sub-humid regions adjoining, to an extent which will render them far more valuable and reliable for the cultivation of the cereal crops. Most of the above acreage is already in private ownership, but as ditch companies hold large areas obtained through the desert law, or purchased from railroad companies, it can be bought at reasonable prices, on long-time payments.

A conservative estimate of the amount of land under ditch is about 25,000,000 acres, and probably one-half of that is under cultivation. Statistics gathered by the Government experts in the last census make the average expense of reclamation \$8.15 per acre. The first ditches were built close along streams where the land was comparatively level, and the cost was merely nominal, but in some of the later projects, embracing immense reservoirs and concrete aqueducts, the expense has been \$100 per acre. The reclaimable lands not yet under ditch will necessitate much more difficult engineering, and will raise the average price per acre of reclamation very considerably. The average annual return from irrigated lands, according to the census, is \$14.87 per acre. This is much lower than it should be, as grass and pasturage lands are included in the estimate. Even that figure is, however, at least three times the average return of all the farms in the country cultivated without irrigation. The value of irrigated lands will soon become so great that in the near future the large ranches now devoted to pasturage and cereal crops will be divided into small holdings, when intensified farming will more than double the annual productiveness, and the estimated average value of \$83 per acre.

Riverside, Cal., may be taken as an example of what irrigation will accomplish. The land, in 1870, was rated at \$1 per acre. About \$100 per acre was expended in bringing water to the lands. It is estimated that the annual return from the citrus orchards is from \$200 to \$300 per acre, and they have frequently sold as high as \$1,000 per acre. Near Fresno, Cal., unimproved sage brush land, under ditch with

Jour. Frank. Inst., Vol. CXL, October, 1895.

(Wyckoff—Irrigation.)

SAGE BRUSH LANDS IN ARID REGION.

Jour. Frank. Inst., Vol. CXL, October, 1895.

(Wyckoff—Irrigation.)

THE YAKIMA RIVER, WASH.

water right, sells from \$100 to \$300 per acre. Before the day of irrigation it could be bought for \$2 per acre. These results are, of course, far above the average, but there are few localities in the arid regions where the crops from irrigated lands, with intensified farming, will not justify an average price of \$100 per acre. When it is less, it is due to unusually poor soil, distance from market, or a poor water right. This estimate is made in comparison with the price of improved farms in Illinois or Iowa, and their average annual productiveness. Lands under ditch can now be bought in many localities for less than half that price, and on easy terms; but as the arid regions become settled, the average yield of irrigated lands, even in varied crops, will justify the larger price per acre.

YAKIMA COUNTY, WASHINGTON.

This county lies between latitudes 46° N. and 47° N., and longitudes, 119° W. and 122° W. It contains 5,580 square miles, or 3,571,200 acres, and is somewhat larger than the State of Connecticut. The Columbia River, one of the largest in the United States, borders the county on the north and east for over eighty miles, while the summit of the Cascade Mountains forms its western boundary. The Yakima River has its source in several lakes near the crest of the Cascades, and flows diagonally through the county from northwest to southeast, cutting through several basaltic ridges and the enclosed basins. A number of streams flow into the Yakima, principally from the westward. One of these, the Natchez River, is fed by the glaciers of Mount Ranier, and is almost as large as the Yakima itself above the junction. As is well known, the Cascade Mountains, trending north and south, divide the State of Washington into two nearly equal parts. On the west there is an excessively humid region, with the densest forests of enormous trees reaching from the snow-line down to Puget Sound and the Pacific Ocean. On the east, the descent, at first, is very abrupt, but branching ranges and the foot-hills extend long distances, enclosing valleys, which are heavily wooded at the higher elevations, and merge into sage brush and aridity

at their lower ends. Large streams flow through each of these valleys, furnishing the means for their reclamation.

The Cascade Mountains are composed largely of volcanic rocks. They vary in height from 5,000 to 15,000 feet, the latter for Mount Ranier, probably the highest peak in the United States, except Mount St. Elias, in Alaska. This mountain is situated on the western border of Yakima County, while Mount Adams, nearly 10,000 feet high, is wholly within it. Both are extinct volcanoes, although the volcanic heat is still escaping through fissures in their craters. A number of spurs from the Cascades, from a few hundred to 3,000 feet high, run off to the eastward, gradually diminishing in height as they approach the Columbia River. These usually have a gentle slope on one side, conforming to the dip of the strata of which they are composed, but a bold scarp on the other. It is a question with geologists whether these basaltic ridges have been caused by the cooling of lava streams flowing from the volcanoes, or are the results of fractures of the horizontal strata and uplifts radiating from the mountain range. Their peculiar formation, with gentle slope and abrupt scarp, would appear to confirm the latter theory.

Prof. I. C. Russell, of the Geological Survey, after an examination of this region, concluded that underlying the county was a great series of lava sheets, composed principally of basaltic rocks. As the region of this lava flow is drained by the Columbia River, he named it "Columbia Lava." It occupies an area approximately of 200,000 square miles, and varies in thickness from a few hundred to several thousand feet. The Columbia Lava is not one vast flow, but is composed of many separate flows, sometimes separated by land surfaces which contain the stumps of large trees. This extensive series of volcanic overflows ended in a lacustral period when the whole of eastern Washington and Oregon was one vast lake. Many streams washed mud and sand into it, and active volcanoes strewed it with ashes. This accumulation of sediment went on for ages until it was several hundred feet deep. As these lake accumulations were first examined and described

along the John Day River, in Oregon, they were named the "John Day" system. These lake deposits are unconsolidated sediment, sometimes sufficiently compact to make soft sandstone. The layers of sediment are interbedded with light flows of lava, especially on the lower levels. The great disturbances which pushed up the basaltic ranges and hills have occurred since the deposit of the John Day beds. During the existence of Lake John Day, the climate was variable, but mild, and there was a beautiful flora. After it came the glacial age. The great glaciers of the Cascades and regions farther north did not reach Yakima County, but the melting ice formed a lake, which covered a large part of central Washington. This lake, from the small amount of sediment deposited in it and the not clearly marked beach lines caused by its waves, was probably of brief existence. That it covered the lower valleys in Yakima County is certain, as many granite and basaltic boulders are found which must have been brought from much farther north and dropped by melting icebergs floating in the lake.

The last geological episode that occurred in Yakima County was a lava flow of molten rock from the headwaters of the Tiaton Creek, a tributary of the Natchez River. It flowed in an easterly and southeasterly course for some forty miles, ending at the junction of the Natchez and Cowychee Rivers. It was from 200 to 500 feet thick and from one to two miles wide. This flow of molten rock must have occurred after the deposition of the John Day beds and the subsequent upturning of the horizontal strata. Weathering and erosion had cut away the soft lake deposit into drainage lines, one of which this latest overflow followed, forcing farther apart the Natchez and Cowychee Rivers. Unlike the older volcanic deposits, this youngest lava is not a basalt, but a good example of hypersthene andesite.

A topographical description of Yakima County is extremely difficult, because of the great convulsions of Nature which have broken the surface in all directions, and the subsequent weather erosions continuing through many centur-

ies and forming numerous drainage basins. In the extreme eastern part of the county is a triangular plain, about fifty miles long and twenty miles broad at the north. Its elevation in the eastern part is slight, but the plain gradually rises to the westward until it terminates at the Rattlesnake fault, which reaches a height of 2,000 feet above the Columbia River. To the southward of the Yakima River, in the southeastern part of the county, is an elevated plateau sloping away from the high hills to the northwest down to the Columbia River. This plateau is called "Horseheaven," from the abundance of bunch grass, and, being in the Columbia River basin, is much more humid than the remainder of Yakima County. Neither the Rattlesnake nor Horseheaven plains are favorable to the finding of a supply of artesian water, as the strata slope away from great faults on the westward, and are not again upraised to form a catchment basin. From the elevation and situation of the Horseheaven country it will be impossible ever to reclaim it by gravity irrigation, except through the construction of reservoirs to conserve the rainfall. In the western part of the county is a mountainous region, where the numerous streams have their sources. It comprises about 1,000,000 acres, and is covered with a heavy growth of pine, spruce and fir. The remainder of the county contains the irrigable lands, which are found in the Yakima and tributary valleys. As before stated, the Yakima River runs diagonally through the county for 125 miles, and has various tributaries from the westward, each watering considerable valleys. Beginning at the northern end of the county, these are as follows, viz.: Wenas, Natches, Cowiche, Ahtanum, Toppenish and Satus. On the east side of the Yakima lie the large Moxee and Sunnyside valleys, which are without streams, but can be largely watered from the main river.

Geologists have maintained that no artesian basin existed in Yakima County, on account of the very broken condition of the country, caused by frequent volcanic action and upheavals of the earth's crust destroying all regular stratification. Lying in the central part of the county, and east of the river, is the dry Moxee Valley, some twenty-five miles

long and averaging five miles in width. This valley owes its existence to the upheaval of its borders, and has a rapid incline towards the Yakima River. Several thousand acres of fine land in the eastern portion of the valley could not be redeemed by gravity irrigation. In consequence, notwithstanding the unfavorable prognostications, a well was started in 1891, about eight miles from the river, and 200 feet above it. A strong flow of water was struck at a depth of 314 feet, which rose in an open tube twenty-six feet above the surface. Seven flowing wells have since been put down at surface elevations, varying from 1,085 to 1,166 feet above sea level. The most easterly wells found good flows of water at from 300 to 500 feet, while those nearer the river had to go twice as deep. The temperature of the water varies from 65° F. in the shallowest well to 75° F. in the deepest. The dip of the water-bearing strata seems to be about 200 feet to the mile. All of the wells show sections having somewhat similar characteristics, but varying as to depth and material of the different strata. They are throughout John Day beds (gravel, sand, clay, shale, sandstone), interstratified with thin sheets of Columbia lava, except in the extreme easterly wells, which encountered no basalt. It is probable that the records of the borings were not kept with sufficient care to make them thoroughly reliable, but enough data were obtained to show that the stratification is very much broken.

A clear elucidation of the question of the source of this artesian supply, under the circumstances, is quite impossible. The difference in the depth of the several wells, and of the temperature of the water, indicate different sources of supply, but the fact that no flowing water can be obtained at a greater surface elevation than 1,190 feet above the sea, as shown by three unsuccessful attempts, leads to the conclusion that the sources are virtually the same, only affected by peculiar local conditions in each instance. The strata are turned up on edge at the sides of the valley, but the limited rainfall precludes the idea that there is a reservoir supplied by the small catchment on the adjacent ridges, especially as the flow of the wells has continued regular throughout several years. The high temperature and the constant plane

above which the water will not rise, would seem to indicate that the artesian basin is an accidental one, fed through fissures in the Columbia lava. The high temperature of the water may be caused by its deep source, or by the lava through which it passes not having cooled down below the temperature shown. A well drilled about eighteen miles west of the Moxee group, and the same distance from the river on the opposite side, at an elevation of 1,125 feet, went down 630 feet through the John Day beds without encountering any basalt. Water was reached at eighty feet from the surface, but apparently under no pressure. The erosion of the deposits in the Moxee has evidently been much greater than in the Ahtanum Valley. A well sunk 630 feet in the Horse-heaven country, in the southeastern part of the county, struck a thick stratum of basalt at a depth of twenty feet, showing that the surface had been almost entirely denuded of the John Day beds.

The total area of irrigable lands in the county, which can be reclaimed at reasonable cost, amounts to about 650,000 acres. As the Yakima River and all its tributaries have very rapid falls, and are not sunk in deep channels, the construction of irrigating canals is a matter of comparatively small expense. The streams being fed by the springs, snows and glaciers of the Cascade Mountains, the Yakima Valley enjoys the unique advantage of being the only locality in the country which has an ample and unfailing supply of water throughout the crop season. In fact, the superabundance of water has thus far been rather a drawback upon the obtaining of the best results, from the tendency of the farmers, nearly all of whom are unacquainted with proper irrigation methods, to flood their crops with too much moisture. It can be appreciated what this means when it is stated that if every drop of running water were utilised in Nevada and Arizona during the season, there would not be sufficient to irrigate one-half of one per cent. of the arid lands in those States.

The following report, made by the United States Geological Survey, shows the average discharge of the Yakima River, taken near its mouth. During the irrigation season,

from March to November, these amounts should be increased by the water already utilised in existing ditches:

	<i>Cubic Feet per Second.</i>
January	4,030
February	5,111
March	10,786
April	11,460
May	21,500
June	17,930
July	5,090
August	2,480
September	2,248
October	2,662
November	4,874
December	4,412

The following is from the report of Engineer F. H. Newell, of the Geological Survey:

"Comparing the estimated October discharge of the Yakima River with that of other rivers, the remarkably large volume from a relatively small watershed is apparent. This is best shown by the following table, which gives the discharge of various streams for October, 1893, and also in several cases for the same month in preceding years. Opposite to this, for comparison, is placed the area drained, and in the third column the area drained by square miles of catchment. These last figures bring out most strongly the large flow of the stream. All quantities of water are given in second-feet (cubic feet per second of time), equaling about fifty miner's inches, as commonly measured:

	<i>Discharge, Second-Feet.</i>	<i>Drainage Area, Square Miles.</i>	<i>Run-off per Square Mile, Second-Feet.</i>
Yakima, 1893	2,692	3,300	0'81
W. Gallatin, 1893	576	850	0'68
Yellowstone, 1893	1,630	2,700	0'60
Missouri, 1891	3,511	17,615	0'20
Arkansas, 1890	505	3,060	0'17
Arkansas, 1891	624	3,060	0'20
Arkansas, 1892	511	3,060	0'17
Rio Graude, 1892	259	1,400	0'18
Rio Grande, 1893	263	1,400	0'19
Bear, 1891	980	4,500	0'22
Bear, 1892	780	4,500	0'17
Bear, 1893	737	4,500	0'16

"From the inspection of this table, which might be extended to a far greater length, it is apparent that the canal owners taking water from this stream have far less to fear as regards their water supply than have irrigators in other parts of the arid regions."

The following table is taken from the United States Geological Survey of 1891-92. Since that time the irrigated

STATES AND TERRITORIES EMPLOYING IRRIGATION.	Crop Irrigated. Acres.	Per Cent. of Area of Irrigated Crops to Total Land Area.	Total Number of Farms with Irrigated Crops.	Average Size of Irrigated Crops per Farm. Acres.	Average First Cost of Water per Acre.	Average Value of Water per Acre as Estimated by Irrigators.	Average Annual Cost of Water per Acre.	Average Cost of Preparing Land for Cultivation per Acre.	Average Value of Land Irrigated per Acre.	Average Value of Products from Irrigated Land per Acre.
Arizona	65,821	0.09	1,075	61	\$7.07	\$12.58	\$1.55	\$8.60	\$48.68	\$13.92
California	—	1.01	13,732	73	15.84	52.28	1.60	22.27	150.00	19.00
Colorado	—	1.34	9,659	92	7.15	28.46	0.79	9.72	67.02	13.12
Idaho	218,249	0.40	4,333	53	4.74	13.18	0.80	9.31	46.50	12.93
Montana	350,582	0.38	3,706	95	4.63	15.04	0.95	8.29	49.50	12.96
Nevada	224,403	0.32	1,167	192	7.58	24.60	0.84	10.57	41.00	12.92
New Mexico	91,745	0.11	3,085	30	5.53	18.30	1.54	11.71	50.98	12.80
Oregon	177,944	0.29	3,150	56	4.64	15.48	0.94	12.59	57.00	13.90
Utah	263,473	0.50	9,724	27	10.55	26.54	0.91	14.85	84.25	18.03
Washington	49,399	0.12	1,050	47	4.03	13.15	0.75	*10.27	50.00	17.19
Total United States	3,564,416	0.50	52,584	67	\$8.15	\$26.00	\$0.99	\$12.12	\$83.28	\$14.89

* NOTE.—This cost of \$10.27 has been calculated by including cost of leveling land for irrigation. This is very fluctuating. The cost of clearing the sage brush and repairing fairly level land may be taken at \$4 per acre.

YAKIMA INVESTMENT COMPANY'S CANAL, SUNNYSIDE VALLEY, WASH.

REVERSED SIPHON OF YAKIMA VALLEY CANAL COMPANY, COWICHE VALLEY, WASH.

VINEYARD AND ORCHARD, YAKIMA VALLEY, WASH.

VIEW NEAR NORTH YAKIMA, WASH.

crop of Washington has probably doubled, and most of the increase has been in this county. This table proves that the first cost of securing water and the annual expense of maintaining the ditches is less than in any other State, while the percentage of value of crops, as compared with value of land, is much greater.

The Yakima Indian Reservation, containing 887,000 acres, is in the central part of the county, and extends from the Yakima River westward to the summit of the Cascade Mountains. The lands lying along the river are level, rising gently to the westward, and over 100,000 acres can readily be brought under irrigation at moderate expense. Allotments in severalty have been made to the Indians, and it is probable that the remainder of the reservation will soon be thrown open to settlement. As the Indians, about 1,900 in number, are far advanced in civilization and are self-supporting, they are not objectionable neighbors, but, on the contrary, are the most valuable hands that can be employed in the hop fields.

The climate of Yakima County is exceptionally good. The prevailing westerly winds lose their excessive moisture on the crest of the Cascades, so that there are no fogs, but few cloudy days and only about ten inches of annual rainfall. The frost leaves the ground in February, and farming can be begun by the end of that month. The winters are mild and short, with an absence of wind, and almost constant sunshine. The springs are cool, and while there is considerable wind it is purely local, and, on account of the sheltering mountains, never attains any destructive velocity. The summers are long and warm, but with cool nights, while the autumns are very pleasant. During the past six months, while the remainder of the United States has been suffering such extreme vicissitudes of climate, this valley has enjoyed constant delightful weather. The following tables are the reports of the United States weather observers, and are taken at widely separated stations in the county:

MEAN TEMPERATURE.

Location.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
North Yakima . . .	27	29	43	49	58	65	72	72	59	49	40	30
Fort Simcoe	31	32	42	52	62	66	72	74	64	52	42	33
Kennewick	33	34	51	55	64	70	78	77	64	52	42	33

RAINFALL.

	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
North Yakima . . .	0'85	1'42	1'04	0'96	1'48	0'45	0'25	0'01	0'14	0'58	0'94	1'52
Fort Simcoe	2'14	2'17	1'34	0'74	0'98	0'32	0'19	0'04	0'24	0'81	1'20	2'23
Kennewick	1'58	0'42	0'30	0'39	0'49	0'38	0'02	0'01	0'22	0'54	0'63	1'28

The prevailing hygienic conditions are admirable. There are no sudden changes or cold, piercing winds, and while the summers are long and warm, there are no sultry days, and the cool nights permit refreshing sleep. Farmers can work in the fields the hottest days, and sunstrokes are unknown. The altitude and dryness of the atmosphere prevent the enervating effects of the hot, moist days of humid localities. Local physicians assure me that the climate is beneficial in all asthmatic, pulmonary, bronchitic, neuralgic and rheumatic affections.

The soil consists mostly of sedimentary materials deposited at the bottoms of the lakes, which covered these valleys for centuries, and was at one time of great depth. Weather erosions have removed much of it, but in the valleys it still remains very deep. It is largely disintegrated basaltic rocks, and contains all the chemical elements necessary for great productiveness. While it is porous and absorbs water, yet it has good consistency, is easily worked and does not bake like clayey lands. In Arizona and Mexico this basaltic soil has been under cultivation for 200 years, and does not seem to lose its marvellous fertility. The Pima Indians are known to have cultivated the same lands in Arizona for 500 years, and yet they remain wonderfully productive. The waters from the mountain streams constantly add rich materials to the irrigated lands, and prevent the necessity of ever using artificial fertilizers. The following tables are analyses made by the Department of Chemistry of the State Agricultural College at Pullman, Washington. They show that these soils, from widely separated localities in Yakima County, are especially rich in lime, potash and phosphoric acid, the three constituents most essential to plant life:

	<i>No. 1.</i>	<i>No. 2.</i>	<i>No. 3.</i>
Insoluble silica	64'860	71'670	60'2070
Combined silica	10'185	5'110	18'2270
Soluble silica	'385	'180	'2100
Potash	'700	1'070	'4328
Soda	'700	0'350	'3739
Lime	1'448	2'000	1'2127
Magnesia	'991	1'340	'7880
Peroxide of iron	4'768	6'880	5'1586
Alumina	6'238	7'910	6'8906
Phosphoric acid	'224	0'130	'1007
Sulphuric acid	'129	'020	trace.
Chlorine	'014	trace.	'0058
Water, at 120° C.	1'125	1'510	3'4527
Volatile and organic matter	2'600	1'310	3'0195

There are many irrigation enterprises in the county, and of the 139,400 acres now under ditch, two-thirds were not available for cultivation in the spring of 1893. The financial depression of the last two years has militated against the settlement of the arid regions, and yet the cultivated area and the population of this valley have nearly doubled in that time.

The following table shows the size and cost of ditches, and the amount of land reclaimed and under cultivation:

<i>Canal.</i>	<i>Length in Miles.</i>	<i>Acres Reclaimed.</i>	<i>Acres under Cultiva- tion.</i>	<i>Cost to Date.</i>	<i>Delivered Cubic Feet per Second.</i>
Gelah Valley Canal Co.	22	6,000	1,000	\$84,000	40
Yakima Valley Canal Co.	16	3,000	700	65,000	25
Takoma and Yakima Land Co. . .	12	—	—	43,000	—
Natchez and Cowychee	7	3,000	3,000	14,000	28
Union Broadgauge and Shauno. .	16	5,000	4,500	18,000	45
Moxee Canals (3)	33	5,050	2,500	41,000	140
Moxee Artesian Wells (8)	—	1,500	600	15,000	10
Yakima Investment Co.	42	50,000	10,000	600,000	700
Yakima Irrigating and Imp. Co. (3)	51	17,700	1,100	100,000	329
Prosser Falls Irrigation Co. . . .	8	3,000	400	42,000	28
Prosser-Priests Rapids	18	—	—	72,000	—
Ahtanum Valley (small canals) . .	100	16,000	16,000	25,000	100
Natchez Valley " "	12	8,000	8,000	6,000	80
Wenas Valley " "	8	4,800	4,800	7,400	36
Cowychee Valley " "	12	4,000	4,000	6,000	35

Nearly all the above are community ditches—that is, the farmers under them have stock in proportion to the number of acres of land which they own, and the service of water is gauged accordingly. A small annual assessment is made to provide for repairs and to hire a ditch-tender. Of course,

the farmers elect their own officers, who have complete charge. The Yakima Investment Company is the principal exception. It owns one of the largest canals in the United States, being thirty feet wide at the bottom, sixty-two feet at the top and over forty miles long. It covers some 50,000 acres in what is known as the Sunnyside, on the east side of the lower Yakima, and takes its water from that river. The annual charge for water is \$1.50 per acre. There are no reservoirs in the county, and all are gravity ditches, except the one owned by the Prosser Falls Irrigation Company. This company utilises a small part of the power of the falls in the Yakima, about fifty miles from its mouth, to run two mammoth pumps to elevate sufficient water 100 feet to fill its canal and to irrigate 3,000 acres.

The long, warm summers, with the richest of soils, constant sunshine and abundant water, cause all the products of the temperate zone to thrive luxuriantly. This valley will produce everything that is raised in Southern California, except the lemon and orange, and possibly the fig. The prune, plum, peach, persimmon, pear, apricot, cherry, apple, and quince are grown to a size and with a flavor and keeping quality that is not excelled, if equaled, in any other locality. All kinds of trees are now (July 1st) loaded with fruit, and the limited experience of the past would seem to indicate that the fruit crop can be relied upon. While the trees have to be sprayed to keep them clean of the green aphids, the fruit itself is not attacked by any pests. The past success in growing it gives assurance that a large part of the valley will eventually be devoted to fruit. The quality of the variegated product should make the orchards quite as valuable as the orange groves of Southern California. Small fruits are equally productive, and melons excel in quality and quantity. Every vegetable raised anywhere in the United States can be produced here successfully. The asparagus and celery are especially fine. Potatoes grow to such size and are of such superior quality, that they bid fair to make the Yakima Valley celebrated for this product alone.

Wheat, rye, barley, corn, broom-corn and sorghum are

all grown, but the value of the land and the production of more profitable crops will always limit the acreage planted to them. As this is about the only locality west of the Rocky Mountains where corn can be brought to maturity, it will always be a fairly profitable crop. Alfalfa, the most ancient of all forage crops, thrives here to perfection. Its roots go down as far as water soaks, and, once started, it continues to yield permanently from six to eight tons to the acre annually. As a forage plant it has no superior; none has greater fat- or milk-producing qualities, and all stock thrive upon it remarkably. As the surrounding hills and mountains are covered with bunch grass, cattle and sheep are fattened on the ranges ten months of the year, and fed alfalfa the remaining two months. Horses, also, do well upon it,

The Yakima Valley probably excels any other locality in the world in the production of hops. The quality is very superior, and the yield per acre about three times that of the fields in New York. The hop louse or aphid troubles all other districts, and necessitates large expenses for frequent spraying. Here the hot sun and dry atmosphere kill the pest early in the season, and it does no injury. The average yield is about 1,700 pounds per acre, but with good cultivation it can be increased to a ton. The large yield, superior quality and relative low cost of production would seem to insure the future of the industry.

North Yakima, the county seat, is a beautiful town of about 4,000 people, centrally situated near the Yakima River, and with all the principal valleys radiating from it like the spokes of a wheel. It is laid out with broad streets and avenues, which are lined with shade trees, and about thirty miles of streams of clear, cool water flow along by the sidewalks. The city has good water-works, an excellent sewerage system and is lighted by electricity. There are eight churches, two large brick school-houses, and several hotels. The business portion is well built up with substantial brick blocks, and a number of stone buildings are now being erected. A quarry of excellent light-colored sandstone has recently been opened in the vicinity, and it is probable that

it will be largely used in the future, both on account of cheapness and appearance. The Commercial Club has commodious quarters and over 100 members. The professions are well represented, and there are four weekly newspapers. As showing the thickly-populated suburban districts, it can be stated, that there are ten school-houses within two miles of the city. North Yakima and the county generally are settled by a superior class of intelligent Americans from the Eastern and Middle States, who have come here to make comfortable, enjoyable homes. In consequence, the social features, schools and churches are quite equal to those in the older communities in New England. There are several small towns in the county, the principal one of which is Prosser, situated at the falls of that name. On account of its situation and manufacturing facilities, it bids fair to become an important place.

The county had a population of 4,500 in 1890, and it has trebled in the last five years.

NORTH YAKIMA, WASH., July, 1895.

ENGINEERING EDUCATION AND THE STATE UNIVERSITY.*

BY WM. S. ALDRICH, University of West Virginia.
(Member of the Society.)

Engineering education is an education for a profession. As such, its first requirement is a liberal education. This broad trend is best given by the pursuit of those studies affording mental discipline while developing a love of learning for its own sake, and capable of giving an added grace to the exercise of future accomplishments. The professional education follows in course. Its distinctively technical features are to be combined with practical work of an educational value. Such will be found in selected exercises and activities from among those required in professional life

* Abstract of a paper read before the Society for the Promotion of Engineering Education, and revised for publication in the *Journal*.