20th.—Is quite free from complaint, and is only detained in bed from his ragged clothes having been burnt on his admission. Is anxious for food. This patient, from some delay in supplying him with fresh clothes, was only prevented at this time from leaving the hospital quite well; he remained a week thus detained. Had no soreness of the mouth, although he took the very large quantity, as already stated, of 580 grains of calomel between the evening of the 14th and the morning of the 17th.

Mary G—, aged ninety-two; August 16th.—Two p.m.: Is affected with a purging and vomiting of a whey-like fluid, and in profuse quantities; skin very cold; the eye sunk, and countenance contracted and slightly livid; great thirst; much oppression about the chest; voice hoarse; cramps of the feet and ankles; pulse very feeble; urine suppressed; has been affected with a diarrhoea during the last ten days, and was seized this morning, when up, with dizziness and staggering. Shortly after, she became sick, and appears to throw up and purge more than the usual quantity of fluids. To have one grain of calomel with two drops of laudanum every five minutes for an hour, and afterwards every ten minutes.—Seven p.m.: Has taken her pills regularly; skin less cold; no cramps; pulse firmer; thirst less; the vomiting and purging continue, but the quantities discharged are lessened. To take a pill every twenty minutes.

17th.—Eight a.m.: Has taken only twenty pills during the night. Still some sickness and thirst, though greatly less; purging abated, and the stools are dark; skin of nearly a natural temperature; countenance and pulse much improved; voice natural; urine still suppressed. To take a pill every hour, with one or two doses of a cretaceous mixture.

18th.—Urine still suppressed; in other respects is much better; still some sickness and purging, but the matters are no longer whey-like. To discontinue the pills; to have boiled rice, and some gruel with wine.

19th.—Has continued to improve, and passed a good night. No sickness; tongue clean; bowels only once moved; motions dark; has passed some urine after more than seventy hours' suppression.

20th.—Has continued better, and is sitting up in bed smoking a pipe. Declares herself to be quite hearty.

24th.—Is down-stairs sitting at tea with her daughter.

Having now submitted the foregoing cases to the consideration of such of my readers who may bestow upon them due attention, I would suggest to them the dispassionate inquiry, whether the treatment employed for the relief of these patients were the efficient cause of their relief; and if so, seeing that they were cases of extreme collapse, and occurring in patients of various ages, what hindrance should there be to the same success in all other cases where there was no previous disease, and where the same attention was given to the treatment. It was, indeed, fully in accordance with my experience, and was confirmed to me by those of my friends who followed the same course of treatment, that there was no ground for despair in the most unpromising cases of collapse, where the attendants did their duty; and it occurred to us all to witness recoveries under such circumstances of hopelessness, as to take from us nearly all anxiety about the result of ordinary cases of collapse. In bringing to a close this communication, I cannot forbear declaring, in the words of one of my friends, that with all the knowledge we possess of the seat and nature of typhus fever, and of the treatment of that disease, my confidence in these means for its relief fall very, very greatly short of those which I am satisfied we possess for the cure of Asiatic cholera, by the exhibition of calomel in the small and frequently renewed doses of that medicine; and in conclusion I desire, earnestly and emphatically, to address myself to the profession, in the words of the Roman poet,—

..... "Si quid novisti
Rectius istis candidus imperte,
Si non his utere mecum."

George-street, Hull, Nov. 1848.

AN ESSAY ON THE PHYSIOLOGY OF THE NERVOUS SYSTEM.

WITH AN EXPOSITION OF CLAIMS TO PRIORITY OF DISCOVERY, &c.

BY ALEXANDER WALKER,

AUTHOR OF, WORKS ON THE "NERVOUS SYSTEM," "BEAUTY,"
"WOMAN," "INTERMARRIAGE," &c.

Errors as to the Nervous System, by Bell, Müller, &c.

At a very early period of life, two or three subjects struck me (and so, doubtless, they have struck many young and ambitious persons) as peculiarly deserving the study of scientific

men—the actions called mind, or thought, as dependent on the brain and nervous system; the laws of generation and development by which progeny resemble parents, and those on which the production of beauty depends—even the last of these having an anatomical and physiological basis. For many years, these subjects were steadily kept in view by me, and I sometimes engaged enthusiastically in them, in order that certain points might be seized and developed; but they were not set about with any expectation of immediate discovery, though some slow steps in them appeared probable.

In the two sciences, then, of by far the deepest and most immediate interest to man—anatomy and physiology, I, nearly forty years ago, (1809 being the actual time of publication,) made known by far the most important discovery which had been promulgated for many centuries, by publishing, in the second and third volumes of "*Archives of Universal Science*," for April and July, 1809, a paper on the "*Physiology of the Mental Organs, Organs of Sense, Nerves of Sensation, Cerebrum, Cerebellum, Spinal Marrow, and Nerves of Volition, or of Motion generally*," especially distinguishing the *anterior* and *posterior* spinal roots, as *sensor* and *motor* respectively. A copy of that work has always been to be found in the library of the British Museum, where it was deposited on the day of publication. I then and there endeavoured to show that the anterior roots of the spinal nerves, the anterior columns of the spinal marrow, and the anterior masses of the brain, were those of sensation, and that the posterior masses of the brain, the cerebellum, the posterior columns of the spinal marrow, and the posterior roots of the spinal nerves, were connected with locomotion.

That the anterior roots of nerves and columns of the spinal marrow are sensor, is at once most decidedly proved by its being possible only to excite through them to motion.

That the posterior columns and roots of these nerves are motor ones, is anatomically and physiologically proved by their giving off the nervus accessorius, a motor nerve, which "arises wholly from them," (and is, says even Müller, "directly opposed to the hypothesis of Sir C. Bell,") and the third, fourth, and sixth pairs, which are also chiefly motor nerves, arising nearly from the same posterior parts, and all of these receiving filaments from the cerebellum or the tubercles. . . . Pathologically, this is proved by the cases recorded by Dr. Webster, Mr. Stanley, Dr. Budd, M. Rullier, and others, given in the sequel, in which, with the softening, disorganization, and disfluence of the posterior columns, all power of motion was lost.

It is scarcely necessary to observe, that Sir C. Bell's argument, that the anterior columns belong to motion, as the general oculo-muscular nerve is in contact with the crus cerebri, the external oculo-muscular with the pyramidal body, &c., is worthless, because these nerves only pass through those inferior parts from others behind or above them.

I was, I believe, the first who assigned volition, on reasoned grounds, to be the function of the cerebellum, in "*Outline of a Natural System of Medical Science*," dedicated to A. Monro, Esq., M.D. *secundus*, in 1808, and in other works of about the same date.

If the most extensive and profound views of comparative anatomy, sanctioned by names of the highest authority, are of avail, it will be admitted, not only that the general magnitude of the brain of man is the essential condition of his superior intelligence, and that the number of its parts and fibres are similar conditions of the increased number of his intellectual functions, but that these higher functions are not those either of the cerebel or spinal cord, since the higher functions absolutely diminish with the increase of those posterior parts.

It is scarcely necessary to remark how completely fatal this last-stated fact is to the hypothesis of those who assert (erroneously) the dorsal nerves and columns to be those of sensation; and because the latter clearly join the cerebel, therefore even assert, also, that the cerebel is the organ of sensibility. This the cerebel must indeed be, if the posterior columns and nerves are those of sensation. The preceding fact, however, shows the reverse, for if the cerebel, instead of the eye, ear, &c., were the organ of sensibility, that would bear a direct relation to perception, which is, indeed, only another name for sensibility in the common sensorium; and the fact alluded to is, that the higher functions (which are mere combinations of perception and processes to which it is subjected) absolutely diminish with the increase of the cerebel.

This fact, I say, is fatal to that hypothesis, and is felt to be so. Therefore, M. Magendie said, "*La disposition anatomique indique que le sentiment doit (consistently with his and Sir C. Bell's erroneous view) se diriger plus particulièrement vers*

le cervelet, mais (candour induced him to add) . . . les lésions du cervelet ne font point perdre la sensibilité."

Each nerve, spinal column, and cerebral fasciculus, sends impressions either to or from the brain, and never in an opposite direction, or in both directions.

In all sensor parts, the action is centripetal, or towards the brain. In all motor parts, the action is centrifugal, or from the brain. Can the anterior columns and nerves perform motions, then, in both and opposite directions? Certainly not; they act centripetally alone.

Sensation, however, must always precede motion, the sensation being in one part, the motion in another; as here, for instance, in the spinal column, in compliance with the preceding law.

If I believe that I have ascertained the truth, on this most important subject, it becomes my duty to state the process by which I have done so, which may, indeed, very shortly and simply be said to be by the time of genesis, or development, which is, in the sequel, referred to in greater detail.

It matters little, however, if it could be said that my distinction of the anterior and posterior spinal nerves, as sensor and motor respectively, was insufficient. I need here only say, it was made extensively known, and was adopted in their lectures, by teachers of anatomy who had been my pupils, and had great notoriety given to it, as is here certified in one case, by the following copy of a letter from Professor Lizars, then my pupil:—

"Edinburgh, 38, York-place, 28th May, 1834.

"MY DEAR SIR,—I distinctly recollect that it was in 1807 you commenced those dissections of the brain in which I assisted you, and that you delivered their results in your lectures on anatomy and physiology, and published them in the volume for July, 1809, of the *Archives of Universal Science*. Since then, I publicly taught the same in my lectures on anatomy, until 1830, when I relinquished the teaching of that science, and was appointed professor of surgery to the Royal College of Surgeons.—I remain, yours very sincerely,

"To Alexander Walker, Esq.,

Margaret-street, Cavendish-square, London."

"JOHN LIZARS.

It is especially to be remembered, that this gentleman, together with another pupil of mine, Mr. Hallion, in 1807 or 1808, was a house pupil or apprentice of Mr. John Bell, and in this way alone might his brother, Sir Charles Bell, first have become acquainted with my dissections of the brain, about two years before I myself published their results, and a dozen years before Sir Charles ventured to publish anything clear and decided, in a physiological point of view, on the subject.

Two years after my publication in the *Archives*—viz., in 1811, Sir Charles Bell printed his wretched and trashy pamphlet, entitled, "An Idea of a New Anatomy of the Brain, Submitted [to what?] for the Observation of the Author's Friends," without a date! in which he supposed that "the anterior spinal roots of nerves contained fibres for sensation as well as those for motion," while the posterior roots governed the "operations of the viscera!" and "the secret operations of the frame!" and "united the body together"! This his printer, Mr. Spottiswoode, stated was printed in 1811.

In this work, Sir Charles Bell, well knowing all I was doing, as I was aware at the time, from some of my pupils who were then apprentices of his brother John, with whom I was at that time intimate, stole my doctrine, and without accuracy altered it—not very nobly, as I thought, for, in his alteration of it, he uncandidly withheld all notice of my long priority to him on this subject. Sir Charles Bell even avoided all mention of my labours, instead of acknowledging my precedence, saying, as every honourable man in the same case would, that I had first suggested that the "anterior and posterior roots of spinal nerves were sensor and motor respectively," and why he differed from me.

Connected with this, I should observe that Sir Charles's anxiety for priority—at least, for the date of 1809, the same as that of my paper in the *Archives*—was very remarkable. It is not a little curious that Mr. Shaw, the relative and agent of Sir Charles Bell, in the *Medico-Chirurgical Transactions*, vol. xii. Part i. p. 149, should expressly have said, "*Sir Charles Bell's short essay on the anatomy of the brain was printed in 1809*"! This date was repeated in papers, reviews, pamphlets, &c., and Sir Charles Bell, who must have perused these, was pleased never to correct this date until the publication of his work, entitled "The Nervous System," in 1830! It consequently is quoted by Seubert, and other foreign writers, as published in 1809.

Long, however, before Sir Charles Bell had followed the writer even in ascribing distinct functions, sensation and voli-

tion, or motion generally, to distinct columns and nerves, the present writer had a second time repeated his previous doctrines in several numbers of Dr. Thomson's *Annals of Philosophy* for 1815, in which, with that date, they can now be seen, in consequence of a dispute on the subject with the late Dr. Leach, of the British Museum. It was not till several years after this last repetition of the present writer's doctrine that Sir Charles Bell ventured to follow him even in ascribing distinct functions, sensation and motion, to distinct columns and nerves.

Throughout this investigation, Sir Charles Bell laboured only to create confusion and error, and to retard the progress of knowledge. He felt that he would only be recognising what I had announced often and many years before, if he said that the anterior columns and nerves were sensor ones, and the posterior motor ones; but he knew that, on mechanically irritating the anterior nerves or columns, motion would instantly ensue, and he therefore ventured to assert that these anterior were motor nerves. He was ignorant of, or he disregarded, the fact, that sensation must be excited here, in order that motion should follow elsewhere, as he knew that sensation was attended with no overt act, whereas motion was at once obvious and palpable; and he hoped that on this ground he might probably obtain a reward or pension as for a great discovery, while on no other ground could he pretend to that, or hope to ensure it.

That this was intentionally, deliberately, and artfully done can be proved by many circumstances which it is painful to be obliged to describe and repeat, but which, in the interest of knowledge, as well as in my own personally, I am obliged to detail. I refer, as formerly, to Sir Charles's anxiety for priority—at least, for the date of 1809, the same as that of my papers in the *Archives*; and to Mr. Shaw, his relative and agent, having published and signed his name to the direct assertion that Sir Charles Bell's short essay on the anatomy of the brain was printed in 1809—a date utterly incorrect, but which Sir Charles was pleased never to correct until the publication of his work on the nervous system in 1830, after I had ascertained the real date through his printer, the whole transaction having given me a very painful impression concerning Sir Charles Bell.

To quote the words of Todd and Bowman, in their "Physiology," "Bell distinctly affirmed, that irritation of the anterior roots caused muscular movement," (doing so, solely because sensible;) "and that the posterior roots might be irritated without giving rise to any muscular action," (solely because insensible,) "or in the experiments on frogs, irritation, mechanical or galvanic, of the anterior root, always provokes muscular contraction," (because sensible,) "while no such effect follows irritation of the posterior root," (because insensible.)

Müller says, in his "Physiology," "It may be supposed that the anterior columns, from which the motor roots arise, are themselves motor, and the posterior columns, from which the sensitive roots arise, are merely sensitive throughout the whole length of the spinal cord;" and he adds, this "supposition is that adopted both by Sir C. Bell and by M. Magendie." Now it would, on the contrary, be correct to say that the anterior columns and nerves are so far sensitive, and consequently irritable, that it is only through them that we can excite any motion at all. But this only proves that they are entirely sensor columns and nerves, and that no motor action can take place through them, for they cannot at once exercise a centripetal and a centrifugal action, two actions in directions opposed to each other through the same fibrils.

Todd and Bowman themselves, the most recent writers of a physiological system, say, "All those who have made experiments with the view of ascertaining the functions of the columns of the cord, agree in stating that irritation of the anterior columns was attended with more or less movement, (they are therefore sensible to mechanical, chemical, or galvanic irritation!) the results of stimulation of the posterior columns, however, have been differently stated by various observers."

"We venture to suggest that the posterior columns may have a function different from any hitherto assigned to them. They may be in part commissural between the various segments of the cord, and in part subservient to the function of the cerebellum, in regulating and co-ordinating the movements necessary for perfect locomotion." This undoubtedly is their real function, as I said in 1809.

"The attribute of locomotive power rests upon the connexion of the posterior columns with the cerebellum, and the probable influence of that organ over locomotion. If the cerebellum be the regulator of locomotive actions, it seems reasonable to suppose that those columns of the cord which mainly pass into it should enjoy

a similar function; that as they are the principal medium through which the cerebellum is brought into connexion with the cord, it must be through their constituent fibres that the cerebellum exerts its influence on the nerves of the lower extremities, and of the other parts concerned in the locomotive function." This I clearly stated in the work referred to, as Messrs. Todd and Bowman may see.

"The nearly uniform size of the posterior columns in the different regions of the cord, has been already remarked as unfavourable to their being channels of sensation. But this anatomical fact may be adduced as a good argument in support of the hypothesis which we are now discussing. It is worthy of notice that these columns experience no marked diminution in size, until the large sacral nerves, which furnish the principal nerves of the lower extremities begin to come off."

"Experiment, while it fails to elucidate the function of the posterior columns, exhibits nothing in opposition to the views we have expressed. It is not to be expected that commissural and co-ordinating fibres should react with stimuli, similarly to fibres of voluntary motion."

The writer was also followed by others both at home and abroad. Four years after publication in Thomson's *Annals*, and ten years after the first announcement in 1809, Burdach made a similar representation.

In the work "*De Functionibus radicum anteriorum et posteriorum Nervorum Spinalium Commentatio a gratioso medicorum ordine in literarum Universitate Heidelbergensi Præmio ornata, Quam Scripsit Maximil. Carol. Guil. Seubert, Med. Chir. et Art. Obstet. Doctor*," he likewise says, Burdach* ingeniously conjectured, many years before the French examination, that both the columns and the roots of the spinal nerves differed in function, although he did not more explicitly distinguish the property of each.

"But the reasons deduced from analogy, which he endeavoured to establish, show that he held an opinion opposed to ours proved by experiments, that sensibility belongs rather to the anterior parts of the medulla, irritability to the posterior ones."

"Cross and Walker,"† he adds, "had expressed the same opinion."

In this last respect Burdach errs. Dr. Cross makes no such distinction, and is merely quoted in Thomson's *Annals* by Mr. Walker, and Sir Charles Bell had not then expressed any opinion at all worthy of the slightest notice, as may be seen by his pamphlet.

Still, convinced with the Editor of *THE LANCET*, that "no small share of glory is attached to any important discovery in the nervous system," I continued to devote my attention to the subject in dissection, lectures, and writing, until 1834, when I published "*The Nervous System, Anatomical and Physiological, in which the Functions of the various Parts of the Brain are for the first time Assigned*,"‡ (no matter how insufficiently.) I did especially distinguish the anterior and posterior spinal roots as sensor and motor respectively, thus a third time repeating my doctrines on the nervous system. But my book, after lying for some years in the publisher's warehouse, was sold as waste paper.

Its object was to show that the double roots attached to the spinal column, the anterior and posterior ones, were respectively those of sensation and motion. And although the general analogy was, in my opinion, in favour of the sensor parts (like the organs of sense) being anterior, and the motor parts (like the cerebellum) posterior; although the anterior columns being the first completed, as is beautifully and admirably

* "*Burdachius complures jam annos ante Gallorum examina, utramque et columnam et radicem medullæ spinalis, licet proprietatem conjunxerit explicatus non segregaverit, ministeriis tamen differe ingeniose conjecit.*" (a) "*Sed rationes, quas ex analogia deduxit, opinionem nostræ experimentis comprobatae oppositam ei adsciverunt, qui probare studint, in anterioribus medullæ partibus, potius sensibilitatem, posterioribus irritabilitatem prævalere.*"

"Eandem opinionem etiam Crossius et Walkerus professos esse edocet."

† Thomson's "*Annals of Philosophy*," 1815. Of course, before Burdach himself! otherwise he could not quote this in his work.

‡ In a review of "*The Nervous System, Anatomical and Physiological, by Alexander Walker*," "*Documents and Dates of Modern Discoveries in the Nervous System, by the same*," "*Narrative of the Discoveries of Sir C. Bell in the Nervous System, by Alexander Shaw*," and "*Outlines of Human Physiology, by Herbert Mayo*," *THE LANCET*, in its number for April 25, 1840, says, "No small share of glory is attached to any important discovery in the nervous system." "A great victory had been won when it was established that 'the functions of nerves correspond with their roots,' that 'in the same nervous trunk there are often two distinct nerves of motion and sensation,' and finally, that 'the anterior columns of the spinal marrow are for motion, the posterior for sensation.'" [Mr. Walker, in opposition to Bell's, and the ultimately universal assertions, has always asserted the reverse of this latter point.]

(a) Burdach, *Ban und Leben des Gehirns*, &c., t. i. p. 134. Leipsig, 1819.

proved by Tiedemann, must, in my opinion, be those which admit sensation as the indispensable material of all mental functions, and the posterior, being the last completed, must, I thought, be those of motion, (and they accordingly give off motor nerves, as the third pair, fourth pair, sixth pair, and the facial, some of which pass clear through the crura cerebri, sensor parts, to appear externally, and also the nervus accessorius;*) although the idea that a motor column or motor nerves which were insensible could be excited to any action at all, or that a column or nerves could be excited by any means but through their sensibility, is at once grossly illogical and monstrously unreasonable; although it must be the anterior columns running up to the cerebrum, the vast development of which indicates its more complex operations, that furnish these materials of mental operation, and the posterior descending from the cerebel, which, even in structure, seems but an epitome and abridgment of the former that must excite motion; although this is proved by the first motions of the fetus occurring precisely when these columns, after long being open canals, have just ceased to be so, and unite their posterior or external edges; and although in pathological cases with slow and gradual injury, breaking down, softening, liquefaction of the posterior columns, just so slowly and gradually disappears all power of motion, while sensation remains perfect; yet, from experiments misunderstood, or rather ill-expressed or misrepresented, physiologists have come to some opposite conclusions,—in which, however, I cannot even now agree, opposed as they are by the general analogy of sensitive parts being anterior by the time of their genesis and development, those anterior being the first formed by cerebral relations, the cerebrum being the expansion of the anterior spinal columns; by the coincidence of foetal motions first occurring just when the posterior columns unite behind; and finally by the clear, unequivocal, and decisive pathological cases recorded by Dr. Webster, Mr. Stanley, Dr. Budd, &c.†

(To be continued.)

Reviews.

A History of the Royal Society. By RICHARD C. WELD, Esq. Two vols. 8vo. London: Parker, 1848.

WE have been much gratified with these well-written volumes, and heartily recommend that they should find a place, not in the library only, but on the study table of our readers; or, at least, that they should be circulated in every Medical Society throughout the kingdom.

We have constantly urged the members of our profession to make themselves the authorities in scientific matters, as the clergy may be said to be on many literary topics, each in his district. This would raise the profession, give it its due rank and station, and ensure for it its just degree of confidence and respect in the public mind.

It is impossible to meet with more useful volumes, in this point of view, than these of Mr. Weld.

We do not, however, think a stipendiary officer of any Society the person from whom we can expect an independent or impartial history of its career. His position precludes such an idea. Accordingly, we find in the volumes before us, no notice of the honoured names of JENNER or of WELLS, or of the manner in which their immortal papers, if not rejected, were not at first espoused by the Royal Society; and no just commentary on that of the literary incendiary, HOME, the author of 210 papers, already forgotten, though "printed" and "profusely illustrated by splendid plates, engraved at a cost to the Society of some thousands of pounds!"

* "*The nervus accessorius (a motor nerve) arises in birds and reptiles,*" says Müller, "*wholly from the posterior columns;*" and he grants that this is directly opposed to the hypothesis of Sir Charles Bell, that the anterior columns and roots of nerves are motor ones.

† As to "the plurality of the nervous system," as Dr. Fletcher calls it, he, in justice, places "Walker" before Fellingneri, Bell, Magendie, Mayo, Earle, Arnold, and other contemporary authors, to whom, he observes, "we are indebted for almost all that has been established on the subject." He truly states the case between these opposed parties as to the parts subservient to sensation and those subservient to motion, in saying, "Mr. Walker regards the anterior roots of the spinal nerves as sensiferous, and the posterior as motiferous, ministering at once to involuntary motion by means of the filaments derived from the lateral or olivary columns, and to voluntary motion by means of those derived from the proper posterior or cerebellic columns. On the other hand, Sir Charles Bell, Mayo, Earle, Arnold, &c., inverting, as Mr. Walker says, his doctrine, represent the former as motiferous and the latter as sensiferous."