How We Think

The Microscopic Structure of the Intellectual Portion of the Human Brain

By Leon Augustus Hausman, Ph.D.

ONE of the most interesting and significant revelations of the modern study of the structure of the human brain is that there exists an extremely intimate association between the structure of that organ and the various aspects of thought, emotion, and other mental phenomena. It is now a well established fact that all mental processes are explainable upon the basis of brain structure and activity. No mental activity can be carried on without brain-cell activity. The experiencing of sensations and of emotions, the perception and remembrance of objects, the formations of judgments, and the construction of long and intricate trains of complex reasonings, in short, all the varied operations of the mind of man are necessarily bound up in the operations of the brain. Complexity of brain structure means complexity of mental activity.

In view of this close association between mental phenomena and brain action, it is logical to expect that a close parallel exists between the general intelligence of any given human being and the structural development of its brain. The researches of many able scientists in the field of brain structure and development have resulted in the accumulation of an array of facts whose correlation and interpretation enable us to establish, with tolerable certainty, the main features of the laws of relationship between intelligence and the brain. We may say, at the outset, that intelligence is the result of the growth of certain minute structures in the brain.

The study of this relationship of brain matter to intelligence may be pursued in several ways. We may endeavor to correlate degrees of intelligence with degrees of weight of the brain mass as a whole, or we may endeavor to discover the relation between mental growth and the growth of the structure of the brain. The latter field of research has proved the more fertile of the two, particularly the study of those physiologically ultimate elements of the brain structure, i.e., the nerve cells, or neurones. Cells are the units of living matter, built up into bodies, very much as bricks are the units of structural matter that are built up into buildings, bridges, etc. The cells of the nervous system are known as nerve cells, or neurones. They differ considerably in various portions of the nervous system, but their fundamental structural characteristics are all similar. Figs. 5 and 6 show two of these nerve cells, or neurones, from different portions of the brain.

The human brain, built up of millions upon millions of neurones, is a bulky structure, weighing normally about fifty ounces in the adult. It consists of three main masses, each with various sub-divisional parts, known as the fore-brain, mid-brain, and hind-brain. In man the fore-brain is the largest of the divisions weighing about forty-four ounces. It is made up of two large convoluted masses known as the cerebral hemispheres, or collectively as the cerebrum (Figs. 1 and 2). The mid-brain forms a sort of connecting link between the fore-brain (cerebrum) and the hind-brain. This latter portion of the brain consists of a large mass directly beneath the hinder portion of the cerebrum, called the cerebellum; a smaller mass, directly in front of this, known as the pons Varolii, or simply the pons; and an elongated downward-projecting pear-shaped mass, which tapers out into the spinal cord, and is called the medulla oblongata, or the medulla. Like the spinal cord, the brain itself consists of both gray and white nervous matter. The greater portion of the gray matter is spread over a

Fig. 1. The cerebral hemispheres in place, in the skull, the upper portion of which has been removed to render their contents visible.

Fig. 2. The hemispheres, seen from above. F indicates the frontal region, where the active thought phenomena are localized.

Two views of the cerebrum, or thinking portion, of the human brain

large part of the outer surface of the brain, but small masses of it are likewise to be found buried in certain parts of its white interior. By reason of the numerous folds and convolutions present in the surfaces of the cerebellum and particularly of the cerebral hemispheres, the area over which this layer of gray matter is spread is very greatly increased.

This layer of gray matter over the outer surface of the cerebrum is known as the cerebral cortex (C, Fig. 3), and it is this portion of the brain, and particularly that part about the frontal region of the cerebrum

ers, each layer containing neurones of a characteristic shape (Fig. 4). The thickest of these layers are called the layers of the pyramidal cells (P and P₂, Fig. 4) or neurones, since they contain neurones whose general shape is pyramidal. The pyramidal neurones are so placed that their acute apices are all directed, outward toward the surface of the cortex, with their broad bases facing the central portion of the cerebral hemispheres. A correlation of the various studies made upon the microscopic structure of the cerebral cortex indicates that it is these pyramidal neurones,

which, more than any of the other cells of the cortex, are associated with the higher mental processes.

From the standpoint of comparative development of brain activity among animals it is significant to note that here also a definite relationship has been observed between the degree of intelligence possessed by an animal and the number and development of the pyramidal neurones. Not only in animals of superior intelligence do the neurones become more numerous, but also larger, and, moreover tend to develop longer fibers, which branch more abundantly. This results in an increased number of contacts made between neurones. In fine, we may say that the intelligence of a species is dependent upon its brain development, particularly upon the development of the pyramidal neurones of the frontal portions of the cerebral hemispheres. And the particular sort of change which we would characterize as *development*, in this sense, is chiefly an increase in the size of the cell bodies, and in the length and number of branches and interramifications of the nerve fibers.

In the human species, as well, the development of intelligence and of the pyramidal neurones of the cortex show the same parallelistic course. Researches in human embryology (the study of the child from conception until birth) has brought out the interesting and significant fact that the number of pyramidal cells in the cortex goes on increasing until the third or fourth month of foetal life. Beyond this period the number does not change. This means that the number of cortical cells of this type with which any given individual is endowed is fixed well before birth.

After the third or fourth month of foetal life, and during all the subsequent existence of the individual, the principal changes which take place among the pyramidal neurones are increase in size, texture, and in the length and ramifications of the nerve fibers. As the individual grows through childhood to maturity such are the changes which take place. It has also been noted that with develop-

(Continued on page 139)

Fig. 3. Cross section through the middle portion of the cerebral hemispheres, to show the thickness of the cortex, where the thinking cells are located. C represents the cortex, W the white matter of the interior of the brain. Fig. 4. Highly magnified section through the cortex. O is the outer layer, P and P₂ layers containing, respectively, the small and large pyramidal cells, the "thinking cells." N is a single pyramidal cell or neurone. I is the inner layer of the cortex containing very few cells. W is the white matter of the interior of the brain. D are the dendrites, or fibers from the neurones, that lead into the interior of the brain for the purpose of forming connections. Fig. 5. A single nerve cell or neurone from the outer layer of the cortex, with some of its principal fibers. Fig. 6. One of the most important of brain structures, a large neurone from the second pyramidal layer of the cortex, showing the mode of branching of some of its dendrites. B is the cell body, D the dendrites and fibers.

The minute structure of the cerebrum, or thinking portion of the human brain

LEGAL NOTICES

PATENTS

IF YOU HAVE AN INVENTION which you wish to patent you can write fully and freely to Munn & Co. for advice in regard to the best way of obtaining protection. Please send sketches or a model of your invention and a description of the device, explaining its operation.

All communications are strictly confidential. Our vast practice, extending over a period of seventy years, enables us in many cases to advise in regard to patentability without any expense to the client. Our Handbook on Patents is sent free on request. This explains our methods, terms, etc., in regard to Patents, Trade Marks, Foreign Patents, etc.

SCIENTIFIC AMERICAN

Contains Patent Office Notes, Decisions of interest to inventors—and particulars of recently patented inventions.

MUNN & CO., SOLICITORS OF PATENTS
Woolworth Building, NEW YORK
Tower Building, CHICAGO, ILL.
Scientific American Building, WASHINGTON, D. C.
Hobart Building, SAN FRANCISCO, CAL.

Annual Subscription Rates
Scientific American Publications

Scientific American (established 1845) one year\$6.00
Scientific American Monthly (established 1876) one year\$7.00
Postage prepaid in United States and possessions, Mexico, Cuba and Panama.

Foreign Postage

Scientific American \$1.50 per year additional.
Scientific American Monthly 72c per year additional.

Canadian Postage

Scientific American 75c per year additional.
Scientific American Monthly 36c per year additional.

The combined subscription rates and rates to foreign countries, including Canada, will be furnished upon application.

Remit by postal or express money order, bank draft or check.

Classified Advertisements

Advertising in this column is \$1.00 a line. No less than five nor more than 12 lines accepted. Count seven words to the line. All orders must be accompanied by a remittance.

BUSINESS OPPORTUNITY

SUBSTANTIAL manufacturing corporation wants capable men to establish branch and manage salesmen, \$300 to \$2000 necessary. Will allow expenses to Baltimore as explained. Address, Mr. Clemmer, 603 N. Eutaw St., Baltimore, Md.

FOR SALE

CANADIAN Patent Rights on eccentric boring chuck for sale. W. F. MEYERS COMPANY
Bedford, Indiana

HELP WANTED

PATENT Office Draftsman. State experience and salary desired. Munn & Co., 233 Broadway, New York City.

WANTED

1500 RAILWAY TRAFFIC INSPECTORS; no experience; train for this profession thru spare-time study; easy terms; \$110 to \$200 monthly and expenses guaranteed, or money back. Outdoors; local or traveling; under big men who reward ability. Get Free Booklet G-42. Stand. Business Training Inst., Buffalo, N. Y.

12 Months to Pay.
Enjoy your 1921 "Ranger" at once. Earn money for the small monthly payments on our Easy Payment Plan. Parents often advance first small payment to help their boys along. **FACTORY TO RIDER** wholesale prices. Three big model factories. 44 Styles, colors and sizes in our famous Ranger line. **DELIVERED FREE**, express prepaid, FOR 30 DAYS TRIAL. Select bicycle and terms that suit—cash or easy payments. Lamps, horns, wheels, parts and accessories, at half retail prices. **SEND NO MONEY**—Simply write today for big FREE Ranger Catalog and marvelous prices and terms. **Meade Cycle Company** Special Offer to Dept. B175 Chicago Rider Agents

\$1,000.00 for an idea

One of my New York clients paid me \$1,000.00 for an idea—but he would not part with it for fifty times this sum, because it has already earned \$30,000.00 in profits and shows prospects of earning \$100,000.00 within the next year.

I get quick results for those who want to increase their sales by using business letters. My fees run from \$100 to \$2,500 and produce profits from ten to fifty times this. Do you want to build up your sales with better business letters?

EDWARD H. SCHULZE

Acknowledged the foremost authority on business producing letters. Over 3,500 satisfied clients since 1912
220 West 42nd St. New York City

relative to the vacuum tube is greater and more widely distributed, the condition described above will be understood when it appears and the cause remedied to the same extent as in a rotary converter.

It will be seen, therefore, that improvements in the performance of tubes and vacuum tube apparatus is dependent upon three factors, which, at the present time, probably are of the following order of importance:

(1) Engineering development of fundamentals which have already been discovered or worked out by scientists or physicists.

(2) Better understanding by the users relative to the limitations and possibilities and the engineering principles involved.

(3) Discovery of new scientific facts.

As the art develops the third factor becomes increasingly important and undoubtedly will sooner or later head the list.

Pumping Coal from Mine to Seaboard

(Continued from page 126)

machine, which separates the impurities.

The coal which is reduced to a pulverized consistency is then shot into the pipe line and carried to the cities by means of the power from pumps placed every few miles. The process of mixing pulverized coal with water and pumping the mixture through pipes was invented by Wallace C. Andrews in 1883 and patented by him in 1891. He built experimental pipe lines to demonstrate the practicability of the scheme. It has already been demonstrated that mixtures of 50 per cent by weight of coal and water can be successfully pumped; and not only that, but the mixture may be allowed to stand in the pipes for more than 24 hours and pumping be resumed without trouble. The assertion is made that mixtures of 75 per cent by weight of coal and 25 per cent of water can be successfully pumped, and it will probably be found that mixtures with even higher percentage of coal can be sent through the pipe line.

On the first page of this issue is shown a set of diagrams of the apparatus of Mr. Bolton's system. It has already been demonstrated in Germany and Great Britain, and in this country, that the most economical way to burn coal is as a powder, as witness the immense blowers and automatic stokers which use this kind of coal in all of our great cities. In such conditions it is easily handled and is under perfect control, and practically no smoke results. Blown into the highly heated combustion chamber, each particle of coal explodes and becomes a gas. The coal in this condition makes the next best fuel to natural gas. The induction of it under the proper air current is automatic, causing a great saving of labor. The burning value of the coal is enhanced about twenty per cent. The present wasteful methods are soon to be replaced by this method of pulverizing coal and the resulting saving and cheap price of coal to the consumer will do away with the fear of car shortages and other things which have heretofore held back the supply when most needed.

How We Think

(Continued from page 128)

ment, the neurone fibers develop a protecting sheath. The precise function of this structure has still to be demonstrated. It is believed that it may aid the transmission of nervous impulse along the fiber.

Observations show that while the other layers of the cortex early reach their complete development, the pyramidal layers continue to increase in thickness until later in life, and do so at a very slow rate. This may possibly be in order to accommodate the growth of the pyramidal

neurones. These continue to develop throughout the life of the individual, as experience with the environment stimulates them to perfect their interconnections. Hence, we may say, that, here, as in the case of the animals lower than man, it is the number and condition of growth of the pyramidal neurones which determines the status of mental capability.

Further light upon the relations of the pyramidal neurones to intelligence has been shed by the study of the brains of the idiotic, imbecile, and feeble-minded. It has been shown that the pyramidal neurones of idiots are poorly formed, undersized, and, more important still, possess very few fibers. In extreme cases no fibers at all were present. This means that correlations, connections, unions, assemblages of ideas, memories, sensations, etc., are impossible where there exist no physical connections between the multitudinous pyramidal neurones.

In conclusion it might be said that it is this inability of feeble-minded parents to transmit to their offspring anything but imperfect intellectual equipment, which in no slight measure is menacing many of our urban communities, as well as filling our asylums and jails with the criminally insane to be harbored at state expense. The fact that the number of pyramidal neurones is fixed before birth has an immense sociological significance, a significance, which, as has been said, is often a tragic one!

The Six-Wheel Truck with Four-Wheel Drive

(Continued from page 129)

meshed properly motion is transmitted to the shaft and through the gears to the two differentials so that both pairs of drive wheels will have uniform speed. The ground friction of the vehicle is thus greatly increased, with a corresponding rise in the carrying capacity. Importance is attached to the means for connecting the two axles of the attachment, for the reason that this is of such nature as to hold them firm against all relative motion save in the vertical plane.

Truck users find that this outfit will go wherever a team will go, and no ground seems too soft or too uneven for it to negotiate. One of the demonstration stunts was the crossing of heavy marsh land while loaded with a miscellaneous assortment of farm tools, wire, fence posts, etc. Even ditches at which the ordinary truck balked were crossed without apparent extra effort.

The manufacturers insist that this is the only four-wheel-drive, six-wheel truck that has been successful. It is inexpensive and will be of special value to farmers, since it is particularly adapted to the hauling of milk, cheese, feed, livestock, and in general to any use where mixed heavy and light hauling is required of a single installation.

Leading Navies Compared

(Continued from page 130)

32, and Japan 11. If the present ship-building programs are carried out, by the year 1924 the United States will possess 33 capital ships, Great Britain 32, and Japan 17.

Just here we draw attention to the fact that the great size and extremely heavy armament of our new ships would give us in 1924 a great preponderance of power over the British fleet, even if judged merely on the totals of displacement and gun energy. Thus, while we shall have about the same number of ships, 33, and the British, 32, the displacement of these ships will be 1,117,850 tons as against 808,200 tons, and the total gun energy will be 28,597,176 foot-tons for our capital ships, as against 19,080,000 foot-tons for the British ships. In numbers, displacement and gun power, our capital ship fleet will be considerably more than double the strength of the Japa-

Tycos Instruments have won a high place for themselves in industrial life by unfailing service in thousands of applications.

And wherever there is a temperature need in the Hospital, the Laboratory, the Household or on the Farm, Tycos will be found in just as high favor.

Detailed descriptions in Tycos catalogs sent on request

Taylor Instrument Companies
Rochester, N. Y.

There's a Tycos or Taylor Temperature Instrument for Every Purpose 733

POWER BENDERS TWO NEW MODELS

"Worm" Cold Pipe Bending Machines (Pat.) electrically operated to bend from 1 in. to 8 in. Send for printed matter. We also manufacture TERN other sizes, hand operated to bend from 1-8 inch to 6 inches. American Pipe Bending Machine Co. Manufacturers 32 Pearl St., Boston, Mass., U.S.A.

1/4 H. P. 110 volts, A. C. 60 cycles, single phase, 1750 R. P. M. MOTORS
LARGE QUANTITIES NEW WASHING MACHINE MOTORS
These are of standard manufacture and carry the full factory guarantee. Shipped in original boxes. Complete as cut. Suitable for operating Coffee Grinders, Cream Separators, Bottle Washers, Air Compressors, Small Lathes, etc.
Mail \$2.00 cash or money order. We will send C.O.D. only, subject to full examination. Money Back Guarantee.
\$22.75 Each
Manufacturer's Distributor
CHAS. H. JOHNSTON - Box 21, W. E. Pittsburgh, Pa.

WIRE

electrical, rope, air plane, piano, pipe, organ, flat, hoops, bale, ties, fags, nails, barbed wire, concrete re-inforcement, springs, netting, wire fences, steel posts, trolley-road wires and rail bonds, wire wheels, auto-towing cables, horseshoes.

Illustrated Books Describing Uses, FREE

American Steel & Wire Co. F. Baerkes, V.P. & G.S.A. CHICAGO

THE SCHWERTLE STAMP CO.
STEEL STAMPS LETTERS & FIGURES
BRIDGEPORT CONN

WELL DRILLING WELL PAYS

Own a machine of your own. Cash or easy terms. Many styles and sizes for all purposes. Write for Circular.

WILLIAMS BROS., 434 W. State St., Ithaca, N. Y.

We Will Make It

Anything in a metal stamping or novelty produced from any metal and finished in any color.

Waterbury Button Co., Waterbury, Conn.

SOUTH BEND LATHES

For the Machine and Repair Shop

9' Lathe \$215.00
11' Lathe \$275.00
13' Lathe \$365.00
15' Lathe \$450.00
16' Lathe \$525.00
South Bend Lathes are made in eight sizes, 9-in. to 24-in. swing, inclusive. Established 1906. Free Catalog. South Bend Lathe Works 421 Madison Street South Bend, Ind.

For Gunsmiths, Tool Makers, Experimental & Repair Work, etc.

From 9-in. to 18-in. swing. Arranged for Steam or Foot Power, Velocipede or Stand-up Treadle.

W. F. & J. Barnes Co. Established 1872. 1999 Ruby Street Rockford, Ill.

Four ingenious devices that are being tried out in Paris with the intent of preventing the indiscriminate splashing of mud from the automobile wheel

Novel Aids to the Mud Guard

THIS is the season, or if it is not it soon will be, when the automobilist and the pedestrian so unfortunate as to be forced near a moving car are united in their realization that one of the evils of automobiling is mud. The pedestrian comes home with mud flung upon him from puddle and bog-hole, while the car driver reaches his garage with a heavy coating of real estate over his wheels and the underbody of his car. Both parties would doubtless be grateful for anything that would abate this nuisance.

One way to abate it, of course, is to abolish the mud. We fear that it will be some time before our roads are all so built and so maintained, however, that the waters of springtime, and especially the fraction of these waters that results from the thawing of the roadside, will cease to have their accustomed softening effect.

If we can't abolish the mud, the next best thing to do is to insure that it stays where it lies, so far as possible, instead of developing a fond attachment for every car that passes through it. We illustrate four novel devices that are intended to bring about this ideal state of affairs. These were all shown at a recent exhibition of anti-splash apparatus in Paris. The first one recognizes the tendency of the wheel to lift mud and fling it, but tries to regulate that tendency by providing a passageway for the mud to shoot off backward and low, instead of going high and to the sides. Two plates are suspended from the hub in such fashion as to form a narrow channel through which that part of the tire in contact with the road revolves.

A second attachment that works in the same general manner, but that it seems ought to be somewhat more effective, is the low-hung guard shown in our second view. This, however, would be a pretty poor reed on which to lean if the car were to be driven over some of the famous mud-infested roads of America. It wouldn't take much of a rut or hole to snatch the guard clear off.

The photographer assures us that the brush of the third view is designed to revolve with the wheel. If means were offered for attaching it to a dead member of the axle or to some other dead part of the car, we should have more faith in it. As it is, it seems to us that it is open to the same objection as the first scheme, only more so. We cannot help picturing the shower of mud that would strike out in all directions from this brush, once it got thoroughly saturated with earth and water.

The final view is not of a tire of freak shape, as might at first glance appear; the member at the outside is quite separate, being a rubber shield that revolves with the rim. From 3,000 miles away this looks to us like the best of the four models. It seems to us that this shield might well be expected to lay down, gently and without much splutter, the mud that it picks off the wheel.

Vertical longitudinal section of the four-wheel-drive six-wheel truck

The Six-Wheel Truck with Four-Wheel Drive

MANY advantages are added to the use of motor trucks by the recent invention of H. P. Suhl of Kissimmee, Fla. This invention comprises an attachment for converting an ordinary passenger car into

gears of the differentials. Fixed to the shaft and housed in the case are other gears arranged so as to secure the desired reductions, when meshed, respectively, with the gears of another set in a sleeve on a second shaft journaled in the top portion of the case and connected by a universal joint to the transmission shaft of the vehicle. A grooved flange or collar is formed on the sleeve, and is engaged by a forked arm formed at one end of a sliding rod. The latter rod extends forward from the gear case and is connected by universal joint to an operating rod which can be connected to a hand lever for shifting gears.

In every instance, when the gears are

(Continued on page 139)

The Front-Wheel-Drive Truck with Low Clearance

THE truck which we illustrate here might almost qualify for the freak class, so far as appearance goes: but a catalogue of its distinctive features indicates that such classification might be an injustice. The tractive effort is on the narrow front wheels, the model driving with these alone and using the rear wheels for followers only. According to the designer this represents an effort to get back to the principle that ruled when the horse went before the cart. Of less doubtful value is the suspension of the engine from an entirely independent set of springs, intended to remove it from all exposure to road shock. Steering gear and brakes are of the hydraulic type. We are not informed whether the steering is done with the front wheels, or whether these are on a rigid axle to facilitate the front-wheel drive, with the steering left to the following wheels; either arrangement it appears would have its advantages and its drawbacks. The most striking feature is the low-hung body. This is obviously made possible by the peculiar arrangement of the engine suspension in company with the front-wheel-drive scheme. It is, of course, an entirely sensible notion, having done away with the necessity for running a drive shaft down the center of the vehicle at the height of the rear axle, to depress the body to occupy the space thus vacated. Certainly this truck would be the last one in the world to overturn; and if its other novel features will stand the test, it ought to be of much value in many special kinds of service.

Passenger car converted into a six-wheel truck with four-wheel drive

a truck of the sort suggested by the above head. As a beginning the device is being manufactured only for use with the small car; but later it will be made for touring cars as well.

The drive attachment constituting the present in-

fort to get back to the principle that ruled when the horse went before the cart. Of less doubtful value is the suspension of the engine from an entirely independent set of springs, intended to remove it from all exposure to road shock. Steering gear and brakes are of the hydraulic type. We are not informed whether the steering is done with the front wheels, or whether these are on a rigid axle to facilitate the front-wheel drive, with the steering left to the following wheels; either arrangement it appears would have its advantages and its drawbacks. The most striking feature is the low-hung body. This is obviously made possible by the peculiar arrangement of the engine suspension in company with the front-wheel-drive scheme. It is, of course, an entirely sensible notion, having done away with the necessity for running a drive shaft down the center of the vehicle at the height of the rear axle, to depress the body to occupy the space thus vacated. Certainly this truck would be the last one in the world to overturn; and if its other novel features will stand the test, it ought to be of much value in many special kinds of service.

A truck of extraordinary equilibrium and freedom from jar

LEGAL NOTICES

PATENTS

IF YOU HAVE AN INVENTION which you wish to patent you can write fully and freely to Munn & Co. for advice in regard to the best way of obtaining protection. Please send sketches or a model of your invention and a description of the device, explaining its operation.

All communications are strictly confidential. Our vast practice, extending over a period of seventy years, enables us in many cases to advise in regard to patentability without any expense to the client. Our Handbook on Patents is sent free on request. This explains our methods, terms, etc., in regard to Patents, Trade Marks, Foreign Patents, etc.

SCIENTIFIC AMERICAN

Contains Patent Office Notes, Decisions of interest to inventors—and particulars of recently patented inventions.

MUNN & CO., SOLICITORS OF PATENTS
Woolworth Building, NEW YORK
Tower Building, CHICAGO, ILL.
Scientific American Building, WASHINGTON, D. C.
Hobart Building, SAN FRANCISCO, CAL.

Annual Subscription Rates
Scientific American Publications

Scientific American (established 1845) one year\$6.00
Scientific American Monthly (established 1876) one year\$7.00
Postage prepaid in United States and possessions, Mexico, Cuba and Panama.

Foreign Postage

Scientific American \$1.50 per year additional.
Scientific American Monthly 72c per year additional.

Canadian Postage

Scientific American 75c per year additional.
Scientific American Monthly 36c per year additional.

The combined subscription rates and rates to foreign countries, including Canada, will be furnished upon application.

Remit by postal or express money order, bank draft or check.

Classified Advertisements

Advertising in this column is \$1.00 a line. No less than five nor more than 12 lines accepted. Count seven words to the line. All orders must be accompanied by a remittance.

BUSINESS OPPORTUNITY

SUBSTANTIAL manufacturing corporation wants capable men to establish branch and manage salesmen, \$300 to \$2000 necessary. Will allow expenses to Baltimore as explained. Address, Mr. Clemmer, 603 N. Eutaw St., Baltimore, Md.

FOR SALE

CANADIAN Patent Rights on eccentric boring chuck for sale. W. F. MEYERS COMPANY
Bedford, Indiana

HELP WANTED

PATENT Office Draftsman. State experience and salary desired. Munn & Co., 233 Broadway, New York City.

WANTED

1500 RAILWAY TRAFFIC INSPECTORS; no experience; train for this profession thru spare-time study; easy terms; \$110 to \$200 monthly and expenses guaranteed, or money back. Outdoors; local or traveling; under big men who reward ability. Get Free Booklet G-42. Stand. Business Training Inst., Buffalo, N. Y.

12 Months to Pay.
Enjoy your 1921 "Ranger" at once. Earn money for the small monthly payments on our Easy Payment Plan. Parents often advance first small payment to help their boys along. **FACTORY TO RIDER** wholesale prices. Three big model factories. 44 Styles, colors and sizes in our famous Ranger line. **DELIVERED FREE**, express prepaid, FOR 30 DAYS TRIAL. Select bicycle and terms that suit—cash or easy payments. Lamps, horns, wheels, parts and accessories, at half retail prices. **SEND NO MONEY**—Simply write today for big FREE Ranger Catalog and marvelous prices and terms. **Meade Cycle Company** Special Offer to Dept. B175 Chicago Rider Agents

\$1,000.00 for an idea

One of my New York clients paid me \$1,000.00 for an idea—but he would not part with it for fifty times this sum, because it has already earned \$30,000.00 in profits and shows prospects of earning \$100,000.00 within the next year.

I get quick results for those who want to increase their sales by using business letters. My fees run from \$100 to \$2,500 and produce profits from ten to fifty times this. Do you want to build up your sales with better business letters?

EDWARD H. SCHULZE

Acknowledged the foremost authority on business producing letters. Over 3,500 satisfied clients since 1912
220 West 42nd St. New York City

relative to the vacuum tube is greater and more widely distributed, the condition described above will be understood when it appears and the cause remedied to the same extent as in a rotary converter.

It will be seen, therefore, that improvements in the performance of tubes and vacuum tube apparatus is dependent upon three factors, which, at the present time, probably are of the following order of importance:

(1) Engineering development of fundamentals which have already been discovered or worked out by scientists or physicists.

(2) Better understanding by the users relative to the limitations and possibilities and the engineering principles involved.

(3) Discovery of new scientific facts.

As the art develops the third factor becomes increasingly important and undoubtedly will sooner or later head the list.

Pumping Coal from Mine to Seaboard

(Continued from page 126)

machine, which separates the impurities.

The coal which is reduced to a pulverized consistency is then shot into the pipe line and carried to the cities by means of the power from pumps placed every few miles. The process of mixing pulverized coal with water and pumping the mixture through pipes was invented by Wallace C. Andrews in 1883 and patented by him in 1891. He built experimental pipe lines to demonstrate the practicability of the scheme. It has already been demonstrated that mixtures of 50 per cent by weight of coal and water can be successfully pumped; and not only that, but the mixture may be allowed to stand in the pipes for more than 24 hours and pumping be resumed without trouble. The assertion is made that mixtures of 75 per cent by weight of coal and 25 per cent of water can be successfully pumped, and it will probably be found that mixtures with even higher percentage of coal can be sent through the pipe line.

On the first page of this issue is shown a set of diagrams of the apparatus of Mr. Bolton's system. It has already been demonstrated in Germany and Great Britain, and in this country, that the most economical way to burn coal is as a powder, as witness the immense blowers and automatic stokers which use this kind of coal in all of our great cities. In such conditions it is easily handled and is under perfect control, and practically no smoke results. Blown into the highly heated combustion chamber, each particle of coal explodes and becomes a gas. The coal in this condition makes the next best fuel to natural gas. The induction of it under the proper air current is automatic, causing a great saving of labor. The burning value of the coal is enhanced about twenty per cent. The present wasteful methods are soon to be replaced by this method of pulverizing coal and the resulting saving and cheap price of coal to the consumer will do away with the fear of car shortages and other things which have heretofore held back the supply when most needed.

How We Think

(Continued from page 128)

ment, the neurone fibers develop a protecting sheath. The precise function of this structure has still to be demonstrated. It is believed that it may aid the transmission of nervous impulse along the fiber.

Observations show that while the other layers of the cortex early reach their complete development, the pyramidal layers continue to increase in thickness until later in life, and do so at a very slow rate. This may possibly be in order to accommodate the growth of the pyramidal

neurones. These continue to develop throughout the life of the individual, as experience with the environment stimulates them to perfect their interconnections. Hence, we may say, that, here, as in the case of the animals lower than man, it is the number and condition of growth of the pyramidal neurones which determines the status of mental capability.

Further light upon the relations of the pyramidal neurones to intelligence has been shed by the study of the brains of the idiotic, imbecile, and feeble-minded. It has been shown that the pyramidal neurones of idiots are poorly formed, undersized, and, more important still, possess very few fibers. In extreme cases no fibers at all were present. This means that correlations, connections, unions, assemblages of ideas, memories, sensations, etc., are impossible where there exist no physical connections between the multitudinous pyramidal neurones.

In conclusion it might be said that it is this inability of feeble-minded parents to transmit to their offspring anything but imperfect intellectual equipment, which in no slight measure is menacing many of our urban communities, as well as filling our asylums and jails with the criminally insane to be harbored at state expense. The fact that the number of pyramidal neurones is fixed before birth has an immense sociological significance, a significance, which, as has been said, is often a tragic one!

The Six-Wheel Truck with Four-Wheel Drive

(Continued from page 129)

meshed properly motion is transmitted to the shaft and through the gears to the two differentials so that both pairs of drive wheels will have uniform speed. The ground friction of the vehicle is thus greatly increased, with a corresponding rise in the carrying capacity. Importance is attached to the means for connecting the two axles of the attachment, for the reason that this is of such nature as to hold them firm against all relative motion save in the vertical plane.

Truck users find that this outfit will go wherever a team will go, and no ground seems too soft or too uneven for it to negotiate. One of the demonstration stunts was the crossing of heavy marsh land while loaded with a miscellaneous assortment of farm tools, wire, fence posts, etc. Even ditches at which the ordinary truck balked were crossed without apparent extra effort.

The manufacturers insist that this is the only four-wheel-drive, six-wheel truck that has been successful. It is inexpensive and will be of special value to farmers, since it is particularly adapted to the hauling of milk, cheese, feed, livestock, and in general to any use where mixed heavy and light hauling is required of a single installation.

Leading Navies Compared

(Continued from page 130)

32, and Japan 11. If the present ship-building programs are carried out, by the year 1924 the United States will possess 33 capital ships, Great Britain 32, and Japan 17.

Just here we draw attention to the fact that the great size and extremely heavy armament of our new ships would give us in 1924 a great preponderance of power over the British fleet, even if judged merely on the totals of displacement and gun energy. Thus, while we shall have about the same number of ships, 33, and the British, 32, the displacement of these ships will be 1,117,850 tons as against 808,200 tons, and the total gun energy will be 28,597,176 foot-tons for our capital ships, as against 19,080,000 foot-tons for the British ships. In numbers, displacement and gun power, our capital ship fleet will be considerably more than double the strength of the Japa-

Tycos Instruments have won a high place for themselves in industrial life by unfailing service in thousands of applications.

And wherever there is a temperature need in the Hospital, the Laboratory, the Household or on the Farm, Tycos will be found in just as high favor.

Detailed descriptions in Tycos catalogs sent on request

Taylor Instrument Companies
Rochester, N. Y.

There's a Tycos or Taylor Temperature Instrument for Every Purpose

733

POWER BENDERS TWO NEW MODELS

"Worm" Cold Pipe Bending Machines (Pat.) electrically operated to bend from 1 in. to 8 in. Send for printed matter. We also manufacture TERN other sizes, hand operated to bend from 1-8 inch to 6 inches. American Pipe Bending Machine Co. Manufacturers 32 Pearl St., Boston, Mass., U.S.A.

1/4 H. P. 110 volts, A. C. 60 cycles, single phase, 1750 R. P. M.
MOTORS
LARGE QUANTITIES NEW WASHING MACHINE MOTORS
These are of standard manufacture and carry the full factory guarantee. Shipped in original boxes. Complete as cut. Suitable for operating Coffee Grinders, Cream Separators, Bottle Washers, Air Compressors, Small Lathes, etc.
Mail \$2.00 cash or money order. We will send C.O.D. only, subject to full examination. Money Back Guarantee.
\$22.75 Each
Manufacturer's Distributor
GHAS. H. JOHNSTON - Box 21, W. E. Pittsburgh, Pa.

WIRE
electrical, rope, air plane, piano, pipe organ, flat, hoops, bale ties, tags, nails, barbed wire, concrete re-inforcement, springs, netting, wire fences, steel posts, trolley-road wires and rail bonds, wire wheels, auto-towing cables, horseshoes.

Illustrated Books Describing Uses, FREE
American Steel & Wire Co. F. Baekker, V.P. & G.S.A. CHICAGO

THE SCHWERTLE STAMP CO.
STEEL STAMPS LETTERS & FIGURES
BRIDGEPORT CONN

WELL DRILLING WELL PAYS

Own a machine of your own. Cash or easy terms. Many styles and sizes for all purposes. Write for Circular.

WILLIAMS BROS., 434 W. State St., Ithaca, N. Y.

We Will Make It

Anything in a metal stamping or novelty produced from any metal and finished in any color.
Waterbury Button Co., Waterbury, Conn.

SOUTH BEND LATHES

For the Machine and Repair Shop

9' Lathe \$215.00
11' Lathe \$275.00
13' Lathe \$365.00
15' Lathe \$450.00
16' Lathe \$525.00
South Bend Lathes are made in eight sizes, 9-in. to 24-in. swing, inclusive. Established 1906. Free Catalog.
South Bend Lathe Works
421 Madison Street
South Bend, Ind.

For Gunsmiths, Tool Makers, Experimental & Repair Work, etc.

From 9-in. to 18-in. swing. Arranged for Steam or Foot Power, Velocipede or Stand-up Treadle.

W. F. & J. Barnes Co.
Established 1872.
1999 Ruby Street
Rockford, Ill.