WILEY

Theodolte and Astrolabe

Author(s): R. P. O'Shee

Source: *The Geographical Journal*, Vol. 55, No. 2 (Feb., 1920), pp. 159-160

Published by: geographicalj

Stable URL: <http://www.jstor.org/stable/1781598>

Accessed: 26-06-2016 05:10 UTC

Your use of the JSTOR archive indicates your acceptance of the Terms & Conditions of Use, available at
<http://about.jstor.org/terms>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Wiley, The Royal Geographical Society (with the Institute of British Geographers) are collaborating with JSTOR to digitize, preserve and extend access to The Geographical Journal

CORRESPONDENCE

Theodolite and Astrolabe.

5 December 1909.

THE discussion on the astrolabe shows some dissatisfaction with the theodolite, caused perhaps by the text-book methods of observation being derived from those suitable to the sextant. I therefore venture some remarks on the theodolite as an astronomical instrument fulfilling all needs. The modern theodolite is well adapted to the observation of meridian passages, and used in that way it gives most satisfactory results. The observations are deliberate and simple, and the computation (for latitude) practically nil.

A sidereal watch is required, and a programme is prepared giving times and altitudes of suitable meridian passages, the nearer the zenith the better, with some circumpolar stars for finding and checking the meridian. A programme of say twenty stars would be arranged in two series as follows: first series, Face right—Low star, high star, low star. Ten high stars (of which five are north and five south). Second series, Face left—Low star. Ten high stars, north and south as before. An occasional low star is observed as opportunity offers for checking the meridian in each series.

The theodolite is first set up in the meridian, which is usually done by "low and high stars," and is then used as a meridian circle for observing the altitude of stars at meridian passage. The times of transit are recorded, and with practice a good time-determination can be obtained by an experienced observer. There is ample time for re-setting and reading the circle micrometers several times. When changing from a north star to south and *vice versa* the upper plate is traversed through 180° .

A long diagonal eyepiece is necessary for observing stars near the zenith. This is the only accessory required.

With a 6-inch theodolite a series of latitudes can easily be observed at the rate of 12 to 20 per hour, with a range of 3 to 4 seconds. A range of 2 seconds can be obtained with practice. The method is equally adapted to precise observations with a large instrument and to rapid observations with a 3-inch instrument. I have seen Captain Gago Coutinho of the Portuguese Navy, who showed me this method in 1904, find his meridian and his approximate time and latitude to a couple of seconds before any stars were visible to the naked eye, starting with rough time (by dead reckoning) and a compass bearing. Small stars unidentifiable to the unassisted vision are observed with ease and certainty, which imparts a pleasure, indeed a fascination, to the work unmarred by the prospect of the morning's computations.

An essential for this, as for all other observations, is a sensitive level on the microscope arm of the vertical circle. A 6-inch should have a 1-second and a 5-inch a 2-second level. There is no difficulty in fitting or managing in the field these levels.

A surveyor hesitating to depart from the time-honoured and harassing "circum-meridians" can yet vastly simplify and facilitate the observation by discarding the changing of face. A north and a south star on the same face is a complete observation, to be supplemented if necessary by two more stars on the other face. Comparison of the four results will exhibit the instrumental error and conduce to that knowledge of the instrument recommended by Colonel Lyons.

R. P. O'SHEE.

Gardenmorris, Kilmacthomas, Ireland,
5 December 1919.

[Note over page.]

[We are glad to publish Major O'Shee's contribution to the Theodolite-Astrolabe discussion, and to note his advocacy of theodolite methods more daring than those officially recognized. There is no doubt that a man who knows thoroughly the theory and practice of the instrument can escape with advantage from the text-book methods, provided that he can rely on the sky continuing clear, and on the stability of his instrument. It is the desirability of making even an interrupted series of some value in reconnaissance that requires insistence on the continual change of face, at least until the observer is adept.—ED. G. J.]

MEETINGS: ROYAL GEOGRAPHICAL SOCIETY: SESSION 1919-1920

Fifth Evening Meeting, 5 January 1920.—The President in the Chair.

ELECTIONS.—Alfred Dyke Acland; Major Robin Anderson; Captain Charles T. Beale; Sir Fowell Buxton, Bart.; Thomas Frederick Rhodes Disher; Albert James Graver; Louis Wilfrid Wilsford Gudgeon; Captain Ernest A. W. Lake; Major Edward Humphrey Manisty Leggett; Brevet-Major Valentine Elkin Mocatta, O.B.E.; Charles Matthew Norrie; Captain Robert Howie Porter; Lieut.-Colonel Frank Martyn Rickard, R.A.; Basil Perry Rid-dott; John G. Ritchie; Robert Hudson Routledge; Sardar Rustom Jahanger Vakil; Thomas George Watts; Rev. W. C. Willoughby.

PAPER: The African Rift Valleys. Prof. J. W. Gregory, F.R.S.

Sixth Evening Meeting, 19 January 1920.—The President in the Chair.

ELECTIONS.—Edward Frank Atkinson; Eustace Vivian Bacon, M.B.E.; Sub-Lieut. Robert Bacon, R.N.V.R.; Francis William Bourdillon; Rev. Arthur Brooks; Dr. R. N. Rudmose Brown, D.Sc.; Miss Clara Buckley; Miss Ada Christie; Brigadier-General W. B. L. Davies, C.M.G., D.S.O.; Mrs. Alexander Gross; R. M. Kendrick; William Henry Arthur Lawrence; Major-General William Henry Muir Lowe, C.B.; Rev. George Manington; Rev. John Morgan; Rev. Harold Dyster Salmon; Miss Margaret R. Shackleton; H. L. Sikes; Miss Marion Love Wallace; Lieut.-Colonel R. S. Wilson.

PAPER: Exploration of Tibesti, Borkou, Erdi, and Ennedi. Lieut.-Colonel J. Tilho, French Colonial Infantry.

Third Afternoon Meeting, 12 January 1920.—The President in the Chair.

PAPER: Geographical Reconnaissance by Aeroplane Photography. Captain Hamshaw-Thomas, R.A.F.