National Observatory.

Observations of Psyche made with the Filar-Micrometer of the Washington Equatoreal by *J. Ferguson*,
Communicated by *Lieut. Maury*. (Corrected for refraction).

1852	M. T. Wash.	No. of Comp.	Star of Comp.	$\Delta\alpha.$	$\Delta\delta.$	$\alpha.$	$\delta.$	A
May 6	11 ^h 50 ^m 16 ^s .1	4	Weisse IX. 1259	-3 ^m 22 ^s 39	+ 0' 4" 30	9 ^h 55 ^m 16 ^s .42	+13 ^o 30' 9" 16	10
7	8 14 30,1	9	3061 Rümker	-1 16,78	- 5 18,33	9 55 39,94	13 28 27,67	8
10	8 43 5,9	10	—	+0 8,11	-11 52,09	9 57 4,78	13 21 54,14	10
—	9 45 26,2	4	—	+0 9,63	-11 56,83	9 57 6,30	13 21 49,40	—
13	9 21 42,6	14	<i>a</i>	+1 7,46	- 0 49,76	9 58 38,65	13 14 30,78	10
—	10 17 13,3	5	—	+1 8,73	- 0 54,43	9 58 39,91	13 14 26,11	—
18	8 56 28,5	10	3069 Rümker	+1 12,40	+17 29,37	10 1 32,20	13 0 33,73	10
—	9 13 48,7	4	α Leonis	+1 3,16	+19 14,10	10 1 32,33	13 0 33,10	—
20	8 31 13,8	6	—	+2 17,65	+13 6,29	10 2 46,80	12 54 25,48	10
—	—	6	Weisse X. 45	-0 53,41	+ 8 35,42	10 2 46,62	12 54 27,51	—
24	8 29 55,4	9	—	+1 46,22	- 4 44,60	10 5 26,22	12 41 6,69	10
25	8 41 15,6	3	—	+2 28,43	- 8 16,34	10 6 8,41	12 37 35,01	10
31	9 26 38,6	11	3113 Rümker	+2 19,96	-12 21,43	10 10 36,01	12 12 49,46	10
June 9	9 18 37,3	3	3172 Rümker	+0 52,21	- 1 44,09	10 17 58,81	11 35 25,24	8
—	10 16 4,8	3	—	+0 54,31	- 1 53,17	10 18 0,92	11 35 16,15	—
10	8 52 31,2	11	—	+1 43,51	- 6 19,83	10 18 50,09	11 30 49,54	8
11	9 17 42,0	5	—	+2 37,11	-11 7,99	10 19 43,69	11 26 0,31	10
—	9 19 50,0	4	Weisse X. 316	+1 8,58	+10 41,01	10 19 43,75	11 26 3,15	—
12	9 12 48,9	4	—	+2 1,80	+ 5 52,76	10 20 36,97	11 21 14,99	8
15	8 42 48,8	8	Weisse X. 377	+1 48,62	+10 24,17	10 23 18,01	+11 6 31,19	8

Psyche was seen on the nights of the 13. of June and 2d of July, but on both these nights other stars, nearer the computed places were compared instead of it. It was looked for until the 10. of July, but the weather was unfavorable.

Adopted mean places for 1850,0 of stars of comparison.

Star.	Mag.	$\alpha.$	$\delta.$	Authority.	Nr. obs.
Weisse IX. 1259	8	9 ^h 58 ^m 32 ^s .19	+13 ^o 30' 40" 93	Weisse Catalogue.	
3061 Rümker	8.9	9 56 50,10	13 34 21,59	Rümker Catalogue.	
<i>a</i>	9	9 57 24,82	13 15 56,82	Wash. Equatoreal from preceding * 14	
3069 Rümker	7.8	10 0 13,33	12 43 40,11	Rümker Catalogue.	
α Leonis	1	10 0 22,705	12 41 54,76	Washington Catalogue 1846	
Weisse X. 45	8	10 3 33,58	12 46 26,93	Weisse Catalogue.	
3113 Rümker	9	10 8 9,70	12 24 46,61	Rümker Catalogue.	
3172 —	8.9	10 17 0,33	11 37 45,42	—	
Weisse X. 316	7.8	10 18 28,93	11 15 58,45	Weisse Catalogue.	
— 377	9	10 21 23,82	+11 17 31,49	—	

Elemente der Melpomene und Vergleichung derselben mit bekannten Beobachtungen,
von Herrn *Klinkerfues*.

Elemente, berechnet aus der Berliner Meridiankreis-Beobachtung vom Juni 29 und den Göttinger Beobh. vom Juli 7. u. 17.

Epoche: 1852 Juni 30,0 Berlin			
Mittl. Länge = 299° 50' 49" 1	} mittl. Aequin. 1852,0		log. <i>e</i> = 9,3419816
π = 14 59 12,2			log. <i>a</i> = 0,3621547
Ω = 149 54 41,7			Mittl. sider. Bewegung = 1015" 721
<i>i</i> = 10 10 17,9			
ϕ = 12 41 45,3			

Die Vergleichung mit den Beobachtungen giebt folgende Unterschiede:

		Rechn. $\Delta \alpha.$	Beob. $\Delta \delta.$	
Juni 24	London	+24 ⁴ 3	+ 6 ⁴ 6	
	—	+ 2,5	+ 2,3	
	—	+ 3,9	+ 0,9	
— 26	—	+ 0,3	+10,2	
— 28	Hamburg	— 5,4	+10,6	
— 29	Berlin	0,0	0,0	Mer.-Kr.
	—	— 3,9	— 0,3	
	London	— 4,6	+ 2,5	
— 30	Berlin	— 0,7	+ 1,8	Mer.-Kr.
	—	— 5,6	+ 1,8	
	—	— 5,6	+ 0,8	
	London	— 1,5	+10,8	
	Hamburg	— 6,6	+ 5,1	
Juli 1	Altona	+ 4,2	+ 3,9	Mer.-Kr.
— 2	—	+ 5,3	+ 2,5	—
	London	+ 3,0	— 1,9	
— 3	—	+ 1,8	— 2,2	
	Altona	+ 2,6	+ 0,6	Mer.-Kr.
	Wien	— 3,2	— 5,3	
	—	— 1,6	— 6,1	
— 4	Altona	+ 2,5	+ 0,2	Mer.-Kr.
	Bonn	+ 2,2	— 1,0	—
	Göttingen	— 0,8	—	Mitt.-Fernrohr
— 5	Bonn	+ 1,3	+ 2,7	Mer.-Kr.
	Altona	+ 6,8	+ 0,9	—
	Göttingen	— 0,2	—	Mitt.-Fernrohr
	—	+ 6,8	+ 2,5	Mer.-Kr.
— 6	Bonn	+ 1,9	+ 0,7	—
	Göttingen	— 0,7	—	Mitt.-Fernrohr
	—	+ 1,1	— 4,8	Mer.-Kr.
— 7	Bonn	+ 2,3	+ 2,8	—
	Altona	+ 3,3	+ 1,7	—

		Rechn. $\Delta \alpha.$	Beob. $\Delta \delta.$	
Juli 7	Göttingen	+ 0 ⁴ 3	—	Mitt.-Fernrohr
	—	+ 3,9	— 0 ⁴ 1	Mer.-Kr.
— 8	Altona	+ 5,9	+ 1,6	—
	Göttingen	— 0,6	—	Mitt.-Fernrohr
	—	— 0,5	+12,2	Mer.-Kr.
— 9	—	+ 1,8	—	Mitt.-Fernrohr
	—	— 2,1	+ 1,6	Mer.-Kr.
— 10	—	— 1,8	—	Mitt.-Fernrohr
	—	—	— 3,5	Mer.-Kr.
— 11	—	+ 1,3	—	Mitt.-Fernrohr
	—	+ 3,4	— 5,5	Mer.-Kr.
	Altona	+10,5	+ 1,1	—
— 12	—	+ 4,4	+ 3,8	—
	Göttingen	+ 2,5	—	Mitt.-Fernrohr
	—	—	— 0,6	Mer.-Kr.
— 13	—	+ 2,0	—	Mitt.-Fernrohr
— 14	—	— 3,9	—	—
— 15	—	— 2,7	—	—
	—	—	0,0	Mer.-Kr.
— 16	—	— 2,3	—	Mitt.-Fernrohr
	—	—	+ 6,7	Mer.-Kr.
— 17	—	0,0	—	Mitt.-Fernrohr
	—	+ 2,1	0,0	Mer.-Kr.
— 19	—	+ 0,2	+ 5,7	—
— 20	—	— 2,6	—	Mitt.-Fernrohr
	—	— 8,9	+ 4,1	Mer.-Kr.
— 21	—	— 2,9	—	Mitt.-Fernrohr
	—	+ 1,8	+ 3,9	Mer.-Kr.
— 23	—	—15,2	—	Mitt.-Fernr.
— 24	—	— 6,2	—	—
	—	—	— 2,7	Mer.-Kr.

Göttingen 1852. Juli 25.

Klinkerfues.

Elemente und Ephemeride der Melpomene, von Herrn E. Vogel.

Regent's Park, London, 1852 Juli 31.

Elemente II.

Regent's Park June 24, Bonn u. Cambr. July 8, Cambr. M.-Kr.
Juli 23.

<i>M</i>	286°49'25 ⁴ 30	July 10. 0 ^h Greenw.
π	15 25 5,33	Mittl. Aequin.
Ω	149 58 48,25	1852,0
<i>i</i>	10 9 30,55	
ϕ	12 28 7,87	
log. <i>e</i>	9,3342704	
„ <i>a</i>	0,3606496	

log. μ 3,0090322
 μ 1021⁰01519

Die mittlere Beobachtung wird genau dargestellt.

Die Beobachtung von June 24 giebt nach nochmaliger scharfer Reduction:

1852	Greenw. M. T.	Sch. AR.	Sch. N. P. D.
June 24	13 ^h 23 ^m 51 ^s 03	273°14'36 ⁵	98°15'50 ⁵

und liegt so meinen II. Elementen zu Grunde.