George Dean, M.A., M.B., C.M.,
Regius Professor of Pathology, University of Aberdeen.

BORN 12TH JULY 1863—DIED 30TH MAY 1914.

(PLATE VII.)

ONLY a little more than five years have elapsed since the duties of the Chair of Pathology in Aberdeen University, rendered vacant by the resignation of the late Professor Hamilton, F.R.S., were taken over by his successor, Dr. George Dean, whose early decease it is now our sorrowful duty to chronicle. Professor Dean had been in feeble health for a considerable time before his death, and the hope that the leave of absence granted him from his professorial duties would bring about some measure of improvement in his condition was not to be realised. He passed away in his fifty-first year on 30th May.

The University in which he had spent his student days, and in which he ultimately served with great distinction, is the poorer for his loss; and it is not too much to say that the whole world of pathological science to which, in spite of physical disabilities, he had given a lifelong devotion, is thrown into mourning. By none will his death be regretted more than by the numerous confrères, both at home and abroad, many of whom enjoyed his friendship while all paid homage to his scientific work. Among the members of the Pathological Society of Great Britain and Ireland his loss will be especially felt. He was one of the original members and a member of Committee, he frequently contributed to its Proceedings, and always took the keenest interest in its welfare.

Professor Dean was an honours graduate both in Arts and Medicine of the University in which he afterwards became a professor. In 1885 he took the degree of M.A. with honours in the Department of Natural Science, and four years later (in 1889), after a distinguished curriculum, he graduated with honours in Medicine.

A love for biological science had always possessed him, and it was therefore to be expected that on the completion of his medical course he would take what opportunity offered to secure the widest possible training in the methods of the science to which the inspiring teaching of the late Professor Hamilton had introduced him. Dr. Dean spent

GEORGE DEAN, M.A., M.B.

a year on the Continent, partly in Berlin, where he worked under Koch, Pfeiffer, and Virchow, and partly in Vienna, where he had every opportunity of extending his knowledge of pathological anatomy. He returned to this country in 1891, and obtained the posts of Assistant to Professor Hamilton, Assistant Pathologist to the Aberdeen Royal Infirmary, and Pathologist to the Royal Aberdeen Hospital for Sick Children. Here he remained for six years busily engaged in teaching and research, and laying the foundation of that wide knowledge of pathological and bacteriological literature which was to be of such admirable service to him in his later more extended sphere of duty.

In 1897 Dean applied for and obtained the post of Superintendent of the Antitoxin Department of the British (now the Lister) Institute of Preventive Medicine at Sudbury. The testimonials he presented in support of his candidature for this post bore ample evidence of the reputation he had made for himself in Aberdeen as a teacher and research worker, and particularly of the strong personal interest he had taken in the student and his helpful attitude to all who sought his services. Dr. Dean had not been long in Sudbury before it was decided to build a new Serum Department at Elstree. The planning and organisation of this Department were carried out under Dr. Dean's direction, and in 1902 the staff took possession of the new buildings. Shortly afterwards he had another opportunity of exercising his skill in planning a Scientific Department, as the Institute decided, on the suggestion of the Secretary for India and the Colonial Secretary, to build a special Plague Department at Elstree, where the preparation of Haffkine's prophylactic fluid and antiplague serum could be undertaken. The confidence placed in Dr. Dean's judgment was evidenced by his being appointed a member of the War Office Committee charged with investigating the value of antityphoid inoculation.

In 1906 Dr. Dean was transferred to Chelsea to occupy the new post of Bacteriologist-in-Chief to the Lister Institute, and at the same time he became a member of the Medical Faculty and a Lecturer in Bacteriology in the University of London. Dr. Dean remained in charge of the Bacteriological Department till his election to the Chair in Aberdeen in 1908. His tenure of the post of Chief Bacteriologist was marked by a notable increase in the activities of the Department over which he presided, and by the ever increasing number of scientific researches which were carried out under his guidance by his assistants and a numerous band of research workers to whom facilities for research in the Institute had been granted. As a Superintendent of Research Dr. Dean was pre-eminent. His kindly manner and approachableness endeared him to all, and his extensive knowledge of his subject in all its branches was a source of strength to those who sought his advice.

In 1908 the Regius Chair of Pathology in Aberdeen University

became vacant by the resignation of the late Professor Hamilton, F.R.S., and Dr. Dean was elected to the post in November 1908. On 12th January 1909, he gave his first lecture as Professor. During the following three years Dean devoted himself whole-heartedly to the duties of his important post. His teaching, marked as it was by obvious earnestness and sincerity, gained him the goodwill and affection of his students. Unfortunately, in the course of 1912, his health broke down and he had definitely to give up work in February 1913, when he was granted a year's leave of absence, at the end of which his resignation of the Chair became inevitable.

Dean's contributions to scientific literature were of a very high order, and were invariably characterised by accuracy and thoroughness. He was able to work over a large and varied field, but he will be best remembered by his contributions to immunity, particularly in connection with the preparation of antitoxic sera. During his association with the Serum Department of the Lister Institute ample opportunity was given him of adding to our knowledge of toxins and antitoxins, and Dean set himself with characteristic energy and ingenuity to the working out of the best practical methods for the securing of potent toxins suitable for the immunisation of horses.

At this period much had to be learnt before satisfactory methods of obtaining powerful diphtheria and tetanus toxins suitable for immunisation purposes could be devised. In all serum institutes the lack of reliable methods for this purpose was keenly felt. In a paper entitled "Problems of Diphtheria Immunity," communicated to the Pathological Society of London in 1899, Dean brought forward evidence, since amply confirmed, that, for the securing of the most rapid immunisation of horses and the highest grade of antitoxin, it was necessary to inoculate the horses, not every ten days as was suggested by Salomonsen and Madsen, but about every third day. In fact, he showed that a second injection should be made during the so-called negative phase produced by the first. The idea that such a procedure would lead to a summation of negative phases, and consequently to toxæmia and death, was proved to be erroneous. Dean's system was soon adopted by other workers with equally satisfactory results. The above-quoted paper contains also many interesting practical points of value to the worker in this field. It may be noted, for instance, that Dean, after much experimentation, devised a culture medium for *B. diphtheriæ* which gave excellent yields of toxin. A description of its preparation will be found in that admirable compendium of knowledge on toxins and antitoxins contributed by Dean to the "Bacteriology of Diphtheria" edited by Nuttall and Graham-Smith.

It should not be forgotten also that Dean, with the help of his colleagues in the Serum Department (notably Todd), devised several ingenious practical contrivances for the filtration and aseptic bottling

of serum. In collaboration with the late J. A. Craw, a physical chemist whose notable contributions to the theory of immunity-processes will be remembered, Dean carried out an important piece of work dealing with the question of the relation of lethal dose to lethal time in respect of diphtheria toxin. They were able to show from consideration of the data accumulated at the Serum Department that under ordinary circumstances of standardisation of toxin and antitoxin, the lethal dose is inversely proportional to the lethal time, deaths occurring on the first day or on any day after the sixth being discarded. They also came to the conclusion that, owing to the individual sensitiveness of guinea-pigs to free diphtheria toxin, it was impossible to deduce any general relationship between the lethal dose and lethal time when only a small number of test animals were inoculated. Consequently the L+ and the M.L.D. values of a toxin are not those amounts which will kill with certainty in a fixed time, but those which will cause death in that time with the greatest probability.

Two very important contributions by Dean on the nature of the opsonic antibody and its relation to other antibodies were communicated to the Royal Society in 1905 and 1907. These papers contained a series of careful experiments the results of which led Dean to conclude that the substance in normal serum which favours phagocytosis is, like that produced by immunisation, a thermostable body, and is in all probability identical with the *fixateur* or *substance sensibilisatrice* of the French School and with the opsonin of Wright and Douglas. He also showed that the normal amboceptor can be complemented by fresh serum in regard both to lysis and opsonisation.

In another paper, "On Phagocytosis and Bactericidal Action," communicated to the British Medical Association at Exeter in 1907, Dean put forward another highly interesting conception, here expressed in his own words: "The reason why one type of organism such as the typhoid bacillus is lysed by the action of these substances, whereas another such as the staphylococcus, though prepared for phagocytosis, shows no lytic effect, probably depends, not on any fundamental difference in the substances in the serum which produce the effects nor on their mode of action, but on a difference in the physical or chemical nature of the microbe itself." It is too early yet to decide whether Dean's view of the nature and mode of action of opsonin will ultimately be accepted in its entirety, but there can be no doubt that the impetus of his work has stimulated and inspired subsequent research in this field.

A paper entitled "Experiments on Immunity in Relation to the Pancreas and its Ferments," communicated to the Pathological Society of London in 1900, has unfortunately not received the attention it deserves. In this paper Dean showed for the first time that (as Morgenroth had shown for rennin and antirennin) a notable increase in the amount of antitrypsin in the blood serum could be pro-

duced by immunisation with trypsin or liquor pancreaticus. Shortly before this paper appeared the demonstration of the antitryptic power of normal serum had been made by Camus and Gley.

Of Dean's more purely bacteriological papers, special reference must be made to his work on tuberculosis (with Todd) and to his pioneer work in this country on rat lepra. The experiments on tuberculosis were undertaken, at the suggestion of Lord Lister, with the view of ascertaining whether the tubercle bacillus of human origin underwent any change of virulence for the bovine species by passage through other animals, such as the pig, cat, rabbit, and rat. These experiments were of the most careful character, and, appearing as they did shortly after Koch's expression of opinion as to the essential difference between the bacillus of bovine and of human tuberculosis, they claimed the serious attention of all workers in this field.

Dean and Todd found that the human tubercle bacillus was not raised markedly in virulence for the calf by a single passage through the pig, cat, rabbit, or rat; but at the same time they were able to demonstrate that the human tubercle bacillus is by no means innocuous to the calf, as a control animal inoculated directly with sputum contracted an extensive glandular tuberculosis. An interesting point that emerged from the experiments was the obvious importance that must be attached to the nature of the material used for inoculation, *i.e.*, whether pure cultures or sputum contaminated in all probability with associated organisms. With regard to the experiments on the pig, the results showed that all the pigs infected with human tuberculous sputum acquired as severe infections as those recorded by Koch after inoculation of pure cultures of the bovine bacillus. With pure cultures of the human bacillus Koch had been unable to produce infection in pigs.

Dean was the first to show that rat lepra occurred in this country, and in two papers which he wrote on this subject he gave a careful account of the pathological histology of the disease and described various attempts he had made to cultivate the acid-fast bacillus concerned. In view of more recent work dealing with the culture of the leprosy bacillus of man, it is of interest to note that Dean isolated a diphtheroid organism which was agglutinated by the serum of the leprosy rats.

Finally, mention may be made of a paper in which he described a case of chronic carrier-infection by *B. enteritidis* Gaertner in a human subject, the bacilli being demonstrated in the gall-bladder as well as in the faeces. Before this paper, there had been no evidence that *B. Gaertner* may assume a vegetative existence in the gall-bladder of man, as had been shown for *B. typhosus*, *B. paratyphosus* (B), and *B. paratyphosus* (A). Space forbids detailed mention of other subjects to which, as will be seen from the appended list, Dr. Dean directed his attention, but it may be said with truth that no subject which he touched was not thereby materially advanced.

J. C. G. LEDINGHAM.

LIST OF PROFESSOR DEAN'S SCIENTIFIC PAPERS.

- "Dr. Russell's Characteristic Micro-organism of Cancer," *Lancet*, London, 1891, vol. i. p. 768.
- "Case of Lithopædion" (with J. Marnoch), *Journ. Anat. and Physiol.*, London, 1894, vol. xxviii. p. 77.
- "Digest on the Serum Diagnosis of Disease," *Scot. Med. and Surg. Journ.*, 1897, vol. i. p. 55.
- "Experimental Research on the Course of the Optic Fibres"—(1) *Ophth. Soc. Trans.*, 1897, vol. xvi.; (2) *Brain*, London, 1903, vol. xxvi. p. 524 (with C. H. Usher).
- "On a New Pathogenic Streptothrix," *Trans. Jenn. Inst. Prev. Med.*, vol. ii.; and *Trans. Path. Soc. London*, 1900, vol. li. p. 26.
- "Problems of Diphtheria Immunity," *Trans. Path. Soc. London*, 1900, vol. ii. p. 15.
- "Experiments on Immunity in relation to the Pancreas and its Ferments," *Trans. Path. Soc. London*, 1901, vol. lii. p. 127.
- "Experiments on the relation of the Cow to Milk Diphtheria" (with C. Todd), *Journ. Hyg.*, Cambridge, 1902, vol. ii. p. 194.
- "Article on Tetanus," Quain's "Dictionary of Medicine," 1902, Third Edition, p. 1686.
- "Experiments on Tuberculosis" (with Todd), *Journ. Path. and Bacteriol.*, Cambridge, 1903, vol. viii. p. 458.
- "A Disease of the Rat caused by an Acid-fast Bacillus," *Centralbl. f. Bakteriologie u. Parasitenk.*, Jena, 1903 (Orig.), Bd. xxxiv. S. 222.
- "Further Observations on a Leprosy-like Disease of the Rat," *Journ. Hyg.*, Cambridge, 1905, vol. v. p. 99.
- "An Experimental Enquiry into the Nature of the Substance in Serum which influences Phagocytosis," *Proc. Roy. Soc. London*, Ser. B, 1905, vol. lxxvi. p. 506; Second Communication, *ibid.*, 1907, vol. lxxix. p. 399.
- "Researches on Certain Problems of Plague Immunity," *Studies in Pathology, Quater-Centenary, Aberdeen University*, 1906.
- "On the Specific Prophylaxis and Treatment of Bacterial Dysentery," *Journ. Roy. Army Med. Corps*, 1907, vol. ix. p. 572.
- "Phagocytosis and Bactericidal Action," *Brit. Med. Journ.*, London, 1907, vol. ii. p. 1409.
- "On the Estimation of Free Diphtheria Toxin" (with J. A. Craw), *Journ. Hyg.*, Cambridge, 1907, vol. vii. p. 512.
- "A Typhoid-Carrier of Twenty-nine Years' Standing," *Brit. Med. Journ.*, London, 1908, vol. i. p. 562.
- "Observations indicating that the Recent Outbreak of Diphtheria in the Wood-Pigeon (*Columba palumbus*) is caused by a Filter-passer" (with W. E. Marshall), *Journ. Path. and Bacteriol.*, Cambridge, 1909, vol. xiii. p. 29.
- Chapters on "Toxin," "Types of Immunity," and "Toxin-Antitoxin Relationships" in "Bacteriology of Diphtheria" edited by Nuttall and Graham-Smith, 1908.

- "Suppurative Cholecystitis with Cholelithiasis in a 'Human Carrier' of the *B. enteritidis*" (Gaertner), *Journ. Hyg.*, Cambridge, 1911, vol. xi. p. 259.
- "A Case of Pyæmic Actinomycosis with an Actinomycotic Endocarditis," *Brit. Med. Journ.*, London, 1912, vol. ii. p. 1303.
- "Primary Tumours of the Valves of the Heart" (with A. W. Falconer), *Journ. Path. and Bacteriol.*, Cambridge, 1913-14, vol. xviii. p. 64.