TUESDAY AFTERNOON SESSION, JUNE 27, JOINT MEETING OF THE
THREE NATIONAL ORGANIZATIONS UNDER THE AUSPICES OF THE
NATIONAL ORGANIZATION FOR PUBLIC HEALTH NURSING

(NOTE.—The papers of this session are published in the *Journal* through the courtesy of the officers of the National Organization for Public Health Nursing.)

NORMAL DEVELOPMENT OF THE CHILD

BY DR. WILLIAM PALMER LUCAS, UNIVERSITY OF CALIFORNIA
Berkeley, California

In discussing the normal development of the child, it may be worth our while to review the changing point of view that has occurred during the past three-quarters of a century. It is approximately during this period that modern medicine had its birth and development. Previous to 1850 it could hardly be said that scientific medicine existed. Up to that time, it was more a philosophical than a scientific profession. It is since that time that most of the advances which we think of when we speak of "medical science" have occurred. In those early years we find that the discovery of anesthesia, and the development by Virchow of cellular pathology, have colored our concept of medicine from that time up to the present. The discovery and development by Pasteur and his school, of bacteriology, and of all that has meant to the advance of antiseptic surgery, first recognized and developed by Lister in 1867, are the milestones in the early history of medicine which changed the point of view from the old philosophical and humoral point of view to the point of view of pathology, anatomy and bacteriology. During the fifty years following 1850 attention was focused on discovering or describing new pathological conditions. These advances have been fundamental, and without them our modern scientific medicine could not exist.

Modern nursing would have no place and the old untrained, though perhaps not unskilled, practical nurse would still be in evidence. We should pause and pay tribute to these strenuous years of work and achievement that have called into play the best ability of thousands of scientific workers in every field; in physics, in chemistry, in biology, as well as in the more intimately associated fields of scientific endeavor, connected directly with medicine, anatomy, pathology and bacteriology. The advances made purely in the clinical correlation of scientific studies to the patient at the bedside have changed the whole attitude and point of view, not only of the physician and of the nurse, but of the general public. I need not dwell on many of these advances. We know the changes that occurred in the lying-in hospitals after the true reason of puerperal sepsis was demonstrated. We all know what a revolutionary discovery Koch made in 1882 when

he described the tubercle bacillus; the advances in our understanding of infections made by Metchnikoff, the control and prevention of typhoid, by the work of such men as Widal; in our country the advances made by Flexner of the Rockefeller Institute in conquering epidemic meningitis; the lower mortality in diphtheria after the discovery of Loeffler's bacillus and the introduction of anti-toxin. The death rate from smallpox before this period had been reduced, but the introduction and universal application of vaccination in this country runs fairly parallel with many of the other discoveries. Not only in the field of pathological medicine has this period been most prolific in discoveries. The work of Mendel in 1865 in which he described the laws of heredity, the so-called Mendelian theory, was followed by the work of such men as Galton and Pierson, developing these laws of heredity. The study of intellect by such men as Binet and Simon have laid the foundation of a better understanding of intelligence, which has enabled us to study mental capacity. Work in psychology and psychiatry has advanced perhaps more slowly but still along the same fundamental scientific lines as has our understanding of gross pathology in the causes and effects of disease.

In your own particular profession of nursing this same period is just as rich. Since 1836, when the Flidners started their nursing school in Kaiserswerth on the Rhine, a school which gave much to your stalwart champion of nursing, Florence Nightingale, who visited there in 1840, and again in 1841, later going through the Crimean War, and then developed the first school for nurses at St. Thomas Hospital, London, in 1860; the development of nursing has been just as spectacular and just as concentrated during the first fifty years of this period as the pathological aspect. Your pioneers in this country are most of them fortunately still with you. Your early nursing efforts were mainly given over to the development of true nursing standards. The teaching and training, the development of proper hospitals, adequately equipped to train competent nurses, has been a task well worthy of their efforts. Gradually, during this period, there has been a shift in the point of view. Starting with a pathological training, it has taken us time to realize that the greatest advance must be made in preventive lines. Our earliest preventive work was mainly the detection of already existing pathological conditions and attempts at remedying these. Our greatest achievement in pediatrics, at least, came when we began to realize that true prevention must begin long before any abnormality or pathological condition had made its appearance and yet, if one will take the trouble to analyze all that is being written today, it is surprising what a small percentage is given over to actual prevention or to that which is in my mind still more important,

the attempt to establish and maintain "a normal" in growth and development of the child.

Our past history in this endeavor is familiar, I am sure, to all of you. The achievements that stand out most prominently are those in which your profession has had probably more to do individually than any other profession, that is, the developing and actually working out of our reduction in infant mortality.

The well-babies clinic and the health centers, all modernized institutions of the past one or two decades, show the change in our point of view perhaps more spectacularly than do any other measures. That the development of this point of view has been gradual is not surprising when you stop to consider what your training has been.

How early in your career was the normal ever pointed out to you? Certainly not throughout the course of my whole medical education. It was not until long after I had graduated from medical school and had had my training in the best children's hospital in this country, where I come into contact with as interesting a scientific group as exists today, yet not until long after these experiences did the realization of the normal begin to dawn upon me. I imagine that has been the experience of many of you. Just what has brought about this change in point of view is not so difficult to analyze; it is a change not by any means limited to the medical or nursing profession. I think all of us who have taken any part in the great war have felt, if they did not feel it before, that there are certain changes which one meets in every walk of life. It is undoubtedly accentuated by our experience during the past few years and was particularly, as far as children are concerned, emphasized most prominently in this period of the great war by great national and international movements for a recognition and a more intelligent understanding of the normal.

So that it is with a great deal of interest and pleasure that I am privileged to develop for you a presentation of the normal growth and development of the child. It is timely, for you would be surprised, if you made the attempt, how little you will find in medical literature that deals with this subject. There is no book or text-book that I have been able to find that deals entirely with this problem or discusses it in a satisfactory manner. Most of what one finds in our medical literature today, if it deals with this phase of the subject at all, are certain standards of normal growth and development, standards that have taken centuries in their development, that have meant the careful study of many children.

It does not take such a large number of cases to determine a pathological condition. It takes comparatively few cases of almost any disease, if carefully studied, to get an idea of what disease is in its

entirety; and this is fairly easy to understand because almost all diseases have a certain, definite, narrow zone in which all the symptoms, the course of the disease and its causes and effects can be studied and understood. In the past we have paid far more attention to the abnormal than to the normal. We know what to expect far more definitely in the abnormal fields today than we do in the normal. There are far wider variations. The zone of normality is far wider than that of the abnormal. It is far more difficult to define in a given case what is normal than what is abnormal. We know what to expect in the abnormal, but most of us have only hazy expectations as regard the normal. We have given little time to the consideration of how the normal individual grows and develops. We think of the child too often in this relation: when he develops a defect, we are either startled, alarmed or indignant to think that some abnormal condition has developed. That is certainly the case with ourselves. We rarely think about our own development and growth until something unusual or abnormal occurs, so that it is not startling that normal development and growth have suffered. This is due to a lack of intelligent study and to a lack of a clear and proper understanding of normal growth and development. Development and growth are not identical. A child may grow up but not develop. He may develop but may not grow. How often have we heard a parent say, "He is a healthy animal," or how often do we hear the reverse, "He seems to be all mind and no body."

A great deal of attention has been given to the problem of malnutrition and this probably has focused far more attention upon what the normal should be than almost any other study that has been undertaken. This is true because malnutrition is not a disease, it is a condition which depends upon a great many factors. There are certain standards that we have set up for estimating normal nutrition. All of you are familiar with the weight tables that have been worked by various investigators. The best known and probably the most serviceable, because they take into account the more important factors, are those of Wood, which are based on the relation of weight to height and age. However, if one develops a single standard for determining normal growth, one will make a great many mistakes and will in the long run throw discredit where discredit is not warranted; for these tables are not meant to be the sole criterion of normal growth. They represent simply a single, one dimension scale for estimating growth. It is probably far more important to know the amount of gain from month to month and from year to year. It is probably more important that a child show progress, and a steady progress in gain and height and weight, for this gives us an estimate in more than one dimension.

Our general observation of the appearance of the child gives us another very definite standard for estimating normal growth. Sir Thomas Lewis has said that he would far rather observe a cardiac case by the way the patient sits down and how he gets up for a period of a month, than use all the scientific instruments for studying the heart, such as the electro-cardiograph or the sphygmograph.

The way the child functions probably is one of the most important ways in which to determine whether a child is really normal or not. That is a field in which the nurse has peculiar opportunities, perhaps far more in her public health work, than has the physician. By the general appearance of the child, the brightness of his eyes, the redness of the lips, the plumpness and rosininess of his cheeks, the way he stands, the way he walks, runs and plays, how soon he is fatigued, how he sleeps, how he eats, how he functions throughout the day and night, these are all points of observation, and also *points of fact* which have a great bearing on whether a child is really normal or abnormal.

We are taught to observe the abnormal and all of us have a keen eye for the child with the rounded shoulders, the narrow chest, the dull and listless expression, with pale lips and cheeks and dark rings under the eyes. All these tell the tale of abnormality. The fact that he is exhausted and tired and fatigued adds to our sureness in designating a child as abnormal, under-nourished or malnourished, whether it be from physical defects, from lack of food, from faulty habits, from faulty home or lack of home control. Any or all of these may be the cause of his abnormality. We should observe, if we wish to estimate the normal, the absence of physical defects, the presence of home control, the absence of fatigue, the assurance of a sufficient amount of food and proper food habits, and the assurance by daily observations of proper health habits. These all are observations that are too seldom made.

We can be sure of certain hereditary defects. We are aware of what hereditary factors tend to make an abnormal individual. We are positive of the results of syphilis and tuberculosis. We know what poverty, and alas, what riches will do to undermine a healthy child. But what are the factors that make for normality? These are left to Nature, and fortunately Nature tends to form and produce the normal. We are limited by inborn talents and defects. It is not pessimism to realize what is true. Environment is a stimulative and selective force as seen in any comparison of civilized man to the savages of South Africa.

James has pointed out the probability of the known and unusual energy and forces in every human creature. It is imperative for us to know the child, not only from a physical point of view but also to

know his mind, in terms of its equipment, and to know the laws by means of which it may be changed. In the same way we know up to a certain point fairly definitely how to change the physical condition of a child. For the physician and the nurse, it is important to discover the family inheritances. There are certain racial potentialities as well as family hereditary traits, and it is important for us to realize this in handling not only individual families but groups.

Take as an illustration the difference in dietary peculiarities and the inherited traits between various races. These we have been taught are particularly important in treating disease. Such considerations are important in advising children concerning vocations. It is equally important, if we wish to understand the normal child, to know the heritage of that child. A baby is not heir to any ideas. His emotions or ideals are not ready made. He does not inherit consciousness as such. *We do not make personalities, we have to grow them.* He inherits a complicated system of neurons; acting and developing according to certain laws of growth. Neurons have three characteristics: First, that of *sensitivity*; second, that of *conductivity*; and third, that of *modifiability*. An individual when born is equipped with potentialities of character, intelligence and conduct. Because of the pre-formed connections or tendencies to connections present in his nervous system, these unborn tendencies which make up the original nature of the human race are usually classified as automatic physiological actions, reflexes, instincts and capacities. Automatic action may be illustrated by the heart beat; reflexes by the contraction of the pupil of the eye to light; instinct by such as imagination, fighting or fear. Capacities are those more subtle traits by means of which, say, one becomes a linguist.

This fund of unlearned tendencies is the capital with which the child starts his mental and nervous makeup, in the same way that he starts with heart and lungs, with muscles and bones that have certain potential capacity for growth and development, achievement and performance. This capital makes progress possible as well as limits the extent to which progress and development in any line may proceed. Our original responses are mechanical. They are dependent upon the connection of neurons; as, for instance, in the example of a nine-months old child who reaches for a bright object. A *child is not responsible for his conduct, thought or feelings* in so far as they are a manifestation of these unlearned tendencies. He acts merely as a machine until experience or learning in some form affects him. In the human being experience plays a part very soon, because of the plasticity of the organisms. These unlearned tendencies are constant. The same neuron action must produce the same results, and an identical

result. This principle of the constant response seems to be contradicted due to two factors: first, situations which on the surface seem the same, are really different, and hence the difference in response. A dog sniffing at a child seated alone on the floor may produce a very different response from what it would were the child in its mother's lap. Second, the apparently same situation causes different response because the organism is not the same but different. This difference may be due to a number of causes, such as nutrition, fatigue, inexperience. A child's response to a kind word may be a smile today, the next day a scowl. The child being different on the two occasions, the situations are complex. The organism is a changing thing, but the difference in response is not a mere matter of chance. The original nature is not erratic and variable. A careful analysis of the situation and a knowledge of the individual make it possible to predict behavior with an ever increasing degree of accuracy. We need added knowledge of the original equipment of children, the effect of sleep, nutrition, age and various kinds of experiences on the organisms. These will increase our power to foretell the responses of any given individual or group to any given situation.

Original tendencies are delayed and also very gradual in their maturing. We hear of the sensory child of kindergarten age, of the motor child of the primary grade, of the rote memorizing child of the grammar grades, and the reasoning stage of adolescence. Similarly, we are told to expect fear to be dominant at three or four years, doll playing at eight, collecting at nine, the gang instinct at eleven, the sex instinct in the teens. However, this is often misleading. It seems very improbable that any instinct is absent this week or year and present the next. General psychology teaches that these traits are transitory; they wane and pass away. James taught that most instincts are implanted for the sake of giving rise to habits. Thorndike points out that there are two forces other than the law of transitoriness: first is the law of new situations, changed circumstances about a man, rather than changed nature in him; second is the force of changes in his nature, due to special acquisitions. Learned habits are not a mere loss of transitory instinct and capacities.

The traits, interests and capacities that are necessary to form character, conduct and intellect are in the possession of every child for years. The responsibility for their use and development rests with the educator. Another characteristic of the original responses is their crudity. Children are little savages, but these traits are modifiable. To modify and direct the original capacities and instincts of children so they are fitted to live in the best which adult society has to offer, to appreciate and add to it, this is our work. To modify

the purposeless play into instructive play and into intelligent use of everything that is around him, that is what education should bring. Education goes on through every hour of the day: first, an instinct may be controlled by disuse or stimulation; second, by pleasant or unpleasant results; third, by substitution or attempts to reconstruct the situation; response by forming a habit of responding in another than the primitive way whenever the situation occurs. As an illustration of this we have manners at the table.

We are all born with social and non-social instincts. Our un-social instincts are mainly connected with our body movement, development of muscle control. It is for this reason that so much emphasis is being put on the control or development of large muscles which play such a major part in our spontaneous muscle movement. This emphasizes the value of large movements for little children and the need of free exercise of all movements before the voluntary use of them for some definite purpose. We make too little allowance for the almost ceaseless activity of the child. These nerve currents which impel ceaseless movement in the young child will result later in mental activity. A very young child can only sit still for about thirty seconds. A child from 5 to 10 years can hardly sit still for more than a minute and a half. To obey the command to "sit still and play quietly" is extremely exhausting to his store of energy. This instinct is meant to be used, not suppressed. Gesell says, "Why shut children up in the prisons which we have made for ourselves out of inhibition and conventional standards? To make them old before their time is to destroy the joy of childhood and injure the vitality of the race."

Man is continually striving to attain something he wants. There must be something in the original equipment of man which accounts for differences in attitude towards situations. Nature not only provides various responses, but also definite feelings towards them, likes and dislikes, from which arise all later desires and motives. Thorndike believes that satisfying activities result from the successful operation of any original behavior-series, and dissatisfaction arises when the behavior-series fails to operate successfully. When a chain of neurons is ready to act and is called upon to do so, the mental result is *satisfaction*; when such a series is prevented from acting or when an unready series is forced to act, the result is *annoyance*. Readiness depends upon inner growth and maturity as well as upon nutrition, disease fatigue and familiarity. Each instinct as it works itself out produces a feeling of satisfaction.

All motives and desires are thus seen to have their basis in instinctive tendencies. In order to gain satisfaction, man is continually

stimulated to *learn*. The strength of any given interest or desire is in proportion to the strength of the instinct which produces satisfaction and varies with the changes in strength and permanence of the instinct. In the six-year-old, *physical activity* produces great satisfaction, and the annoyance at its deprivation is proportionately great. The important point in this is to change the child's original crudity and selfish interests into a higher moral and social instinct. The child should develop from the motive that desires mere personal approval to the higher level of group approval and finally to satisfaction in doing what is right regardless of approval. This is a sound psychological principle which should be applied to the teaching of health habits. To ignore and suppress the energy of these original instincts and substitute artificial or adult motives is a danger which should be avoided. A kindergarten child should be appealed to do his work so that he can have it to *use at the time*, not because he *may need it some day*; he should be clean because one will love him, not because society demands it; he should tell the truth because it will be paid for in pleasure right then, not because it is the right thing in itself; thus appeal is made to the instincts active at the time. The child should be met and appealed to on his own level and then raised to higher levels by substitution and pleasurable results.

The enjoyment of nature, art, poetry and music arises from the natural satisfaction found in color, glitter and rhythm. The crude and elemental satisfaction aroused in a child by a chromo or by rag-time music is as truly an esthetic emotion as the artistic and complex emotion aroused in an educated adult by a masterpiece of art or music. Pictures used for children and hung in primary school rooms should be of strong, though good color; gradually the children may be taught to appreciate delicate harmonies and perspective. Esthetic pleasure is a passive enjoyment; most people can have it educated; few can reproduce beautiful objects without rigid training in technique; fewer can create original products of real beauty. Children should be trained to get the greatest possible enjoyment out of the great works of art, music, literature and nature.

Unlearned responses to situations, accompanied by emotion, occur as part of the child's natural equipment; the younger and more inexperienced the individual, the more violent the emotion. Children's emotions should be controlled, not eliminated; they should be raised to higher levels. In this way a child should develop jealousy for others as well as for himself; joy in others' success; sympathy and kindness toward spiritual and mental injuries as well as physical. Anger may be controlled by directing the energy in other directions; by analyzing the causes with an effort to remedy them. With very

young children, the control must come from outside. Children from 3 to 6 years of age may be helped by being made to run up and down, being washed or bathed in cold water; being distracted by singing, laughing or story-telling. With older children, the responsibility must be given over to them entirely.

Thus in the control of fear, there are three methods which may be used: first, the force of example; second, the association of original satisfiers with fear-inspiring situations; third, the appeal to the child's reason and logic. The first method is always effective. The last only with those children to whom facts are significant. Fear of physical pain is the only appeal a child can understand at first; later, this means of control should be gradually changed. Fear of disapproval, of denial of companions, deprivations of things desired, of being surpassed, of scorn, may be utilized; finally the fear of losing friends, of not attaining one's ideals, of violating one's conscience, become powerful controlling motives for conduct. Lack of knowledge of the psychology of the emotions results in the lack of training, development and refinement of both crude and esthetic emotions.

There are further differences between adults and children in the development of their imagination. Children visualize more. Children think in terms of objects, adults in terms of words; therefore children should be trained in *wordless* thinking. The imagery of a child under three and of kindergarten and primary school age is largely reproductive and imitative. Before 7 or 8 years, there is evidence of creative imagination as shown in the flights of fancy, the fairy tales of this period. This should be stimulated, not ignored or repressed; it fills a very definite need. The images of children are more vivid and intense than adults; it is sometimes impossible for a child to distinguish between memory images and those of imagination or even between percepts and images. It is hard for adults to believe but it is made more credible by psychological experiments. In a child's mind there is confusion between percepts, memory images and productivity images. Punishing a child for this kind of lying when he mistakes one for the other is unfair. It is far better to make children check up their stories with actual facts and so make them realize the difference between the true and the untrue. They should be encouraged to tell make-believe stories and true ones; thus creating a standard by which to judge the real and the make-believe and also experience in judging between the two.

In the same way, night fears are the result of confusion between percept and images. The best way to obviate such fears is not to allow children to be frightened, for they will recall the emotion in connection with all sorts of things. Children should not be allowed to hear

stories or see moving pictures that are horrible, or fear-inspiring. What is horrible to the child is not horrible to the adult and what frightens the child when recalled may not have frightened it at the time of telling. Alone in the dark, what was thrilling in the daytime becomes a source of terror.

This condition between percepts and images is very common among very young children, as shown by the number that have imaginary companions. Often it is a lonely child that develops these imaginary companions. They usually disappear between the ages of 8 or 9 years. The tendency in these early years is harmless but it may be harmful if it is continued too long. Children usually have more of a concrete kind of imagery than adults. The higher types of mental states, the meanings develop later; the child's thinking is made up almost entirely of images. That is the reason why dramatization is so important to children, the working out by the child of his constructive images in terms of action. Such dramatization makes a valuable means of developing, in making clear, the difference between the imagined and the real, develops co-operation, initiative, self-confidence, the use of language and memory. It may only harm if it overstimulates the emotions.

The greatest physiological fact in the normal growing child is plasticity. "Plasticity means the power of neurons to be sensitive to what happens to them, and to be changed permanently thereby." Man above all other animals possesses this, and children to an extreme degree. All the tendencies of a child have not the same degree of plasticity. Those controlling the physiological and reflex operations are but slightly modifiable responses. Responses connected with fear, food-getting and mastery are less modifiable than those connected with vocalization, manipulation and attention. "Sensori-motor connections hold the effects of modification longer than those connections which are sensori-associative, or associative-associative." For example, learning resulting in habits, such as sewing, piano-playing, or type-writing, will be more permanent than that resulting in memory of historical facts, geometry, or arithmetic. There are certain definite age differences in this plasticity for forming habits. Childhood is the most plastic period; retentive power in children is known to all of us. Experiment shows a longer learning period in adults, however, than has been commonly accepted. None of us are too old to learn. We are still modifiable, we are still plastic, but far less so than we were in our childhood days. Certain neurone systems are more susceptible of modification at certain times than at others. For instance, finger dexterity and suppleness required in musical technique, accent in speaking another language, skill of an acrobat and tumbler, must all

be developed during the early years. "Memory-period" is thought to be between the ages of ten and twelve. This makes the plasticity of this period the time to form habits.

The environment of the young child is one of the most important influences in his development. Because of the force of reflex imitation working with this factor of plasticity, the emotional attitudes of those by whom he is surrounded leave their impress on the child before he has lived thirty months. His disposition is being formed; he is becoming irritable, quick-tempered, moody, or sunny and cheerful; just which, however, being determined to a larger extent than people realize by the nature of the adults surrounding him, and this all unconscious to himself, simply as a result of the modifiability of his neurones. In the field of morals and manners, the same element makes itself felt. The old adage, "Let a child run until he is six and you never catch him," is a recognition of the far-reaching effects of the habits formed during childhood.

The plasticity of this period is greater along muscular lines than it will ever be again and muscular habits are more easily developed now than ever again. Sensori-motor tracts retain their imprint longer if developed at this time than at any other; therefore the years before nine are probably pre-eminently the ones in which to establish good physical habits. The hygienic habits of eating and sleeping at regular periods, of evacuating the bowels, habits of cleanliness, habits of language, both the mother tongue and modern languages, habits of the use of tools and implements—this is the period when all such habits should be formed. If the habits are good, the child has made a splendid beginning toward being a normally developed child. He has capital, the benefit of which he will feel as the years pass. If the habits are bad ones, just the reverse will be true.

In the beginning, he may not show his abnormality, but his habits must be either good or bad. Children in these early years cannot help forming habits. It is the nature of their nervous system to be modifiable. The laws of habit forming are most important to recognize. First is the law of exercise, and this depends on the intensity and duration of the response as well as the way they are grouped together; second, the law of effect. So that the two practical points are, form habits as they will be used and reward good impulses. Children form habits by repetition and exercise of their own nerves and muscles. These will be used and we should reward good impulses immediately following the activity, so that the action and reward may be closely connected. Practice does not make perfect unless the repetition is followed by satisfactory results. It is a law well worth considering, that the particular set or bent given by the first few

responses to a situation have a much greater effect than the same number at any later period; hence the way the laws of exercise and effect operate at the beginning of a habit-formation series is particularly important, and more so for children than for adults, whether the habits be motor, intellectual or emotional.

This is true in beginning a new subject or meeting a new friend, first impressions count. First bad habits are most difficult to break. The time to begin to teach a child how to study by other methods as well as rote memorizing is in the primary grades when he first begins to use books. A child should know what habits he is trying to form. He should have a definite goal and there should be no confusion in his mind as to what he is trying to do. A child should know immediately whether he is doing well or not. Improvement must be a conscious aim in itself. The amount or lack of improvement must be clear in the child's mind and he must have interest in his work. Improvement is most rapidly attained when the child is whole-heartedly interested in the endeavor.

James' maxims for habit-formation are: "Never allow an exception to occur" and "Take the first opportunity of putting into practice the responses you wish to make habitual."

We are generally in the habit of thinking of a child as a small adult, although we treat him differently in many ways. We often explain a child's action in terms of those feelings which we have ourselves or wish to have and thus obscure the proper recognition of childhood. The period of childhood is the most important in life, with all the budding possibilities, all its beginning trials and failures, and its fundamental formulation of time and space. The foundation for future character is laid at this time and the tendencies which are to be the motive forces occur during this period. The pre-school period is the period when the fundamentals of character are laid down. This is the golden opportunity of habit forming and of educational possibilities. The child possesses certain endowments and certain limitations which are heritages of the past, through evolution, extending over a period of hundreds of thousands of years; otherwise each animal would have to begin at the beginning and higher types would not be developed. The past thus becomes a foundation upon which is erected the structure representing the solution of present problems. The child is, therefore, not merely an individual but an expression of life itself.

Some of these forces within the child have their origin in the past, some may reside in the present, all help to shape his future. These battling forces, though grouped under various instincts, are not really often clearly defined. The home is the setting in which the

play of a child's interests begins. The influences of the past are of great importance and cannot be changed. Those that shape the first experiences are of equal importance and are capable of great modification. It is in this relationship that the nurse has her greatest opportunity in assisting in the normal development and growth of the child and to have a clear and definite comprehension of what the normal development of a child should be, not only as to its physical, but also on its mental, its emotional and moral side. There is probably no one individual who can bring to the home and to the mother knowledge of such practical value as the nurse. It is for this reason that I believe the more you study the normal development of childhood, the more valuable will be your contact, the more interest you will have in your ever developing work, and with this comprehension of what the normal child is and should be, physically, mentally and emotionally, you will be able to affect the future far more than it has ever been possible for you or for others to do in the past.

(The paper entitled, *Positive Health for Nurses*, by Caroline Hedger, M.D., was not received by the *Journal* in time for this issue. We shall hope to publish it later.—Ed.)

TUESDAY AFTERNOON, JUNE 27 (CONTINUED), BUSINESS SESSION, AMERICAN NURSES' ASSOCIATION

Miss Noyes read the ticket of nominations and asked for nominations from the floor. Mary J. Stone, New Jersey, was nominated for the office of treasurer and Amy M. Hilliard, of New York, for director. The nominations were then closed.

BUSINESS REPORT OF NATIONAL HEADQUARTERS

Two years ago in Atlanta you voted to establish a national office in New York City to which you would gradually focus the functions of your organizations and unite in placing your resources in a position accessible to their constituents; to function on modern organization methods and principles. At that time you were offered, and accepted, as a nucleus for your future work, the resources and personnel of the Bureau of Information for Nurses, established by the American Red Cross in New York in February, 1919, and operated in coöperation with and under the joint direction of the three national nursing organizations until it was formally transferred to them in September of 1920. This Bureau was then removed to occupy offices at 156 Fifth Avenue, adjoining the space then occupied by the National Organization for Public Health Nursing.

Thus the development of a National Headquarters began under the direction of the joint national committee, and was subsidized by the American Red Cross until July 1, 1921. Shortly following this event an opportunity was presented in alliance with the several national health organizations then negotiating for joint accommodations in a new office building at 370 Seventh Avenue that offered unusual advantages for closer affiliation and coöperation with these organizations, as well as greater facilities for expansion.

Our joint Boards proceeded with negotiations and were soon ready to assume this new relation, and in April of 1921 the national office of the American Nurses'