This article was downloaded by: [University of Illinois at Urbana-Champaign]

On: 30 January 2015, At: 15:19

Publisher: Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK

Annals and Magazine of Natural History: Series 6

Publication details, including instructions for authors and subscription information: <http://www.tandfonline.com/loi/tnah12>

XLI.—Third contribution to the list of birds collected by Mr. C. M. Woodford in the Solomon Archipelago

W.R. Ogilvie Grant

Published online: 12 Oct 2009.

To cite this article: W.R. Ogilvie Grant (1889) XLI.—Third contribution to the list of birds collected by Mr. C. M. Woodford in the Solomon Archipelago , *Annals and Magazine of Natural History: Series 6*, 4:22, 320-320, DOI: [10.1080/00222938909460531](http://dx.doi.org/10.1080/00222938909460531)

To link to this article: <http://dx.doi.org/10.1080/00222938909460531>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified

with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden.

Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

XLI.—*Third Contribution to the List of Birds collected by Mr. C. M. Woodford in the Solomon Archipelago.* By W. R. OGILVIE GRANT.

AMONGST a small collection of birds made at Guadalcanar and Rubiana by Mr. Woodford subsequent to the last collection, which was recorded in the 'Proceedings of the Zoological Society' for 1888 (pp. 185–204), is a very fine Rail, which is apparently quite new to science, and I propose to name it in honour of the collector

Rallina Woodfordi, sp. n.

Whole upper surface, cheeks, and suborbital region very dark brown, washed with rufous, especially on the scapulars, edges of the outer webs of the quills, rump, and tail. Inner webs of the bastard-wing and first two primary-quills with three or four transverse white spots; rest of primaries with one or two small white spots near their base. Postorbital region and under surface dark greyish black, becoming almost quite black towards the under tail-coverts and flanks. Chin and an indistinct stripe down the throat whitish. Under wing-coverts and under surface of bastard-wing and quills blackish, the former barred with white, while the two latter are spotted with the same colour as described above and edged with dull olive-brown. First digit with a well-developed hooked nail '3 of an inch long.

"Bill black; legs grey; iris red. Aola, Guadalcanar. 6. xii. 88."

	inches.
Wing	6·5
Tarsus	2·3
Middle toe (with nail)	2·3
Culmen	1·6
Total length.....	14·0

This species, so far as I can discover, is most nearly allied to *Rallina xaciloptera*, Hartl. (Finsch and Hartlaub, Beitr. z. Fauna Centralpol. p. 156, pl. xii. fig. 1), which was discovered in Fiji, but is easily distinguished by being generally very much darker in the tone of the plumage, and by having the inner webs of the primaries spotted with white instead of rufous, the bill black, and the legs grey.