affinity between the arsenic and neurokeratin network; and he thinks that the duration of arsenical neuritis depends not only on this combination of arsenic with the neurokeratin, but also on its subsequent liberation and dissemination. This might also explain the variable pulse and the marked changes in muscle reaction to the electric current observed in my case; that is, the arsenic may be liberated periodically or in variable amounts.

The loss of "osseous sensibility" in this case is of interest because the same phenomenon is observed in tabes dorsalis, which is frequently simulated by the ataxia form of multiple neuritis, or pseudo-tabes of the French.

According to Goldscheider,¹⁰ the "vibratory sense" was first demonstrated by Rumpf, who in 1889 tested individual acuteness in distinguishing the vibrations as separate sensations and as a continuous buzzing. Later, in 1895, Treitel made use of the tuning-fork in studying the duration of the vibratory sense. Both of these investigators found abnormal sensibility when this test was applied in cases of tabes dorsalis.

This method of examination, however, received little attention until 1899, when M. Egger¹¹ announced that by means of the vibrating tuning-fork he could determine the conductivity in bone, and hence called it "osseous sensibility." He studied the condition in tabes, syringomyelia, Brown-Séquard's paralysis, cerebral hemianesthesia and hysteria, and found that in each of these conditions the "osseous sensibility" was greatly diminished or entirely absent. Loss of this sensation was so constant in tabes and syringomyelia that the tuning-fork became helpful to him in clinical work. There seems to be so much uncertainty concerning this "vibratory sense" or "osseous sensibility" that I shall not attempt to discuss its nature or mode of propagation, but shall refer the reader to the more recent works of Goldscheider,¹⁰ Marinesco,¹² Williamson,¹³ and Minor.¹⁴ None of these authors, however, has made any report on the "vibratory sense" in neuritis. Furthermore, in my review of 200 cases of neuritis from various causes, since the appearance of Egger's article, I have not found one in which the vibratory sense was tested. For this reason it appeared worth while for me to report the observation in this case, but I do not mean to say that the loss of this sensibility is indicative of the nature of the neuritis. Occurring, as it did, in the ataxic form of neuritis, this loss of "vibratory sense" illustrates a further resemblance of that disease to true tabes.

I wish to thank Dr. J. S. Davis for permission to report the case, and Prof. J. W. Mallet for his generosity in making the chemical analysis.

10. Goldscheider: Ueber das Vibrationsgefühl, Berl. klin.

11. Egger, M.: La sensibilité osseuse, Jour. de physiol. et de path. gén., 1899, 1.

12. Marinesco: Presse méd., Aug. 13, 1904.

13. Williamson, R. T.: The Vibrating Sensation in Affections of the Nervous System, Lancet, London, 1905, 1.

14. Minor, L.: Jour. Nerv. and Ment. Dis., 1905, abstract.

Sensibilities of Idiots.—H. B. Sheffield, in the *Post-Graduate*, February, states that most idiots are insensible to touch, pain, heat or cold—anomalies of sensibilities which explain the frequency with which such children are subjected to external injuries and voluntary bodily mutilations. In some of them, however, especially in those with marked defective vision, tactile sense is so highly developed that by this means they are able to recognize the persons who feed and care for them.

THE ROENTGENOLOGIST AND HIS SPECIALTY *

PERCY BROWN, M.D.

BOSTON

It is just thirteen years since the scientific world received from Professor Roentgen his classical "First Paper," a communication which caused it to turn its interested gaze toward the little city of Würzburg, interest giving place to astonishment as the second and subsequent papers appeared. Heretofore, man could gain knowledge of invisible things only by deduction from hearing and touch, but now—to see the unseen! Small wonder that this new material for research was seized by scientific workers the world over. Roentgen's discovery was taken up with eagerness by all nations active in educational matters, and experimentation was promptly begun. Certain propositions were not accepted absolutely, argumentative attitudes were assumed, opposing theories brought forward. It must be conceded, however, that a great proportion of Roentgen's observations and assertions are to be regarded as axiomatical and remain incontrovertible after the passage of thirteen years.

By guiding the mind and hand of the discoverer, in that some of his earliest observations were made on portions of the living skeleton, Destiny seemed to decree that this new physical agent was to be a gift from Science to Medicine—that it was to become, in practical application, a profound factor in the relief of human ills and suffering.

So it has been, but with what sacrifices! Human sacrifices, on the altar of Learning. Many of these offerings were chosen by Science from her ranks, but Medicine, receiving the gift in the spirit of the giver, contributed as generously from among the worshipers in her own temple. Formidable, indeed, is the list of those who have laid down their lives in an honorable cause, and he who can appreciate the glory achieved by these martyrs, storming the citadel of Knowledge in the face of a subtle and unrecognized danger, can never forget the names of Dally, Weigel, Fleischman, Radiquet, Blacker, Fuchs and Wagner.

Although Medicine welcomed the gift of this new agent as a possible addition to her diagnostic and therapeutic munitions, she regarded it as a powerful but clumsy weapon, its possibilities quite uninvestigated; useful, indeed, but not delicate enough for expert hands. The throat mirror needed the practiced eye, the stethoscope an acute ear, and the scalpel trained fingers, but this new affair, these x-rays, their very name a confession of inexactitude, could be managed by any hospital photographer, ward orderly or nurse. The one thing needful, only, was a hand to start the machine and then—to stop it. A process purely mechanical; no brains necessary. I heard it said, about ten years ago, that any high-school boy, given a smattering knowledge of human anatomy, should be able to "take x-ray pictures," to borrow the expression used. History seems to show, by the character of results at this time recorded, that the mental dimensions of these jacks-of-all-trades must have fitted the requirements to a nicety, indeed.

Clumsy apparatus and tiresome details made private office practice with the new rays undesirable, and pa-

* Address before a joint meeting of the New York Academy of Medicine and the American Roentgen Ray Society, New York, Dec. 20, 1908.

tients were often sent for a diagnosis to the larger hospitals or to the laboratories of the technical schools. In many instances these imperfect conveniences were unavailable, and in isolated communities Dr. Thomas, Dr. Richard and Dr. Henry struggled manfully to determine the position of fracture fragments with complete disregard of certain fundamental laws of optics, or, in blissful ignorance of the phenomena of a Roentgen dermatitis, continued to produce sloughs where often a simple dermic lesion formerly existed. It is not surprising that the patient regarded the cure as worse than the disease; and as a consequence, not to speak of the additional effect of frequent fantastic diagnoses, the Roentgen rays received a series of blows in the eye, of which the ecchymosis has not yet disappeared.

What was the reason for this state of things? It is not hard to find. The practice of using the Roentgen rays for the purposes of medicine was not placed on a stable basis. It was a piebald proceeding, a sort of Joseph's coat of many colors, which fitted no one. The attendant wires and sparks suggested an electrician's work, surely; true, but there were the plates, darkroom and chemicals, considered usually the accessories of the photographer. Neither of these artisans, on the other hand, could be expected to intrude themselves so far into the realms of medicine as to offer a diagnostic verdict.

Nothing but chaos came or could come from such a situation. Since a right pursuance of the work seemed to demand the conjoined efforts of at least three experts of distinctly dissimilar training, no one of them could do the work of all. The electrician, after dallying in the darkroom with the chemicals, produced photographic results of no higher quality than might be expected of an electrician; the photographer, after producing a generous display of pyrotechnics in the immediate vicinity of the patient, finally met with a practical electrical problem quite beyond his depth; while the surgeon, albeit well versed in all heretofore employed methods of diagnosis, skillfully cut for renal stone in an endeavor to find what was, in reality, the elusive suspender button.

Thus it became only too apparent that there was needed, in this field of usefulness, an individual who should save the situation; who should redeem from its uncertain status the practical application of a physical phenomenon of the greatest practical possibilities. This individual must not have simply bowing acquaintance with a broad education, but he must have a cheek-by-jowl intimacy with specific knowledge which only especial schooling creates. He must not possess mere "medical training," a term with an elastic application, but he must have acquired the doctor's degree, and, in addition, must have gained the technical skill required to make his medical opinions valuable.

When, therefore, there appeared at this juncture the one so long needed, an individual who foresaw the importance of roentgenology as a medical specialty, and was prepared to declare himself a devotee thereof, his arrival was as opportune as Sheridan's at Winchester. He entered the field by various roads, and his respect for his chosen work was such that, in instances where he was qualified as a physicist alone, he cheerfully retired, to re-enter by the steep and rugged path of Medicine. Known in those days, in an offhand way, as "an x-ray man," it became his duty to assume alike the part of the electrician and the photographer, and often,

one regrets to say, that of the ward orderly, if not of the nurse. The implements with which they had struggled to till the new soil descended to him as a heritage, together with all the odium attached to the earlier practical work, which had proved a disappointment instead of a blessing. A discouraging task, indeed, but he went at it with good spirit. As a result of his efforts, first, certain technical features of the work have been exalted from the mere connecting of wires and rule-of-thumb manipulation to an involved study of electrostatics and the management of electrical discharges *in vacuo*. Second, by demonstrating that roentgenology, the science, and photography, as a calling or a trade, have nothing in common, he has established the fact that his diagnostic plates are merely a means to fortify his opinion as a diagnostician, and are not to be "struck off" at so much the dozen. Third, as a medical practitioner, the divers procedures connected with his work have brought him in contact with nearly every branch of medicine and surgery. What, indeed, could be more broadening in its influence?

It is but fair, at this point, to mention three additional impediments, of somewhat extraneous origin, which, for a time at least, hindered the early development of the roentgenologist as a medical specialist. Possibly the greatest of these was the adoption of the Roentgen rays by the charlatan for his irregular purposes. This type of individual was quick to see the impression which might be produced in the lay mind by a demonstration, chiefly of fireworks, which could be masqueraded beneath the protecting cloak of the Roentgen rays. According to expectation, the public was duly impressed, and perhaps an exact science might have been paraded even longer under false colors, had not the discovery of radium and various other agents which easily could be veiled in mystery diverted the attention of the unscrupulous pseudopractitioner.

The second deterrent factor, and none the less detrimental, was the attitude of the zealous manufacturer who experimented at the expense of his customer and whose sole interest was his own financial aggrandizement. What roentgenologist but who, in his early efforts to uplift his professional usefulness, has not, at some time or other, been made the dupe of conscienceless roguery by means of cheap-john apparatus, made to sell but never to use? The medical profession is noted, it is said, for its unsuspecting credulity. This is doubtless due to the fact that it judges others by the same standard of ethical conduct it requires of itself, and in respect to which it is often tried in the balance and seldom found wanting. The roentgenologist of the earlier days attained a degree of gullibility never reached by his professional brethren, and this was duly taken advantage of in the manner above mentioned.

It is not my purpose to deplore these unhappy situations as the existing order of things, but rather merely to mention them as a suggestion of what the earnest worker in this new science has had to contend with. Fortunately, much of it is now history.

Through the efforts of the roentgenologist the required results from the employment of the x-rays in diagnosis and treatment were becoming too scientifically exact for the peace and comfort of the charlatan. These efforts naturally resulted in a complete vindication of Abraham Lincoln's statement as to the impossibility of the permanent illusionment of the entire population. Since then roentgenology has had little to suffer from misrepresentations of the quack. By the very character

of the work, born of perseverance, he has been routed; the consulting practitioner, weighted down with the responsibility of his patient's welfare, has learned to demand the type of diagnostic and therapeutic result which only true work can produce, and no longer is content to accept, with gaping credulity, a fluoroscopic diagnosis of appendicitis!

By an evolutionary process engendered by his own short sight, the objectionable manufacturer is being gradually but surely eliminated. We have in our own ranks men whose primary training has been of a nature purely physical. They have fashioned tools for us which we can use confidently and therefore effectively. These men protect us from the wiles of those with fewer scruples, and we can work in peace.

The third inimical influence against the proper development of roentgenology was by far the most serious one, and its effects are felt even to-day, unfortunately. It originated in the deplorably promiscuous use of the Roentgen rays as a therapeutic agent. When one recalls the history of the "Elixir of Life" and the "Philosopher's Stone" he can not much wonder at temporary over-enthusiasm concerning any new discovery.

The days of the alchemists having passed, however, the persistence of the belief that the Roentgen rays were almost a cure-all may well cause surprise. Few bodily ills were to be denied its healing influence, as may be judged from the fact that, as recently as 1903, it was publicly declared that the x-rays should be considered as a therapeutic measure in the cure of an acute appendix!

The manner of applying the x-rays, even under proper circumstances, was wholly haphazard, although their profound degenerative effect on the skin was becoming only too well known. In the general enthusiastic excitement, cases were reported in the most glowing terms, without the least allowance for the lapse of time—the one true test.

History shows that the serious-minded Roentgen worker, far from indulging in this early general hysteria, counseled a more temperate view of the matter and foresaw the reaction which was bound to ensue, and from which he has undeservedly suffered. Such a reaction has been as desirable as it was inevitable, for it has helped to clear the air, and so has been welcomed by the one who prognosticated its occurrence. In the same spirit he has willingly remained to bear the brunt of this reaction, while the howling fanatic, whose extravagant claims gave it birth, like Longfellow's Arabs in the night, has folded his tent and silently stolen away.

Such a revulsion of feeling has been far-reaching. It is not surprising that it should give rise to an impression among the medical profession, false, as I believe, that the Roentgen worker in the diagnostic field essays to create about his diagnosis the atmosphere of absolute finality. This is not so. Although many pathologic situations make themselves readily visible by this method of diagnosis, we can describe them only as they are apparent to us, and appearance may be a far cry from reality, surely. The medical practitioner well knows, however, to his everlasting benefit that a multitude of roentgenologic appearances have come to possess a definite meaning, based on the best pathologic proof. These "appearances," so called for want of a better name, are becoming as constant in value as the stethoscopic sound or the microscopic field. The true roentgenologist never stoops to consider the diagnostic agent

which he commands other than a mere factor, but one out of many which help to clarify the diagnostic situation.

Since this is so, the specialist in roentgenology can ask no more than to be met by the general medical profession in the same spirit of fairness it would accord to any other worker in a specific field. All human endeavor or services are either good or poor. Good work is cheap at any price; poor work, even if gratuitous, is of the utmost costliness. Good work reflects the influence of the brain, ably aided by the hand; poor work reflects the efforts of the hand deserted by the brain. Remember these facts when you seek the fruits of true roentgenology elsewhere than at the tree. A diagnostic plate made at a commercial warehouse, or in a drug shop, is, in value, as the glass it is made on.

In his desire thus to maintain roentgenology on the high plane of scientific exactitude to which he has raised it, the American Roentgen worker of to-day looks to you, his professional brethren, for support of such a degree of integrity that it will radiate its benign influence to every city and community. He begs that this support will be offered in a temper of conservatism, remembering the while that his watchword is, also, "conservatism." To engender this spirit, and also the better to serve your interests as well as his, you have but to follow the advice of Pope:

"Be not the first by whom the new is tried,
Nor yet the last to lay the old aside."

155 Newbury Street.

FIBROMYOMA OF THE UTERUS COMPLICATED BY CANCER OR SARCOMA

WITH REPORT OF THIRTY-FIVE CASES

ELLICE McDONALD, M.D.

NEW YORK

The careful study of fibroid tumors of the uterus in the last few years has shown that these tumors are not the benign innocuous growths they were once believed to be. Each succeeding series studied shows more clearly that the dangers of these growths are not only from the symptoms produced by the tumors themselves, such as hemorrhage, etc., but also from the complications and degenerations incident to their continued presence in the uterus.

The most important change or complication which may occur in these fibroid growths is their association with malignant changes either in the tumor itself or in its host, the uterus. This malignant change or association has a very direct bearing on the treatment of these tumors in that, if it can be proved that there is a large percentage of malignancy in the growths or dependent on their presence in the uterus, a weighty argument has been made in favor of early operation and removal.

This malignant complication may occur in two ways, either as a direct degeneration in the tumor itself, as in sarcomatous degeneration, or as an association of cancerous or sarcomatous disease in a uterus already the host of a fibroid tumor.

It is difficult in some cases to decide whether a fibroid tumor has previously existed in a uterus which is now the seat of extensive malignant disease, for the destructive malignant lesion may have caused a disappearance of the fibroid growth or the growth itself may have created tumor formation to simulate the necrotic re-