This article was downloaded by: [OARE Consortium]
On: 06 July 2015, At: 01:04
Publisher: Taylor & Francis
Informa Ltd Registered in England and Wales Registered
Number: 1072954 Registered office: 5 Howick Place,
London, SW1P 1WG

Annals and Magazine of Natural History: Series 1

Publication details, including
instructions for authors and
subscription information:

[http://
www.tandfonline.com/loi/
tnah07](http://www.tandfonline.com/loi/tnah07)

Helminthology

J. E. Gray

Published online: 15 Mar
2010.

To cite this article: J. E. Gray (1838) Helminthology, Annals
and Magazine of Natural History: Series 1, 2:7, 77-77, DOI:
[10.1080/00222933809496662](http://dx.doi.org/10.1080/00222933809496662)

To link to this article: [http://
dx.doi.org/10.1080/00222933809496662](http://dx.doi.org/10.1080/00222933809496662)

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the
accuracy of all the information (the "Content")
contained in the publications on our platform. However,
Taylor & Francis, our agents, and our licensors make
no representations or warranties whatsoever as to the

accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

fasciatis; rectricibus caudæ cervinis, nigrescenti-fusco irregulariter fasciatis et maculatis; duabus centralibus cinereo-fuscis; gutture, pectore et abdomine ad partem superiorem nigrescenti-fuscis, singulis plumis cervino maculatis; abdomine imo pallide cervino, singulis plumis nigrescenti-fusco transversim fasciatis; rostro fusco; pedibus pallide fuscis.

Long. tot. unc. $6\frac{3}{4}$; rostri, 1; alæ, $5\frac{3}{4}$; caudæ, 3; tarsi, $\frac{7}{8}$.

Obs. Mr. J. E. Gray believes this bird to be from Demerara, or the Brazils; the specimen is in the collection at the British Museum, and so far as I am aware is unique.

Mr. Gould afterwards exhibited a species of *Ibis*, having many characters in common with the *Ibis religiosa* of Cuvier, and two new species of the genus *Platalea*, which were accompanied with the following descriptions.

IBIS STRICTIPENNIS.—*Ib. capite et collo superiore nudis, et nigrescenti-fuscis, cæruleo lavatis; corpore toto, et alis albis, cervino lavatis; plumis in gulâ longis, angustis, lanceolatis et rigidis; primariis ad apices cæruleo-viridibus; tertiariis valdè productis et nigro-cæruleis, albo sparsis; tarsis et spatio nudo sub alâ rufo-fuscis.*

Long. tot. unc. 30; rostri, 6; alæ, $14\frac{1}{2}$; caudæ, 6; tarsi, 4.

Hab. Australiâ.

PLATALEA REGIA. *Plat. cristâ occipitali pendente et corpore toto, pectore excepto, albo; pectore flavo parum lavato; fronte facie anteriori et gulâ plumis prorsus nudis; notâ super oculos atque in occipite medio aurantiacâ.*

Long. tot. unc. 39; rostri, $8\frac{1}{2}$; alæ, 15; caudæ, $5\frac{1}{2}$; tarsi, $5\frac{1}{2}$.

Hab. Novâ Cambriâ Australi.

Fœem. differt a mare adulto, staturâ minore.

PLATALEA FLAVIPES. *Plat. corpore toto albo; parte faciei nudâ angustiore quàm in Plat. regiâ; parte nudâ et rostro aurantiacis; pedibus flavis.*

Long. tot. unc. 28; rostri, $7\frac{1}{2}$; alæ, $14\frac{1}{2}$; caudæ, $5\frac{1}{2}$; tarsi, $4\frac{3}{4}$.

Hab. Novâ Cambriâ Australi.

MISCELLANEOUS.

HELMINTHOLOGY.

D. C. M. Dresing, in the *Nova Acta Phys. Med.* xii., has given two papers on Helminthology; one a monograph of the genus *Tristoma*, describing four species, one of them hitherto unknown; and the other on some new genera and species of this animal, amongst which is a fifth *Tristoma*.—J. E. GRAY.