Annals and Magazine of Natural History: Series 7

Publication details, including instructions for authors and subscription information:

<http://www.tandfonline.com/loi/tnah13>

LVIII.—Description of a new Mormyrid Fish from the White Nile

G. A. Boulenger F.H.S.

Published online: 01 Dec 2009.

To cite this article: G. A. Boulenger F.H.S. (1905) LVIII.—Description of a new Mormyrid Fish from the White Nile , Annals and Magazine of Natural History: Series 7, 15:89, 457-457, DOI: [10.1080/03745480509442833](https://doi.org/10.1080/03745480509442833)

To link to this article: <http://dx.doi.org/10.1080/03745480509442833>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan,

sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

LVIII.—*Description of a new Mormyrid Fish from the White Nile.* By G. A. BOULENGER, F.R.S.

Marcusenius Harringtoni.

Depth of body $3\frac{1}{2}$ times in total length, length of head $5\frac{1}{4}$. Head as long as deep; snout rounded, $\frac{2}{3}$ length of head; mouth below nostrils, its width $\frac{1}{4}$ length of head; anterior nostril on a line with lower border of eye, posterior a little lower down; the distance between the anterior nostril and the end of the snout equals that between the posterior and the eye; latter moderate, its diameter $\frac{3}{4}$ length of snout and $\frac{1}{2}$ interocular width. Dorsal 31, its origin corresponding to that of anal, its length nearly $\frac{2}{3}$ its distance from head. Anal 33, equally distant from base of ventral and from base of caudal. Pectoral pointed, a little shorter than head, not quite twice as long as ventral. Caudal scaly, with pointed lobes. Caudal peduncle $3\frac{1}{2}$ times as long as deep, as long as head. 87 scales in the lateral line, $\frac{15}{18}$ in a transverse series on the body, $\frac{11}{14}$ in a transverse series between dorsal and anal, 12 round caudal peduncle. Brown above, white below; dorsal and anal fins blackish, white at the base; a blackish streak along each lobe of the caudal fin.

Total length 305 mm.

A single male specimen.

This well-marked species is named after Sir John Harrington.

LIX.—*Descriptions of Four new Freshwater Fishes discovered by Dr. W. J. Ansorge in Angola.* By G. A. BOULENGER, F.R.S.

Marcusenius Ansorgii.

Depth of body equal to length of head, $4\frac{1}{2}$ to 5 times in total length. Head once and $\frac{1}{2}$ as long as deep; snout rounded, $\frac{1}{4}$ length of head; mouth small, terminal, but situated below the level of the eyes; a feeble mental swelling; teeth small, notched, 7 in the upper jaw, 10 in the lower; eye shorter than the snout; anterior nostril on a level with centre of eye, posterior lower down and separated

Ann. & Mag. N. Hist. Ser. 7. Vol. xv.

31