Elizabeth Thompson double star micrometer.

A new micrometer especially adapted to the requirements of double star observers is being constructed »all steel«, so as to effect constant readings of the coincidences. The micrometer screw, on which is fixed a divided head and concentric revolution counter, is an inch long and each revolution amounts to a hundredth of an inch. It carries four parallel wires, the intervals being respectively 0.0975, 0.1050, and 0.1025 of an inch. The fixed wires are also four in number, their distances apart being 0.1000. They are fixed on a sliding box (Dawes's slide) which is moved by a screw, the head of which is opposite to and of the same dimensions as the head of the micrometer screw. In Repsold's micrometer there is a screw for changing the coincidence of the wires by part of a revolution in order to eliminate periodic errors of the screw, but the bisection of one of the components is supposed to be made by aid of the slow motion of the telescope¹⁾, which is very inconvenient, not to say impossible. In Burnham's micrometer, which is the best, there is a screw sliding the box by aid of which one component is bisected while the other component

is bisected by the micrometer screw, but there are no means of varying the coincidence, so that periodic errors are not eliminated and the screw will be unequally worn in time. By the new arrangement explained above one screw serves for both purposes (Comp. A. N. 2187). There is a quick screw movement to slide the eyepiece (a single lens so as to minimise the loss of light), but every pair of wires need not be used on the same night. They may be used on different nights. In case of a good screw two wires placed $10\frac{1}{2}$ revolutions apart would suffice. There are no perpendicular wires. The wires are illuminated by an electric lamp, the brightness of which can be sufficiently increased to make use of a high power, and sufficiently decreased to be able to measure the faintest objects. Mr. Burnham states that in his micrometer any object that can be seen can also be measured. The screw-head and position circle are read (through single fixed lenses) by a small bull's eye lamp held in the hand. The cost of this instrument is defrayed from a grant voted out of the Elizabeth Thompson Science Fund.

Sutton, Surrey, 27. May 1909.

W. Doberck.

¹⁾ Die Repsold'schen Positionsmikrometer besitzen seit 1875 neben der oben beschriebenen veränderlichen Endwiderlage der Mikrometerschraube zur Elimination der periodischen Schraubenfehler auch die zweite Schraube für die Verschiebung des ganzen Mikrometerkastens. Vergl. auch Winnecke V. J. S. 10.300. *KZ.*

Photographische Aufnahmen von kleinen Planeten.

1909	Objekt	M.Z.Kgst.	α 1909.0	δ 1909.0	tägl. Bew.	Gr.	Bb.
Juli 21	(322) Phaeo	11 ^h 41 ^m 8	21 ^h 3 ^m 0	— 4° 52'	—	11 ^m 1	L
	(313) Chaldaea	»	21 18.3	— 2 49	—	12.0	»
22	(322) Phaeo	11 33.5	21 2.2	— 4 51	—	11.1	»
	(313) Chaldaea	»	21 17.4	— 2 55	—	12.0	»
	(462) Eriphyla	11 39.6	20 23.8	— 20 51	— 0 ^m 9—4'	12.8	K

K = A. Kopff, L = W. Lorenz.

Astroph. Institut Königstuhl-Heidelberg, 1909 Juli 24.

M. Wolf.

Komet 1909 a. 1909 Juli 20 11^h19^m40^s Wien $\Delta\alpha = -1^m28^s67$ $\Delta\delta = +1^s51^s0$ Vergl. 6 α app. 3^h55^m24^s95 (9.800n) δ app. +62°5'57"9 (0.810) Red. ad l. app. — 0°46' — 8°6'. Vergl.-Stern 1909.0 3^h56^m54^s08 +62°4'15"5 AG Hels 3338.

Der Komet ist kaum zu sehen, nur ein Nebelhauch; dabei war freilich die Höhe ziemlich gering. Korrektur der Ephemeride A. N. 4337 +16^s +0.1. Der fixsternartige Kern ist noch immer vorhanden. *J. Palisa.*

(124) Alkeste. Genauer Ort nach Ausmessung der photographischen Aufnahme:

1909 Februar 25 12^h51^m(zirka) M.Z.Kgst. α 1909.0 10^h33^m3^s57 δ 1909.0 +6° 30'19". Vergleichsterne Kü 4697,4727. Astrophys. Institut Königstuhl-Heidelberg 1909 Juni 18. *M. Wolf.*

(95) Arethusa. Korrektur der Ephemeride (B. J. 1911): 1909 Juli 20 +28°04' +3'16". *W. Luther.*

(217) Eudora. Phot. Aufnahme: 1909 Juli 21 12^h30^m Wien $\alpha = 19^h38^m48^s$ $\delta = -6^\circ10'6''$ Gr. 11^m5. *J. Rheden.*

(569) Misa. Korrektur der Ephemeride (V. R. I. 37): 1909 Juli 21 —5^m44^s —25'7 Gr. 12^m5. *J. Palisa.*

Inhalt zu Nr. 4343. T. J. J. See. Origin of the lunar terrestrial system by capture, with further considerations on the theory of satellites and on the physical cause which has determined the directions of the rotations of the planets about their axes. 365. — W. Doberck. Elizabeth Thompson double star micrometer. 387. — M. Wolf. Photographische Aufnahmen von kleinen Planeten. 387. — J. Palisa. Komet 1909 a. 387. — M. Wolf. (124) Alkeste. 387. — Kleine Mitteilungen. 387.