Heat from Dust

Utilization of Low Grade and Waste Fuels

By Charles L. Wright

Fuel Engineer in Charge of the Fuel Briquetting Investigations of the United States Bureau of Mines

THE natural resources of our country have been considered so inexhaustible that it is only very recently that the attention of the public has been directed to the enormous amount of material wasted in our various industries; and it is to be hoped that the so-called conservation movement may continue until we, as a nation, reach the industrial efficiency that has been attained by the older countries—Great Britain, Germany, France, and others. Furthermore, it is to be hoped that we may not wait as these countries have until the most valuable resources are gone forever, before putting this conservation process into effect.

According to the United States Geological Survey's report, 459,209,073 short tons of coal were produced in the United States in the year 1909, of which 83,000,000 short tons were anthracite coal from Pennsylvania.

In the eastern section of the United States, where most of the coal is mined and used, the price of the better grades of coal is steadily increasing. It is now estimated that the maximum tonnage of anthracite possible to produce annually has nearly been reached. If this is true the price of this popular domestic fuel will in a few years place it out of reach of all but the wealthy for a domestic fuel. Then people must look for some other kinds of fuel which will be suitable for household use.

On the other hand, the demand for industrial fuel is increasing more rapidly than the development of coal

mining, and therefore manufacturers are already on the lookout for a more economical fuel in order to reduce the cost of production, or at least to keep it from being increased. Our industrial prestige is due in no small measure to our having had great natural fuel resources; and as competition becomes keener with other nations and the price of our fuels is at the same time advancing, we must make use of the cheaper fuels and fuel wastes in order to hold our present position.

The purpose of this article is to discuss in a general way the various materials suitable for fuel which are now wasted or considered of small value, and therefore disposed of at a low price; and to discuss the ways that such wastes may be utilized to better advantage.

The following fuel wastes and low grade fuels are considered in this article: Bituminous slack, anthracite culm, coke breeze, sawdust and wood waste, lignite coal and peat.

Bituminous Slack. Most companies mining bituminous coal screen all or part of their product before shipping, to remove the dust and finer pieces of coal which is called "slack." The size of the opening in the screen used varies with different operations, but the size of opening most commonly used is $\frac{3}{4}$ of an inch; so generally speaking slack is that portion of the mined coal which passes through the screen with $\frac{3}{4}$ inch openings.

As high as 50 per cent of the coal mined is in the

form of slack. Formerly there was no market for this slack, and it was dumped in piles near the mine and accumulated from year to year. These piles of slack were sometimes set on fire to get rid of them, and would smolder away for years.

At the present time there is in certain parts of this country, for example the eastern and middle States, a market for this slack coal for use in special furnaces, as an industrial fuel. There is not, however, a market large enough for all the slack produced, and in many places, if it is sold at all, it is sold at a price which is less than the cost of producing it, the profit of the business being made from the sale of the larger sizes. Around Pittsburg slack may be had in carload lots for 85 cents to \$1 a ton delivered at the plant. In other States it brings 15 to 50 cents per ton, loaded on cars at the mine. How this waste by means of briquetting and the gas-producer can be converted into desirable household fuel and power will be described further on in this article.

Anthracite Culm. Anthracite culm is similar to bituminous slack in that it composes the smaller sizes of anthracite coal. As with bituminous coal these finer sizes were formerly a waste material, and in the anthracite fields of Pennsylvania to-day there are great hills of this culm which have accumulated for many years. Anthracite culm however possesses the advantage over bituminous slack that it produces practically

(Continued on page 456.)

A pile of clam-shaped fuel briquets.

A typical fuel-briquetting plant.

Briquetting machine of English make. Note the briquets in the wheel-barrow.

A German type of briquetting machine used by the United States Bureau of Mines.

UTILIZATION OF LOW GRADE AND WASTE FUELS

It Works Like a Kodak.

\$10.00

No. 3A Folding BROWNIE

Pictures Post Card Size.

The first Brownie made 2 1/4 x 2 1/4 pictures and sold for a dollar.

It was made so well that other and bigger Brownies simply had to follow. They are made in the Kodak factories under Kodak superintendence by Kodak workmen. Habit with these people means honest workmanship. That's why the Brownie, a low priced camera, has been and is a success.

The No. 3A Folding is the largest of the Brownie family, taking pictures of post card size (3 1/4 x 5 1/2 inches). Like the other Brownies it loads in daylight, using Kodak film cartridges. It is a well made, serviceable and practical camera in every detail. It has our F. P. K. Automatic Shutter for snapshots and time exposures, with bulb release, automatic focusing lock, two tripod sockets and reversible finder.

Price, with Meniscus Achromatic lens, \$10.00
Do., with Rapid Rectilinear lens, 12.00

Ask your dealer or write us for complete catalogue of Kodak and Brownie cameras.

EASTMAN KODAK CO.
ROCHESTER, N. Y.. The Kodak City.

You Can't Take the Tuck Out of It
It Can't Take the Tuck Out of You

R-S

THE R. S. MOTORCYCLE is made for constant use. You do not have to humor or coax it. You may ride it all day, every day, at any clip you choose. Keep the gasoline and oil tanks filled and it is always ready to take you anywhere. The R. S. is the easiest machine on the rider. It is built to fit the man. The new R. S. spring fork and spring seat post eliminate that killing vibration on the wrists and spine. The only American motorcycle with emergency brake and coaster brake. Every proved improvement and exclusive features found only in the 1911 R. S. Write for Catalogue. Agents Wanted.

The Reading Standard
MAKERS OF RENOWNED READING STANDARD BICYCLES
406 Water St., Reading, Pa.

Do you know how to judge a motor oil? My booklet "Motor Lubrication" will help you. It tells of the perfect lubricating qualities of

Panhard Oil

For Motors—

But it is more than an ordinary advertisement. I will send it free if you will give the name of your dealer.

Don't merely ask for good oil—say "Panhard," because:

It is refined from the finest oil in the world—Pennsylvania crude. Absolutely uniform in quality. Will not carbonize if properly used. Just enough filtration—all free carbon removed. Not excessively filtered—perfect lubricating body. Lubricates always at high or normal temperatures. Sold in "Checkerboard" cans or in barrels. 35 years of Oil Experience has been put into "Motor Lubrication"—and this is for you—if you write to-day.

GEORGE A. HAWS

Main Office, 74 Pine St., New York City
Dealers: Write for my special co-operative plan

Heat from Dust

(Continued from page 444.)

no smoke in burning, and therefore large amounts of it are now being removed from the banks, where it has been stored for years, subjected to a washing process if necessary and shipped to the larger cities of New York State and New England, where it is sold as a fuel for heating office buildings and producing power in plants located in cities having strict smoke laws. New York city is the largest user of this culm.

This anthracite culm makes excellent briquets and gas-producer fuel, as will be shown presently.

Coke Breeze. Coke breeze is a by-product of the coke or gas industries. In the preparation of illuminating gas, the coke resulting from the distillation of the coal when removed from retorts is in the form of large and small pieces and dust. This dust and smaller sizes are called coke breeze.

In the manufacture of coke, both by the bee hive oven and by-product methods, coke breeze is also obtained in large quantities. Methods of utilizing it are described further on in this article.

Sawdust and Wood Waste. One of the most wasteful of our industries is the wood industry. Mr. George B. Frankforter states in a recent article on "Wood Waste and Its Utilization" that the best that model mills can do at the present time in the logging and milling part of the industry is to save a scant 40 per cent of the total weight of the wood in lumber, laths and shingles. Fifteen years ago the average was probably only 30 per cent. The average, now, is about 35 per cent lumber and 65 per cent waste. This waste includes stumps, tops, slabs, and sawdust. From 5 to 15 per cent of the logs sawed go into slabs. About 20 per cent of the log goes into sawdust. The most economical lumber mills in the country, at Marshfield, Oregon, saw on an average 100,000,000 feet of lumber in a year, or approximately 150,000 tons of lumber. On the basis of 65 per cent waste, this one mill alone produces annually 225,000 tons of wood waste, and this waste is burned either on the ground where the trees were cut or in waste burning furnaces at the mill. If one mill, and that the most economical, produces annually 225,000 tons of waste, then the total loss for all the mills in this country must be enormous.

This wood waste can be utilized in several ways, some of which will be mentioned.

Lignite. Lignite is a variety of fuel between peat and bituminous coal in quality. One form of lignite is called brown coal in Germany from its characteristic color. In this country it is the custom to speak of two kinds of lignite, viz.; lignite and black lignite.

There are immense deposits of lignite coal in the western and southern States, the most important deposits being found in Texas, North Dakota, Colorado, Montana and California. These deposits vary in thickness from a few inches to over thirty feet. This fuel contains a high percentage of water, American lignites having as high as 42 per cent of moisture in them when fresh from the mine. This high moisture content decreases the heat value of the fuel, and as it is non-caking, special furnaces are required to burn the raw lignite properly. Lignite cannot be stored in the open in large piles on account of the slackening down that takes place when it is exposed to the weather for only a few weeks. Spontaneous combustion also occurs more easily in piles of this fuel than with bituminous coal.

Peat. Peat is the lowest grade of fuel recognized in the classifications of fuels. It is the partially decomposed remains of moss, and other similar plants, which are found in wet marshy places. Its high moisture content (sometimes as high as 85 per cent) has prevented its extensive use as a fuel, as all attempts to dry it artificially on a large scale have not been profitable, as the cost of handling large amounts of raw material and supplying heat to dry it is prohibitive.

Numerous experiments in this country to utilize peat for fuel have not met with much success up to the present time, but possibly in a few years the high price of other fuel will lead to

further development of peat for fuel in districts near the peat beds.

Methods of Utilizing Fuel Waste. There are two general methods of utilizing the fuel material described above.

1. The gas-producer to convert it into commercial power.

2. The briquetting process to convert it into a domestic fuel.

Gas-Producer. The gas-producer has been brought up to such a state of perfection that it is without doubt the most efficient means of obtaining power from the poorer grades of fuel. To those who are not familiar with the principles of the gas-producer it may be well to explain that a gas-producer is an apparatus for burning a thick bed of fuel into which air is blown. Steam is also sometimes introduced with the air. Combustion of the fuel in the lower part of the apparatus forms carbon dioxide, and this is partially reduced to carbon monoxide in passing through the incandescent fuel in the upper part of the bed. The steam is broken up into hydrogen and oxygen. The hydrogen and carbon monoxide are combustible gases and diluted by nitrogen and some carbon dioxide they form producer-gas which has comparatively low heat value.

This producer-gas when used in a gas engine produces power at a much greater efficiency than is obtained by the steam boiler and steam engine.

In those European countries where the supply of high grade fuel is limited, gas-producers are extensively used as a means of generating gas for power purposes from lignite and waste fuel materials. In the interior of Mexico, where coal is scarce, mining companies use a scrub growth of wood for gas-producer fuel with satisfactory results.

As industries develop in those parts of the West and South where vast deposits of lignite are to be found, we may look for a rapid increase in the number of producer-gas plants using lignite fuel to supply the power required, and as these parts of the country become more thickly populated by people engaged in agriculture as well as in industrial pursuits, there will be a demand for lignite briquets for domestic fuel.

Bituminous slack, anthracite culm, wood waste, lignite and even peat, if the latter is partially dried, can be used with excellent efficiency in the gas-producer. Coke breeze also gives good results as a gas-producer fuel. Lignite even in the raw state furnishes an excellent producer-gas even better in heat value than the gas produced from the best grades of bituminous coal. This improvement is due in large measure to decomposition of the large amount of moisture found in the lignite into hydrogen and oxygen. Peat is a good gas-producer fuel if air dried before use so that it contains less than 40 per cent of moisture.

Briquetted Fuel. The process of briquetting fuel, although not very well known in this country, is perhaps the best method of converting a low grade fuel into one of higher value and of utilizing the waste from mining high grade fuel. The briquetting process is a method of converting loose pulverulent material into solid blocks called briquets. This briquetting process has been successfully used by European countries for the last thirty years.

In the year 1908 the world production of briquetted fuel was 28,600,000 short tons of which Germany produced 20,900,000 short tons, or 73 per cent of the total. In the same year the United States produced only 90,358 short tons valued at the plant at \$323,057, or an average price of about \$3.50 per ton. In 1909 the United States produced 139,661 short tons, an increase of 54 per cent in quantity and valued at \$452,697, or \$3.25 per ton, so that it is evident the industry is making substantial progress in the United States. There were sixteen plants in this country which produced fuel briquets in 1909, and while some of these plants were only experimental, about one-third of them are built on a practical basis and are apparently meeting with success.

When the public is once familiar with the advantages of briquetted fuel, it is safe to say that there will be no difficulty in selling all that can be made at a profit of not less than one dollar a ton. If sacked and peddled at retail \$6 to \$8 per

For Every Power Need

Not only does the IHC trademark signify greatest simplicity, economy, strength, and durability—but it also means that you can get just the style and size to meet your particular requirements—for every power need.

IHC engines—for shop, factory or farm, supply steady, reliable power at minimum cost. They are made in Vertical, Horizontal, Portable, Stationary, and Traction styles—in many sizes 1 to 45-horse-power—air or water cooled.

The IHC reputation for quality is your assurance of complete satisfaction. Write at once for catalogue.

INTERNATIONAL HARVESTER COMPANY OF AMERICA
(INCORPORATED)
15 Harvester Building CHICAGO U S A

ELLIS USE KEROSENE ENGINES

gasoline, distillate—any fuel We Pay the Freight
oil. Cheapest, Safest, Simplest
POWER for Electric Lighting,
Water Systems, Vacuum Cleaners,
everything. Complete plans furnished, expert advice.
Adapted for basements—anywhere. Women can operate. Comes complete. Ten exclusive revolutionizing features.

FREE TRIAL
No obligation till satisfied.
10-year guarantee. "Engine Facts" free; write for it NOW.

ELLIS ENGINE CO.
52 Mullett St.
Detroit, Mich.

JAGER Marine 4-Cycle Engines

Skillfully designed and well built. Single lever control, combining automatic carburetor with spark advance. Develops wide speed range and reliability under most trying conditions. Sizes 3 to 60 h. p. Send for catalog.

CHAS. J. JAGER CO.
281 Franklin cor. Battery March St.
Boston, Mass.

BARKER MOTORS

"Imitated, but Not Equalled"
Fine mechanical features.
Honest power ratings.
Reasonable prices.
Manufactured by
C. L. BARKER,
Norwalk, - - - Conn.

GRAY MOTORS

6 HORSE POWER COMPLETE \$89.50
1, 2 & 3 Cylinders, 2 to 30 H.P.
Write for complete catalog today—tells all about how these high grade motors are built in the largest plant in the world devoted exclusively to the manufacture of 2-cycle motors
GRAY MOTOR CO., 537 Woodward Ave., Detroit, Mich.

GILSON MFG. CO. 808 Park St. Fort Washington, Wis.

PALMER MOTORS AND LAUNCHES
Catalogue M Free of Motors.
Catalogue B Free of Boats.
6 H.P. 2 CYLINDER MOTOR \$38.00
ENGINES FROM 2 TO 40 H.P. **PALMER BROS.**
IN STOCK COS. COB. CONN.

How Manufacturers Can Increase Their BUSINESS

Read Carefully, Every Week, the
Classified Advertising Column

IN THE

SCIENTIFIC AMERICAN

Some week you will be likely to find an inquiry for something that you manufacture or deal in. A prompt reply may bring an order.

WATCH IT CAREFULLY

"STAR" Large Line of Attachments
For Foot or Power
LATHES
Suitable for fine accurate work in the repair shop, garage, tool room and machine shop. Send for Catalogue R.
SENECA FALLS MFG. CO.
695 Water Street
Seneca Falls, N. Y., U.S.A.

THE SEBASTIAN 15-INCH ENGINE LATHE
HIGH GRADE LOW PRICE
Automobile Builders, Garages, Repair and General Jobbing Shops find this the ideal lathe for their work. Catalog free.
The Sebastian Lathe Co. 120 Culvert St., Cincinnati, Ohio

LATHES SCREW CUTTING
FOOT or POWER, 9 to 13-inch swing **\$75.00**
Interesting Free Catalog
S. B. MACHINE TOOL CO., South Bend, Ind., 420 Madison

This GRINDER

Has no pumps, no valves. No piping required to supply it with water. Always ready for use. Simplest in construction, most efficient in operation. Price will interest you.

W. F. & Jno. Barnes Co.
Established 1872.
1999 Ruby St. Rockford, Ill.

HALF DOLLAR TAP WRENCH

worth twice its price is our No. 174, as shown in cut. It is made of steel, neatly finished, and will hold any tool that can be put into it—taps, reamers, drills, etc. Holds tools of any shape, round, square or oval. 3 inches long. Price 50c.
Send for 232 page catalog No. 18-B.
THE L. S. STARRETT CO., Athol, Mass., U. S. A.

Practical Lead Burner & Chemical Plumber
Builder of all kinds of Lead Apparatus, tanks lined and lead fittings made to order. Thirty years' experience (advice free).
JOHN VOLLMER,
5 Westerly St., Boston, Mass.

SETS OF CASTINGS OF MODEL ENGINES
FOR STUDY PURPOSES
ALL SIZES
GEAR WHEELS & PARTS OF MODELS
MECHANICAL SUPPLIES AND MATERIAL
of all kinds
EXPERIMENTAL AND LIGHT MACHINE WORK
to order
132 MILK STREET BOSTON

Complete lists of manufacturers in all lines supplied at short notice at moderate rates. Small and special lists compiled to order at various prices. Estimates should be obtained in advance.

MUNN & CO. Inc. PUBLISHERS
List Department Box 773 New York

RUBBER Expert Manufacturers
Fine Jobbing Work
PARKER, STEARNS & CO.,
288-290 Sheffield Ave., Brooklyn, N. Y.

Patented Articles and Metal Specialties
MANUFACTURED BY CONTRACT
Stamping Dies, Metal Stampings and Screw Machine Work
H. CARSTENS MFG. CO., 565 W. Lake St., Chicago

ICE MACHINES Corliss Engines, Brewers' and Bottlers' Machinery.
The VILTER MFG. CO.
899 Clinton Street, Milwaukee, Wis.

THE BEST EQUIPPED SHOP
For Mechanical and Electrical Manufacturing
Special Machinery, Jigs, Tools, Repairs, Experimental Devices
Designing and Commercializing a Specialty
THE UNIVERSAL TELEGRAPHIC COMPANY
Successors to The National Telegraphic Co. BALTIMORE, MD.

Models & Experimental Work
INVENTIONS DEVELOPED
SPECIAL MACHINERY...
E. V. BAILLARD CO., 24 Frankfort St., N. Y.

NOVELTIES & PATENTED ARTICLES
MANUFACTURED BY CONTRACT. PUNCHING DIES, SPECIAL MACHINERY.
E. KONIGSLOW STAMPING & TOOL WORKS, CLEVELAND, O.

Manufacturers of Metal Specialties, Stampings, Dies and Tools. Thirty Power Presses at your service.

Hoelt & Company, Inc. CHICAGO, U. S. A.

WANTED To manufacture METAL SPECIALTIES, 20 years experience in making Dies, Tools and Special Machinery. Expert work. Complete equipment.
NATIONAL STAMPING & ELECTRIC WORKS
216 So. Jefferson Street, Chicago, Ill.

MANUFACTURERS, ADDITIONAL CAPITAL
We are in communication with cities and towns having first-class manufacturing and shipping facilities, that will grant concessions, remit taxes and give both moral and financial support to new enterprises.
Do you desire to re-organize or re-locate your factory or enlarge your business with additional capital? If so communicate with us.
A. F. DOW COMPANY
INDUSTRIAL COMMISSIONERS
92 STATE STREET BOSTON, MASS.

ton may be realized, but of course this would be an exceptional case.

The general method of briquetting a fuel is to mix the powdered material with from 5 to 11 per cent of pitch from coal tar, water gas tar, asphalt tar or similar substances and heat the mixture until the binder is softened, after which the plastic mass is pressed in suitable presses into briquets of the desired shape.

Briquets can be made from bituminous slack, anthracite culm, wood waste, lignite and peat. Some grades of lignite do not even require the addition of binding material. Briquets are superior to the fuel from which they were made because the uniform size of briquets permits better combustion and efficiency; they withstand the effects of weathering longer; if properly made they burn with less smoke; they are cleaner to handle; there is less loss by breakage in transportation and the danger of spontaneous combustion is eliminated when fuel is stored in briquetted form.

Briquetted fuel is now on sale in New York city and vicinity; Detroit, Michigan; Kansas City, Missouri; Indianapolis, Indiana; St. Louis, Missouri; Superior, Wisconsin, and other cities.

Coke breeze, although of good fuel value, has been to a large extent wasted and many attempts have been made to briquet it, but up to the present time with small success, owing to the abrasive action of the breeze which acts very much like carborundum and wears the dies and working parts of the machinery quickly. Attempts to briquet it are being continued, however, and it is to be hoped that ultimately this can be successfully done.

Bituminous slack and anthracite culm can be made into excellent briquets and practically all of the fuel briquetting plants of the country are at the present time using one of these two fuels.

Sawdust is briquetted by several firms in Europe for a household fuel. Sawdust briquets, while almost as easily ignited as wood, burn much more slowly owing to their having been compressed so highly in the making. This is an advantage as the fire does not need replenishing so often.

As stated above, some varieties of lignite can be briquetted without the addition of binding material. To do this, however, a very high pressure is required. Those lignites which require binder to briquet them can nevertheless be made into good briquets which will stand the weather better than those made without binder.

In Germany, brown coal briquets have been used for the last thirty years as a household fuel, and in the year 1908 15,700,000 short tons of these brown coal briquets were produced in that country. North Dakota is now carrying on investigations looking to the utilization of the lignite deposits within the borders of that State.

Peat cannot be profitably briquetted by the same method used for coals and lignite, but considerable success has been met with in converting peat into fuel by "machining" or macerating the raw peat and squeezing the wet mass through the gradually narrowing orifice of a so-called "auger machine," cutting the peat into suitable lengths and then stacking these pieces to dry in the open air or in low sheds with roofs but no sides. In parts of Germany and Sweden the manufacture of these "wet pressed" briquets has attained considerable importance.

Since 1904 the United States government has carried on extensive investigations of the steaming, briquetting, gas-producer, coking, and other qualities of the fuels of this country and the results of these valuable investigations have been published in bulletins of the United States Geological Survey and the Bureau of Mines. These bulletins may be obtained without charge by application to the director of the Bureau of Mines, Washington, D. C.

Behavior of Iron in Concrete.—According to *The Engineer*, a reinforced concrete slab roof, built in Paris in 1852, in which was imbedded some small 3 1/4-inch I beams, has shown a perfect preservation of the iron. Thirteen years ago a portion of the concrete was removed, and the iron found to be in perfect condition. Recently a similar examination was made, which failed again to detect any deterioration.

10 DAYS FREE TRIAL
We will ship you a "RANGER" BICYCLE on approval, freight prepaid to any place in the United States without a cent deposit in advance, and allow ten days free trial from the day you receive it. If it does not suit you in every way and is not all or more than we claim for it and a better bicycle than you can get anywhere else regardless of price, or if for any reason whatever you do not wish to keep it, ship it back to us at our expense for freight and you will not be out one cent.
LOW FACTORY PRICES We sell the highest grade bicycles direct from factory to rider at lower prices than any other house. We save you \$10 to \$35 middlemen's profit on every bicycle. Highest grade models with Puncture-Proof tires, Imported Roller chains, pedals, etc., at prices no higher than cheap mail order bicycles; also reliable medium grade models at unheard of low prices. In each town and district to ride and exhibit a sample 1911 "Ranger" Bicycle furnished by us. You will be astonished at the wonderfully low prices and the liberal propositions and special offer we will give on the first 1911 sample going to your town. Write at once for our special offer.
RIDER AGENTS WANTED DO NOT BUY a bicycle or a pair of tires from anyone at any price until you receive our catalogue and learn our low prices and liberal terms. BICYCLE DEALERS, you can sell our bicycles under your own name plate at double our prices. Orders filled the day received.
SECOND HAND BICYCLES—a limited number taken in trade by our Chicago retail stores will be closed out at once, at \$3 to \$8 each. Descriptive bargain list mailed free.
TIRES, COASTER BRAKE rear wheels, inner tubes, lamps, cyclometers, parts, repairs and everything in the bicycle line at half usual prices.
MEAD CYCLE CO. Dept. W175, CHICAGO, ILL.
DO NOT WAIT but write today for our Large Catalogue beautifully illustrated and containing a great fund of interesting matter and useful information. It only costs a postal to get everything. Write it now.

Auto Craft 18 FT. SPECIAL \$200
A trim, fast, handsomely equipped pleasure launch that is dry, safe and seaworthy. It leaves a clean wake with but little drag or disturbance of the water and is without doubt the fastest boat of its size built. Speed 3 miles an hour. Equipped with Ferro 3 H. P. engine. Metal air chambers under decks (like a life-boat) insure absolute safety. Auto Craft silencer eliminates all noise. Has outboard gasoline drain.
WRITE FOR FREE FOLDER that illustrates and describes the Auto Craft Specials or send 10 cents postage for our Big Boat Catalog that gives detailed specifications of our complete line of craft, including 21 1/2 ft. Auto Craft Special (4 H. P. Ferro and Reverse Gear) \$300; 24 ft. Auto Craft Special (8 H. P. Ferro and Reverse Gear) \$450; 25 ft. Gentleman's Humboat (11 H. P. Ferro) \$775, and many other interesting models. Auto Craft are "built on honor." We Guarantee Safety—Silence—Speed—Comfort—Durability and Satisfaction. Dealers in All Large Cities.
THE CLEVELAND AUTO BOAT MFG. CO., 1047 River Ave., N. W., Cleveland, Ohio, U.S.A.

Civil Engineering and Surveying Instruments
DRAWING MATERIALS AND SUPPLIES
BLUE PRINT PAPER, TRACING CLOTH, ETC.
"FREE" Write for Catalogue. Sent "FREE"
A. S. ALOE CO., 507 Olive Street, St. Louis, Mo.

"RUNS LIKE A SCARED RABBIT"
Writes Cleburne Grady, Montgomery, Ala.: who while yet a green hand at motors averaged 12.52 miles per hour on a 8.62 mile river trip.
Perfection Marine Motor
The "Perfection" is so worthy of the name it needs little attention. Just a regular flow of gasoline and a good spark will keep it working on hard towing, ferrying or pleasure jaunts—and it will last as long as the boat. We build 2, 3 1/2, 4, 6 and 8 H.P. in the single cylinder and 8 to 30 H. P. in the two, three and four-cylinder engines. Prices range from \$40 to \$400 according to type and horse power. Write for catalog. Send for Stationary Kerosene Engine Catalog if interested.
CALLE PERFECTION MOTOR CO., 128 Calle St., Detroit, Mich.

MULLINS Steel Motor Boats
Handsome Free Book
Send to-day for the handsomest boat book ever printed. Illustrated in colors. Describes famous Mullins line in full. Mullins Steel Boats can't sink or warp—are puncture proof—noiseless. Twelve models, 16 to 26 ft., 8 to 80 horsepower. Investigate amazing prices. Full line row boats and duck boats—\$22 to \$39. Get FREE book.
THE W. H. MULLINS CO.
118 Franklin Street, Salem, Ohio

A HOME-MADE 100-MILE WIRELESS TELEGRAPH SET
Read Scientific American Supplement 1605 for a thorough, clear description, by A. Frederick Collins. Numerous adequate diagrams accompany the text. Price, 10 cents, by mail. Order from your newsdealer or **Munn & Co., Inc.,** 361 Broadway, N.Y.

New York Electrical School
Offers to men and boys a theoretical and practical course in applied electricity without limit as to time. Instruction, individual, day and night school. Equipment: complete and up-to-date. Students learn by doing, and by practical application are fitted to enter all fields of electrical industry fully qualified. School open all year. Write for free prospectus.
27 West Seventeenth Street NEW YORK

AIRCRAFT
The World's Great Magazine of Aerial Flight
A Collection of Issues Makes a Complete Aeronautical Encyclopedia
Edited by Experts under the General Supervision of Alfred W. Lawson
Accurate Construction Work a Special Feature
Complete Records and Statistics
New Flyers Described
Details of Model Building
Illustrations from every Quarter of the Globe

Recent numbers contain exclusive articles by such famous men as: Clement Ader, Louis Paulhan, Robert Esnault-Pelterie, Louis Bleriot, George F. Campbell Wood, Denys P. Myers, Hudson Maxim, Sir Hiram Maxim, A. Lawrence Rotch, General James Allen, Glenn Curtiss, Chas. K. Hamilton, Henry A. Wise Wood, Major S. Reber, Israel Ludlow, T. R. MacMechen, etc., etc.

SUBSCRIPTION RATES:
\$1.50 per year
50c four months
\$1.00 eight months
Single copies 15c
Back numbers 25c per copy, except April which is \$1.00 a copy, and December which is \$1.25 per copy. Bound books in cloth of the first twelve numbers \$3.50

THE LAWSON PUBLISHING COMPANY
37-39 E. 28th St., New York, U. S. A.

Nulite Gasoline Table Lamp
A beautiful lamp for homes, hotels, offices, stores, banks, cafes. Portable, safe; can be turned upside down or rolled on the floor without danger or affecting the light. 300 C. P. of soft, brilliant light, one-third cent per hour. Also 200 different styles of lamps and systems.
AGENTS— We want town, county, and traveling salesmen. Best proposition ever offered. Sells everywhere. Write for Special Offer.
National Stamping & Electric Works
412 So. Clinton St. CHICAGO

BUILD A 2-H.P. MOTOR BOB
Our booklet "HOW TO BUILD A MOTOR BOB" containing full instructions, simple drawings, pictures and list of parts sent for 25c.
Motor Bob Mfg. Co., Dept. E. Main & Amherst Sts., Buffalo, N.Y.

DO YOU HAVE KNIVES TO GRIND, SILVER TO POLISH, SMALL TOOLS TO OPERATE. WASHING MACHINES OR WRINGERS TO RUN? LET THE RED DEVIL
Water Motor Do Your Work
Attached to any water faucet will develop up to 3 H. P. according to size of pipe and water pressure. Only perfect small motor made. Improved bucket wheel construction.
Motor for Mechanics and Tradesmen. Washing Machine, 1/2 H. P. on 1/2 in. pipe, 80 lbs. water pressure; 1 H. P. on 3/4 in. pipe, 2 in. pipe. Net price \$3, cash with order. No. 1498—4 in. Motor for grinding, polishing, fans, sewing machines; for Doctors, Dentists, Druggists, etc., with emery, buffing wheel, silver polish and pulley, \$3. No. 1498—4 in. Motor and pulley only \$2.50, cash with order. Money back for any reason. Order your motor from dealer or from us. Send your water pressure and size of supply pipe. Active Agents wanted. Catalog free.
DIVINE WATER MOTOR CO. DEPT. 12. UTICA, N.Y.

REEL REASONS
3-in-One keeps all fishing tackle in perfect order. Reels oiled with 3-in-One won't stick or hang at critical moment. They always work easily and surely. 3-in-One will not gum, turn black or sticky.
3-in-One prevents rust on steel rods, keeps joints and connections clean and smooth, preserves wooden rods, too, making them tough and pliable.
Draw your line, silk or linen, through rag moistened with 3-in-One. Makes it stronger and last longer. Will not rot, twist or tangle, preserves, lines, nets and traps in either fresh or salt water.
FREE Try 3-in-One at our expense. Write for liberal free sample and booklet. **3-IN-ONE OIL COMPANY, 14 Broadway, New York**