latter per hour. The run from Havana to Savannah bar was made in 49 hours, which is as quick a passage as has ever been made. The run from Savannah bar to Charleston bar was made in 6 hours, and from Charleston to Philadelphia in 65 hours from wharf to wharf. Although she had never been at sea before this her first trip, and had been only tried for a few hours in the river, yet she was ready on her arrival for any voyage.

Since her return she has been sold to Messrs. Howland & Aspinwall, at an advance of \$25,000 on her cost, and takes her place in their California line, via Chagres, from New York, on the 7th of this month. On her trip round to New York, she made the distance from Sandy Hook to the East River (18 miles) in 1 hour and 15 minutes, and her appearance is very highly commended by the press of that city.

The builders of the "Philadelphia" will probably now construct a vessel somewhat smaller than her for the Southern trade, which, in connexion with the "Osprey," now belonging to them, will form a weekly line South.
W.

*On the Preservation of Water. By M. PERINET.**

M. Perinet, ex-Professor of the Hôpital Militaire d'Instruction, has succeeded in preserving water in a sweet state, by placing $1\frac{1}{2}$ kilogramme of black oxide of manganese in each cask of water containing 250 litres. He has kept this water for seven years in the same barrels, and exposed them to various temperatures; at the end of that time he found it as limpid, free from smell, and of as good a quality, as at the beginning of the experiment. The above is equal to $6\frac{1}{2}$ lbs., to a butt of 108 gallons.

On the Influence of Boracic Acid on Vitrification.†

M. Maes, manufacturer of flint glass, has, conjointly with M. Clemandot, long paid attention to the above-named subject. The principal results hitherto obtained are:—1st, borosilicate of potash and lime; 2dly, borosilicate of potash and zinc; 3dly, borosilicate of potash and barytes; 4thly, borosilicate of soda and zinc.

The borosilicate of potash and lime was formed with the intention of producing in close vessels with coal furnaces, the best imitations of Bohemian glass. In the *Compte Rendu de l'Exposition Autrichienne*, 1845, published by M. Peligot, it appears that, in order to make the purest and most durable glass in Bohemia, they use with 100 parts of silica, 12 parts of unslaked lime, and only 28 parts of carbonate of potash. From this we must conclude that the glass is better the less potash and the more lime it contains.

The above proportions yield a glass which is infusible in the furnaces employed by M. Maes. The addition of a few hundredths of boracic acid is sufficient to occasion fusion, and the resulting product possesses all the limpidity, splendor, and hardness which can be desired.

This first experiment naturally suggested the advantage which might be derived from the solvent power of boracic acid, so as to introduce bases

* From the London Civil Engineer and Architect's Journal, for September, 1849.

† From the London, Edinburgh, and Dublin Philosophical Magazine, for December, 1849.