Britton and Brown's Illustrated Flora of the Northern United States and Canada.

Dr. Erwin F. Smith described a *Bacterial Disease of Potatoes, Tomatoes and Eggplants*, caused by a new micro-organism, *Bacillus solanacearum*, which he believed to be the cause of a large part of the potato rot of the United States. Numerous infection experiments performed in 1895 and repeated this year have set the parasitic nature of the organism beyond dispute. The following are some of the peculiarities of this bacillus: Organism motile; forms zoöglæa in liquid cultures; does not liquefy gelatin; strictly ærobic, does not produce any gas or any acid when grown in the presence of sugars; produces an abundance of alkali (ammonia) in various media; develops a decided brown pigment when grown in the presence of various sugars (agar cultures, fermentation tubes, potato cultures, etc.); grows readily in the thermostat at 37° C.; thermal death point (ten minutes' exposure) about 52° C. The organism is probably transmitted from diseased to healthy plants by means of insects. In the greenhouse, under strict control conditions, very successful infections have been obtained by means of the Colorado potato beetle (*Doryphora 10-lineata*). A bulletin giving a full account of this parasite will soon be published by the Division of Vegetable Physiology and Pathology, U. S. Department of Agriculture.

F. A. LUCAS,
Secretary.

ENTOMOLOGICAL SOCIETY OF WASHINGTON,
OCTOBER 8, 1896.

THE President announced the death of Mr. Henry F. Schönborn, a Washington entomologist, who possessed the largest private collection of Lepidoptera in the city.

Mr. Ashmead exhibited a female specimen of the family Thynnidæ which he had found in the National Museum collection labelled 'Alameda County, California.' This is the second North American species of this family recorded from America. Mr. Ashmead will call it *Glyptometopa americana*. Some discussion ensued and it was suggested that both species had been accidentally imported into America.

Mr. Heidemann exhibited a drawing of the

winged male of *Rheumatobates rileyi*, showing that the description of the species must now be revised.

Mr. F. C. Pratt exhibited specimens of the spine-like cases of *Coleophora octagonella*, taken from orange, and which exactly resembled the thorns of orange.

Mr. Hubbard presented a preliminary notice of a new Coccid on birch from the Lake Superior region. This insect is very abundant and causes the general destruction of the bark of birch trees, so much so that it is difficult to find near the Lake a tree of any size with smooth or natural bark. The outer bark is roughened, covered with curls and splits, blackened with sooty mold, and in bad cases entirely removed down to the last layer. Often the cambium itself is invaded and the tree is killed or seriously injured. The young larva of the Coccid crawls into the lenticels of the bark and, growing and forming thick masses of wax, causes the bark to heave and layers to separate in curls. He had studied the development of the species, which exhibited several remarkable features. The female undergoes three molts and has four stages, of which the larva and adult are active and possess legs and antennæ. The two intervening stages are stationary and degraded. The author considers the species to belong in all probability to the genus *Xylococcus*.

Dr. M. G. Motter presented a paper entitled 'A Contribution to the Study of some Necrophagous Diptera,' giving a preliminary announcement of some results of his study of the fauna of cadavers which he has been carrying on for some months with a view of substantiating or contradicting conclusions of Mégnin and other writers.

L. O. HOWARD,
Secretary.

NORTHWESTERN UNIVERSITY SCIENCE CLUB.

AT the first meeting of the college year, October 9th, Dr. Marcy in the chair and eighteen persons present, Prof. Young presented for the department of chemistry 'Notes on the Development of Explosives,' in which he reviewed the processes of explosion and the nature and use of explosives.

A. R. CROOK,
Secretary.