Clyde and from the Thames estuaries when we remember that since the close of the Bronze period British invaders and immigrants have invariably been members of the Nordic stock. We do not know when that stock first settled in Britain, but it is difficult to account for all the facts now at our disposal unless we accept Huxley's hypothesis that it reached Britain very early—probably, as Prof. Bryce supposes, at an early Neolithic or even more ancient date.

Osmotic Pressure*

By Prof. W. C. McC. Lewis, M.A., D.Sc.,
University, Liverpool

ALTHOUGH the concept of osmotic pressure has played an outstanding part during the last thirty years in the development of physical chemistry, it is a remarkable fact that even at the present time no very general agreement has been reached as to the actual mechanism of the phenomenon itself. The view that osmotic pressure is a simple bombardment pressure identical in nature with the pressure exerted by a gas, the dissolved substance functioning as a gas and bombarding the semipermeable membrane, has long been held, though not without considerable scepticism on the part of those who rightly maintained that a solution was after all a liquid in the ordinary sense of the term, and that in a system of this nature we have to deal with forces the magnitude of which is extremely large. Undoubtedly the simple bombardment view owes its popularity to the very simple and obvious explanation which it offers of the fact that the gas law holds good for the dissolved substance in dilute solution, a fact first discovered by the eminent Dutch physical chemist van 't Hoff. On the other hand attempts have not been wanting to show that van 't Hoff's law is the limiting expression of a more complicated law which can be derived by regarding the phenomenon of osmotic pressure as primarily connected with the solvent and only in a secondary sense with the dissolved substance. One of the most recent attempts in this direction, and one which is at the same time eminently successful, is that of Tinker, briefly outlined in the *Phil. Mag.* vol. xxxii. p. 295, 1916, and the *British Assoc. Rep.*, 1916. Tinker bases his considerations on the Dieterici equation of fluids. According to Dieterici a pure liquid possesses what may be called a liquid pressure—when the liquid is acting as a solvent we may call this pressure the solvent pressure—denoted by the symbol π , which is connected with the free or unoccupied space in the liquid and with the temperature by the ordinary gas law. Thus if we denote the volume of the liquid by V and the occupied space by b , then the free space is $V-b$ and the pressure π is related to this free space by the equation $\pi(V-b) = RT$.

This solvent or liquid pressure is itself a bombardment pressure due to the kinetic energy of the molecules of the liquid, the pressure being exerted on any imaginary unit area in the interior of the liquid. It is a quantity which cannot be measured directly, for any direct measurement involves a contact surface at which the observed bombardment pressure is very much less than π . As a matter of fact π may be several hundreds or thousands of atmospheres, while the bombardment pressure actually observed is exceedingly small. The vapor pressure of the liquid, in fact, gives us a measure of this latter quantity. The reason why the observed bombardment pressure is so small is, that when a molecule approaches the surface it is drawn back by strong unbalanced forces of attraction which tend to prevent it passing across the surface. In the interior of the liquid, on the other hand, these forces, though still as strong as before, mutually destroy one another and the molecule is free to exert an enormous bombardment pressure at an imaginary plane. Exactly the same thing may be said of the molecules of the dissolved substance, though on account of their smaller concentration in the interior they exert there a correspondingly smaller pressure. At the free surface of the solution the molecules of a solute such as sugar are so effectually drawn back that even their vapor pressure is immeasurably small. It is very reasonable to assume that a similar state of things holds at the surface of a membrane enclosing the solution, and if this be so, it is evident that the bombardment pressure of the solute upon the membrane must be quite negligible, and cannot therefore account for the observed osmotic pressure.

We now come to the problem of how to account for the phenomenon of osmotic pressure at all. For the sake of simplicity we shall restrict ourselves to the ideal solution; the ideal solution being one in which the volume of the mixture is exactly equal to the sum of the volumes of the two constituents separately. In such a case the fundamental idea advanced by Tinker is that the solvent pressure in the solution is less than the solvent pressure in the pure solvent itself which lies on the other

side of the membrane. To see how this might occur, let us think of equal volumes of two separate gases, A and B. If these are mixed, and the resulting volume is just double the original volume of either, it follows that partial pressure of each constituent—say the substance A—in the resulting mixture is exactly half of its value in the original state. It is to be observed that this diminution in the pressure exerted by A is brought about, although the effective space occupied by any single molecule is just the same before and after mixing, i.e., the space per molecule = $\frac{\text{total number of molecules}}{\text{total volume}}$

and in the case considered we have doubled the number of gas molecules and doubled the volume at the same time. To return to the case, of the solution, the partial liquid pressure of the constituent, which we call the solvent, is diminished by the presence of the solute, for exactly the same reason that the partial pressure of the gas A was diminished.

If therefore the solvent and solution are separated by a membrane, permeable to the solvent, impermeable to the solute, the solvent pressure on the pure solvent side is greater than the solvent pressure on the solution, and therefore some solvent is forced into the solution. That is, the phenomenon of osmosis occurs. Further, we can apply an external pressure to the surface of the solution by means of a piston or an inert gas, and so prevent osmosis taking place. This applied pressure is numerically equal to the osmotic pressure of the solution, and, in fact, the method is employed experimentally to determine osmotic pressure. By compressing the solution in this way we obviously diminish the free space in the solution, and, therefore, cause the solvent pressure in the solution to rise, until it is equal to the solvent pressure in the pure solvent itself, and no further osmosis can take place, i.e., the solvent is now passing in and out of the membrane at the same rate.

Now we know that liquids are very incompressible. It follows therefore that there must be very little free space in liquids. If this were not the case, it would be quite inconceivable that the application of an external pressure of a few atmospheres by the piston could sensibly affect the free space, and, consequently, the value of the solvent pressure. As a matter of fact, the free or unoccupied space in a liquid is about one-fifth to one-tenth of the total volume occupied by the liquid.

It is thus seen that the osmotic pressure may be explained as due to a difference between the value of the solvent pressure π in the pure solvent and the value of the solvent pressure π' in the solution. This is the new concept of osmotic pressure, especially for solutions which approximate to the ideal case. In the case of non-ideal solutions the osmotic pressure is a more complex phenomenon, but the underlying idea is the same. It is not proposed to enter into the case of non-ideal solutions in this place. One point only remains to be considered in connection with the ideal solution.

It has been stated, that the osmotic pressure depends upon the difference of the π values. This must not be taken as meaning that the osmotic pressure P is simply $\pi - \pi'$. The actual relation between them is easily shown to be, in the case of a dilute solution:

$$P = \frac{RT}{V} \frac{\pi - \pi'}{\pi}$$

where V is the volume of one gram-molecule of the solvent and R is the gas constant. Tinker has shown further that this expression leads at once to the van 't Hoff law for the osmotic pressure. The new concept of osmotic pressure is therefore quite in agreement with the striking experimental facts demonstrated by van 't Hoff and is capable of accounting for them in a satisfactory manner. We are therefore no longer tied to the bombardment view which attributes the osmotic effects to a simple gas pressure exerted by the solute. Several other relationships, which cannot be discussed here, may likewise be deduced, with the help of the concept of solvent pressure. The position is therefore a hopeful one and it may not be long before we possess a really comprehensive and satisfactory theory of dilute solutions not simply from the thermodynamic standpoint but from the molecular standpoint as well.

Spruce Shortage a Big Problem for Air Board

LATE reports from Washington state that success in carrying out the program of the Aircraft Production Board depends upon getting out the wood for the wings and bodies of aeroplanes. The most suitable wood possessing all the essential qualities for such construction is Oregon and Washington spruce. It is stated that while there is no dearth of such timber the demand for it during the past three years has increased so greatly as to exceed the capacity for production. Prior to the war this class of stock brought about \$100 per thousand, but

the Allies having used it almost exclusively in the construction of their aircraft since the outbreak of the war, the demand has caused the price to rise to \$200 per thousand.

The average aeroplane requires not more than two hundred feet of wood for its construction, but until the recent standardization in sawing specifications was affected by the conference between the representative of the Spruce manufacturers and the aircraft experts of the Allied governments and the United States it had been necessary to cut approximately one thousand feet to get out the desired amount of timber for one aeroplane.

Constant efforts are being made to find some other wood that can be substituted for spruce, but up to the present time none has been found which combines the qualities of strength, lightness and flexibility, each of which is absolutely essential and all of which are possessed by spruce.

After being turned out of the mills the wood must be thoroughly dried before it is available and that has been done heretofore in the open air, which has required several months. It is believed, however, that two processes have been found recently by which the wood can be dried in kilns without reducing its flexibility. If the processes prove to be a success it will mean a great saving of time in manufacture and will enable the manufacturers to speed up the production of aeroplanes. In view of the fact that speed is a most important factor to the success of the United States and its allies in obtaining permanent dominancy of the air, the value of the processes cannot be overestimated.

Difficulties in transportation arising from the constant demand for freight cars constitute a serious handicap in carrying out the programme of the Board. The factories at which the aeroplanes are being constructed or at which the various parts are being assembled are located principally in the Middle West, but it is believed that none of these that may be erected will be located in the Far West, because it is less expensive to transport the raw material than the finished product.

The output of this class of spruce for the year 1916 was 33,000,000 feet, virtually all of which was used in the construction of aircraft. This year, in order to meet the enormous demand created by the program of the United States, the production must be greatly in excess of that amount.

It is conceded by officials familiar with the situation that there are great difficulties to be overcome and that no certain method except indefatigable effort has yet been devised for assuring success.

One of the results accomplished by the conferences between the lumber men and the aircraft experts was that the former offered to make the price of \$105 a thousand for spruce, and it is believed the War Industries Board will recommend the acceptance of a figure approximating that amount. —*The New York Lumber Trade Journal*.

Desert Spermophiles

STATIONED about one mile from Douglas, Ariz., during the border trouble last summer, the writer had occasion to notice the activity of the ground squirrel (*Ammospermophilus*?). This little animal, although very abundant in the locality of camp, was so exceedingly shy that only a few specimens were taken. However, if many had been wanted their apparent hunger would doubtless have made them easy prey for traps.

From the living tents of the command to the picket line where the horses were staked out, was an open space of about fifty yards, and this space was literally riddled with their burrows.

One morning one of the men called to me saying that he thought he had one of the ground squirrels trained.

Taking my camera, I hurried out and found a group of the men around one of the burrows with the "trainer" drumming with his fingers just about it. One of the pictures thereupon taken shows one of the men drumming over the hole.

It was necessary to exercise patience, but at last we were rewarded by the appearance of the ground squirrels, sometimes as many as three at a time. They would hurry out and scamper all around the burrow, until someone moved. It was vital for the success of the scheme to keep very still, for at the slightest sound they would scurry into the holes again. If they became frightened when far away from their own burrows, they would run away from them, and into any other one that happened to be close at hand. This fact led me to believe that they must have had a sort of communicating passage between some of the numerous burrows.

If the hand were held very still, the ground squirrel would come right up and eat any green leaf that was offered it, but the slightest move sent it pell mell down the hole.—ROBERT SUTCLIFFE, Staff, New York Aquarium in N. Y. Zoological Soc. *Bulletin*.

*Science Progress.