Periscope.

With the Assistance of the Following Collaborators:

CHAS. LEWIS ALLEN, M.D., Wash., D.C. R. K. MACALESTER, M.D., N.Y.
J. S. CHRISTISON, M.D., Chicago, Ill. J. K. MITCHELL, M.D., Phila., Pa.
A. FREEMAN, M.D., New York. H. PATRICK, M.D., Chicago, Ill.
S. E. JELLIFFE, M.D., New York. JOSEPH SAILER, M.D., Phila., Pa.
WM. C. KRAUSS, M.D., Buffalo, N.Y. HENRY L. SHIVELY, M.D., N.Y.
W. M. LESZYNSKY, M.D., New York A. STERNE, M.D., Indianapolis.

ANATOMY AND PHYSIOLOGY.

227. ZUR HÄRTUNG DES CENTRALNERNVENSYSYSTEMS IN SITU (On the Hardening of the Central Nervous System in Situ). Pfister (Neurologisches Centralblatt, 17, 1898, p. 643).

The author uses a five to ten per cent. solution of formaldehyde and injects it directly into the vertebral canal through the third and fourth intervertebral spaces. For the brain a like procedure through the superior orbital fissure is adopted. JELLIFFE.

228. CONTRIBUTION A L'ÉTUDE DES LOCALISATIONS DES NOYAUX MOTEURS DANS LA MORILLE ÉPINIÈRE (Contributions to the Study of the Localization of the Motor Nerves in the Spinal Cord). G. Marinesco (Revue Neurologique, 6, 1898, p. 463).

Marinesco, by complete or partial destruction of the motor nerves in cats and dogs and guinea pigs, presents the results of his studies in the following brief résumé:

(1) The cutting off of a spinal nerve from the spinal axis produces a condition of chromatolysis which is characteristic.

(2) Such a reaction can be utilized in order to determine the topographical position of the nucleus of origin of a motor nerve or set of nerves.

(3) As a rule each motor nerve arises from a main nucleus and an accessory nucleus, the main nucleus being plainly localized in the majority of cases. The median and cubital nerves prove exceptions to this general rule.

(4) Each motor spinal nerve arises from more than one medullary segment; two, three or even more nerve segments may contribute to its formation. JELLIFFE.

229. ON THE STRUCTURAL ALTERATIONS OBSERVED IN NERVE CELLS. W. B. Warrington (Journal of Physiology, 23, 1898, p. 112).

Using Held's method of staining the author experimented with cats and rabbits and comes to the following general summary in this excellent paper.