Mr. Children exhibited specimens of pine-apples from the stoves of Sir John Lubbock greatly infested with *Cocci*, and which abounded to such a degree as to become a perfect pest, causing the leaves and fruit of the plant to wither, the insects preying upon the fruit whilst in the young state beneath a white downy secretion. Various remedies were suggested by the members present; but it was admitted that the difficulty in discovering a suitable remedy was greatly increased by the circumstance of the generation of these insects being, from the warmth of the hothouses, continuous, and not annual nor subject to the change of the seasons, as in the outdoor species of the genus. (See p. 206.)

Mr. Sells recommended the application of an infusion of quassia and tobacco-water; but Mr. Children mentioned that M. Bouché had expressly stated that the *Coccus Bromeliæ* was not affected by the latter. He also mentioned that Dr. Lindley had informed him that the plants would bear the application of warm water to 170° without being injured.

Mr. Inghen recommended washing the plants with soft-soap water and tobacco-water; whilst the application of oily matters was especially commented upon by other members.

The President recommended that the plants when old should be renewed, and recommended the composition given by Mr. Knapp in the 'Journal of a Naturalist.'

Dr. Horsfield suggested a dilution of turpentine, with sugar and water, a dram of the former with a pint of the latter; or mixed with gum or some other matter, in order to make it soluble in water. Mr. Sells observed, that a general mixture of the various ingredients might perhaps be most efficacious.

The consideration of this subject was deferred, but it was recommended that it should either form the subject for one of the prize-essays (see announcement of this subject for one of the essays), or that a Committee should be appointed to suggest the most probably efficacious remedies.

The conclusion of Mr. Templeton's memoir upon Mauritian Crustacea was read.

August 3rd, 1835.

James F. Stephens, Esq., Vice-President, in the Chair.

DONATIONS.

The Bridgewater Treatise upon Natural History, 2 vols. By the Rev. W. Kirby, M.A., Honorary President of the Society, the Author thereof.

Memoir upon the Genus *Nycteribia*. By J. O. Westwood, the Author thereof.

No. 75 of Illustrations of British Entomology. By J. F. Stephens, Esq., the Author thereof.

No. 7 and 8 of the Manual of Entomology. By Mr. Shuckard.

The 7th part of the Athenæum for July 1835. By the Editor.

WILLIAM SCALES, Esq., of Stamford Hill,

ROBERT JOHN ASHTON, Esq., Queen's Buildings, Brompton, and

Mrs. FREDERICK HOPE (the lady of the President),

were elected Ordinary Members of the Society, the ballot for the last-named lady being by unanimous consent dispensed with.

MEMOIRS, EXHIBITIONS, &c.

Mr. Desvignes exhibited a living specimen of *Callidum holosericeum*, which had been reared in a piece of furniture, which had been in his possession at least seven years, having been made in Paris, since which it had been taken to Turkey, and subsequently removed to London. Numerous other specimens appeared to have made their escape at the same time that the one exhibited was captured.

Mr. W. W. Saunders exhibited specimens of the walking-leaf insect, *Phyllium siccifolium*, from India, in different stages of growth, including also the perfect male and female insects, the former of which is distinguished by having long antennæ and short wing-covers, and exhibits on each side of the middle segment of the abdomen an ocellated process, which Mr. G. R. Gray, in his 'Synopsis of the *Phasmidæ*', appears to have regarded as a specific character, one of the species of the genus being named by him *Phyllium bioculatum*.

Mr. Stephens exhibited a specimen of *Elenchus tenuicornis*, K., in fine preservation, captured by himself whilst sweeping thistles and low herbage about three miles from Hertford, during the present summer. He observed that it was very active whilst in the net, and that it moved its pseudelytra with great rapidity. The abdomen, when alive, is long, but shrivels to about half its length in drying, the segments being connected by a fine pale-coloured membrane. This part of the body when alive is twisted about similarly to that of a *Staphylinus*.

Mr. Hearne, of the island of Saint Domingo, who was present as a visitor, exhibited specimens of the *Acarus*, or Tick, which is very injurious to cattle and horses in Hayti, accompanied by the following observations:—This insect is very injurious to cattle in Hayti, particularly to the horse and ass. Its attacks seem principally directed

to the ears of the animal, in the orifice of which it breeds and feeds so fatally that it is very common to see one or both ears of the ass lopping over the face, without power in the animal of ever again raising them. This injury is called by the natives 'Clabaud.' How fast the insect breeds may be inferred from the quantity of eggs in the bottle now exhibited, which were deposited by the two inclosed specimens in the space of three days in a cornet of writing-paper. The specimens were taken from under the tail of a horse. The usual and most efficacious mode of getting rid of this tormenting insect is by anointing its haunts with sweet or other oil; but the writer adds, that if any better or other mode quicker in its effects and equally innoxious to the animal could be ascertained, its communication would render a great service to the Haytians.

He likewise exhibited specimens of the Vegetative Wasp of the West Indies, accompanied by the following note from General Inginac, Secretary to His Excellency the President of Hayti:

"La guêpe végétale, servant de semence au limoncelle, arbrisseau chargé d'épines fort dangereuses, se nourrit de la graine, bien plus volumineuse qu'elle, que produit cet arbrisseau. Des graines du limoncelle on obtient la cire végétale qui est très parfumée. Curiosité naturelle digne d'occuper l'attention des naturalistes. Le limoncelle croit en abondance à St. Jague."

Specimens of the vegetable wax mentioned in the note were also exhibited. An extract from the 'Family Library,' No. 51, ('The Natural History of Insects,' vol. ii., p. 296,) was also read, giving a detailed account of the vegetative wasps. The German work, 'Der Naturforscher,' was also upon the table, in the fourth number of which (tab. iv.) the plant is represented with two of the wasps laying upon the ground on their backs and three flying round the tree, with the vegetable matter growing out of the base of the abdomen.

Mr. Hearne also exhibited a specimen of spider-silk, produced from the *Nephila clavipes*, a large West Indian species, the webs of which are very strong, and are supposed by Mr. MacLeay (in his Memoir upon *Mygale* published in the 'Transactions of the Zoological Society') to have been regarded by the early voyagers as those of *Mygale avicularia*, whence has arisen the incorrect notion that the latter are bird-killing species. According to Mr. MacLeay, the web of the *Nephila* is sufficiently strong to hold a small bird if caught in it.

The same gentleman also exhibited a very large species of *Mygale* from the same island.

Mr. Ingpen exhibited twigs of apple and jasmine trees infested with *Cocci*; in the former the young minute *Cocci* were observed

scattered over the surface of the twig. Mr. Ingpen stated, with reference to the suggestions made by himself for the destruction of these insects at a previous meeting of the Society, that in the 'Gardener's Magazine' for the present month is contained a mode of treatment of the pine-apple, by a Correspondent, similar in its nature to that suggested by himself, and which consisted in syringing the plants with soap-lees from the washhouse, heated to 110°, every morning for a week, the thermometer registering 120°. This remedy had been found to be completely effectual in a stock of one thousand plants.

The Secretary exhibited specimens of a species of *Odynerus*, reared from larvæ, forwarded to the Society by Mr. Letts, and which he had minutely examined through their different states, thereby discovering, contrary to the suggestion of Mr. Shuckard, that the larvæ of both sexes exhibit the same number of segments, and are similar to each other.

The following memoirs were read :

"Note relative to the Beetles observed in unrolling a Mummy at Belfast." By Robert Patterson, Esq., Pres. Belfast Nat. Hist. Soc., in a letter addressed to the Secretary.

In this communication Mr. Patterson expresses his dissent from the opinion, that the insects exhibited by him at the meeting of the 4th of May last were coeval with the mummy, and took up their abode in it during the process of embalming. In his opinion the larvæ of the flesh-flies would at that time have been the most likely visitants, and not insects which fed upon *dried* animal substances. The appearance of the mummy-case, independent of any reference to the habits of the insects, corroborates this view. The lower part was decayed, and in some places sufficiently so to give admission to insects. It appeared therefore to him not to be unlikely that those insects may abound in the mummy vaults; and when that part of the case which is in contact with the ground has become decayed, the insects gain admission to the interior. In the present instance they appeared to have gained admission near the feet, attacked, in the first instance, one of the feet, and then travelled upwards, underneath the bandages, making the substance of the legs and thighs furnish them with aliment, until gradually they extended their attacks to the body, the chest, and even a portion of the neck.

Mr. Hyndman agreed also entirely with the writer in this view of the matter*.

* It does not appear possible to explain, by this view of the subject, why the larvæ of the *Dermestes* should be found *dead* if thus in the midst of congenial food, nor why the colours of the perfect insects should be so completely faded.—SEC. E.S.

"Observations upon the Habits of various species of British Insects." By J. O. Westwood. (See p. 198.)

"Account of the Dead Sea Apple, and the Insect which causes its formation." By Walter Elliott, Esq., by whom specimens of this production were exhibited.

Mr. Sells stated, that in Jamaica dogs as well as cattle and horses are very subject to the attacks of ticks of large size, and which are occasionally so injurious to the latter as to cause their ears to drop down without the horses having the power of raising them again; indeed, it is a regular custom once a week, whilst the horses are out at grass, for them to be driven home to be "ticked," the parts infested being rubbed over with lamp-oil, no other remedy having been discovered.

Mr. Shuckard, in reference to some of the observations in Mr. Westwood's paper, stated that he had repeatedly seen *Fœnus Jaculator* in Battersea-fields entering the holes in wood formed by *Stelis phæoptera* and *Megachile centuncularis*, and had also several times captured *Trypoxylon figulus* with its prey, consisting of spiders, whence it was evident that the account given by Linnæus, and questioned by M. Saint Fargeau, is correct; and as this insect is totally destitute of spines on the legs, he is induced to believe that *Sapyga* also is not parasitic, as has been likewise supposed.

September 7th, 1835.

J. G. Children, Esq., Sec. R.S., Vice-President, in the Chair.

DONATIONS.

Mémoires de la Société d'Histoire Naturelle de Genève, vol. vii., part 1. Presented by that Society.

No. 76 of Illustrations of British Entomology. By Mr. Stephens.

Essay on the Geographical Distribution of Man and Animals. By W. Swainson, Esq., F.R.S., &c., the Author thereof.

Remarks on the Natural System. By the same.

The Analyst, No. 13. By the Editor.

The Athenæum, part 8, for 1835. By the Editor.

Nos. 9 and 10 of the Manual of Entomology. By Mr. Shuckard.

A box of Norwegian insects, presented by Mr. C. Hewitson, of Newcastle.

Guérin's Bulletin Zoologique. No. 1 was also on the table, purchased by the Society.