of the disease, with repeated remissions and accesses, is noteworthy. In the cases described by the author the disease appeared after the thirtieth year of life. One case ended in death, one in recovery, and two cases, after the subsidence of the anxiety and the decay of the insane system constructed in the acute stage, settled into a chronic paraphrenic condition. These forms differed from dementia precox in numerous respects. There were no mannerisms or stereotypies, no schizophrenic disturbances of the emotional life and the psychic deterioration was not of the dementia precox type. [J.]

Popper, Erwin. DIFFERENTIAL DIAGNOSIS OF SCHIZOPHRENIC AND HYSTERICAL CONDITIONS. [Monatsschr. fur Psychiat. u. Neurol., December, 1919, Vol. XLVI, No. 6, p. 362.]

In military hospitals where the diagnosis had to be made quickly and after only short periods of observation, it was frequently difficult to differentiate between dementia precox and hysteria. The author made use of a very simple test or method of examination which he found of great value for rapid diagnosis and thinking this test might be of interest to others he here gives a description of it. The author required the patient to do a sum of multiplication in the head, for instance to multiply a number composed of several places by unity, thus testing the ability to concentrate and combine the faculties used in calculation. While a tolerably oriented hysterical patient who seems quite normal and composed can answer most questions addressed to him, he fails in special problems in arithmetic which make demands on concentration. A problem such as the one table with high numbers often brings to light latent disturbances and deficient factors and at times such a problem seems to act as a "provocative" for the disease so that from the moment the problem is given the patient can no longer give fitting responses and suddenly all the symptoms of his psychic weakness in forming associations become apparent. With schizophrenics the case is quite otherwise. It is often astonishing how quickly and well patients who are almost mute and seem in a condition of stupor answer questions of just this sort. The author believes the explanation of this result with schizophrenics is in the nature of the question, the arithmetic problem being of colorless neutrality without any emotional factor. [J.]

Schneider, Kurt. SCHIZOPHRENIC WAR PSYCHOSES. [Ztschr. f. d. ges. Neurol. u. Psychiat., 1918, Vol. XLIII, p. 420.]

The author is of the opinion that dementia precox in the form of a war psychosis is not so rare as might be supposed. In thirty-six certain cases of schizophrenia he had three of this nature, which he here describes together with two others in which the onset of the psychoses seemed connected with fright. Mentioning Uhlmann's explanation of cases of this nature, the author comments: The far reaching effect of the subtle theory of Uhlmann is apparent. Beside a psychic influence on metabolism it ascribes a rôle to the mechanical shattering of the nervous system.

This theory involves a transition from hysteria to schizophrenia. The author is not in a position to discuss the serological side of the question, but he emphasizes the fact that even when the greatest caution is used in making the diagnosis, it is often possible to say with a show of reason that schizophrenic processes are activated or, indeed, "caused" by emotional experiences. [J.]

Bleuler, E., and Maier, Hans W. PSYCHOLOGICAL CONTENT OF SCHIZOPHRENIC SYMPTOMS. [Ztschr. f. d. ges. Neurol. u. Psychiat., 1918, Vol. XLIII, p. 34.]

Two cases are described, the first by Bleuler. It was that of a schizophrenic to whom the Saviour appeared dressed in a white gown like a shirt. From an analysis of the patient's delusions the Saviour proved to be a symbol of the patient's self and also of a pastor whom patient had attempted to kill because he prevented patient from approaching his daughters, of whom the patient had become enamored. Maier describes a second case, that of a patient suffering from compulsion neurosis, who in a dream beheld a red sofa upon which lay a blue dress, while over the sofa hung a picture of the patient's father. The symbolism of the dream proved to be as follows: the blue dress represented the sweetheart who was in a way connected with the mother, and above was the picture of the father which filled the patient with fear. Attention is called to the interesting similarity of the symbolic expression of the dream of the sofa in which the father was represented by the picture and the vision of the Saviour which also represented the father as preventing approach to the object of affection. The authors note that these cases are evidence of the close resemblance of the psychology of schizophrenic symptoms to that of neurotics and even to the psychology of healthy individuals. The fantastic drawings of latent schizophrenic artists have a remarkable resemblance to the peculiar dream scenes with which every person of visual tendencies is familiar in his own experience. [J.]

Stöcker, Wilhelm. FLIGHT OF IDEAS, DEPRESSIVE RETARDATION, AND SCHIZOPHRENIC DISTURBANCES. [Ztschr. f. d. ges. Neurol. u. Psychiat., 1919, Vol. XLVIII, p. 316.]

The essential factors of normal thought are the retention of impressions and the ability to awaken them, this latter depending on the number of associations. The emotions are also important both in promoting and preventing associations, the mechanism of thought being so constituted that the impressions which possess the same feeling tone with the emotion holding sway at a given moment are those which are called into consciousness, while the memory images with opposite emotional emphasis are repressed. Interest is a factor of that side of emotion which we call attention. We understand by interest a quality of the psyche which makes it possible for us to concentrate our whole mental activity on a small field and to inhibit all other mental images not connected with the purpose at which we are aiming. Interest is made up of two antagonistic