Beobachtungen und Elemente des Cometen I. 1866. Von Herrn Astronom *Eastman* in Washington.

From the observations of *Tempel's* Comet made at the U. S. Naval Observatory, January 5th, 9th and 13th 1866, viz.,

1866	Wash. M. Time	α	δ
Jan. 5	8 ^h 15 ^m 9 ^s 9	353° 22' 28" 4	+5° 22' 15" 1
9	7 54 20,7	354 6 47,3	+1 57 6,8
13	7 18 50,1	354 36 58,5	-0 24 31,6,

the following parabolic elements were computed;

$T = 1866$ Jan. 9,243 Mean Time Washington.

$$\left. \begin{aligned} \pi &= 62^{\circ} 21' 8'' 03 \\ \Omega &= 230 14 35,7 \\ i &= 17 32 25,3 \end{aligned} \right\} \text{Eq. 1866,0}$$

$$\log q = 9,994812.$$

Motion retrograde.

Washington, 1866 Jan. 28th. *J. R. Eastman*,

Prof. Mathematics U. S. Navy.

Apparent Right Ascensions and North Polar Distances of Comet I. 1865 deduced from observations made at Windsor, New South Wales.

1865	Greenwich Mean Time.	R. A.	Log $\frac{p}{P}$	N. P. D.	Log $\frac{q}{P}$	Nº of Comp.	Comparison Star.
Jan. 29	22 ^h 42 ^m 37 ^s	21 ^h 52 ^m 8 ^s 84	+8,8896	138° 43' 10" 2	+9,7853	4	Lacaille 9032.
Febr. 2	22 30 39	22 16 4,10	8,9255	141 5 49,0	9,7389	3	= 9111.
3	22 18 34	22 21 49,39	8,9377	141 34 57,2	9,7054	5	= 9152.
5	22 49 6	22 33 18,70	8,9295			1	B. A. C. 7862.
7	22 11 55	22 44 13,62	8,9591	143 9 57,5	9,6636	4	= 8008.
8	22 29 2	22 49 44,61	8,9554	143 29 25,0	9,7021	6	= 8008.
13	22 23 26	23 15 52,71	8,9744	144 45 59,3	9,6642	4	= 8148.
14	22 37 28	23 20 55,79	8,9705	144 58 22,1	9,6971	9	= 8179.
16	22 20 41	23 30 45,28	8,9826	145 18 49,0	9,6444	3	= 8179.
21	21 51 49	23 54 22,26	8,9972	145 58 38,5	9,5296	3	= 31.
22	22 25 27	23 58 57,50	8,9910	146 4 45,0	9,6406	3	= 31.
23	22 20 56	0 3 26,79	8,9936	146 9 57,7	9,6248	4	Lacaille 28.
March 3	22 3 5	0 37 40,42	9,0039	146 38 47,0	9,5515	5	= 182.
15	21 43 56	1 24 0,78	9,0079	146 52 49,6	9,4750	3	B. A. C. 521.
16	21 40 44	1 27 40,62	9,0078	146 52 51,5	9,4616	1	= 521.
17	21 48 14	1 31 18,91	9,0078	146 52 55,6	9,4964	4	= 521.
22	22 32 2	1 49 5,48	8,9975	146 53 3,2	9,6554	2	= 521.
22	22 32 2	1 49 5,18	8,9975			2	Lacaille 512.

Adopted Mean Places of the Stars of Comparison for 1865,0 and Apparent Places for the dates of observation.

Star.	R. A. Mean.	R. A. App.	N. P. D. Mean.	N. P. D. App.
Lacaille 9032.	22 ^h 1 ^m 24 ^s 64	23 ^s 45	138° 45' 56" 2	56" 1
= 9111.	22 15 19,45	18,14	141 7 21,5	21,8
= 9152.	22 23 4,28	2,94	141 37 43,7	44,3
B. A. C. 7862.	22 27 11,63	10,25		
= 8008.	22 52 53,52	52,07	143 28 37,3	39,4
= 8008.	22 52 53,52	52,08	143 28 37,3	39,2
= 8148.	23 16 15,17	13,64	144 32 52,3	54,9
= 8179.	23 21 43,40	41,82	145 14 43,0	45,8
= 8179.	23 21 43,40	41,81	145 14 43,0	45,3
= 31.	0 7 32,02	30,40	145 49 14,8	19,9
= 31.	0 7 32,02	30,39	145 49 14,8	19,7
Lacaille 28.	0 9 52,56	50,89	146 13 11,8	16,7
= 182.	0 35 50,99	49,25	146 31 19,7	24,8
B. A. C. 521.	1 34 40,47	38,65	146 52 51,0	58,6

Star.	R. A. Mean.	R. A. App.	N. P. D. Mean.	N. P. D. App.
B. A. C. 521.	1 ^h 34 ^m 40 ^s 47	38 ^s 64	146° 52' 51" 0	58" 3
= 521.	1 34 40,47	38,63	146 52 51,0	58,0
= 521.	1 34 40,47	38,55	146 52 51,0	56,5
Lacaille 512.	1 38 29,29	27,38		

All the stars of comparison, with the exception of B. A. C. 31 und Lacaille 28, have been observed with the Melbourne transit-circle, and the results kindly communicated to me by Mr. *Ellery*. The places of B. A. C. 31 and Lacaille 28 have been deduced respectively from the B. A. C. and Professor *Moesta's* communication in N° 1528 of the *Astronomische Nachrichten* p and q are the parallaxe corrections in seconds of time and are respectively, and P is the Comets equatoreal horizontal parallav.

Windsor, New South Wales.

1866 March 20th.

John Tebbutt jun.

Astronomer.