Ephemeride des Planeten (659) [1908 CS].

Von diesem Planeten der Achilles-Gruppe habe ich mit meinen Elementen (A. N. 178.71) die folgende Ephemeride für 12^h M. Z. Berlin gerechnet.

1909	α vera	δ vera	$\log r$	$\log A$
April 1	14 ^h 33 ^m 55 ^s	—19° 15' 6"	0.7183	0.6378
5	32 16	19 11.0		
9	30 28	19 5.5	0.7177	0.6314
13	28 34	18 59.2		
17	26 34	18 52.1	0.7172	0.6266
21	24 30	18 44.4		
25	22 24	18 36.1	0.7166	0.6238
29	20 17	18 27.3		
Mai 3	14 18 10	—18 18.1	0.7160	0.6229

1909	α vera	δ vera	$\log r$	$\log A$
Mai 3	14 ^h 18 ^m 10 ^s	—18° 18' 1"	0.7160	0.6229
7	16 5	18 8.7		
11	14 4	17 59.2	0.7155	0.6240
15	12 7	17 49.7		
19	10 16	17 40.3	0.7149	0.6270
23	8 32	17 31.2		
27	6 56	17 22.4	0.7143	0.6318
31	5 29	17 14.1		
Juni 4	14 4 13	—17 6.4	0.7138	0.6381

Opposition 1909 April 27. Größe 14^m.4. $\Delta\alpha = \pm 1^m$ $\Delta\delta = \mp 5'.9$.

Kiel, Bureau der Astr. Nachrichten, 1909 Febr. 10.

Martin Ebell.

Photographische Aufnahmen von kleinen Planeten und Jupitersmonden.

Objekt	M. Z. Kgst.	α 1909.0	δ 1909.0	Gr.	Bb.
--------	-------------	-----------------	-----------------	-----	-----

1909 Febr. 13.

1908 FA	7 ^h 42 ^m 9 ^s	4 ^h 37 ^m 9 ^s	+31° 47'	12.4	L
---------	---	---	----------	------	---

1909 Febr. 18.

1908 FA	7 50.0	4 41.1	+31 42	12.4	L
(648) [1907 AE]	11 17.2	7 39.4	+17 39	12.5	>
(48) Doris	>	7 40.3	+13 21	11.0	>
1909 FS	>	7 56.1	+16 13	11.5	>

Tägl. Bewegung.: FA +0^m6 —1', (648) —0^m2 —2', (48) —0^m3 +3', FS —0^m6 +1'.

1909 Febr. 19.

1908 FK	9 12.8	6 25.5	+33 30	12.5	K
(536) Merapi	9 28.6	11 21.8	+32 16	12.2	L
(119) Althaea	12 9.9	11 36.7	—3 7	11.6	>
(554) Peraga	>	11 41.1	—1 57	11.0	>
1909 GG (neu)	13 9.8	10 10.5	+29 13	13.0	K
(423) Diotima	>	10 19.9	+27 43	11.3	>
Jupiter VI	13 27.6	10 52.77	+8 59.1	14	W
1909 GA	>	10 54.67	+9 0.7	15	>
1909 GD	>	10 55.23	+9 30.7	16.5	>
1909 GE	>	10 55.62	+9 6.0	16.5	>

Tägl. Bewegung.: FK +0^m1 —6', (119) —0^m8 +5', (554) —0^m8 +3', GG —1^m0 +6', (423) —0^m9 +5'.

1909 Febr. 20.

(417) Suevia	8 55.0	5 26.1	+15 9	12.8	K
Jupiter VI	12 0.7	10 52.23	+9 0.9	14	W
1909 GA	>	10 54.18	+9 4.1	15	>
1909 GD	>	10 54.32	+9 35.7	16.5	>
1909 GE	>	10 54.80	+9 12.6	16.5	>

Astrophys. Institut Königstuhl-Heidelberg, 1909 Febr. 26.

Objekt	M. Z. Kgst.	α 1909.0	δ 1909.0	Gr.	Bb.
--------	-------------	-----------------	-----------------	-----	-----

(530) Turandot	12 ^h 27 ^m 1 ^s	11 ^h 0 ^m 9 ^s	+12° 19'	13.3	K
1909 GH (neu)	>	11 7.8	+13 1	13.0	>
(548) Kressida	>	11 11.1	+11 3	13.1	>
(349) Dembowska	>	11 16.9	+15 2	10.2	>

Tägl. Beweg.: (417) +0^m3 +3', Jup. VI —33° +1', GA —30° +3', GD —57° +5', GE —51° +6', GH —0^m8 +8', (548) —0^m9 +6', (349) —0^m9 +4'.

1909 Febr. 21.

1909 GJ (neu)	12 6.4	11 3.1	+2 55	13.2	K
(308) Polyxo	>	11 7.8	+3 8	11.1	>
(609) [1906 VF]	>	11 7.9	+5 5	13.2	>
(108) Hecuba	>	11 12.2	+6 27	11.2	>
1909 GK (neu)	>	11 13.0	+4 52	13.3	>
(94) Aurora	12 33.5	10 44.4	+14 0	11.1	L
(449) Hamburga	>	10 50.4	+13 16	11.0	>
(349) Dembowska	>	11 16.1	+15 7	10.2	>

Tägl. Bewegung.: GJ —0^m7 +6', (308) —0^m7 +6', (609) —0^m6 +5', GK —0^m7 0', (94) —0^m8 +3', (449) —1^m0 +6'.

1909 Febr. 25.

(124) Alkeste	12 51	10 32.9	+6 28	10.2	K
1909 GL (neu)	>	10 40.4	+3 10	12.8	>
(557) Violetta	>	10 47.0	+4 14	13.1	>
(149) Medusa	>	10 48.1	+7 38	12.2	>

Tägl. Bewegung.: (124) —1^m1 +7', GL —1^m0 0', (557) —0^m9 +3', (149) —1^m0 +7'.

K = A. Kopff, L = W. Lorenz, W = M. Wolf.

M. Wolf.