

Melting point

- [1] Mahpuzah Abai, John D. Holbrey, Robin D. Rogers, and Geetha Srinivasan. Ionic liquid s-alkylthiuronium salts. *New Journal of Chemistry*, 34(9):1981, 2010.
- [2] Atakilt Abebe, Shimelis Admassie, Ignacio J. Villar-Garcia, and Yonas Chebude. 4,4-bipyridinium ionic liquids exhibiting excellent solubility for metal salts: Potential solvents for electrodeposition. *Inorganic Chemistry Communications*, 29:210–212, 2013.
- [3] Gabriela Adamová, Ramesh L. Gardas, Mark Nieuwenhuyzen, Alberto V. Puga, Luís Paulo N. Rebelo, Allan J. Robertson, and Kenneth R. Seddon. Alkyltributylphosphonium chloride ionic liquids: synthesis, physicochemical properties and crystal structure. *Dalton Transactions*, 41(27):8316, 2012.
- [4] Gabriela Adamová, Ramesh L. Gardas, Luís Paulo N. Rebelo, Allan J. Robertson, and Kenneth R. Seddon. Alkyltrioctylphosphonium chloride ionic liquids: synthesis and physicochemical properties. *Dalton Transactions*, 40(47):12750, 2011.
- [5] D. Almantariotis, A. S. Pensado, H. Q. N. Gunaratne, C. Hardacre, A. A. H. Pádua, J.-Y. Coxam, and M. F. Costa Gomes. Influence of fluorination on the solubilities of carbon dioxide, ethane, and nitrogen in 1-n-fluoro-alkyl-3-methylimidazolium bis(n-fluoroalkylsulfonyl)amide ionic liquids. *The Journal of Physical Chemistry B*, 121(2):426–436, 2017.
- [6] Jared L. Anderson and Daniel W. Armstrong. High-stability ionic liquids. a new class of stationary phases for gas chromatography. *Analytical Chemistry*, 75(18):4851–4858, 2003.
- [7] Giovanni B. Appetecchi, Maria Montanino, Maria Carewska, Margherita Moreno, Fabrizio Alessandrini, and Stefano Passerini. Chemical-physical properties of bis(perfluoroalkylsulfonyl)imide-based ionic liquids. *Elettrochimica Acta*, 56(3):1300–1307, 2011.
- [8] Alberto Arce, Martyn J. Earle, Suhas P. Katdare, Héctor Rodríguez, and Kenneth R. Seddon. Phase equilibria of mixtures of mutually immiscible ionic liquids. *Fluid Phase Equilibria*, 261(1-2):427–433, 2007.

- [9] João Avó, Luís Cunha-Silva, João Carlos Lima, and A. Jorge Parola. Design and synthesis of photoactive ionic liquids. *Organic Letters*, 16(10):2582–2585, 2014.
- [10] Alessandro Bagno, Craig Butts, Cinzia Chiappe, Fabio D’Amico, Jason C. D. Lord, Daniela Pieraccini, and Federico Rastrelli. The effect of the anion on the physical properties of trihalide-based n,n-dialkylimidazolium ionic liquids. *Organic & Biomolecular Chemistry*, 3(9):1624, 2005.
- [11] Isabel Bandrés, Gorka Pera, Santiago Martín, Miguel Castro, and Carlos Lafuente. Thermophysical study of 1-butyl-2-methylpyridinium tetrafluoroborate ionic liquid. *The Journal of Physical Chemistry B*, 113(35):11936–11942, 2009.
- [12] Weiliang Bao, Zhiming Wang, and Yuxia Li. Synthesis of chiral ionic liquids from natural amino acids. *The Journal of Organic Chemistry*, 68(2):591–593, 2003.
- [13] Tayeb Belhocine, Stewart A. Forsyth, H. Q. Nimal Gunaratne, Mark Nieuwenhuyzen, Peter Nockemann, Alberto V. Puga, Kenneth R. Seddon, Geetha Srinivasan, and Keith Whiston. 3-methylpiperidinium ionic liquids. *Physical Chemistry Chemical Physics*, 17(16):10398–10416, 2015.
- [14] A. Berthod, M.J. Ruiz-ángel, and S. Carda-Broch. Ionic liquids in separation techniques. *Journal of Chromatography A*, 1184(1-2):6–18, 2008.
- [15] A. Berthod, M.J. Ruiz-ángel, and S. Carda-Broch. Ionic liquids in separation techniques. *Journal of Chromatography A*, 1184(1-2):6–18, 2008.
- [16] Anand I. Bhatt, Iain May, Vladimir A. Volkovich, Melissa E. Hetherington, Bob Lewin, Rob C. Thied, and Nigar Ertok. Group 15 quaternary alkyl bistriflimides: ionic liquids with potential application in electropositive metal deposition and as supporting electrolytes. *Journal of the Chemical Society, Dalton Transactions*, (24):4532–4534, 2002.
- [17] Lorenzo Biancalana, Giulio Bresciani, Cinzia Chiappe, Fabio Marchetti, and Guido Pampaloni. Synthesis and study of the stability of amidinium/guanidinium carbamates of amines and α -amino acids. *New Journal of Chemistry*, 41(4):1798–1805, 2017.
- [18] Niyazi Bicak. A new ionic liquid: 2-hydroxy ethylammonium formate. *Journal of Molecular Liquids*, 116(1):15–18, 2005.
- [19] Marijana Blesic, Małgorzata Swadźba-Kwaśny, Tayeb Belhocine, H. Q. Nimal Gunaratne, José N. Canongia Lopes, Margarida F. Costa Gomes, Agílio A. H. Pádua, Kenneth R. Seddon, and Luís Paulo N. Rebelo. 1-alkyl-3-methylimidazolium alkanesulfonate ionic liquids, $[\text{C}_n\text{H}_{2n+1}\text{mim}][\text{C}_k\text{H}_{2k+1}\text{so}_3]$: synthesis and physicochemical properties. *Physical Chemistry Chemical Physics*, 11(39):8939, 2009.

- [20] Pierre Bonhôte, Ana-Paula Dias, Nicholas Papageorgiou, Kuppuswamy Kalyanasundaram, and Michael Grätzel. Hydrophobic, highly conductive ambient-temperature molten salts†. *Inorganic Chemistry*, 35(5):1168–1178, 1996.
- [21] A. E. Bradley, C. Hardacre, J. D. Holbrey, S. Johnston, S. E. J. McMath, and M. Nieuwenhuyzen. Small-angle x-ray scattering studies of liquid crystalline 1-alkyl-3-methylimidazolium salts. *Chemistry of Materials*, 14(2):629–635, 2002.
- [22] Luís C. Branco, João N. Rosa, Joaquim J. Moura Ramos, and Carlos A. M. Afonso. Preparation and characterization of new room temperature ionic liquids. *Chemistry – A European Journal*, 8(16):3671–3677, 2002.
- [23] Geoffrey L. Burrell, Iko M. Burgar, Frances Separovic, and Noel F. Dunlop. Preparation of protic ionic liquids with minimal water content and ^{15}N NMR study of proton transfer. *Physical Chemistry Chemical Physics*, 12(7):1571, 2010.
- [24] Sara Busi, Manu Lahtinen, Heidi Mansikkamäki, Jussi Valkonen, and Kari Rissanen. Synthesis, characterization and thermal properties of small $r2r'2n+x$ -type quaternary ammonium halides. *Journal of Solid State Chemistry*, 178(6):1722–1737, 2005.
- [25] Sara Busi, Manu Lahtinen, Jussi Valkonen, and Kari Rissanen. Synthesis, characterization and thermal behavior of nine new r -type quaternary ammonium tetrafluoroborate or hexafluorophosphate salts prepared by metathesis from analogous halide salts. *Journal of Molecular Structure*, 875(1-3):549–559, 2008.
- [26] O. Cabeza, J. Vila, E. Rilo, M. Domínguez-Pérez, L. Otero-Cernadas, E. López-Lago, T. Méndez-Morales, and L.M. Varela. Physical properties of aqueous mixtures of the ionic 1-ethyl-3-methyl imidazolium octyl sulfate: A new ionic rigid gel. *The Journal of Chemical Thermodynamics*, 75:52–57, 2014.
- [27] Noelia Calvar, Elena Gómez, Eugénia A. Macedo, and ángeles Domínguez. Thermal analysis and heat capacities of pyridinium and imidazolium ionic liquids. *Thermochimica Acta*, 565:178–182, 2013.
- [28] S. Carda-Broch, A. Berthod, and D. W. Armstrong. Solvent properties of the 1-butyl-3-methylimidazolium hexafluorophosphate ionic liquid. *Analytical and Bioanalytical Chemistry*, 375(2):191–199, 2003.
- [29] Yvon P. Carignan and Daniel R. Satriana. Differential thermal analysis of nitramines, amine salts, and guanidine derivatives. *The Journal of Organic Chemistry*, 32(2):285–289, 1967.

- [30] Elke B. Carter, Stephanie L. Culver, Phillip A. Fox, Russell D. Goode, Ioanna Ntai, Morgan D. Tickell, Rachel K. Traylor, Norris W. Hoffman, and Jr. James H. Davis. Sweet success: ionic liquids derived from non-nutritive sweeteners. *Chemical Communications*, (6):630, 2004.
- [31] Pedro J. Carvalho, Sónia P. M. Ventura, Marta L. S. Batista, Bernd Schröder, Fernando Gonçalves, José Esperança, Fabrice Mutelet, and João A. P. Coutinho. Understanding the impact of the central atom on the ionic liquid behavior: Phosphonium vs ammonium cations. *The Journal of Chemical Physics*, 140(6):064505, 2014.
- [32] E.H. Cha, S.A. Lim, J.H. Park, D.W. Kim, and D.R. Macfarlane. Ionic conductivity studies of gel polyelectrolyte based on ionic liquid. *Journal of Power Sources*, 178(2):779–782, 2008.
- [33] Quantong Che, Baoying Sun, and Ronghuan He. Preparation and characterization of new anhydrous, conducting membranes based on composites of ionic liquid trifluoroacetic propylamine and polymers of sulfonated poly (ether ether) ketone or polyvinylidene fluoride. *Electrochimica Acta*, 53(13):4428–4434, 2008.
- [34] Hui Chen, Dylan C. Kwait, Z. Serpil Gönen, Brian T. Weslowski, David J. Abdallah, and Richard G. Weiss. Phase characterization and properties of completely saturated quaternary phosphonium salts. ordered, room-temperature ionic liquids. *Chemistry of Materials*, 14(10):4063–4072, 2002.
- [35] Xiaoli Chen, Haolin Tang, Tristan Putzeys, Jeroen Sniekers, Michael Wübbenhorst, Koen Binnemans, Jan Fransaer, Dirk E. De Vos, Qingfeng Li, and Jiangshui Luo. Guanidinium nonaflate as a solid-state proton conductor. *Journal of Materials Chemistry A*, 4(31):12241–12252, 2016.
- [36] Zhengjian Chen, Shimin Liu, Zuopeng Li, Qinghua Zhang, and Youquan Deng. Dialkoxy functionalized quaternary ammonium ionic liquids as potential electrolytes and cellulose solvents. *New Journal of Chemistry*, 35(8):1596, 2011.
- [37] Zhengjian Chen, Shiguo Zhang, Xiujuan Qi, Shimin Liu, Qinghua Zhang, and Youquan Deng. Fluorescent quinolizinium ionic liquids (salts) with unexpectedly high quantum yields up to >99%. *Journal of Materials Chemistry*, 21(25):8979, 2011.
- [38] Anna Cieniecka-Rosłonkiewicz, Juliusz Pernak, Joanna Kubis-Feder, Alwar Ramani, Allan J. Robertson, and Kenneth R. Seddon. Synthesis, anti-microbial activities and anti-electrostatic properties of phosphonium-based ionic liquids. *Green Chemistry*, 7(12):855, 2005.
- [39] Thomas G. Coker, J. Ambrose, and George J. Janz. Fusion properties of some ionic quaternary ammonium compounds. *Journal of the American Chemical Society*, 92(18):5293–5297, 1970.

- [40] E COOPER and C ANGELL. Ambient temperature plastic crystal fast ion conductors (PLICFICS). *Solid State Ionics*, 18-19:570–576, 1986.
- [41] Erwan Couadou, Johan Jacquemin, Hervé Galiano, Christopher Hardacre, and Mérièm Anouti. A comparative study on the thermophysical properties for two bis[(trifluoromethyl)sulfonyl]imide-based ionic liquids containing the trimethyl-sulfonium or the trimethyl-ammonium cation in molecular solvents. *The Journal of Physical Chemistry B*, 117(5):1389–1402, 2013.
- [42] Jacob M. Crosthwaite, Mark J. Muldoon, JaNeille K. Dixon, Jessica L. Anderson, and Joan F. Brennecke. Phase transition and decomposition temperatures, heat capacities and viscosities of pyridinium ionic liquids. *The Journal of Chemical Thermodynamics*, 37(6):559–568, 2005.
- [43] Kamil Czerniak, Agnieszka Biedziak, Krzysztof Krawczyk, and Juliusz Pernak. Synthesis and properties of gallate ionic liquids. *Tetrahedron*, 72(47):7409–7416, 2016.
- [44] Daphne Depuydt, Wim Dehaen, and Koen Binnemans. Docusate ionic liquids: Effect of cation on water solubility and solvent extraction behavior. *ChemPlusChem*, 82(3):458–466, 2017.
- [45] Yun-Sheng Ding, Min Zha, Jun Zhang, and Seng-Shan Wang. Synthesis, characterization and properties of geminal imidazolium ionic liquids. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 298(3):201–205, 2007.
- [46] U. Domańska and M. Laskowska. Phase equilibria and volumetric properties of (1-ethyl-3-methylimidazolium ethylsulfate + alcohol or water) binary systems. *Journal of Solution Chemistry*, 37(9):1271–1287, 2008.
- [47] Urszula Domańska and Ewa Bogel-Łukasik. Measurements and correlation of the (solid + liquid) equilibria of [1-decyl-3-methylimidazolium chloride + alcohols (c2-c12)]†. *Industrial & Engineering Chemistry Research*, 42(26):6986–6992, 2003.
- [48] Urszula Domańska, Ewa Bogel-Łukasik, and Rafał Bogel-Łukasik. 1-octanol/water partition coefficients of 1alkyl-3-methylimidazolium chloride. *Chemistry - A European Journal*, 9(13):3033–3041, 2003.
- [49] Urszula Domańska and Lidia M. Casás. Solubility of phosphonium ionic liquid in alcohols, benzene, and alkylbenzenes. *The Journal of Physical Chemistry B*, 111(16):4109–4115, 2007.
- [50] Urszula Domańska and Marta Królikowska. Phase behaviour of 1-butyl-1-methylpyrrolidinium thiocyanate ionic liquid. *Fluid Phase Equilibria*, 308(1-2):55–63, 2011.

- [51] Urszula Domańska, Marta Królikowska, and Kamil Padaszyński. Physico-chemical properties and phase behaviour of piperidinium-based ionic liquids. *Fluid Phase Equilibria*, 303(1):1–9, 2011.
- [52] Urszula Domańska, M. Królikowski, A. Pobudkowska, and T. M. Letcher. Phase equilibria study of the binary systems (n-butyl-4-methylpyridinium tosylate ionic liquid + organic solvent, or water)^{†‡}. *Journal of Chemical & Engineering Data*, 54(5):1435–1441, 2009.
- [53] Urszula Domańska and Marek Królikowski. Phase equilibrium study of the binary systems (n-hexyl-3-methylpyridinium tosylate ionic liquid+water, or organic solvent). *The Journal of Chemical Thermodynamics*, 43(10):1488–1494, 2011.
- [54] Urszula Domańska, Marek Królikowski, Aneta Pobudkowska, and Patrycja Bocheńska. Solubility of ionic liquids in water and octan-1-ol and octan-1-ol/water, or 2-phenylethanol/water partition coefficients. *The Journal of Chemical Thermodynamics*, 55:225–233, 2012.
- [55] Urszula Domańska, Marek Królikowski, and Katarzyna Ślesińska. Phase equilibria study of the binary systems (ionic liquid+thiophene): Desulfurization process. *The Journal of Chemical Thermodynamics*, 41(11):1303–1311, 2009.
- [56] Urszula Domańska, Katarzyna Ługowska, and Juliusz Pernak. Phase equilibria of didecyldimethylammonium nitrate ionic liquid with water and organic solvents. *The Journal of Chemical Thermodynamics*, 39(5):729–736, 2007.
- [57] Urszula Domańska and Andrzej Marciniak. Solubility of 1-alkyl-3-methylimidazolium hexafluorophosphate in hydrocarbons[†]. *Journal of Chemical & Engineering Data*, 48(3):451–456, 2003.
- [58] Urszula Domańska and Piotr Morawski. Influence of high pressure on solubility of ionic liquids: experimental data and correlation. *Green Chem.*, 9(4):361–368, 2007.
- [59] Urszula Domańska, Anna Rękawek, and Andrzej Marciniak. Solubility of 1-alkyl-3-ethylimidazolium-based ionic liquids in water and 1-octanol. *Journal of Chemical & Engineering Data*, 53(5):1126–1132, 2008.
- [60] Urszula Domańska, Marlena Roguszewska, Marek Królikowski, Deresh Ramjugernath, and Paramespri Naidoo. Phase equilibria study of binary systems comprising an (ionic liquid+hydrocarbon). *The Journal of Chemical Thermodynamics*, 83:90–96, 2015.
- [61] Urszula Domańska, Maciej Zawadzki, and Magdalena Zwolińska. Thermophysical properties and phase equilibria study of the binary systems N-hexylquinolinium bis(trifluoromethylsulfonyl)imide+aromatic hydrocarbons, or an alcohol. *The Journal of Chemical Thermodynamics*, 43(5):775–781, 2011.

- [62] Urszula Domańska, Zuzanna Żółek-Tryznowska, and Marek Królikowski. Thermodynamic phase behavior of ionic liquids. *Journal of Chemical & Engineering Data*, 52(5):1872–1880, 2007.
- [63] Fang Dong, Luo Jun, Zhou Xin-Li, and Liu Zu-Liang. Mannich reaction in water using acidic ionic liquid as recoverable and reusable catalyst. *Catalysis Letters*, 116(1-2):76–80, 2007.
- [64] Fang Dong, Luo Jun, Zhou Xinli, Ye Zhiwen, and Liu Zuliang. One-pot green procedure for biginelli reaction catalyzed by novel task-specific room-temperature ionic liquids. *Journal of Molecular Catalysis A: Chemical*, 274(1-2):208–211, 2007.
- [65] Gregory Drake, Greg Kaplan, Leslie Hall, Tommy Hawkins, and Joann Larue. A new family of energetic ionic liquids 1-amino-3-alkyl-1,2,3-triazolium nitrates. *Journal of Chemical Crystallography*, 37(1):15–23, 2006.
- [66] Gregory W. Drake, Tommy W. Hawkins, Jerry Boatz, Leslie Hall, and Ashwani Vij. Experimental and theoretical study of 1,5-diamino-4-h-1,2,3,4-tetrazolium perchlorate. *Propellants, Explosives, Pyrotechnics*, 30(2):156–163, 2005.
- [67] Zhengyin Du, Zuopeng Li, and Youquan Deng. Synthesis and characterization of sulfonyl-functionalized ionic liquids. *Synthetic Communications*, 35(10):1343–1349, 2005.
- [68] Zhengyin Du, Zuopeng Li, Shu Guo, Juan Zhang, Laiying Zhu, and Youquan Deng. Investigation of physicochemical properties of lactam-based brønsted acidic ionic liquids. *The Journal of Physical Chemistry B*, 109(41):19542–19546, 2005.
- [69] Sergei V. Dzyuba and Richard A. Bartsch. Influence of structural variations in 1-alkyl(aralkyl)-3-methylimidazolium hexafluorophosphates and bis(trifluoromethylsulfonyl)imides on physical properties of the ionic liquids. *ChemPhysChem*, 3(2):161–166, 2002.
- [70] Martyn J. Earle, Paul B. McCormac, and Kenneth R. Seddon. Regioselective alkylation in ionic liquids. *Chemical Communications*, (20):2245–2246, 1998.
- [71] Minato Egashira, Shigeto Okada, Jun ichi Yamaki, Diego Alejandro Dri, Francesco Bonadies, and Bruno Scrosati. The preparation of quaternary ammonium-based ionic liquid containing a cyano group and its properties in a lithium battery electrolyte. *Journal of Power Sources*, 138(1-2):240–244, 2004.
- [72] David M. Eike, Joan F. Brennecke, and Edward J. Maginn. Predicting melting points of quaternary ammonium ionic liquids. *Green Chemistry*, 5(3):323, 2003.

- [73] Takeshi Enomoto, Kazuhiko Matsumoto, and Rika Hagiwara. Properties of fluorosulfate-based ionic liquids and geometries of (FO₂soh)OSO₂f- and (FO₂soh)₂o₂sof-. *Dalton Transactions*, 40(46):12491, 2011.
- [74] N. P. Evlampieva, J. Vitz, U. S. Schubert, and E. I. Ryumtsev. Molecular solutions of cellulose in mixtures of ionic liquids with pyridine. *Russian Journal of Applied Chemistry*, 82(4):666–672, 2009.
- [75] Daniel P. Fagnant, George S. Goff, Brian L. Scott, Wolfgang Runde, and Joan F. Brennecke. Switchable phase behavior of [HBet][tf₂n]-h₂o upon neodymium loading: Implications for lanthanide separations. *Inorganic Chemistry*, 52(2):549–551, 2013.
- [76] Armand A. Fannin, Danilo A. Floreani, Lowell A. King, John S. Landers, Bernard J. Piersma, Daniel J. Stech, Robert L. Vaughn, John S. Wilkes, and John L. Williams. Properties of 1,3-dialkylimidazolium chloride-aluminum chloride ionic liquids. 2. phase transitions, densities, electrical conductivities, and viscosities. *The Journal of Physical Chemistry*, 88(12):2614–2621, 1984.
- [77] Reza Fareghi-Alamdari and Raziieh Hatefipour. Synthesis and thermophysical characterization of novel azide functionalized imidazolium based ionic liquids. *Thermochimica Acta*, 617:172–178, 2015.
- [78] Zhaofu Fei, Dongbin Zhao, Rosario Scopelliti, and Paul J. Dyson. Organometallic complexes derived from alkyne-functionalized imidazolium salts. *Organometallics*, 23(7):1622–1628, 2004.
- [79] Adela Fernández, José S. Torrecilla, Julián García, and Francisco Rodríguez. Thermophysical properties of 1-ethyl-3-methylimidazolium ethylsulfate and 1-butyl-3-methylimidazolium methylsulfate ionic liquids. *Journal of Chemical & Engineering Data*, 52(5):1979–1983, 2007.
- [80] Joseph J. Fillion, Han Xia, M. Aruni Desilva, Mauricio Quiroz-Guzman, and Joan F. Brennecke. Phase transitions, decomposition temperatures, viscosities, and densities of phosphonium, ammonium, and imidazolium ionic liquids with aprotic heterocyclic anions. *Journal of Chemical & Engineering Data*, 61(8):2897–2914, 2016.
- [81] Gerd Fischer, Gerhard Holl, Thomas M. Klapötke, and Jan J. Weigand. A study on the thermal decomposition behavior of derivatives of 1,5-diamino-1h-tetrazole (DAT): A new family of energetic heterocyclic-based salts. *Thermochimica Acta*, 437(1-2):168–178, 2005.
- [82] S. Isobel Fletcher, Fiona B. Sillars, Nicholas E. Hudson, and Peter J. Hall. Physical properties of selected ionic liquids for use as electrolytes and other industrial applications. *Journal of Chemical & Engineering Data*, 55(2):778–782, 2010.

- [83] Jolanta Flieger and Anna Czajkowska-Żelazko. Identification of ionic liquid components by RP-HPLC with diode array detector using chaotropic effect and perturbation technique. *Journal of Separation Science*, 35(2):248–255, 2012.
- [84] Stewart A. Forsyth, Kevin J. Fraser, Patrick C. Howlett, Douglas R. MacFarlane, and Maria Forsyth. N-methyl-n-alkylpyrrolidinium nonafluoro-1-butanesulfonate salts: Ionic liquid properties and plastic crystal behaviour. *Green Chemistry*, 8(3):256, 2006.
- [85] Stewart A. Forsyth and Douglas R. MacFarlane. 1-alkyl-3-methylbenzotriazolium salts: ionic solvents and electrolytes. *Journal of Materials Chemistry*, 13(10):2451, 2003.
- [86] Christopher P. Fredlake, Jacob M. Crosthwaite, Daniel G. Hert, Sudhir N. V. K. Aki, and Joan F. Brennecke. Thermophysical properties of imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 49(4):954–964, 2004.
- [87] Clarissa P. Frizzo, Keli Wust, Aniele Z. Tier, Thaíssa S. Beck, Leticia V. Rodrigues, Rodrigo A. Vaucher, Leandro P. Bolzan, Silvio Terra, Felix Soares, and Marcos A. P. Martins. Novel ibuprofenate- and docusate-based ionic liquids: emergence of antimicrobial activity. *RSC Advances*, 6(102):100476–100486, 2016.
- [88] Kyoko Fujita, Douglas R. MacFarlane, and Maria Forsyth. Protein solubilising and stabilising ionic liquids. *Chemical Communications*, (38):4804, 2005.
- [89] Zong gang Mu, Feng Zhou, Shu xiang Zhang, Yong min Liang, and Wei min Liu. Preparation and characterization of new phosphonyl-substituted imidazolium ionic liquids. *Helvetica Chimica Acta*, 87(10):2549–2555, 2004.
- [90] Haixiang Gao, Buxing Han, Junchun Li, Tao Jiang, Zhimin Liu, Weize Wu, Yanhong Chang, and Jianmin Zhang. Preparation of room-temperature ionic liquids by neutralization of 1,1,3,3-tetramethylguanidine with acids and their use as media for mannich reaction. *Synthetic Communications*, 34(17):3083–3089, 2004.
- [91] Ye Gao, Sean W. Arritt, Brendan Twamley, and Jean’ne M. Shreeve. Guanidinium-based ionic liquids. *Inorganic Chemistry*, 44(6):1704–1712, 2005.
- [92] Ramesh L. Gardas, Rile Ge, Peter Goodrich, Christopher Hardacre, Azlan Hussain, and David W. Rooney. Thermophysical properties of amino acid-based ionic liquids. *Journal of Chemical & Engineering Data*, 55(4):1505–1515, 2010.

- [93] Nicholas Gathergood, M. Teresa Garcia, and Peter J. Scammells. Biodegradable ionic liquids: Part i. concept, preliminary targets and evaluation. *Green Chemistry*, 6(3):166, 2004.
- [94] Dirk Gerhard, Samim Cenk Alpaslan, Heiner Jakob Gores, Marc Uerdingen, and Peter Wasserscheid. Trialkylsulfonium dicyanamides - a new family of ionic liquids with very low viscosities. *Chemical Communications*, (40):5080, 2005.
- [95] Kamna Goel, Smritilekha Bera, Man Singh, and Dhananjay Mondal. Synthesis of dual functional pyrimidinium ionic liquids as reaction media and antimicrobial agents. *RSC Advances*, 6(108):106806–106820, 2016.
- [96] J. Golding, S. Forsyth, D. R. MacFarlane, M. Forsyth, and G. B. Deacon. Methanesulfonate and p-toluenesulfonate salts of the n-methyl-n-alkylpyrrolidinium and quaternary ammonium cations: novel low cost ionic liquids. *Green Chemistry*, 4(3):223–229, 2002.
- [97] Begoña González, Elena Gómez, Ángeles Domínguez, Miguel Vilas, and Emilia Tojo. Physicochemical characterization of new sulfate ionic liquids. *Journal of Chemical & Engineering Data*, 56(1):14–20, 2011.
- [98] Charles M. Gordon, John D. Holbrey, Alan R. Kennedy, and Kenneth R. Seddon. Ionic liquid crystals: hexafluorophosphate salts. *Journal of Materials Chemistry*, 8(12):2627–2636, 1998.
- [99] B. Gorska, L. Timperman, M. Anouti, J. Pernak, and F. Béguin. Physicochemical and electrochemical properties of a new series of protic ionic liquids with n-chloroalkyl functionalized cations. *RSC Advances*, 6(60):55144–55158, 2016.
- [100] Varadhi Govinda, Pankaj Attri, P. Venkatesu, and P. Venkateswarlu. Thermophysical properties of dimethylsulfoxide with ionic liquids at various temperatures. *Fluid Phase Equilibria*, 304(1-2):35–43, 2011.
- [101] Tamar L. Greaves, Asoka Weerawardena, Celesta Fong, Irena Krodkiewska, and Calum J. Drummond. Protic ionic liquids: solvents with tunable phase behavior and physicochemical properties. *The Journal of Physical Chemistry B*, 110(45):22479–22487, 2006.
- [102] E.P. Grishina, L.M. Ramenskaya, M.S. Gruzdev, and O.V. Kraeva. Water effect on physicochemical properties of 1-butyl-3-methylimidazolium based ionic liquids with inorganic anions. *Journal of Molecular Liquids*, 177:267–272, 2013.
- [103] Om D. Gupta, Brendan Twamley, and Jean’ne M. Shreeve. Low melting and slightly viscous ionic liquids via protonation of trialkylamines by perfluoroalkyl β -diketones. *Tetrahedron Letters*, 45(8):1733–1736, 2004.

- [104] Om D. Gupta, Brendan Twamley, and Jean'ne M. Shreeve. Perfluoro alkyl 1,3-diketonates of cyclic and acyclic secondary amines. *Journal of Fluorine Chemistry*, 127(2):263–269, 2006.
- [105] Hong-Bo Han, Kai Liu, Shao-Wei Feng, Si-Si Zhou, Wen-Fang Feng, Jin Nie, Hong Li, Xue-Jie Huang, Hajime Matsumoto, Michel Armand, and Zhi-Bin Zhou. Ionic liquid electrolytes based on multi-methoxyethyl substituted ammoniums and perfluorinated sulfonimides: Preparation, characterization, and properties. *Electrochimica Acta*, 55(23):7134–7144, 2010.
- [106] Frithjof Hannig, Gerald Kehr, Roland Fröhlich, and Gerhard Erker. Formation of chiral ionic liquids and imidazol-2-ylidene metal complexes from the proteinogenic amino acid l-histidine. *Journal of Organometallic Chemistry*, 690(24-25):5959–5972, 2005.
- [107] Safa Hayouni, Anthony Robert, Nadège Ferlin, Hassen Amri, and Sandrine Bouquillon. New biobased tetrabutylphosphonium ionic liquids: synthesis, characterization and use as a solvent or co-solvent for mild and greener Pd-catalyzed hydrogenation processes. *RSC Advances*, 6(114):113583–113595, 2016.
- [108] Patrick C. Hillesheim, Joseph A. Singh, Shannon M. Mahurin, Pasquale F. Fulvio, Yatsandra Oyola, Xiang Zhu, De en Jiang, and Sheng Dai. Effect of alkyl and aryl substitutions on 1,2,4-triazolium-based ionic liquids for carbon dioxide separation and capture. *RSC Advances*, 3(12):3981, 2013.
- [109] Michael Hog, Marius Schneider, and Ingo Krossing. Synthesis and characterization of bromoaluminate ionic liquids. *Chemistry - A European Journal*, 23(41):9821–9830, 2017.
- [110] John D. Holbrey and Kenneth R. Seddon. The phase behaviour of 1-alkyl-3-methylimidazolium tetrafluoroborates; ionic liquids and ionic liquid crystals. *Journal of the Chemical Society, Dalton Transactions*, (13):2133–2140, 1999.
- [111] John D. Holbrey, Megan B. Turner, W. Matthew Reichert, and Robin D. Rogers. New ionic liquids containing an appended hydroxyl functionality from the atom-efficient, one-pot reaction of 1-methylimidazole and acid with propylene oxide. *Green Chemistry*, 5(6):731, 2003.
- [112] Guo hong Tao, Ling He, Ning Sun, and Yuan Kou. New generation ionic liquids: cations derived from amino acids. *Chemical Communications*, (28):3562, 2005.
- [113] Thomas J. Hughes, Tauqir Syed, Brendan F. Graham, Kenneth N. Marsh, and Eric F. May. Heat capacities and low temperature thermal transitions of 1-hexyl and 1-octyl-3-methylimidazolium bis(trifluoromethylsulfonyl)amide. *Journal of Chemical & Engineering Data*, 56(5):2153–2159, 2011.

- [114] N.V. Ignat'ev, U. Welz-Biermann, A. Kucheryna, G. Bissky, and H. Willner. New ionic liquids with tris(perfluoroalkyl)trifluorophosphate (FAP) anions. *Journal of Fluorine Chemistry*, 126(8):1150–1159, 2005.
- [115] Hiroyuki Ishida, Tadashi Iwachido, and Ryuichi Ikeda. Phase transitions in dimethylammonium tetrafluoroborate and molecular motions in its ionic plastic phase studied by ^1H and ^{19}F NMR, thermal measurements, and x-ray powder diffraction techniques. *Berichte der Bunsengesellschaft für physikalische Chemie*, 96(10):1468–1470, 1992.
- [116] Masashi Ishikawa, Toshinori Sugimoto, Manabu Kikuta, Eriko Ishiko, and Michiyuki Kono. Pure ionic liquid electrolytes compatible with a graphitized carbon negative electrode in rechargeable lithium-ion batteries. *Journal of Power Sources*, 162(1):658–662, 2006.
- [117] Toshiyuki Itoh, Shihui Han, Yuichi Matsushita, and Shuichi Hayase. Enhanced enantioselectivity and remarkable acceleration on the lipase-catalyzed transesterification using novel ionic liquids. *Green Chemistry*, 6(9):437, 2004.
- [118] Chunmei Jia, Yu Cao, Tao Zuo, Rong Hu, Tian Yao, and Hang Song. Solubility of benzothiazolium ionic liquids in water and in furfural. *Journal of Chemical & Engineering Data*, 60(4):999–1005, 2015.
- [119] Yide Jin, Shaohua Fang, Li Yang, Shin ichi Hirano, and Kazuhiro Tachibana. Functionalized ionic liquids based on guanidinium cations with two ether groups as new electrolytes for lithium battery. *Journal of Power Sources*, 196(24):10658–10666, 2011.
- [120] Jonathan J Jodry and Koichi Mikami. New chiral imidazolium ionic liquids: 3d-network of hydrogen bonding. *Tetrahedron Letters*, 45(23):4429–4431, 2004.
- [121] Young-Hyuk Joo, Haixiang Gao, Yanqiang Zhang, and Jean'ne M. Shreeve. Inorganic or organic azide-containing hypergolic ionic liquids $\perp\perp$ as poster published in 1st korean international symposium on high energy materials, incheon, korea, october 6-9, 2009. *Inorganic Chemistry*, 49(7):3282–3288, 2010.
- [122] Noémi Jordão, Luis Cabrita, Fernando Pina, and Luís C. Branco. Novel bipyridinium ionic liquids as liquid electrochromic devices. *Chemistry - A European Journal*, 20(14):3982–3988, 2014.
- [123] Maria Kaliner, Alexander Rupp, Ingo Krossing, and Thomas Strassner. Tunable aryl alkyl ionic liquids with weakly coordinating tetrakis((1,1,1,3,3,3-hexafluoropropan-2-yl)oxy)borate $[\text{b}(\text{hfp})_4]$ anions. *Chemistry - A European Journal*, 22(29):10044–10049, 2016.

- [124] Huang-Chuan Kan, Ming-Chung Tseng, and Yen-Ho Chu. Bicyclic imidazolium-based ionic liquids: synthesis and characterization. *Tetrahedron*, 63(7):1644–1653, 2007.
- [125] Hitoshi Kato, Kumiko Miki, Tomohiro Mukai, Keiko Nishikawa, and Yoshikata Koga. Hydrophobicity/hydrophilicity of 1-butyl-2,3-dimethyl and 1-ethyl-3-methylimidazolium ions: Toward characterization of room temperature ionic liquids. *The Journal of Physical Chemistry B*, 113(44):14754–14760, 2009.
- [126] Alan R. Katritzky, Ritu Jain, Andre Lomaka, Ruslan Petrukhin, Mati Karelson, Ann E. Visser, and Robin D. Rogers. Correlation of the melting points of potential ionic liquids (imidazolium bromides and benzimidazolium bromides) using the CODESSA program. *Journal of Chemical Information and Computer Sciences*, 42(2):225–231, 2002.
- [127] Shoichi Katsuta, Yuta Shiozawa, Kazuo Imai, Yoshihiro Kudo, and Yasuyuki Takeda. Stability of ion pairs of bis(trifluoromethanesulfonyl)amide-based ionic liquids in dichloromethane. *Journal of Chemical & Engineering Data*, 55(4):1588–1593, 2010.
- [128] Shoichi Katsuta, Yuki Yoshimoto, Miho Okai, Yasuyuki Takeda, and Kotaro Bessho. Selective extraction of palladium and platinum from hydrochloric acid solutions by trioctylammonium-based mixed ionic liquids. *Industrial & Engineering Chemistry Research*, 50(22):12735–12740, 2011.
- [129] Yoko Kayama, Takahiro Ichikawa, and Hiroyuki Ohno. Transparent and colourless room temperature ionic liquids having high refractive index over 1.60. *Chem. Commun.*, 50(94):14790–14792, 2014.
- [130] Philipp Keil and Axel König. Enthalpies of solution of 1-ethyl-3-methylimidazolium chloride and aluminum chloride in molten chloroaluminate ionic liquids. *Thermochimica Acta*, 524(1-2):202–204, 2011.
- [131] Jinwi Kim, Rajendra P. Singh, and Jean'ne M. Shreeve. Low melting inorganic salts of alkyl-, fluoroalkyl-, alkyl ether-, and fluoroalkyl ether-substituted oxazolidine and morpholine. *Inorganic Chemistry*, 43(9):2960–2966, 2004.
- [132] Ki-Sub Kim, Sukjeong Choi, D. Demberelnyamba, Huen Lee, Jaeseung Oh, Byoung-Bae Lee, and Su-Jin Mun. Ionic liquids based on n-alkyl-n-methylmorpholinium salts as potential electrolytes. *Chemical Communications*, (7):828, 2004.
- [133] Thomas M. Klapötke, Heinrich Nöth, Holger Schwenk-Kircher, Wolf-Henning Walther, and Gerhard Holl. Synthesis and x-ray structure of 1,1-dimethylhydrazinium azide. *Polyhedron*, 18(5):717–719, 1999.

- [134] Thomas M. Klapötke, Peter Mayer, Axel Schulz, and Jan J. Weigand. 1,5-diamino-4-methyltetrazolium dinitramide. *Journal of the American Chemical Society*, 127(7):2032–2033, 2005.
- [135] Tomasz Klejdysz, Bartosz Łęgosz, Daria Czuryzkiewicz, Kamil Czerniak, and Juliusz Pernak. Biobased ionic liquids with abietate anion. *ACS Sustainable Chemistry & Engineering*, 4(12):6543–6550, 2016.
- [136] T. S. Kon’kova, Yu. N. Matyushin, E. A. Miroshnichenko, and A. B. Vorob’ev. Thermochemical properties of dinitramidic acid salts. *Russian Chemical Bulletin*, 58(10):2020–2027, 2009.
- [137] Marta Królikowska. (solid+liquid) and (liquid+liquid) phase equilibria of (IL+water) binary systems. the influence of the ionic liquid structure on mutual solubility. *Fluid Phase Equilibria*, 361:273–281, 2014.
- [138] Prashant S. Kulkarni, Luís C. Branco, João G. Crespo, M. Cristiana Nunes, Anabela Raymundo, and Carlos A. M. Afonso. Comparison of physicochemical properties of new ionic liquids based on imidazolium, quaternary ammonium, and guanidinium cations. *Chemistry - A European Journal*, 13(30):8478–8488, 2007.
- [139] Alexander V. Kurzin, Andrey N. Evdokimov, Victorija B. Antipina, and Mariana A. Feofanova. Isothermal vapor-liquid equilibrium data for the methanol + benzene + tetraphenylphosphonium chloride system. *Journal of Chemical & Engineering Data*, 61(3):1131–1135, 2016.
- [140] Philipp Kölle and Richard Dronskowski. Synthesis, crystal structures and electrical conductivities of the ionic liquid compounds butyldimethylimidazolium tetrafluoroborate, hexafluorophosphate and hexafluoroantimonate. *European Journal of Inorganic Chemistry*, 2004(11):2313–2320, 2004.
- [141] Genevieve P. S. Lau, Hoi Nok Tsao, Shaik M. Zakeeruddin, Michael Grätzel, and Paul J. Dyson. Highly stable dye-sensitized solar cells based on novel 1,2,3-triazolium ionic liquids. *ACS Applied Materials & Interfaces*, 6(16):13571–13577, 2014.
- [142] My-Loan-Phung Le, Fannie Alloin, Pierre Strobel, Jean-Claude Leprêtre, Laure Cointeaux, and Carlos Pérez del Valle. Electrolyte based on fluorinated cyclic quaternary ammonium ionic liquids. *Ionics*, 18(9):817–827, 2012.
- [143] My Loan Phung Le, Ngoc Anh Tran, Hoang Phuong Khanh Ngo, Truong Giang Nguyen, and Van Man Tran. Liquid electrolytes based on ionic liquids for lithium-ion batteries. *Journal of Solution Chemistry*, 44(12):2332–2343, 2015.

- [144] J.S. Lee, N.D. Quan, J.M. Hwang, J.Y. Bae, H. Kim, B.W. Cho, H.S. Kim, and H. Lee. Ionic liquids containing an ester group as potential electrolytes. *Electrochemistry Communications*, 8(3):460–464, 2006.
- [145] Kallidanthiyil Chellappan Lethesh, Wim Dehaen, and Koen Binnemans. Base stable quaternary ammonium ionic liquids. *RSC Adv.*, 4(9):4472–4477, 2014.
- [146] Kallidanthiyil Chellappan Lethesh, Kristof Van Hecke, Luc Van Meervelt, Peter Nockemann, Barbara Kirchner, Stefan Zahn, Tatjana N. Parac-Vogt, Wim Dehaen, and Koen Binnemans. Nitrile-functionalized pyridinium, pyrrolidinium, and piperidinium ionic liquids. *The Journal of Physical Chemistry B*, 115(26):8424–8438, 2011.
- [147] Kallidanthiyil Chellappan Lethesh, Syed Nasir Shah, and M. I. Abdul Mutalib. Synthesis, characterization, and thermophysical properties of 1,8-diazobicyclo[5.4.0]undec-7-ene based thiocyanate ionic liquids. *Journal of Chemical & Engineering Data*, 59(6):1788–1795, 2014.
- [148] William Levason, David Pugh, and Gillian Reid. Imidazolium-based ionic liquids with large weakly coordinating anions. *New Journal of Chemistry*, 41(4):1677–1686, 2017.
- [149] Jocelyne Levillain, Guillaume Dubant, Isabelle Abrunhosa, Mihaela Gulea, and Annie-Claude Gaumont. Synthesis and properties of thiazoline based ionic liquids derived from the chiral pool. *Chemical Communications*, (23):2914, 2003.
- [150] Haifang Li, Guoying Zhao, Fangfang Liu, and Suojian Zhang. Physicochemical characterization of MFm-based ammonium ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1505–1515, 2013.
- [151] Liuyi Li, Jinyun Wang, Tao Wu, and Ruihu Wang. Click ionic liquids: A family of promising tunable solvents and application in suzuki-miyaura cross-coupling. *Chemistry - A European Journal*, 18(25):7842–7851, 2012.
- [152] Chen Liao, Nan Shao, Kee Sung Han, Xiao-Guang Sun, De-En Jiang, Edward W. Hagaman, and Sheng Dai. Physicochemical properties of imidazolium-derived ionic liquids with different c-2 substitutions. *Physical Chemistry Chemical Physics*, 13(48):21503, 2011.
- [153] Jin-Hong Lin, Cheng-Pan Zhang, Zhi-Qiang Zhu, Qing-Yun Chen, and Ji-Chang Xiao. A novel pyrrolidinium ionic liquid with 1,1,2,2-tetrafluoro-2-(1,1,2,2-tetrafluoroethoxy)ethanesulfonate anion as a recyclable reaction medium and efficient catalyst for friedel-crafts alkylations of indoles with nitroalkenes. *Journal of Fluorine Chemistry*, 130(4):394–398, 2009.
- [154] Qing-Shan Liu, Miao Yang, Pei-Pei Li, Si-Si Sun, Urs Welz-Biermann, Zhi-Cheng Tan, and Qing-Guo Zhang. Physicochemical properties of ionic

- liquids [c3py][NTf2] and [c6py][NTf2]. *Journal of Chemical & Engineering Data*, 56(11):4094–4101, 2011.
- [155] Qingbin Liu, Michiel H. A. Janssen, Fred van Rantwijk, and Roger A. Sheldon. Room-temperature ionic liquids that dissolve carbohydrates in high concentrations. *Green Chemistry*, 7(1):39, 2005.
- [156] Guifeng Ma, Yulan Zhou, Tiezhu Su, Wenxin Wei, Yanan Gong, Xiaohui Hu, Yanzhen Hong, Yuzhong Su, Hongtao Wang, and Jun Li. Phase equilibria and diffusion behavior of high pressure CO₂ in tetra-n-heptyl ammonium bromide. *The Journal of Supercritical Fluids*, 107:370–376, 2016.
- [157] Xiao-Xue Ma, Jie Wei, Wei Guan, Yi Pan, Ling Zheng, Yang Wu, and Jia-Zhen Yang. Ionic parachor and its application to pyridinium-based ionic liquids of [C_npy][DCA] (n=2,3,4,5,6). *The Journal of Chemical Thermodynamics*, 89:51–59, 2015.
- [158] D. R. MacFarlane, P. Meakin, J. Sun, N. Amini, and M. Forsyth. Pyrrolidinium imides: a new family of molten salts and conductive plastic crystal phases. *The Journal of Physical Chemistry B*, 103(20):4164–4170, 1999.
- [159] Douglas R. MacFarlane, Jake Golding, Stewart Forsyth, Maria Forsyth, and Glen B. Deacon. Low viscosity ionic liquids based on organic salts of the dicyanamide anion. *Chemical Communications*, (16):1430–1431, 2001.
- [160] Douglas R. MacFarlane, Jennifer M. Pringle, Katarina M. Johansson, Stewart A. Forsyth, and Maria Forsyth. Lewis base ionic liquids. *Chemical Communications*, (18):1905, 2006.
- [161] Andrzej Marciniak and Marek Królikowski. Ternary (liquid+liquid) equilibria of trifluorotris(perfluoroethyl)phosphate based ionic liquids+thiophene+heptane. *The Journal of Chemical Thermodynamics*, 49:154–158, 2012.
- [162] Łukasz Marcinkowski, Adam Kloskowski, and Jacek Namieśnik. Physical and thermophysical properties of 1-hexyl-1,4-diaza[2.2.2]bicyclooctanium bis(trifluoromethylsulfonyl)imide ionic liquid. *Journal of Chemical & Engineering Data*, 59(3):585–591, 2014.
- [163] H. Matsumoto, H. Kageyama, and Y. Miyazaki. Physical and electrochemical properties of room temperature molten salt based on aliphatic onium cations and asymmetric amide anion, 2002.
- [164] Hajime Matsumoto, Hiroyuki Kageyama, and Yoshinori Miyazaki. Room temperature molten salts based on tetraalkylammonium cations and bis(trifluoromethylsulfonyl)imide. *Chemistry Letters*, 30(2):182–183, 2001.

- [165] Hajime Matsumoto, Toshihiko Matsuda, and Yoshinori Miyazaki. Room temperature molten salts based on trialkylsulfonium cations and bis(trifluoromethylsulfonyl)imide. *Chemistry Letters*, 29(12):1430–1431, 2000.
- [166] Hajime Matsumoto, Hikari Sakaebe, and Kuniaki Tatsumi. Preparation of room temperature ionic liquids based on aliphatic onium cations and asymmetric amide anions and their electrochemical properties as a lithium battery electrolyte. *Journal of Power Sources*, 146(1-2):45–50, 2005.
- [167] Hajime Matsumoto, Masahiro Yanagida, Kazumi Tanimoto, Masakatsu Nomura, Yukiko Kitagawa, and Yoshinori Miyazaki. Highly conductive room temperature molten salts based on small trimethylalkylammonium cations and bis(trifluoromethylsulfonyl)imide. *Chemistry Letters*, 29(8):922–923, 2000.
- [168] D.R McFarlane, J Sun, J Golding, P Meakin, and M Forsyth. High conductivity molten salts based on the imide ion. *Electrochimica Acta*, 45(8-9):1271–1278, 2000.
- [169] Catarina I. Melo, Rafał Bogel-Lukasik, Manuel Nunes da Ponte, and Ewa Bogel-Lukasik. Ammonium ionic liquids as green solvents for drugs. *Fluid Phase Equilibria*, 338:209–216, 2013.
- [170] Ahmed Messadi, Aminou Mohamadou, Stephanie Boudesocque, Laurent Dupont, Patrick Fricoteaux, Albert Nguyen-Van-Nhien, and Matthieu Courty. Syntheses and characterisation of hydrophobic ionic liquids containing trialkyl(2-ethoxy-2-oxoethyl)ammonium or n-(1-methylpyrrolidyl-2-ethoxy-2-oxoethyl)ammonium cations. *Journal of Molecular Liquids*, 184:68–72, 2013.
- [171] Jyri-Pekka Mikkola, Pasi Virtanen, and Rainer Sjöholm. Aliquat 336®-a versatile and affordable cation source for an entirely new family of hydrophobic ionic liquids. *Green Chemistry*, 8(3):250, 2006.
- [172] Yousef R. Mirzaei, Brendan Twamley, and Jean'ne M. Shreeve. Syntheses of 1-alkyl-1,2,4-triazoles and the formation of quaternary 1-alkyl-4-polyfluoroalkyl-1,2,4-triazolium salts leading to ionic liquids. *The Journal of Organic Chemistry*, 67(26):9340–9345, 2002.
- [173] Yousef R. Mirzaei, Hong Xue, and Jean'ne M. Shreeve. Low Melting N-4-functionalized-1-alkyl or polyfluoroalkyl-1,2,4-triazolium salts. *Inorganic Chemistry*, 43(1):361–367, 2004.
- [174] Nawshad Muhammad, M. Ismail Hossain, Zakaria Man, Mohanad El-Harbawi, M. Azmi Bustam, Yousr Abdulhadi Noaman, Noorjahan Banu Mohamed Alitheen, Mei Kee Ng, Glenn Hefter, and Chun-Yang Yin. Synthesis and physical properties of choline carboxylate ionic liquids. *Journal of Chemical & Engineering Data*, 57(8):2191–2196, 2012.

- [175] Abhishek Mukherjee, Alok Awasthi, Saurabh Mishra, and Nagaiyar Krishnamurthy. Studies on fluorination of Y_2O_3 by NH_4HF_2 . *Thermochimica Acta*, 520(1-2):145–152, 2011.
- [176] Samuel M. Murray, T. Kyle Zimlich, Arsalan Mirjafari, Richard A. O’Brien, James H. Davis, and Kevin N. West. Thermophysical properties of imidazolium-based lipidic ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1516–1522, 2013.
- [177] Saravanababu Murugesan, John M. Wiencek, Rex X. Ren, and Robert J. Linhardt. Benzoate-based room temperature ionic liquids-thermal properties and glycosaminoglycan dissolution. *Carbohydrate Polymers*, 63(2):268–271, 2006.
- [178] Shidokht Nazari, Stanley Cameron, Michel B. Johnson, and Khashayar Ghandi. Physicochemical properties of imidazo-pyridine protic ionic liquids. *Journal of Materials Chemistry A*, 1(38):11570, 2013.
- [179] Catarina M. S. S. Neves, Marta L. S. Batista, Ana Filipa M. Cláudio, Luís M. N. B. F. Santos, Isabel M. Marrucho, Mara G. Freire, and João A. P. Coutinho. Thermophysical properties and water saturation of [PF6]-based ionic liquids. *Journal of Chemical & Engineering Data*, 55(11):5065–5073, 2010.
- [180] Helen L Ngo, Karen LeCompte, Liesl Hargens, and Alan B McEwen. Thermal properties of imidazolium ionic liquids. *Thermochimica Acta*, 357-358:97–102, 2000.
- [181] Michał Niemczak, Łukasz Chrzanowski, Tadeusz Praczyk, and Juliusz Pernak. Biodegradable herbicidal ionic liquids based on synthetic auxins and analogues of betaine. *New Journal of Chemistry*, 41(16):8066–8077, 2017.
- [182] Naoya Nishi, Seiichi Imakura, and Takashi Kakiuchi. Wide electrochemical window at the interface between water and a hydrophobic room-temperature ionic liquid of tetrakis[3,5-bis(trifluoromethyl)phenyl]borate. *Analytical Chemistry*, 78(8):2726–2731, 2006.
- [183] Naoya Nishi, Takahiro Kawakami, Fumiko Shigematsu, Masahiro Yamamoto, and Takashi Kakiuchi. Fluorine-free and hydrophobic room-temperature ionic liquids, tetraalkylammonium bis(2-ethylhexyl)sulfosuccinates, and their ionic liquid-water two-phase properties. *Green Chemistry*, 8(4):349, 2006.
- [184] Tetsuo Nishida, Yasutaka Tashiro, and Masashi Yamamoto. Physical and electrochemical properties of 1-alkyl-3-methylimidazolium tetrafluoroborate for electrolyte. *Journal of Fluorine Chemistry*, 120(2):135–141, 2003.

- [185] Peter Nockemann, Ben Thijs, Kris Driesen, Colin R. Janssen, Kristof Van Hecke, Luc Van Meervelt, Simone Kossmann, Barbara Kirchner, and Koen Binnemans. Choline saccharinate and choline acesulfamate: ionic liquids with low toxicities. *The Journal of Physical Chemistry B*, 111(19):5254–5263, 2007.
- [186] Akihiro Noda, Kikuko Hayamizu, and Masayoshi Watanabe. Pulsed-gradient spin-echo ^1H and ^{19}F NMR ionic diffusion coefficient, viscosity, and ionic conductivity of non-chloroaluminate room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 105(20):4603–4610, 2001.
- [187] H Ohno. Ion conductive characteristics of ionic liquids prepared by neutralization of alkylimidazoles. *Solid State Ionics*, 154-155:303–309, 2002.
- [188] Patrycja Okuniewska, Deresh Ramjugernath, Paramespri Naidoo, and Urszula Domańska. Solubility of ionic liquids in 2-phenylethanol (PEA) and water. *Fluid Phase Equilibria*, 376:55–63, 2014.
- [189] Bamidele A. Omotowa and Jean’ne M. Shreeve. Triazine-based polyfluorinated triquaternary liquid salts: synthesis, characterization, and application as solvents in rhodium(i)-catalyzed hydroformylation of 1-octene. *Organometallics*, 23(4):783–791, 2004.
- [190] Nicolas Papaiconomou, Julien Estager, Youssouf Traore, Pierre Bauduin, Corine Bas, Sophie Legeai, Sylvie Viboud, and Micheline Draye. Synthesis, physicochemical properties, and toxicity data of new hydrophobic ionic liquids containing dimethylpyridinium and trimethylpyridinium cations†. *Journal of Chemical & Engineering Data*, 55(5):1971–1979, 2010.
- [191] Nicolas Papaiconomou, Neal Yakelis, Justin Salminen, Robert Bergman, and John M. Prausnitz. Synthesis and properties of seven ionic liquids containing 1-methyl-3-octylimidazolium or 1-butyl-4-methylpyridinium cations. *Journal of Chemical & Engineering Data*, 51(4):1389–1393, 2006.
- [192] David J. S. Patinha, Liliana C. Tomé, Catarina Florindo, Hugo R. Soares, Ana S. Coroadinha, and Isabel M. Marrucho. New low-toxicity cholinium-based ionic liquids with perfluoroalkanoate anions for aqueous biphasic system implementation. *ACS Sustainable Chemistry & Engineering*, 4(5):2670–2679, 2016.
- [193] A. B. Pereiro, A. Rodriguez, M. Blesic, K. Shimizu, J. N. Canongia Lopes, and L. P. N. Rebelo. Mixtures of pyridine and nicotine with pyridinium-based ionic liquids. *Journal of Chemical & Engineering Data*, 56(12):4356–4363, 2011.
- [194] Ana B. Pereiro, João M. M. Araújo, Susana Martinho, Filipa Alves, Sara Nunes, Ana Matias, Catarina M. M. Duarte, Luis Paulo N. Rebelo, and Isabel M. Marrucho. Fluorinated ionic liquids: Properties and applications. *ACS Sustainable Chemistry & Engineering*, 1(4):427–439, 2013.

- [195] Juliusz Pernak, Agnieszka Czepukowicz, and Ryszard Poźniak. New ionic liquids and their antielectrostatic properties. *Industrial & Engineering Chemistry Research*, 40(11):2379–2383, 2001.
- [196] Juliusz Pernak and Joanna Feder-Kubis. Synthesis and properties of chiral ammonium-based ionic liquids. *Chemistry - A European Journal*, 11(15):4441–4449, 2005.
- [197] Juliusz Pernak, Rafał Giszter, Agnieszka Biedziak, Michał Niemczak, Radosław Olszewski, Katarzyna Marcinkowska, and Tadeusz Praczyk. Alkyl(c16, c18, c22)trimethylammonium-based herbicidal ionic liquids. *Journal of Agricultural and Food Chemistry*, 65(2):260–269, 2017.
- [198] Juliusz Pernak, Roksana Kordala, Bartosz Markiewicz, Filip Walkiewicz, Mikołaj Popławski, Anna Fabiańska, Stefan Jankowski, and Marek Łożyński. Synthesis and properties of ammonium ionic liquids with cyclohexyl substituent and dissolution of cellulose. *RSC Advances*, 2(22):8429, 2012.
- [199] Juliusz Pernak, Michał Niemczak, Katarzyna Materna, Krzysztof Żelechowski, Katarzyna Marcinkowska, and Tadeusz Praczyk. Synthesis, properties and evaluation of biological activity of herbicidal ionic liquids with 4-(4-chloro-2-methylphenoxy)butanoate anion. *RSC Advances*, 6(9):7330–7338, 2016.
- [200] Juliusz Pernak, Marcin Smiglak, Scott T. Griffin, Whitney L. Hough, Timothy B. Wilson, Anna Pernak, Jadwiga Zabielska-Matejuk, Andrzej Fojutowski, Kazimierz Kita, and Robin D. Rogers. Long alkyl chain quaternary ammonium-based ionic liquids and potential applications. *Green Chemistry*, 8(9):798, 2006.
- [201] Juliusz Pernak, Kinga Sobaszkiewicz, and Joanna Foksowicz-Flaczyk. Ionic liquids with symmetrical dialkoxymethyl-substituted imidazolium cations. *Chemistry - A European Journal*, 10(14):3479–3485, 2004.
- [202] Juliusz Pernak, Anna Syguda, Dominika Janiszewska, Katarzyna Materna, and Tadeusz Praczyk. Ionic liquids with herbicidal anions. *Tetrahedron*, 67(26):4838–4844, 2011.
- [203] Juliusz Pernak, Anna Syguda, Katarzyna Materna, Ewa Janus, Przemysław Kardasz, and Tadeusz Praczyk. 2,4-d based herbicidal ionic liquids. *Tetrahedron*, 68(22):4267–4273, 2012.
- [204] Juliusz Pernak, Krzysztof Wasiński, Tadeusz Praczyk, Jan Nawrot, Anna Cieniecka-Rosłonkiewicz, Filip Walkiewicz, and Katarzyna Materna. Sweet ionic liquids-cyclamates: Synthesis, properties, and application as feeding deterrents. *Science China Chemistry*, 55(8):1532–1541, 2012.

- [205] Sirivipa Piyamongkol, Zu D Liu, and Robert C Hider. Novel synthetic approach to 2-(1'-hydroxyalkyl)- and 2-amido-3-hydroxypyridin-4-ones. *Tetrahedron*, 57(16):3479–3486, 2001.
- [206] Sergey A. Prikhod'ko, Anton Yu. Shabalin, Vadim V. Bardin, Ilya V. Eltsov, Inna K. Shundrina, Valentin N. Parmon, and Nicolay Yu. Adonin. 1-alkyl-3-methylimidazolium 4-organyloxy-2,3,5,6-tetrafluorophenyltrifluoroborates as a new platform for ionic liquids with specific properties. *RSC Advances*, 7(28):17497–17504, 2017.
- [207] Jennifer M. Pringle, Jake Golding, Krisztian Baranyai, Craig M. Forsyth, Glen B. Deacon, Janet L. Scott, and Douglas R. MacFarlane. The effect of anion fluorination in ionic liquids-physical properties of a range of bis(methanesulfonyl)amide salts. *New J. Chem.*, 27(10):1504–1510, 2003.
- [208] Ser Kiang Quek, Ilya M. Lyapkalo, and Han Vinh Huynh. Synthesis and properties of n,n'-dialkylimidazolium bis(nonafluorobutane-1-sulfonyl)imides: a new subfamily of ionic liquids. *Tetrahedron*, 62(13):3137–3145, 2006.
- [209] Mahinder Ramdin, Thijs J. H. Vlugt, and Theo W. de Loos. Solubility of CO₂ in the ionic liquids [TBMN][MeSO₄] and [TBMP][MeSO₄]. *Journal of Chemical & Engineering Data*, 57(8):2275–2280, 2012.
- [210] Ch. Jagadeeswara Rao, R. Venkata Krishnan, K. A. Venkatesan, K. Nagarajan, and T. G. Srinivasan. Thermochemical properties of some bis(trifluoromethyl-sulfonyl)imide based room temperature ionic liquids. *Journal of Thermal Analysis and Calorimetry*, 97(3):937–943, 2009.
- [211] P. N. Praveen Rao, Mohsen Amini, Huiying Li, Amgad G. Habeeb, and Edward E. Knaus. Design, synthesis, and biological evaluation of 6-substituted-3-(4-methanesulfonylphenyl)-4-phenylpyran-2-ones: a novel class of diarylheterocyclic selective cyclooxygenase-2 inhibitors. *Journal of Medicinal Chemistry*, 46(23):4872–4882, 2003.
- [212] Anthony J. R. Rennie, Vitor L. Martins, Roberto M. Torresi, and Peter J. Hall. Ionic liquids containing sulfonium cations as electrolytes for electrochemical double layer capacitors. *The Journal of Physical Chemistry C*, 119(42):23865–23874, 2015.
- [213] John De Roche, Charles M. Gordon, Corrie T. Imrie, Malcolm D. Ingram, Alan R. Kennedy, Fabrizio Lo Celso, and Alessandro Triolo. Application of complementary experimental techniques to characterization of the phase behavior of [c16mim][PF₆] and [c14mim][PF₆]. *Chemistry of Materials*, 15(16):3089–3097, 2003.
- [214] Joseph Rosenfarb, Michael Martin, Chandra Prakash, and Joseph A. Caruso. Conductance behavior of electrolytes in 3-methylsulfolane at 25°C. *Journal of Solution Chemistry*, 5(5):311–318, 1976.

- [215] Justin Salminen, Nicolas Papaiconomou, R. Anand Kumar, Jong-Min Lee, John Kerr, John Newman, and John M. Prausnitz. Physicochemical properties and toxicities of hydrophobic piperidinium and pyrrolidinium ionic liquids. *Fluid Phase Equilibria*, 261(1-2):421–426, 2007.
- [216] Shilpi Sanghi, Erik Willett, Craig Versek, Mark Tuominen, and E. Bryan Coughlin. Physicochemical properties of 1,2,3-triazolium ionic liquids. *RSC Adv.*, 2(3):848–853, 2012.
- [217] Abhijit Sarkar and Biswajit Sinha. Solution thermodynamics of aqueous nicotinic acid solutions in presence of tetrabutylammonium hydrogen sulphate. *Journal of the Serbian Chemical Society*, 78(8):1225–1240, 2013.
- [218] Elena S. Sashina, Dmitrii A. Kashirskii, Grażyna Janowska, and Marian Zaborski. Thermal properties of 1-alkyl-3-methylpyridinium halide-based ionic liquids. *Thermochimica Acta*, 568:185–188, 2013.
- [219] Sven Sauer, Nelli Steinke, Angelika Baro, Sabine Laschat, Frank Gieselmann, and Willi Kantlehner. Guanidinium chlorides with triphenylene moieties displaying columnar mesophases. *Chemistry of Materials*, 20(5):1909–1915, 2008.
- [220] Marlene Scheuermeyer, Matthias Kusche, Friederike Agel, Patrick Schreiber, Florian Maier, Hans-Peter Steinrück, James H. Davis, Florian Heym, Andreas Jess, and Peter Wasserscheid. Thermally stable bis(trifluoromethylsulfonyl)imide salts and their mixtures. *New J. Chem.*, 40(8):7157–7161, 2016.
- [221] Stefan Schneider, Tommy Hawkins, Michael Rosander, Jeffrey Mills, Adam Brand, Leslie Hudgens, Greg Warmoth, and Ashwani Vij. Liquid azide salts. *Inorganic Chemistry*, 47(9):3617–3624, 2008.
- [222] Stefan Schneider, Tommy Hawkins, Michael Rosander, Ghanshyam Vaghjiani, Steven Chambreau, and Gregory Drake. Ionic liquids as hypergolic fuels. *Energy & Fuels*, 22(4):2871–2872, 2008.
- [223] Samuel Seo, Luke D. Simoni, Mengting Ma, M. Aruni DeSilva, Yong Huang, Mark A. Stadtherr, and Joan F. Brennecke. Phase-change ionic liquids for postcombustion CO₂ capture. *Energy & Fuels*, 28(9):5968–5977, 2014.
- [224] Roger Sheldon. Catalytic reactions in ionic liquids. *Chemical Communications*, (23):2399–2407, 2001.
- [225] L. E. Shmukler, M. S. Gruzdev, N. O. Kudryakova, Yu. A. Fadeeva, A. M. Kolker, and L. P. Safonova. Thermal behavior and electrochemistry of protic ionic liquids based on triethylamine with different acids. *RSC Advances*, 6(111):109664–109671, 2016.

- [226] Boor Singh and S. S. Sekhon. Polymer electrolytes based on room temperature ionic liquid: 2,3-dimethyl-1-octylimidazolium triflate. *The Journal of Physical Chemistry B*, 109(34):16539–16543, 2005.
- [227] Rajendra P. Singh and Jean’ne M. Shreeve. Bridged tetraquaternary salts from N,N’-polyfluoroalkyl-4,4’-bipyridine. *Inorganic Chemistry*, 42(23):7416–7421, 2003.
- [228] Rajendra P. Singh, Rolf W. Winter, Gary L. Gard, Ye Gao, and Jean’ne M. Shreeve. Quaternary salts containing the pentafluorosulfanyl (SF₅) group. *Inorganic Chemistry*, 42(19):6142–6146, 2003.
- [229] Benjamin Siu, Cody G. Cassity, Adela Benchea, Taylor Hamby, Jeffrey Hendrich, Katie J. Strickland, Andrzej Wierzbicki, Richard E. Sykora, E. Alan Salter, Richard A. O’Brien, Kevin N. West, and James H. Davis. Thermally robust: triarylsulfonium ionic liquids stable in air for 90 days at 300 °C. *RSC Advances*, 7(13):7623–7630, 2017.
- [230] Ye Song, Lin Liu, Xufei Zhu, Xinlong Wang, Hongbing Jia, Xuemei Xiao, Huadong Yu, and Xiuli Yang. Physicochemical properties of ionic liquids based on imidazolium/pyrrolidinium cations and maleate/phthalate anions. *Solid State Ionics*, 179(13-14):516–521, 2008.
- [231] Olga Stolarska, Héctor Rodríguez, and Marcin Smiglak. Eutectic mixtures of pyrrolidinium-based ionic liquids. *Fluid Phase Equilibria*, 408:1–9, 2016.
- [232] Ernst J. R. Sudholter, Jan B. F. N. Engberts, and Wim H. De Jeu. Thermotropic liquid-crystalline behavior of some single- and double-chained pyridinium amphiphiles. *The Journal of Physical Chemistry*, 86(10):1908–1913, 1982.
- [233] J. Sun, M. Forsyth, and D. R. MacFarlane. Room-temperature molten salts based on the quaternary ammonium ion. *The Journal of Physical Chemistry B*, 102(44):8858–8864, 1998.
- [234] J. Sun, D.R. MacFarlane, and M. Forsyth. A new family of ionic liquids based on the 1-alkyl-2-methyl pyrrolinium cation. *Electrochimica Acta*, 48(12):1707–1711, 2003.
- [235] Liyuan Sun, Oscar Morales-Collazo, Han Xia, and Joan F. Brennecke. Effect of structure on transport properties (viscosity, ionic conductivity, and self-diffusion coefficient) of aprotic heterocyclic anion (AHA) room temperature ionic liquids. 2. variation of alkyl chain length in the phosphonium cation. *The Journal of Physical Chemistry B*, 120(25):5767–5776, 2016.
- [236] Ran Tao, George Tamas, Lianjie Xue, Sindee L. Simon, and Edward L. Quitevis. Thermophysical properties of imidazolium-based ionic liquids: The effect of aliphatic versus aromatic functionality. *Journal of Chemical & Engineering Data*, 59(9):2717–2724, 2014.

- [237] Thorsteinn Thorsteinsson, Már Másson, Karl G. Kristinsson, Martha A. Hjálmarsdóttir, Hilmar Hilmarsson, and Thorsteinn Loftsson. Soft antimicrobial agents: synthesis and activity of labile environmentally friendly long chain quaternary ammonium compounds. *Journal of Medicinal Chemistry*, 46(19):4173–4181, 2003.
- [238] Hiroyuki Tokuda, Seiji Tsuzuki, Md. Abu Bin Hasan Susan, Kikuko Hayamizu, and Masayoshi Watanabe. How ionic are room-temperature ionic liquids? an indicator of the physicochemical properties. *The Journal of Physical Chemistry B*, 110(39):19593–19600, 2006.
- [239] Marcel Treskow, Jagath Pitawala, Sven Arenz, Aleksandar Matic, and Patrik Johansson. A new class of ionic liquids: Anion amphiprotic ionic liquids. *The Journal of Physical Chemistry Letters*, 3(16):2114–2119, 2012.
- [240] Carlos A. S. Trindade, Zoran P. Visak, Rafał Bogel-Lukasik, Ewa Bogel-Lukasik, and Manuel Nunes da Ponte. Liquid-liquid equilibrium of mixtures of imidazolium-based ionic liquids with propanediols or glycerol. *Industrial & Engineering Chemistry Research*, 49(10):4850–4857, 2010.
- [241] Ming-Chung Tseng, Yang-Min Liang, and Yen-Ho Chu. Synthesis of fused tetrahydro- β -carbolinequinoxalinones in 1-n-butyl-2,3-dimethylimidazolium bis(trifluoromethylsulfonyl)imide ([bdmim][tf2n]) and 1-n-butyl-2,3-dimethylimidazolium perfluorobutylsulfonate ([bdmim][PFBuSO₃]) ionic liquids. *Tetrahedron Letters*, 46(36):6131–6136, 2005.
- [242] Yasuhiro Tsukada, Kazuhisa Iwamoto, Hiroyuki Furutani, Yuichi Matsushita, Yoshikazu Abe, Kei Matsumoto, Keishi Monda, Shuichi Hayase, Motoi Kawatsura, and Toshiyuki Itoh. Preparation of novel hydrophobic fluorine-substituted-alkyl sulfate ionic liquids and application as an efficient reaction medium for lipase-catalyzed reaction. *Tetrahedron Letters*, 47(11):1801–1804, 2006.
- [243] Katsuhiko Tsunashima, Atsuko Kawabata, Masahiko Matsumiya, Shun Kodama, Ryuichi Enomoto, Masashi Sugiya, and Yoshihito Kunugi. Low viscous and highly conductive phosphonium ionic liquids based on bis(fluorosulfonyl)amide anion as potential electrolytes. *Electrochemistry Communications*, 13(2):178–181, 2011.
- [244] Katsuhiko Tsunashima, Yuki Sakai, and Masahiko Matsumiya. Physical and electrochemical properties of phosphonium ionic liquids derived from trimethylphosphine. *Electrochemistry Communications*, 39:30–33, 2014.
- [245] Katsuhiko Tsunashima and Masashi Sugiya. Physical and electrochemical properties of low-viscosity phosphonium ionic liquids as potential electrolytes. *Electrochemistry Communications*, 9(9):2353–2358, 2007.

- [246] Michael E. Van Valkenburg, Robert L. Vaughn, Margaret Williams, and John S. Wilkes. Thermochemistry of ionic liquid heat-transfer fluids. *Thermochimica Acta*, 425(1-2):181–188, 2005.
- [247] Federico M. Ferrero Vallana, Lynette A. M. Holland, Kenneth R. Seddon, and Oreste Todini. Delayed release of a fragrance from novel ionic liquids. *New Journal of Chemistry*, 41(3):1037–1045, 2017.
- [248] Joep van den Broeke, Marjolijn Stam, Martin Lutz, Huub Kooijman, Anthony L. Spek, Berth-Jan Deelman, and Gerard van Koten. Designing ionic liquids: 1-butyl-3-methylimidazolium cations with substituted tetraphenylborate counterions. *European Journal of Inorganic Chemistry*, 2003(15):2798–2811, 2003.
- [249] Alexandre Varnek, Natalia Kireeva, Igor V. Tetko, Igor I. Baskin, and Vitaly P. Solov'ev. Exhaustive qspr studies of a large diverse set of ionic liquids: How accurately can we predict melting points? *Journal of Chemical Information and Modeling*, 47(3):1111–1122, 2007.
- [250] N.S.M. Vieira, A. Luís, P.M. Reis, P.J. Carvalho, J.A. Lopes da Silva, J.M.S.S. Esperança, J.M.M. Araújo, L.P.N. Rebelo, M.G. Freire, and A.B. Pereiro. Fluorination effects on the thermodynamic, thermophysical and surface properties of ionic liquids. *The Journal of Chemical Thermodynamics*, 97:354–361, 2016.
- [251] J. Vila, B. Fernández-Castro, E. Rilo, J. Carrete, M. Domínguez-Pérez, J.R. Rodríguez, M. García, L.M. Varela, and O. Cabeza. Liquid-solid-liquid phase transition hysteresis loops in the ionic conductivity of ten imidazolium-based ionic liquids. *Fluid Phase Equilibria*, 320:1–10, 2012.
- [252] M. Villanueva, J.J. Parajó, Pablo B. Sánchez, J. García, and J. Salgado. Liquid range temperature of ionic liquids as potential working fluids for absorption heat pumps. *The Journal of Chemical Thermodynamics*, 91:127–135, 2015.
- [253] Ignacio J. Villar-García, Atakilt Abebe, and Yonas Chebude. 1,10-phenanthroline ionic liquids exhibiting excellent solubility for metal complexes: Potential solvents for biphasic and supported ionic liquid phase (SILP) catalysis. *Inorganic Chemistry Communications*, 19:1–3, 2012.
- [254] Philipp Wachter, Christian Schreiner, Hans-Georg Schweiger, and Heiner Jakob Gores. Determination of phase transition points of ionic liquids by combination of thermal analysis and conductivity measurements at very low heating and cooling rates. *The Journal of Chemical Thermodynamics*, 42(7):900–903, 2010.
- [255] Philipp Wachter, Hans-Georg Schweiger, Franz Wudy, and Heiner J. Gores. Efficient determination of crystallisation and melting points at

low cooling and heating rates with novel computer controlled equipment. *The Journal of Chemical Thermodynamics*, 40(10):1542–1547, 2008.

- [256] Guojun Wang, Shaohua Fang, Yi Liu, Dong Luo, Li Yang, and Shin ichi Hirano. Physicochemical properties of functionalized 1,3-dialkylimidazolium ionic liquids based on the bis(fluorosulfonyl)imide anion. *RSC Advances*, 6(71):66650–66657, 2016.
- [257] Haizhong Wang, Qiming Lu, Chengfeng Ye, Weimin Liu, and Zhaojie Cui. Friction and wear behaviors of ionic liquid of alkyylimidazolium hexafluorophosphates as lubricants for steel/steel contact. *Wear*, 256(1-2):44–48, 2004.
- [258] Litao Wang, Xiaomin Wang, Tao Zuo, Qiaomei Sun, Pengcheng Liu, Shun Yao, and Hang Song. Determination and correlation of the solubility of four brønsted-acidic ionic liquids based on benzothiazolium cations in six alcohols. *The Journal of Chemical Thermodynamics*, 72:48–53, 2014.
- [259] Ruihu Wang, Melissa M. Piekarski, and Jean’ne M. Shreeve. Pyrazolyl-functionalized 2-methylimidazolium-based ionic liquids and their palladium(ii) complexes as recyclable catalysts. *Organic & Biomolecular Chemistry*, 4(10):1878, 2006.
- [260] Zhi Wang, Zuopeng Li, Yunhe Jin, Wei Liu, Linhai Jiang, and Qinghua Zhang. Organic superbases derived ionic liquids based on the TFSI anion: synthesis, characterization, and electrochemical properties. *New Journal of Chemistry*, 41(12):5091–5097, 2017.
- [261] Zhiming Wang, Qiang Wang, Yu Zhang, and Weiliang Bao. Synthesis of new chiral ionic liquids from natural acids and their applications in enantioselective michael addition. *Tetrahedron Letters*, 46(27):4657–4660, 2005.
- [262] Peter Wasserscheid, Roy van Hal, and Andreas Bösmann. 1-n-butyl-3-methylimidazolium ([bmim]) octylsulfate—an even ‘greener’ ionic liquid. *Green Chem.*, 4(4):400–404, 2002.
- [263] Peter Wasserscheid, Roy van Hal, and Andreas Bösmann. *New, halogen-free ionic liquids - Synthesis, properties, and applications*, volume 2002-19 of *Proceedings volume / Electrochemical Society*. Electrochemical Society, Pennington, NJ, 2002.
- [264] John S. Wilkes and Michael J. Zaworotko. Air and water stable 1-ethyl-3-methylimidazolium based ionic liquids. *Journal of the Chemical Society, Chemical Communications*, (13):965, 1992.
- [265] Michał Wlazło, Andrzej Marciniak, Maciej Zawadzki, and Barbara Dudkiewicz. Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid 4-(3-hydroxypropyl)-4-methylmorpholinium bis(trifluoromethylsulfonyl)-amide. *The Journal of Chemical Thermodynamics*, 86:154–161, 2015.

- [266] Banqiu Wu, Ramana G. Reddy, and Robin D. Rogers. Novel ionic liquid thermal storage for solar thermal electric power systems. In *In Proceedings of Solar Forum 2001 Solar*, pages 21–25, 2006.
- [267] Tzi-Yi Wu, Shyh-Gang Su, Shr-Tusen Gung, Ming-Wei Lin, Yuan-Chung Lin, Chao-Anx Lai, and I-Wen Sun. Ionic liquids containing an alkyl sulfate group as potential electrolytes. *Electrochimica Acta*, 55(15):4475–4482, 2010.
- [268] Tzi-Yi Wu, Shyh-Gang Su, Keng-Fu Lin, Yuan-Chung Lin, H. Paul Wang, Ming-Wei Lin, Shr-Tusen Gung, and I-Wen Sun. Voltammetric and physicochemical characterization of hydroxyl- and ether-functionalized onium bis(trifluoromethanesulfonyl)imide ionic liquids. *Electrochimica Acta*, 56(21):7278–7287, 2011.
- [269] Tzi-Yi Wu, Shyh-Gang Su, H. Paul Wang, and I-Wen Sun. Glycine-based ionic liquids as potential electrolyte for electrochemical studies of organometallic and organic redox couples. *Electrochemistry Communications*, 13(3):237–241, 2011.
- [270] Haibo Xie, Suobo Zhang, and Haifeng Duan. An ionic liquid based on a cyclic guanidinium cation is an efficient medium for the selective oxidation of benzyl alcohols. *Tetrahedron Letters*, 45(9):2013–2015, 2004.
- [271] Huabing Xing, Tao Wang, Zhenhuan Zhou, and Youyuan Dai. Novel brønsted-acidic ionic liquids for esterifications. *Industrial & Engineering Chemistry Research*, 44(11):4147–4150, 2005.
- [272] Wu Xu, Li-Min Wang, Ronald A. Nieman, and C. Austen Angell. Ionic liquids of chelated orthoborates as model ionic glassformers. *The Journal of Physical Chemistry B*, 107(42):11749–11756, 2003.
- [273] H. Xue and J. M. Shreeve. Energetic ionic liquids from azido derivatives of 1,2,4-triazole. *Advanced Materials*, 17(17):2142–2146, 2005.
- [274] Hong Xue, Sean W. Arritt, Brendan Twamley, and Jean’ne M. Shreeve. Energetic salts from N-aminoazoles. *Inorganic Chemistry*, 43(25):7972–7977, 2004.
- [275] Hong Xue, Ye Gao, Brendan Twamley, and Jean’ne M. Shreeve. Energetic azolium azolate salts. *Inorganic Chemistry*, 44(14):5068–5072, 2005.
- [276] Hong Xue, Ye Gao, Brendan Twamley, and Jean’ne M. Shreeve. New energetic salts based on nitrogen-containing heterocycles. *Chemistry of Materials*, 17(1):191–198, 2005.
- [277] Hong Xue, Brendan Twamley, and Jean’ne M. Shreeve. The first 1-alkyl-3-perfluoroalkyl-4,5-dimethyl-1,2,4-triazolium salts. *The Journal of Organic Chemistry*, 69(4):1397–1400, 2004.

- [278] Lianjie Xue, Eshan Gurung, George Tamas, Yung P. Koh, Michael Shadeck, Sindee L. Simon, Mark Maroncelli, and Edward L. Quitevis. Effect of alkyl chain branching on physicochemical properties of imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 61(3):1078–1091, 2016.
- [279] Yurii L. Yagupolskii, Taras M. Sokolenko, Kiril I. Petko, and Lev M. Yagupolskii. Novel ionic liquids-imidazolium salts with a difluoromethylene fragment directly bonded to the nitrogen atom. *Journal of Fluorine Chemistry*, 126(4):667–670, 2005.
- [280] Shinji Yamada, Tomoko Misono, Mayumi Ichikawa, and Chisako Morita. Regio- and stereoselective synthesis of 1,4-dihydropyridines by way of an intramolecular interaction of a thiocarbonyl or carbonyl with a pyridinium nucleus. *Tetrahedron*, 57(43):8939–8949, 2001.
- [281] Chunhe Yang, Qingjiang Sun, Jing Qiao, and Yongfang Li. Ionic liquid doped polymer light-emitting electrochemical cells. *The Journal of Physical Chemistry B*, 107(47):12981–12988, 2003.
- [282] Jia-Zhen Yang, Jing Tong, and Jing-Bin Li. Study of the volumetric properties of the aqueous ionic liquid 1-methyl-3-pentylimidazolium tetrafluoroborate. *Journal of Solution Chemistry*, 36(5):573–582, 2007.
- [283] Xu-Zhao Yang and Jun Wang. Solubility of 1,1'-(butane-1,4-diyl)-bis(3-methyl-1h-imidazolium-1-yl) dihexafluorophosphate in water, acetophenone, cyclohexanone, acetylacetone, and 2-butanone. *Journal of Chemical & Engineering Data*, 55(7):2594–2595, 2010.
- [284] Tomohiro Yasuda, Hiroshi Kinoshita, Muhammed Shah Miran, Seiji Tsuzuki, and Masayoshi Watanabe. Comparative study on physicochemical properties of protic ionic liquids based on allylammonium and propylammonium cations. *Journal of Chemical & Engineering Data*, 58(10):2724–2732, 2013.
- [285] Chengfeng Ye and Jean'ne M. Shreeve. Syntheses of very dense halogenated liquids. *The Journal of Organic Chemistry*, 69(19):6511–6513, 2004.
- [286] Sun-Hwa Yeon, Ki-Sub Kim, Sukjeong Choi, Huen Lee, Hoon Sik Kim, and Honggon Kim. Physical and electrochemical properties of 1-(2-hydroxyethyl)-3-methyl imidazolium and n-(2-hydroxyethyl)-n-methyl morpholinium ionic liquids. *Electrochimica Acta*, 50(27):5399–5407, 2005.
- [287] Masahiro Yoshizawa-Fujita, Katarina Johansson, Peter Newman, Douglas R. MacFarlane, and Maria Forsyth. Novel lewis-base ionic liquids replacing typical anions. *Tetrahedron Letters*, 47(16):2755–2758, 2006.

- [288] Masahiro Yoshizawa-Fujita, Douglas R. MacFarlane, Patrick C. Howlett, and Maria Forsyth. A new lewis-base ionic liquid comprising a mono-charged diamine structure: A highly stable electrolyte for lithium electrochemistry. *Electrochemistry Communications*, 8(3):445–449, 2006.
- [289] Ramzi Zarrougui, Mahmoud Dhahbi, and Daniel Lemordant. Transport and thermodynamic properties of ethylammonium nitrate-water binary mixtures: Effect of temperature and composition. *Journal of Solution Chemistry*, 44(3-4):686–702, 2015.
- [290] Dingjun Zhang, Jianmin Chen, Yongming Liang, and Huidi Zhou. Facile synthesis of novel ionic liquids containing dithiocarbamate. *Synthetic Communications*, 35(4):521–526, 2005.
- [291] Sumei Zhang, Yawei Hou, Weiguo Huang, and Yongkui Shan. Preparation and characterization of novel ionic liquid based on benzotriazolium cation. *Electrochimica Acta*, 50(20):4097–4103, 2005.
- [292] Yi Zhang, Xu Zhao, Qiwei Yang, Zhiguo Zhang, Qilong Ren, and Huabin Xing. Long-chain carboxylate ionic liquids combining high solubility and low viscosity for light hydrocarbon separations. *Industrial & Engineering Chemistry Research*, 56(25):7336–7344, 2017.
- [293] Dongbin Zhao, Zhaofu Fei, Tilmann J. Geldbach, Rosario Scopelliti, and Paul J. Dyson. Nitrile-functionalized pyridinium ionic liquids: synthesis, characterization, and their application in carbon-carbon coupling reactions. *Journal of the American Chemical Society*, 126(48):15876–15882, 2004.
- [294] Dongbin Zhao, Zhaofu Fei, C. André Ohlin, Gábor Laurenczy, and Paul J. Dyson. Dual-functionalised ionic liquids: synthesis and characterisation of imidazolium salts with a nitrile-functionalised anion. *Chemical Communications*, (21):2500, 2004.
- [295] Dongbin Zhao, Zhaofu Fei, Rosario Scopelliti, and Paul J. Dyson. Synthesis and characterization of ionic liquids incorporating the nitrile functionality. *Inorganic Chemistry*, 43(6):2197–2205, 2004.
- [296] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: 1-alkyl(alkyl ether)-3-methylimidazolium perfluoroalkyltrifluoroborate. *Chemistry - A European Journal*, 10(24):6581–6591, 2004.
- [297] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: 1-alkyl(alkyl ether)-3-methylimidazolium perfluoroalkyltrifluoroborate. *Chemistry - A European Journal*, 10(24):6581–6591, 2004.

- [298] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: Aliphatic quaternary ammonium salts with perfluoroalkyltrifluoroborates. *Chemistry - A European Journal*, 11(2):752–766, 2005.
- [299] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Structure and properties of new ionic liquids based on alkyl- and alkenyltrifluoroborates. *ChemPhysChem*, 6(7):1324–1332, 2005.
- [300] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Cyclic quaternary ammonium ionic liquids with perfluoroalkyltrifluoroborates: Synthesis, characterization, and properties. *Chemistry - A European Journal*, 12(8):2196–2212, 2006.
- [301] M. F. Zimmer, E. E. Baroody, G. A. Carpenter, and R. A. Robb. Heat of formation of hydroxylammonium perchlorate by combustion calorimetry. *Journal of Chemical & Engineering Data*, 13(2):212–214, 1968.
- [302] Melek Canbulat Özdemir and Beytiye Özgün. Phenyl/alkyl-substituted-3,5-dimethylpyrazolium ionic liquids. *Journal of Molecular Liquids*, 200:129–135, 2014.
- [303] Sinem Engin Özdil, Halide Akbaş, and Mesut Boz. Synthesis and physico-chemical properties of double-chain cationic surfactants. *Journal of Chemical & Engineering Data*, 61(1):142–150, 2015.

Glass Transition Temperature

- [1] Pierre Bonhôte, Ana-Paula Dias, Nicholas Papageorgiou, Kuppuswamy Kalyanasundaram, and Michael Grätzel. Hydrophobic, highly conductive ambient-temperature molten salts†. *Inorganic Chemistry*, 35(5):1168–1178, 1996.
- [2] Luís C. Branco, João N. Rosa, Joaquim J. Moura Ramos, and Carlos A. M. Afonso. Preparation and characterization of new room temperature ionic liquids. *Chemistry - A European Journal*, 8(16):3671, 2002.
- [3] E.H. Cha, S.A. Lim, J.H. Park, D.W. Kim, and D.R. Macfarlane. Ionic conductivity studies of gel polyelectrolyte based on ionic liquid. *Journal of Power Sources*, 178(2):779–782, 2008.
- [4] Hui Chen, Dylan C. Kwait, Z. Serpil Gönen, Brian T. Weslowski, David J. Abdallah, and Richard G. Weiss. Phase characterization and properties of completely saturated quaternary phosphonium salts. ordered, room-temperature ionic liquids. *Chemistry of Materials*, 14(10):4063–4072, 2002.
- [5] Sangki Chun, Sergei V. Dzyuba, and Richard A. Bartsch. Influence of structural variation in room-temperature ionic liquids on the selectivity and efficiency of competitive alkali metal salt extraction by a crown ether. *Analytical Chemistry*, 73(15):3737–3741, 2001.
- [6] Jacob M. Crosthwaite, Mark J. Muldoon, JaNeille K. Dixon, Jessica L. Anderson, and Joan F. Brennecke. Phase transition and decomposition temperatures, heat capacities and viscosities of pyridinium ionic liquids. *The Journal of Chemical Thermodynamics*, 37(6):559–568, 2005.
- [7] D. Demberehnyamba, Sang Jun Yoon, and Huen Lee. New epoxide molten salts: Key intermediates for designing novel ionic liquids. *Chemistry Letters*, 33(5):560–561, 2004.
- [8] Daphne Depuydt, Wim Dehaen, and Koen Binnemans. Docusate ionic liquids: Effect of cation on water solubility and solvent extraction behavior. *ChemPlusChem*, 82(3):458–466, 2017.

- [9] Jie Ding, Vasumathi Desikan, Xinxin Han, Tom L. Xiao, Rongfang Ding, William S. Jenks, and Daniel W. Armstrong. Use of chiral ionic liquids as solvents for the enantioselective photoisomerization of dibenzobicyclo[2.2.2]octatrienes. *Organic Letters*, 7(2):335–337, 2005.
- [10] Zhengyin Du, Zuopeng Li, Shu Guo, Juan Zhang, Laiying Zhu, and Youquan Deng. Investigation of physicochemical properties of lactam-based brønsted acidic ionic liquids. *The Journal of Physical Chemistry B*, 109(41):19542–19546, 2005.
- [11] Sergei V. Dzyuba and Richard A. Bartsch. Influence of structural variations in 1-alkyl(aralkyl)-3-methylimidazolium hexafluorophosphates and bis(trifluoromethylsulfonyl)imides on physical properties of the ionic liquids. *ChemPhysChem*, 3(2):161–166, 2002.
- [12] Martyn J. Earle, Paul B. McCormac, and Kenneth R. Seddon. Regioselective alkylation in ionic liquids. *Chemical Communications*, (20):2245–2246, 1998.
- [13] Stewart A. Forsyth, Kevin J. Fraser, Patrick C. Howlett, Douglas R. MacFarlane, and Maria Forsyth. N-methyl-n-alkylpyrrolidinium nonafluoro-1-butanesulfonate salts: Ionic liquid properties and plastic crystal behaviour. *Green Chemistry*, 8(3):256, 2006.
- [14] Stewart A. Forsyth and Douglas R. MacFarlane. 1-alkyl-3-methylbenzotriazolium salts: ionic solvents and electrolytes. *Journal of Materials Chemistry*, 13(10):2451, 2003.
- [15] Christopher P. Fredlake, Jacob M. Crosthwaite, Daniel G. Hert, Sudhir N. V. K. Aki, and Joan F. Brennecke. Thermophysical properties of imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 49(4):954–964, 2004.
- [16] Clarissa P. Frizzo, Keli Wust, Aniele Z. Tier, Thaíssa S. Beck, Leticia V. Rodrigues, Rodrigo A. Vaucher, Leandro P. Bolzan, Silvio Terra, Felix Soares, and Marcos A. P. Martins. Novel ibuprofenate- and docusate-based ionic liquids: emergence of antimicrobial activity. *RSC Advances*, 6(102):100476–100486, 2016.
- [17] Kenta Fukumoto, Masahiro Yoshizawa, and Hiroyuki Ohno. Room temperature ionic liquids from 20 natural amino acids. *Journal of the American Chemical Society*, 127(8):2398–2399, 2005.
- [18] Zong gang Mu, Feng Zhou, Shu xiang Zhang, Yong min Liang, and Wei min Liu. Preparation and characterization of new phosphonyl-substituted imidazolium ionic liquids. *Helvetica Chimica Acta*, 87(10):2549–2555, 2004.

- [19] Ye Gao, Sean W. Arritt, Brendan Twamley, and Jean'ne M. Shreeve. Guanidinium-based ionic liquids. *Inorganic Chemistry*, 44(6):1704–1712, 2005.
- [20] J. Golding, S. Forsyth, D. R. MacFarlane, M. Forsyth, and G. B. Deacon. Methanesulfonate and p-toluenesulfonate salts of the n-methyl-n-alkylpyrrolidinium and quaternary ammonium cations: novel low cost ionic liquids. *Green Chemistry*, 4(3):223–229, 2002.
- [21] Brett F. Goodrich, Juan C. de la Fuente, Burcu E. Gurkan, David J. Zadi-gian, Erica A. Price, Yong Huang, and Joan F. Brennecke. Experimental measurements of amine-functionalized anion-tethered ionic liquids with carbon dioxide. *Industrial & Engineering Chemistry Research*, 50(1):111–118, 2011.
- [22] Tamar L. Greaves, Asoka Weerawardena, Celesta Fong, Irena Kro-dkiewska, and Calum J. Drummond. Protic ionic liquids: solvents with tunable phase behavior and physicochemical properties. *The Journal of Physical Chemistry B*, 110(45):22479–22487, 2006.
- [23] M.S. Gruzdev, L.E. Shmukler, N.O. Kudryakova, A.M. Kolker, Yu.A. Sergeeva, and L.P. Safonova. Triethanolamine-based protic ionic liquids with various sulfonic acids: Synthesis and properties. *Journal of Molecular Liquids*, 242:838–844, 2017.
- [24] Shu Guo, Zhengyin Du, Shiguo Zhang, Dongmei Li, Zuopeng Li, and Youquan Deng. Clean beckmann rearrangement of cyclohexanone oxime in caprolactam-based brønsted acidic ionic liquids. *Green Chem.*, 8(3):296–300, 2006.
- [25] Om D. Gupta, Brendan Twamley, and Jean'ne M. Shreeve. Perfluoro alkyl 1,3-diketonates of cyclic and acyclic secondary amines. *Journal of Fluorine Chemistry*, 127(2):263–269, 2006.
- [26] John D. Holbrey and Kenneth R. Seddon. The phase behaviour of 1-alkyl-3-methylimidazolium tetrafluoroborates; ionic liquids and ionic liquid crystals. *Journal of the Chemical Society, Dalton Transactions*, (13):2133–2140, 1999.
- [27] John D. Holbrey, Megan B. Turner, W. Matthew Reichert, and Robin D. Rogers. New ionic liquids containing an appended hydroxyl functionality from the atom-efficient, one-pot reaction of 1-methylimidazole and acid with propylene oxide. *Green Chemistry*, 5(6):731, 2003.
- [28] Guo hong Tao, Ling He, Ning Sun, and Yuan Kou. New generation ionic liquids: cations derived from amino acids. *Chemical Communications*, (28):3562, 2005.

- [29] Jonathan G. Huddleston, Ann E. Visser, W. Matthew Reichert, Heather D. Willauer, Grant A. Broker, and Robin D. Rogers. Characterization and comparison of hydrophilic and hydrophobic room temperature ionic liquids incorporating the imidazolium cation. *Green Chemistry*, 3(4):156–164, 2001.
- [30] Masashi Ishikawa, Toshinori Sugimoto, Manabu Kikuta, Eriko Ishiko, and Michiyuki Kono. Pure ionic liquid electrolytes compatible with a graphitized carbon negative electrode in rechargeable lithium-ion batteries. *Journal of Power Sources*, 162(1):658–662, 2006.
- [31] Kazuki Iwasaki, Kazuki Yoshii, Tetsuya Tsuda, and Susumu Kuwabata. Physicochemical properties of phenyltrifluoroborate-based room temperature ionic liquids. *Journal of Molecular Liquids*, 246:236–243, 2017.
- [32] Jonathan J Jodry and Koichi Mikami. New chiral imidazolium ionic liquids: 3d-network of hydrogen bonding. *Tetrahedron Letters*, 45(23):4429–4431, 2004.
- [33] Soran Kahani, Marzieh Shafiei, Amir Abdolmaleki, and Keikhosro Karimi. Enhancement of ethanol production by novel morpholinium ionic liquids. *Journal of Cleaner Production*, 168:952–962, 2017.
- [34] Ghassan M.J. Al Kaisy, M.I. Abdul Mutalib, and T.V.V.L.N. Rao. Novel halogen free hydrophobic trioctylammonium-based protic ionic liquids with carboxylate anions: Synthesis, characterization, and thermophysical properties. *Journal of Molecular Liquids*, 242:349–356, 2017.
- [35] Yoko Kayama, Takahiro Ichikawa, and Hiroyuki Ohno. Transparent and colourless room temperature ionic liquids having high refractive index over 1.60. *Chem. Commun.*, 50(94):14790–14792, 2014.
- [36] Jinwi Kim, Rajendra P. Singh, and Jean’ne M. Shreeve. Low melting inorganic salts of alkyl-, fluoroalkyl-, alkyl ether-, and fluoroalkyl ether-substituted oxazolidine and morpholine. *Inorganic Chemistry*, 43(9):2960–2966, 2004.
- [37] Regina Klein, Oliver Zech, Eva Maurer, Matthias Kellermeier, and Werner Kunz. Oligoether carboxylates: Task-specific room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 115(29):8961–8969, 2011.
- [38] Tomasz Klejdysz, Bartosz Łęgosz, Daria Czuryzkiewicz, Kamil Czerniak, and Juliusz Pernak. Biobased ionic liquids with abietate anion. *ACS Sustainable Chemistry & Engineering*, 4(12):6543–6550, 2016.
- [39] Marta Królikowska and Maciej Zawadzki. Transport properties and thermodynamic characterization of aqueous solutions of morpholinium - based ionic liquids. *Journal of Molecular Liquids*, 251:358–368, 2018.

- [40] Marta Królikowska, Maciej Zawadzki, Urszula Domańska, Deresh Ramjugernath, and Paramespri Naidoo. The influence of temperature and composition on the density, viscosity and excess properties of aqueous mixtures of carboxylic-based ionic liquids. *The Journal of Chemical Thermodynamics*, 109:71–81, 2017.
- [41] Prashant S. Kulkarni, Luís C. Branco, João G. Crespo, M. Cristiana Nunes, Anabela Raymundo, and Carlos A. M. Afonso. Comparison of physicochemical properties of new ionic liquids based on imidazolium, quaternary ammonium, and guanidinium cations. *Chemistry - A European Journal*, 13(30):8478–8488, 2007.
- [42] George Law and Philip R. Watson. Surface tension measurements of N-alkylimidazolium ionic liquids. *Langmuir*, 17(20):6138–6141, 2001.
- [43] Jocelyne Levillain, Guillaume Dubant, Isabelle Abrunhosa, Mihaela Gulea, and Annie-Claude Gaumont. Synthesis and properties of thiazoline based ionic liquids derived from the chiral pool. *Chemical Communications*, (23):2914, 2003.
- [44] Liuyi Li, Jinyun Wang, Tao Wu, and Ruihu Wang. Click ionic liquids: A family of promising tunable solvents and application in suzuki-miyaura cross-coupling. *Chemistry - A European Journal*, 18(25):7842–7851, 2012.
- [45] Jin-Hong Lin, Cheng-Pan Zhang, Zhi-Qiang Zhu, Qing-Yun Chen, and Ji-Chang Xiao. A novel pyrrolidinium ionic liquid with 1,1,2,2-tetrafluoro-2-(1,1,2,2-tetrafluoroethoxy)ethanesulfonate anion as a recyclable reaction medium and efficient catalyst for friedel-crafts alkylations of indoles with nitroalkenes. *Journal of Fluorine Chemistry*, 130(4):394–398, 2009.
- [46] Hui Liu, Han zhi Wang, Guo hong Tao, and Yuan Kou. Novel imidazolium-based ionic liquids with a crown-ether moiety. *Chemistry Letters*, 34(8):1184–1185, 2005.
- [47] D. R. MacFarlane, P. Meakin, J. Sun, N. Amini, and M. Forsyth. Pyrrolidinium imides: a new family of molten salts and conductive plastic crystal phases. *The Journal of Physical Chemistry B*, 103(20):4164–4170, 1999.
- [48] Douglas R. MacFarlane, Jake Golding, Stewart Forsyth, Maria Forsyth, and Glen B. Deacon. Low viscosity ionic liquids based on organic salts of the dicyanamide anion. *Chemical Communications*, (16):1430–1431, 2001.
- [49] Douglas R. MacFarlane, Jennifer M. Pringle, Katarina M. Johansson, Stewart A. Forsyth, and Maria Forsyth. Lewis base ionic liquids. *Chemical Communications*, (18):1905, 2006.
- [50] Vitor L. Martins, Anthony J. R. Rennie, Roberto M. Torresi, and Peter J. Hall. Ionic liquids containing tricyanomethanide anions: physicochemical characterisation and performance as electrochemical double-layer capacitor electrolytes. *Physical Chemistry Chemical Physics*, 19(25):16867–16874, 2017.

- [51] Nuno M. M. Mateus, Luís C. Branco, Nuno M. T. Lourenço, and Carlos A. M. Afonso. Synthesis and properties of tetra-alkyl-dimethylguanidinium salts as a potential new generation of ionic liquids. *Green Chem.*, 5(3):347–352, 2003.
- [52] Hajime Matsumoto, Hikari Sakaebe, and Kuniaki Tatsumi. Preparation of room temperature ionic liquids based on aliphatic onium cations and asymmetric amide anions and their electrochemical properties as a lithium battery electrolyte. *Journal of Power Sources*, 146(1-2):45–50, 2005.
- [53] Alan B. McEwen. Electrochemical properties of imidazolium salt electrolytes for electrochemical capacitor applications. *Journal of The Electrochemical Society*, 146(5):1687, 1999.
- [54] D.R McFarlane, J Sun, J Golding, P Meakin, and M Forsyth. High conductivity molten salts based on the imide ion. *Electrochimica Acta*, 45(8-9):1271–1278, 2000.
- [55] Yali Meng, Jiamei Liu, Zhen Li, and Huanmei Wei. Synthesis and physico-chemical properties of two SO₃h-functionalized ionic liquids with hydrogen sulfate anion. *Journal of Chemical & Engineering Data*, 59(7):2186–2195, 2014.
- [56] Yousef R. Mirzaei, Brendan Twamley, and Jean’ne M. Shreeve. Syntheses of 1-alkyl-1,2,4-triazoles and the formation of quaternary 1-alkyl-4-polyfluoroalkyl-1,2,4-triazolium salts leading to ionic liquids. *The Journal of Organic Chemistry*, 67(26):9340–9345, 2002.
- [57] Yousef R. Mirzaei, Hong Xue, and Jean’ne M. Shreeve. Low Melting N-4-functionalized-1-alkyl or polyfluoroalkyl-1,2,4-triazolium salts. *Inorganic Chemistry*, 43(1):361–367, 2004.
- [58] Saravanababu Murugesan, John M. Wiencek, Rex X. Ren, and Robert J. Linhardt. Benzoate-based room temperature ionic liquids-thermal properties and glycosaminoglycan dissolution. *Carbohydrate Polymers*, 63(2):268–271, 2006.
- [59] Michał Niemczak, Łukasz Chrzanowski, Tadeusz Praczyk, and Juliusz Pernak. Biodegradable herbicidal ionic liquids based on synthetic auxins and analogues of betaine. *New Journal of Chemistry*, 41(16):8066–8077, 2017.
- [60] Naoya Nishi, Seiichi Imakura, and Takashi Kakiuchi. Wide electrochemical window at the interface between water and a hydrophobic room-temperature ionic liquid of tetrakis[3,5-bis(trifluoromethyl)phenyl]borate. *Analytical Chemistry*, 78(8):2726–2731, 2006.

- [61] Naoya Nishi, Takahiro Kawakami, Fumiko Shigematsu, Masahiro Yamamoto, and Takashi Kakiuchi. Fluorine-free and hydrophobic room-temperature ionic liquids, tetraalkylammonium bis(2-ethylhexyl)sulfosuccinates, and their ionic liquid-water two-phase properties. *Green Chemistry*, 8(4):349, 2006.
- [62] Wataru Ogihara, Satoko Washiro, Hiromitsu Nakajima, and Hiroyuki Ohno. Effect of cation structure on the electrochemical and thermal properties of ion conductive polymers obtained from polymerizable ionic liquids. *Electrochimica Acta*, 51(13):2614–2619, 2006.
- [63] H Ohno. Ion conductive characteristics of ionic liquids prepared by neutralization of alkylimidazoles. *Solid State Ionics*, 154-155:303–309, 2002.
- [64] Bamidele A. Omotowa and Jean’ne M. Shreeve. Triazine-based polyfluorinated triquaternaly liquid salts: synthesis, characterization, and application as solvents in rhodium(i)-catalyzed hydroformylation of 1-octene. *Organometallics*, 23(4):783–791, 2004.
- [65] P. Ossowicz, E. Janus, A. Szady-Chełmieniecka, and Z. Rozwadowski. Influence of modification of the amino acids ionic liquids on their physico-chemical properties: Ionic liquids versus ionic liquids-supported schiff bases. *Journal of Molecular Liquids*, 224:211–218, 2016.
- [66] Ali Ouadi, Benoît Gadenne, Peter Hessemann, Joel J. E. Moreau, Isabelle Billard, Clotilde Gaillard, Soufiane Mekki, and Gilles Moutiers. Task-specific ionic liquids bearing 2-hydroxybenzylamine units: Synthesis and americium-extraction studies. *Chemistry - A European Journal*, 12(11):3074–3081, 2006.
- [67] Juliusz Pernak, Kamil Czerniak, Michał Niemczak, Łukasz Ławniczak, Damian Krystian Kaczmarek, Andrzej Borkowski, and Tadeusz Praczyk. Bioherbicidal ionic liquids. *ACS Sustainable Chemistry & Engineering*, 6(2):2741–2750, 2017.
- [68] Juliusz Pernak and Joanna Feder-Kubis. Synthesis and properties of chiral ammonium-based ionic liquids. *Chemistry - A European Journal*, 11(15):4441–4449, 2005.
- [69] Juliusz Pernak, Michał Niemczak, Łukasz Chrzanowski, Łukasz Ławniczak, Przemysław Fochtman, Katarzyna Marcinkowska, and Tadeusz Praczyk. Betaine and carnitine derivatives as herbicidal ionic liquids. *Chemistry - A European Journal*, 22(34):12012–12021, 2016.
- [70] Juliusz Pernak, Michał Niemczak, Katarzyna Materna, Krzysztof Żelechowski, Katarzyna Marcinkowska, and Tadeusz Praczyk. Synthesis, properties and evaluation of biological activity of herbicidal ionic liquids with 4-(4-chloro-2-methylphenoxy)butanoate anion. *RSC Advances*, 6(9):7330–7338, 2016.

- [71] Juliusz Pernak, Marcin Smiglak, Scott T. Griffin, Whitney L. Hough, Timothy B. Wilson, Anna Pernak, Jadwiga Zabielska-Matejuk, Andrzej Fojutowski, Kazimierz Kita, and Robin D. Rogers. Long alkyl chain quaternary ammonium-based ionic liquids and potential applications. *Green Chemistry*, 8(9):798, 2006.
- [72] Juliusz Pernak, Kinga Sobaszekiewicz, and Joanna Foksowicz-Flaczyk. Ionic liquids with symmetrical dialkoxymethyl-substituted imidazolium cations. *Chemistry - A European Journal*, 10(14):3479–3485, 2004.
- [73] Juliusz Pernak, Filip Stefaniak, and Józef Węglewski. Phosphonium acesulfamate based ionic liquids. *European Journal of Organic Chemistry*, 2005(4):650–652, 2005.
- [74] Sonja Platzer, Mega Kar, Raphlin Leyma, Sonia Chib, Alexander Roller, Franz Jirsa, Regina Krachler, Douglas R. MacFarlane, Wolfgang Kandoller, and Bernhard K. Keppler. Task-specific thioglycolate ionic liquids for heavy metal extraction: Synthesis, extraction efficacies and recycling properties. *Journal of Hazardous Materials*, 324:241–249, 2017.
- [75] Jennifer M. Pringle, Jake Golding, Krisztian Baranyai, Craig M. Forsyth, Glen B. Deacon, Janet L. Scott, and Douglas R. MacFarlane. The effect of anion fluorination in ionic liquids-physical properties of a range of bis(methanesulfonyl)amide salts. *New J. Chem.*, 27(10):1504–1510, 2003.
- [76] J. J. Moura Ramos, C. A. M. Afonso, and L. C. Branco. Glass transition relaxation and fragility in two room temperature ionic liquids. *Journal of Thermal Analysis and Calorimetry*, 71(2):659–666, 2003.
- [77] Daniel Rauber, Florian Heib, Michael Schmitt, and Rolf Hempelmann. Trioctylphosphonium room temperature ionic liquids with perfluorinated groups - physical properties and surface behavior in comparison with the nonfluorinated analogues. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 537:116–125, 2018.
- [78] Dilip G. Raut, Ola Sundman, Weiqing Su, Pasi Virtanen, Yasuhito Sugano, Krisztian Kordas, and Jyri-Pekka Mikkola. A morpholinium ionic liquid for cellulose dissolution. *Carbohydrate Polymers*, 130:18–25, 2015.
- [79] Shantini Ravichandar, Cecilia Devi Wilfred, Fai Kait Chong, and Zhung Gia Ng. Synthesis, characterization and application of 1-(2-cyanoethyl)-3-(3-methoxypropane)imidazolium bromide for CO₂ capture. *MATEC Web of Conferences*, 111:03003, 2017.
- [80] Justin Salminen, Nicolas Papaiconomou, R. Anand Kumar, Jong-Min Lee, John Kerr, John Newman, and John M. Prausnitz. Physicochemical properties and toxicities of hydrophobic piperidinium and pyrrolidinium ionic liquids. *Fluid Phase Equilibria*, 261(1-2):421–426, 2007.

- [81] Anirban Sarkar, Gyanendra Sharma, Dharmendra Singh, and Ramesh L. Gardas. Effect of anion on thermophysical properties of n , n - diethanolammonium based protic ionic liquids. *Journal of Molecular Liquids*, 242:249–254, 2017.
- [82] Sven Sauer, Nelli Steinke, Angelika Baro, Sabine Laschat, Frank Gieselmann, and Willi Kantlehner. Guanidinium chlorides with triphenylene moieties displaying columnar mesophases. *Chemistry of Materials*, 20(5):1909–1915, 2008.
- [83] Stefan Schneider, Tommy Hawkins, Michael Rosander, Jeffrey Mills, Adam Brand, Leslie Hudgens, Greg Warmoth, and Ashwani Vij. Liquid azide salts. *Inorganic Chemistry*, 47(9):3617–3624, 2008.
- [84] Rico E. Del Sesto, Cynthia Corley, Al Robertson, and John S. Wilkes. Tetraalkylphosphonium-based ionic liquids. *Journal of Organometallic Chemistry*, 690(10):2536–2542, 2005.
- [85] Hideaki Shirota, Toshihiko Mandai, Hiroki Fukazawa, and Tatsuya Kato. Comparison between dicationic and monocationic ionic liquids: Liquid density, thermal properties, surface tension, and shear viscosity. *Journal of Chemical & Engineering Data*, 56(5):2453–2459, 2011.
- [86] Rajendra P. Singh, Rolf W. Winter, Gary L. Gard, Ye Gao, and Jean’ne M. Shreeve. Quaternary salts containing the pentafluorosulfanyl (SF₅) group. *Inorganic Chemistry*, 42(19):6142–6146, 2003.
- [87] Mohammad Soltani, Benjamin Siu, E. Alan Salter, Andrzej Wierzbicki, Kevin N. West, and James H. Davis. Synthesis, thermal stability, and computed bond dissociation energies of tetraarylphosphonium-based mesothermal ionic liquids bearing a quinoline ring system. *Tetrahedron Letters*, 58(49):4628–4631, 2017.
- [88] Ye Song, Lin Liu, Xufei Zhu, Xinlong Wang, Hongbing Jia, Xuemei Xiao, Huadong Yu, and Xiuli Yang. Physicochemical properties of ionic liquids based on imidazolium/pyrrolidinium cations and maleate/phthalate anions. *Solid State Ionics*, 179(13-14):516–521, 2008.
- [89] J. Sun, D.R. MacFarlane, and M. Forsyth. A new family of ionic liquids based on the 1-alkyl-2-methyl pyrrolinium cation. *Electrochimica Acta*, 48(12):1707–1711, 2003.
- [90] Duan-Jian Tao, Wen-Jing Hu, Feng-Feng Chen, Xiang-Shu Chen, Xiao-Liang Zhang, and Yan Zhou. Low-viscosity tetramethylguanidinium-based ionic liquids with different phenolate anions: Synthesis, characterization, and physical properties. *Journal of Chemical & Engineering Data*, 59(12):4031–4038, 2014.

- [91] Ran Tao, George Tamas, Lianjie Xue, Sindee L. Simon, and Edward L. Quitevis. Thermophysical properties of imidazolium-based ionic liquids: The effect of aliphatic versus aromatic functionality. *Journal of Chemical & Engineering Data*, 59(9):2717–2724, 2014.
- [92] Martin Tosoni, Sabine Laschat, and Angelika Baro. Synthesis of novel chiral ionic liquids and their phase behavior in mixtures with smectic and nematic liquid crystals. *Helvetica Chimica Acta*, 87(11):2742–2749, 2004.
- [93] Marcel Treskow, Jagath Pitawala, Sven Arenz, Aleksandar Matic, and Patrik Johansson. A new class of ionic liquids: Anion amphiprotic ionic liquids. *The Journal of Physical Chemistry Letters*, 3(16):2114–2119, 2012.
- [94] Joep van den Broeke, Marjolijn Stam, Martin Lutz, Huub Kooijman, Anthony L. Spek, Berth-Jan Deelman, and Gerard van Koten. Designing ionic liquids: 1-butyl-3-methylimidazolium cations with substituted tetraphenylborate counterions. *European Journal of Inorganic Chemistry*, 2003(15):2798–2811, 2003.
- [95] Ann E. Visser, John D. Holbrey, and Robin D. Rogers. Hydrophobic ionic liquids incorporating n-alkylisoquinolinium cations and their utilization in liquid-liquid separations. *Chemical Communications*, (23):2484–2485, 2001.
- [96] Ann E. Visser and Robin D. Rogers. Actinoid chemistry in novel solvent media: Room-temperature ionic liquids. *ChemInform*, 34(50), 2003.
- [97] Ruihu Wang, Melissa M. Piekarski, and Jean’ne M. Shreeve. Pyrazolyl-functionalized 2-methylimidazolium-based ionic liquids and their palladium(ii) complexes as recyclable catalysts. *Organic & Biomolecular Chemistry*, 4(10):1878, 2006.
- [98] Ji-Chang Xiao, Chengfeng Ye, and Jean’ne M. Shreeve. Bipyridinium ionic liquid-promoted cross-coupling reactions between perfluoroalkyl or pentafluorophenyl halides and aryl iodides. *Organic Letters*, 7(10):1963–1965, 2005.
- [99] Wu Xu, Li-Min Wang, Ronald A. Nieman, and C. Austen Angell. Ionic liquids of chelated orthoborates as model ionic glassformers. *The Journal of Physical Chemistry B*, 107(42):11749–11756, 2003.
- [100] H. Xue and J. M. Shreeve. Energetic ionic liquids from azido derivatives of 1,2,4-triazole. *Advanced Materials*, 17(17):2142–2146, 2005.
- [101] Hong Xue, Ye Gao, Brendan Twamley, and Jean’ne M. Shreeve. Energetic azolium azolate salts. *Inorganic Chemistry*, 44(14):5068–5072, 2005.
- [102] Hong Xue, Ye Gao, Brendan Twamley, and Jean’ne M. Shreeve. New energetic salts based on nitrogen-containing heterocycles. *Chemistry of Materials*, 17(1):191–198, 2005.

- [103] Yurii L. Yagupolskii, Taras M. Sokolenko, Kiril I. Petko, and Lev M. Yagupolskii. Novel ionic liquids-imidazolium salts with a difluoromethylene fragment directly bonded to the nitrogen atom. *Journal of Fluorine Chemistry*, 126(4):667–670, 2005.
- [104] Chengfeng Ye and Jean’ne M. Shreeve. Syntheses of very dense halogenated liquids. *The Journal of Organic Chemistry*, 69(19):6511–6513, 2004.
- [105] Sun-Hwa Yeon, Ki-Sub Kim, Sukjeong Choi, Huen Lee, Hoon Sik Kim, and Honggon Kim. Physical and electrochemical properties of 1-(2-hydroxyethyl)-3-methyl imidazolium and n-(2-hydroxyethyl)-n-methyl morpholinium ionic liquids. *Electrochimica Acta*, 50(27):5399–5407, 2005.
- [106] Jianmin Zhang, Suojiang Zhang, Kun Dong, Yanqiang Zhang, Youqing Shen, and Xingmei Lv. Supported absorption of CO₂ by tetrabutylphosphonium amino acid ionic liquids. *Chemistry - A European Journal*, 12(15):4021–4026, 2006.
- [107] Qinghua Zhang, Xiangyuan Ma, Shimin Liu, Benqun Yang, Liujin Lu, Yude He, and Youquan Deng. Hydrophobic 1-allyl-3-alkylimidazolium dicyanamide ionic liquids with low densities. *Journal of Materials Chemistry*, 21(19):6864, 2011.
- [108] Sumei Zhang, Yawei Hou, Weiguo Huang, and Yongkui Shan. Preparation and characterization of novel ionic liquid based on benzotriazolium cation. *Electrochimica Acta*, 50(20):4097–4103, 2005.
- [109] Yi Zhang, Xu Zhao, Qiwei Yang, Zhiguo Zhang, Qilong Ren, and Huabin Xing. Long-chain carboxylate ionic liquids combining high solubility and low viscosity for light hydrocarbon separations. *Industrial & Engineering Chemistry Research*, 56(25):7336–7344, 2017.
- [110] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: 1-alkyl(alkyl ether)-3-methylimidazolium perfluoroalkyltrifluoroborate. *Chemistry - A European Journal*, 10(24):6581–6591, 2004.
- [111] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. A new class of hydrophobic ionic liquids: Trialkyl(2-methoxyethyl)ammonium perfluoroethyltrifluoroborate. *Chemistry Letters*, 33(7):886–887, 2004.
- [112] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: Aliphatic quaternary ammonium salts with perfluoroalkyltrifluoroborates. *Chemistry - A European Journal*, 11(2):752–766, 2005.
- [113] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Structure and properties of new ionic liquids based on alkyl- and alkenyltrifluoroborates. *ChemPhysChem*, 6(7):1324–1332, 2005.

- [114] Melek Canbulat Özdemir and Beytiye Özgün. Phenyl/alkyl-substituted-3,5-dimethylpyrazolium ionic liquids. *Journal of Molecular Liquids*, 200:129–135, 2014.
- [115] Melek Canbulat Özdemir and Beytiye Özgün. Tunable aryl alkyl ionic liquids (TAAILs) based on 1-aryl-3,5-dimethyl-1h-pyrazoles. *Journal of Molecular Liquids*, 248:314–321, 2017.

Thermal Decomposition

- [1] Mahpuzah Abai, John D. Holbrey, Robin D. Rogers, and Geetha Srinivasan. Ionic liquid s-alkylthiuronium salts. *New Journal of Chemistry*, 34(9):1981, 2010.
- [2] Atakilt Abebe, Shimelis Admassie, Ignacio J. Villar-Garcia, and Yonas Chebude. 4,4-bipyridinium ionic liquids exhibiting excellent solubility for metal salts: Potential solvents for electrodeposition. *Inorganic Chemistry Communications*, 29:210–212, 2013.
- [3] Gabriela Adamová, Ramesh L. Gardas, Luís Paulo N. Rebelo, Allan J. Robertson, and Kenneth R. Seddon. Alkyltrioctylphosphonium chloride ionic liquids: synthesis and physicochemical properties. *Dalton Transactions*, 40(47):12750, 2011.
- [4] D. Almantariotis, A. S. Pensado, H. Q. N. Gunaratne, C. Hardacre, A. A. H. Pádua, J.-Y. Coxam, and M. F. Costa Gomes. Influence of fluorination on the solubilities of carbon dioxide, ethane, and nitrogen in 1-n-fluoro-alkyl-3-methylimidazolium bis(n-fluoroalkylsulfonyl)amide ionic liquids. *The Journal of Physical Chemistry B*, 121(2):426–436, 2017.
- [5] Alessandro Bagno, Craig Butts, Cinzia Chiappe, Fabio D’Amico, Jason C. D. Lord, Daniela Pieraccini, and Federico Rastrelli. The effect of the anion on the physical properties of trihalide-based n,n-dialkylimidazolium ionic liquids. *Organic & Biomolecular Chemistry*, 3(9):1624, 2005.
- [6] Tayeb Belhocine, Stewart A. Forsyth, H. Q. Nimal Gunaratne, Mark Nieuwenhuyzen, Peter Nockemann, Alberto V. Puga, Kenneth R. Seddon, Geetha Srinivasan, and Keith Whiston. 3-methylpiperidinium ionic liquids. *Physical Chemistry Chemical Physics*, 17(16):10398–10416, 2015.
- [7] Jean-Philippe Belieres and C. Austen Angell. Protic ionic liquids: preparation, characterization, and proton free energy level representation†. *The Journal of Physical Chemistry B*, 111(18):4926–4937, 2007.
- [8] Anand I. Bhatt, Iain May, Vladimir A. Volkovich, Melissa E. Hetherington, Bob Lewin, Rob C. Thied, and Nigar Ertok. Group 15 quaternary

- alkyl bistriflimides: ionic liquids with potential application in electropositive metal deposition and as supporting electrolytes. *Journal of the Chemical Society, Dalton Transactions*, (24):4532–4534, 2002.
- [9] Shubhankar Bhattacharyya, Andrei Filippov, and Faiz Ullah Shah. Insights into the effect of CO₂ absorption on the ionic mobility of ionic liquids. *Physical Chemistry Chemical Physics*, 18(41):28617–28625, 2016.
- [10] Lorenzo Biancalana, Giulio Bresciani, Cinzia Chiappe, Fabio Marchetti, and Guido Pampaloni. Synthesis and study of the stability of amidinium/guanidinium carbamates of amines and α -amino acids. *New Journal of Chemistry*, 41(4):1798–1805, 2017.
- [11] Niyazi Bicak. A new ionic liquid: 2-hydroxy ethylammonium formate. *Journal of Molecular Liquids*, 116(1):15–18, 2005.
- [12] Marijana Blesic, Małgorzata Swadźba-Kwaśny, Tayeb Belhocine, H. Q. Nimal Gunaratne, José N. Canongia Lopes, Margarida F. Costa Gomes, Agílio A. H. Pádua, Kenneth R. Seddon, and Luís Paulo N. Rebelo. 1-alkyl-3-methylimidazolium alkanesulfonate ionic liquids, [C_nH_{2n+1}mim][CkH_{2k+1}so₃]: synthesis and physicochemical properties. *Physical Chemistry Chemical Physics*, 11(39):8939, 2009.
- [13] Sara Busi, Manu Lahtinen, Jussi Valkonen, and Kari Rissanen. Synthesis, characterization and thermal behavior of nine new -type quaternary ammonium tetrafluoroborate or hexafluorophosphate salts prepared by metathesis from analogous halide salts. *Journal of Molecular Structure*, 875(1-3):549–559, 2008.
- [14] Xiaoli Chen, Haolin Tang, Tristan Putzeys, Jeroen Sniekers, Michael Wübbenhorst, Koen Binnemans, Jan Fransaer, Dirk E. De Vos, Qingfeng Li, and Jiangshui Luo. Guanidinium nonaflate as a solid-state proton conductor. *Journal of Materials Chemistry A*, 4(31):12241–12252, 2016.
- [15] Matthew T. Clough, Karolin Geyer, Patricia A. Hunt, Jürgen Mertes, and Tom Welton. Thermal decomposition of carboxylate ionic liquids: trends and mechanisms. *Physical Chemistry Chemical Physics*, 15(47):20480, 2013.
- [16] Nico E. A. Cousens, Leah J. Taylor Kearney, Matthew T. Clough, Kevin R. J. Lovelock, Robert G. Palgrave, and Susan Perkin. Preparation and characterisation of high-density ionic liquids incorporating halobismuthate anions. *Dalton Trans.*, 43(28):10910–10919, 2014.
- [17] Daphne Depuydt, Wim Dehaen, and Koen Binnemans. Docusate ionic liquids: Effect of cation on water solubility and solvent extraction behavior. *ChemPlusChem*, 82(3):458–466, 2017.

- [18] Yun-Sheng Ding, Min Zha, Jun Zhang, and Seng-Shan Wang. Synthesis, characterization and properties of geminal imidazolium ionic liquids. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 298(3):201–205, 2007.
- [19] David M. Drab, Marcin Smiglak, Julia L. Shamshina, Steven P. Kelley, Stefan Schneider, Tommy W. Hawkins, and Robin D. Rogers. Synthesis of n-cyanoalkyl-functionalized imidazolium nitrate and dicyanamide ionic liquids with a comparison of their thermal properties for energetic applications. *New Journal of Chemistry*, 35(8):1701, 2011.
- [20] Gregory Drake, Greg Kaplan, Leslie Hall, Tommy Hawkins, and Joann Larue. A new family of energetic ionic liquids 1-amino-3-alkyl-1,2,3-triazolium nitrates. *Journal of Chemical Crystallography*, 37(1):15–23, 2006.
- [21] Paulina Dreyse, Antonia Alarcón, Antonio Galdámez, Iván González, Diego Cortés-Arriagada, Francisco Castillo, and Andy Mella. Influence of the anion nature and alkyl substituents in the behavior of ionic liquids derived from phenylpyridines. *Journal of Molecular Structure*, 1154:382–391, 2018.
- [22] Zhengyin Du, Zuopeng Li, Shu Guo, Juan Zhang, Laiying Zhu, and Youquan Deng. Investigation of physicochemical properties of lactam-based brønsted acidic ionic liquids. *The Journal of Physical Chemistry B*, 109(41):19542–19546, 2005.
- [23] Shaohua Fang, Li Yang, Jixian Wang, Mingtao Li, Kazuhiro Tachibana, and Kouichi Kamijima. Ionic liquids based on functionalized guanidinium cations and TFSI anion as potential electrolytes. *Electrochimica Acta*, 54(17):4269–4273, 2009.
- [24] Shaohua Fang, Li Yang, Chao Wei, Chengxin Peng, Kazuhiro Tachibana, and Kouichi Kamijima. Low-viscosity and low-melting point asymmetric trialkylsulfonium based ionic liquids as potential electrolytes. *Electrochemistry Communications*, 9(11):2696–2702, 2007.
- [25] Reza Fareghi-Alamdari, Faezeh Ghorbani-Zamani, and Negar Zekri. Synthesis and hypergolic activity evaluation of some new ammonium-imidazolium based ionic liquids. *RSC Advances*, 6(31):26386–26391, 2016.
- [26] Stewart A. Forsyth, Kevin J. Fraser, Patrick C. Howlett, Douglas R. MacFarlane, and Maria Forsyth. N-methyl-n-alkylpyrrolidinium nonafluoro-1-butanesulfonate salts: Ionic liquid properties and plastic crystal behaviour. *Green Chemistry*, 8(3):256, 2006.
- [27] Stewart A. Forsyth and Douglas R. MacFarlane. 1-alkyl-3-methylbenzotriazolium salts: ionic solvents and electrolytes. *Journal of Materials Chemistry*, 13(10):2451, 2003.

- [28] Clarissa P. Frizzo, Keli Wust, Aniele Z. Tier, Thaíssa S. Beck, Leticia V. Rodrigues, Rodrigo A. Vaucher, Leandro P. Bolzan, Silvio Terra, Felix Soares, and Marcos A. P. Martins. Novel ibuprofenate- and docusate-based ionic liquids: emergence of antimicrobial activity. *RSC Advances*, 6(102):100476–100486, 2016.
- [29] Hong-Shuai Gao, Zhi-Guo Hu, Jian-Ji Wang, Zhao-Fa Qiu, and Feng-Qiu Fan. Synthesis and properties of novel chiral ionic liquids from l-proline. *Australian Journal of Chemistry*, 61(7):521, 2008.
- [30] Ye Gao, Sean W. Arritt, Brendan Twamley, and Jean’ne M. Shreeve. Guanidinium-based ionic liquids. *Inorganic Chemistry*, 44(6):1704–1712, 2005.
- [31] Dirk Gerhard, Samim Cenk Alpaslan, Heiner Jakob Gores, Marc Uerdingen, and Peter Wasserscheid. Trialkylsulfonium dicyanamides - a new family of ionic liquids with very low viscosities. *Chemical Communications*, (40):5080, 2005.
- [32] Brett F. Goodrich, Juan C. de la Fuente, Burcu E. Gurkan, David J. Zadi-gian, Erica A. Price, Yong Huang, and Joan F. Brennecke. Experimental measurements of amine-functionalized anion-tethered ionic liquids with carbon dioxide. *Industrial & Engineering Chemistry Research*, 50(1):111–118, 2011.
- [33] Om D. Gupta, Brendan Twamley, and Jean’ne M. Shreeve. Perfluoro alkyl 1,3-diketonates of cyclic and acyclic secondary amines. *Journal of Fluorine Chemistry*, 127(2):263–269, 2006.
- [34] Hong-Bo Han, Jin Nie, Kai Liu, Wei-Kun Li, Wen-Fang Feng, Michel Armand, Hajime Matsumoto, and Zhi-Bin Zhou. Ionic liquids and plastic crystals based on tertiary sulfonium and bis(fluorosulfonyl)imide. *Electrochimica Acta*, 55(3):1221–1226, 2010.
- [35] Safa Hayouni, Anthony Robert, Nadège Ferlin, Hassen Amri, and Sandrine Bouquillon. New biobased tetrabutylphosphonium ionic liquids: synthesis, characterization and use as a solvent or co-solvent for mild and greener Pd-catalyzed hydrogenation processes. *RSC Advances*, 6(114):113583–113595, 2016.
- [36] John D. Holbrey, W. Matthew Reichert, Richard P. Swatloski, Grant A. Broker, William R. Pitner, Kenneth R. Seddon, and Robin D. Rogers. Efficient, halide free synthesis of new, low cost ionic liquids: 1,3-dialkylimidazolium salts containing methyl- and ethyl-sulfate anions. *Green Chemistry*, 4(5):407–413, 2002.
- [37] John D. Holbrey and Kenneth R. Seddon. The phase behaviour of 1-alkyl-3-methylimidazolium tetrafluoroborates; ionic liquids and ionic liquid crystals. *Journal of the Chemical Society, Dalton Transactions*, (13):2133–2140, 1999.

- [38] John D. Holbrey, Megan B. Turner, W. Matthew Reichert, and Robin D. Rogers. New ionic liquids containing an appended hydroxyl functionality from the atom-efficient, one-pot reaction of 1-methylimidazole and acid with propylene oxide. *Green Chemistry*, 5(6):731, 2003.
- [39] Guo hong Tao, Ling He, Ning Sun, and Yuan Kou. New generation ionic liquids: cations derived from amino acids. *Chemical Communications*, (28):3562, 2005.
- [40] Mengyin Hou, Yingjie Xu, Yajuan Han, Bin Chen, Wenxia Zhang, Qinghua Ye, and Jinzhi Sun. Thermodynamic properties of aqueous solutions of two ammonium-based protic ionic liquids at 298.15k. *Journal of Molecular Liquids*, 178:149–155, 2013.
- [41] Jonathan G. Huddleston, Ann E. Visser, W. Matthew Reichert, Heather D. Willauer, Grant A. Broker, and Robin D. Rogers. Characterization and comparison of hydrophilic and hydrophobic room temperature ionic liquids incorporating the imidazolium cation. *Green Chemistry*, 3(4):156–164, 2001.
- [42] N.V. Ignat’ev, U. Welz-Biermann, A. Kucheryna, G. Bissky, and H. Willner. New ionic liquids with tris(perfluoroalkyl)trifluorophosphate (FAP) anions. *Journal of Fluorine Chemistry*, 126(8):1150–1159, 2005.
- [43] Young-Hyuk Joo, Haixiang Gao, Yanqiang Zhang, and Jean’ne M. Shreeve. Inorganic or organic azide-containing hypergolic ionic liquids $\perp\perp$ as poster published in 1st korean international symposium on high energy materials, incheon, korea, october 6-9, 2009. *Inorganic Chemistry*, 49(7):3282–3288, 2010.
- [44] Soran Kahani, Marzieh Shafiei, Amir Abdolmaleki, and Keikhosro Karimi. Enhancement of ethanol production by novel morpholinium ionic liquids. *Journal of Cleaner Production*, 168:952–962, 2017.
- [45] Ghassan M J Al Kaisy, M. Ibrahim A Mutalib, J M Leveque, and T V V L N Rao. Novel low viscosity ammonium-based ionic liquids with carboxylate anions: Synthesis, characterization, and thermophysical properties. *Journal of Molecular Liquids*, 230:565–573, 2017.
- [46] Ghassan M.J. Al Kaisy, M.I. Abdul Mutalib, and T.V.V.L.N. Rao. Novel halogen free hydrophobic trioctylammonium-based protic ionic liquids with carboxylate anions: Synthesis, characterization, and thermophysical properties. *Journal of Molecular Liquids*, 242:349–356, 2017.
- [47] Jinwi Kim, Rajendra P. Singh, and Jean’ne M. Shreeve. Low melting inorganic salts of alkyl-, fluoroalkyl-, alkyl ether-, and fluoroalkyl ether-substituted oxazolidine and morpholine. *Inorganic Chemistry*, 43(9):2960–2966, 2004.

- [48] Ki-Sub Kim, Sukjeong Choi, D. Demberelnyamba, Huen Lee, Jaeseung Oh, Byoung-Bae Lee, and Su-Jin Mun. Ionic liquids based on n-alkyl-n-methylmorpholinium salts as potential electrolytes. *Chemical Communications*, (7):828, 2004.
- [49] Thomas M. Klapötke, Peter Mayer, Axel Schulz, and Jan J. Weigand. 1,5-diamino-4-methyltetrazolium dinitramide. *Journal of the American Chemical Society*, 127(7):2032–2033, 2005.
- [50] Regina Klein, Oliver Zech, Eva Maurer, Matthias Kellermeier, and Werner Kunz. Oligoether carboxylates: Task-specific room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 115(29):8961–8969, 2011.
- [51] Tomasz Klejdysz, Bartosz Łęgosz, Daria Czurylszkiewicz, Kamil Czerniak, and Juliusz Pernak. Biobased ionic liquids with abietate anion. *ACS Sustainable Chemistry & Engineering*, 4(12):6543–6550, 2016.
- [52] Daniel Kogelnig, Anja Stojanovic, Markus Galanski, Michael Groessel, Franz Jirsa, Regina Krachler, and Bernhard K. Keppler. Greener synthesis of new ammonium ionic liquids and their potential as extracting agents. *Tetrahedron Letters*, 49(17):2782–2785, 2008.
- [53] Prashant S. Kulkarni, Luís C. Branco, João G. Crespo, M. Cristiana Nunes, Anabela Raymundo, and Carlos A. M. Afonso. Comparison of physicochemical properties of new ionic liquids based on imidazolium, quaternary ammonium, and guanidinium cations. *Chemistry - A European Journal*, 13(30):8478–8488, 2007.
- [54] My Loan Phung Le, Fannie Alloin, Pierre Strobel, Jean-Claude Leprêtre, Carlos Pérez del Valle, and Patrick Judeinstein. Structure-properties relationships of lithium electrolytes based on ionic liquid. *The Journal of Physical Chemistry B*, 114(2):894–903, 2010.
- [55] My Loan Phung Le, Ngoc Anh Tran, Hoang Phuong Khanh Ngo, Truong Giang Nguyen, and Van Man Tran. Liquid electrolytes based on ionic liquids for lithium-ion batteries. *Journal of Solution Chemistry*, 44(12):2332–2343, 2015.
- [56] J.S. Lee, N.D. Quan, J.M. Hwang, J.Y. Bae, H. Kim, B.W. Cho, H.S. Kim, and H. Lee. Ionic liquids containing an ester group as potential electrolytes. *Electrochemistry Communications*, 8(3):460–464, 2006.
- [57] Liuyi Li, Jinyun Wang, Tao Wu, and Ruihu Wang. Click ionic liquids: A family of promising tunable solvents and application in suzuki-miyaura cross-coupling. *Chemistry - A European Journal*, 18(25):7842–7851, 2012.
- [58] Jin-Hong Lin, Cheng-Pan Zhang, Zhi-Qiang Zhu, Qing-Yun Chen, and Ji-Chang Xiao. A novel pyrrolidinium ionic liquid with 1,1,2,2-tetrafluoro-2-(1,1,2,2-tetrafluoroethoxy)ethanesulfonate anion as a recyclable reaction

- medium and efficient catalyst for friedel–crafts alkylations of indoles with nitroalkenes. *Journal of Fluorine Chemistry*, 130(4):394–398, 2009.
- [59] Hui Liu, Han zhi Wang, Guo hong Tao, and Yuan Kou. Novel imidazolium-based ionic liquids with a crown-ether moiety. *ChemInform*, 37(2), 2006.
- [60] Xiumei Liu, Min Liu, Xinwen Guo, and Jinxia Zhou. SO₃H-functionalized ionic liquids for selective alkylation of m-cresol with tert-butanol. *Catalysis Communications*, 9(1):1–7, 2008.
- [61] Venkatramana Losetty, Bharath Kumar Chennuri, and Ramesh L. Gardas. Synthesis, spectroscopic characterization and acoustic, volumetric, transport and thermal properties of hydroxyl ammonium based ionic liquids. *The Journal of Chemical Thermodynamics*, 92:175–181, 2016.
- [62] Huimin Luo, Gary A. Baker, Je Seung Lee, Richard M. Pagni, and Sheng Dai. Ultrastable superbase-derived protic ionic liquids. *The Journal of Physical Chemistry B*, 113(13):4181–4183, 2009.
- [63] Yali Meng, Jiamei Liu, Zhen Li, and Huanmei Wei. Synthesis and physico-chemical properties of two SO₃H-functionalized ionic liquids with hydrogen sulfate anion. *Journal of Chemical & Engineering Data*, 59(7):2186–2195, 2014.
- [64] Jyri-Pekka Mikkola, Pasi Virtanen, and Rainer Sjöholm. Aliquat 336[®]—a versatile and affordable cation source for an entirely new family of hydrophobic ionic liquids. *Green Chemistry*, 8(3):250, 2006.
- [65] Yousef R. Mirzaei, Brendan Twamley, and Jean’ne M. Shreeve. Syntheses of 1-alkyl-1,2,4-triazoles and the formation of quaternary 1-alkyl-4-polyfluoroalkyl-1,2,4-triazolium salts leading to ionic liquids. *The Journal of Organic Chemistry*, 67(26):9340–9345, 2002.
- [66] Yousef R. Mirzaei, Hong Xue, and Jean’ne M. Shreeve. Low Melting N-4-functionalized-1-alkyl or polyfluoroalkyl-1,2,4-triazolium salts. *Inorganic Chemistry*, 43(1):361–367, 2004.
- [67] Saravanababu Murugesan, John M. Wiencek, Rex X. Ren, and Robert J. Linhardt. Benzoate-based room temperature ionic liquids—thermal properties and glycosaminoglycan dissolution. *Carbohydrate Polymers*, 63(2):268–271, 2006.
- [68] Shidokht Nazari, Stanley Cameron, Michel B. Johnson, and Khashayar Ghandi. Physicochemical properties of imidazo-pyridine protic ionic liquids. *Journal of Materials Chemistry A*, 1(38):11570, 2013.
- [69] Helen L Ngo, Karen LeCompte, Liesl Hargens, and Alan B McEwen. Thermal properties of imidazolium ionic liquids. *Thermochimica Acta*, 357-358:97–102, 2000.

- [70] Michał Niemczak, Łukasz Chrzanowski, Tadeusz Praczyk, and Juliusz Pernak. Biodegradable herbicidal ionic liquids based on synthetic auxins and analogues of betaine. *New Journal of Chemistry*, 41(16):8066–8077, 2017.
- [71] Peter Nockemann, Ben Thijs, Kris Driesen, Colin R. Janssen, Kristof Van Hecke, Luc Van Meervelt, Simone Kossmann, Barbara Kirchner, and Koen Binnemans. Choline saccharinate and choline acesulfamate: ionic liquids with low toxicities. *The Journal of Physical Chemistry B*, 111(19):5254–5263, 2007.
- [72] Akihiro Noda, Kikuko Hayamizu, and Masayoshi Watanabe. Pulsed-gradient spin-echo 1h and 19f NMR ionic diffusion coefficient, viscosity, and ionic conductivity of non-chloroaluminate room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 105(20):4603–4610, 2001.
- [73] H Ohno. Ion conductive characteristics of ionic liquids prepared by neutralization of alkylimidazoles. *Solid State Ionics*, 154-155:303–309, 2002.
- [74] Bamidele A. Omotowa and Jean’ne M. Shreeve. Triazine-based polyfluorinated triquatery liquid salts: synthesis, characterization, and application as solvents in rhodium(i)-catalyzed hydroformylation of 1-octene. *Organometallics*, 23(4):783–791, 2004.
- [75] Melek Canbulat özdemir and Beytiye özgün. Phenyl/alkyl-substituted-3,5-dimethylpyrazolium ionic liquids. *Journal of Molecular Liquids*, 200:129–135, 2014.
- [76] Melek Canbulat özdemir and Beytiye özgün. Tunable aryl alkyl ionic liquids (TAAILs) based on 1-aryl-3,5-dimethyl-1h-pyrazoles. *Journal of Molecular Liquids*, 248:314–321, 2017.
- [77] Nicolas Papaiconomou, Justin Salminen, Jong-Min Lee, and John M. Prausnitz. Physicochemical properties of hydrophobic ionic liquids containing 1-octylpyridinium, 1-octyl-2-methylpyridinium, or 1-octyl-4-methylpyridinium cations. *Journal of Chemical & Engineering Data*, 52(3):833–840, 2007.
- [78] David J. S. Patinha, Liliana C. Tomé, Catarina Florindo, Hugo R. Soares, Ana S. Coroadinha, and Isabel M. Marrucho. New low-toxicity cholinium-based ionic liquids with perfluoroalkanoate anions for aqueous biphasic system implementation. *ACS Sustainable Chemistry & Engineering*, 4(5):2670–2679, 2016.
- [79] Juliusz Pernak, Rafał Giszter, Agnieszka Biedziak, Michał Niemczak, Radosław Olszewski, Katarzyna Marcinkowska, and Tadeusz Praczyk. Alkyl(c16, c18, c22)trimethylammonium-based herbicidal ionic liquids. *Journal of Agricultural and Food Chemistry*, 65(2):260–269, 2017.

- [80] Juliusz Pernak, Izabela Goc, and Ilona Mirska. Anti-microbial activities of protic ionic liquids with lactate anion. *Green Chemistry*, 6(7):323, 2004.
- [81] Juliusz Pernak, Michał Niemczak, Łukasz Chrzanowski, Łukasz Ławniczak, Przemysław Fochtmann, Katarzyna Marcinkowska, and Tadeusz Praczyk. Betaine and carnitine derivatives as herbicidal ionic liquids. *Chemistry - A European Journal*, 22(34):12012–12021, 2016.
- [82] Juliusz Pernak, Michał Niemczak, Katarzyna Materna, Krzysztof Żelechowski, Katarzyna Marcinkowska, and Tadeusz Praczyk. Synthesis, properties and evaluation of biological activity of herbicidal ionic liquids with 4-(4-chloro-2-methylphenoxy)butanoate anion. *RSC Advances*, 6(9):7330–7338, 2016.
- [83] Juliusz Pernak, Filip Stefaniak, and Józef Węglewski. Phosphonium acesulfamate based ionic liquids. *European Journal of Organic Chemistry*, 2005(4):650–652, 2005.
- [84] Sergey A. Prikhod'ko, Anton Yu. Shabalin, Vadim V. Bardin, Ilia V. Eltsov, Inna K. Shundrina, Valentin N. Parmon, and Nicolay Yu. Adonin. 1-alkyl-3-methylimidazolium 4-organyloxy-2,3,5,6-tetrafluorophenyltrifluoroborates as a new platform for ionic liquids with specific properties. *RSC Advances*, 7(28):17497–17504, 2017.
- [85] Kazimierz Przybysz, Ewa Drzewińska, Anna Stanisławska, Agnieszka Wysocka-Robak, Anna Cieniecka-Rosłonkiewicz, Joanna Foksovicz-Flaczyk, and Juliusz Pernak. Ionic liquids and paper. *Industrial & Engineering Chemistry Research*, 44(13):4599–4604, 2005.
- [86] Ser Kiang Quek, Ilya M. Lyapkalo, and Han Vinh Huynh. Synthesis and properties of n,n'-dialkylimidazolium bis(nonafluorobutane-1-sulfonyl)imides: a new subfamily of ionic liquids. *Tetrahedron*, 62(13):3137–3145, 2006.
- [87] Dilip G. Raut, Ola Sundman, Weiqing Su, Pasi Virtanen, Yasuhito Sugano, Krisztian Kordas, and Jyri-Pekka Mikkola. A morpholinium ionic liquid for cellulose dissolution. *Carbohydrate Polymers*, 130:18–25, 2015.
- [88] Shantini Ravichandar, Cecilia Devi Wilfred, Fai Kait Chong, and Zhung Gia Ng. Synthesis, characterization and application of 1-(2-cyanoethyl)-3-(3-methoxypropane)imidazolium bromide for CO₂ capture. *MATEC Web of Conferences*, 111:03003, 2017.
- [89] Jakub Reiter, Sebastian Jeremias, Elie Paillard, Martin Winter, and Stefano Passerini. Fluorosulfonyl-(trifluoromethanesulfonyl)imide ionic liquids with enhanced asymmetry. *Physical Chemistry Chemical Physics*, 15(7):2565, 2013.

- [90] Anthony J. R. Rennie, Vitor L. Martins, Roberto M. Torresi, and Peter J. Hall. Ionic liquids containing sulfonium cations as electrolytes for electrochemical double layer capacitors. *The Journal of Physical Chemistry C*, 119(42):23865–23874, 2015.
- [91] Justin Salminen, Nicolas Papaiconomou, R. Anand Kumar, Jong-Min Lee, John Kerr, John Newman, and John M. Prausnitz. Physicochemical properties and toxicities of hydrophobic piperidinium and pyrrolidinium ionic liquids. *Fluid Phase Equilibria*, 261(1-2):421–426, 2007.
- [92] Shilpi Sanghi, Erik Willett, Craig Versek, Mark Tuominen, and E. Bryan Coughlin. Physicochemical properties of 1,2,3-triazolium ionic liquids. *RSC Adv.*, 2(3):848–853, 2012.
- [93] Stefan Schneider, Tommy Hawkins, Michael Rosander, Jeffrey Mills, Adam Brand, Leslie Hudgens, Greg Warmoth, and Ashwani Vij. Liquid azide salts. *Inorganic Chemistry*, 47(9):3617–3624, 2008.
- [94] Stefan Schneider, Tommy Hawkins, Michael Rosander, Ghanshyam Vaghjiani, Steven Chambreau, and Gregory Drake. Ionic liquids as hypergolic fuels. *Energy & Fuels*, 22(4):2871–2872, 2008.
- [95] Samuel Seo, Mauricio Quiroz-Guzman, M. Aruni DeSilva, Tae Bum Lee, Yong Huang, Brett F. Goodrich, William F. Schneider, and Joan F. Brennecke. Chemically tunable ionic liquids with aprotic heterocyclic anion (AHA) for CO₂ capture. *The Journal of Physical Chemistry B*, 118(21):5740–5751, 2014.
- [96] Samuel Seo, Luke D. Simoni, Mengting Ma, M. Aruni DeSilva, Yong Huang, Mark A. Stadtherr, and Joan F. Brennecke. Phase-change ionic liquids for postcombustion CO₂ capture. *Energy & Fuels*, 28(9):5968–5977, 2014.
- [97] Rico E. Del Sesto, Cynthia Corley, Al Robertson, and John S. Wilkes. Tetraalkylphosphonium-based ionic liquids. *Journal of Organometallic Chemistry*, 690(10):2536–2542, 2005.
- [98] Hideaki Shirota, Toshihiko Mandai, Hiroki Fukazawa, and Tatsuya Kato. Comparison between dicationic and monocationic ionic liquids: Liquid density, thermal properties, surface tension, and shear viscosity. *Journal of Chemical & Engineering Data*, 56(5):2453–2459, 2011.
- [99] L. E. Shmukler, M. S. Gruzdev, N. O. Kudryakova, Yu. A. Fadeeva, A. M. Kolker, and L. P. Safonova. Thermal behavior and electrochemistry of protic ionic liquids based on triethylamine with different acids. *RSC Advances*, 6(111):109664–109671, 2016.
- [100] Rajendra P. Singh, Rolf W. Winter, Gary L. Gard, Ye Gao, and Jean’ne M. Shreeve. Quaternary salts containing the pentafluorosulfanyl (SF₅) group. *Inorganic Chemistry*, 42(19):6142–6146, 2003.

- [101] Liyuan Sun, Oscar Morales-Collazo, Han Xia, and Joan F. Brennecke. Effect of structure on transport properties (viscosity, ionic conductivity, and self-diffusion coefficient) of aprotic heterocyclic anion (AHA) room temperature ionic liquids. 2. variation of alkyl chain length in the phosphonium cation. *The Journal of Physical Chemistry B*, 120(25):5767–5776, 2016.
- [102] Duan-Jian Tao, Wen-Jing Hu, Feng-Feng Chen, Xiang-Shu Chen, Xiao-Liang Zhang, and Yan Zhou. Low-viscosity tetramethylguanidinium-based ionic liquids with different phenolate anions: Synthesis, characterization, and physical properties. *Journal of Chemical & Engineering Data*, 59(12):4031–4038, 2014.
- [103] Marcel Treskow, Jagath Pitawala, Sven Arenz, Aleksandar Matic, and Patrik Johansson. A new class of ionic liquids: Anion amphiprotic ionic liquids. *The Journal of Physical Chemistry Letters*, 3(16):2114–2119, 2012.
- [104] Katsuhiko Tsunashima and Masashi Sugiya. Physical and electrochemical properties of low-viscosity phosphonium ionic liquids as potential electrolytes. *Electrochemistry Communications*, 9(9):2353–2358, 2007.
- [105] Michael E. Van Valkenburg, Robert L. Vaughn, Margaret Williams, and John S. Wilkes. Thermochemistry of ionic liquid heat-transfer fluids. *Thermochimica Acta*, 425(1-2):181–188, 2005.
- [106] Joep van den Broeke, Marjolijn Stam, Martin Lutz, Huub Kooijman, Anthony L. Spek, Berth-Jan Deelman, and Gerard van Koten. Designing ionic liquids: 1-butyl-3-methylimidazolium cations with substituted tetraphenylborate counterions. *European Journal of Inorganic Chemistry*, 2003(15):2798–2811, 2003.
- [107] Ignacio J. Villar-Garcia, Atakilt Abebe, and Yonas Chebude. 1,10-phenanthroline ionic liquids exhibiting excellent solubility for metal complexes: Potential solvents for biphasic and supported ionic liquid phase (SILP) catalysis. *Inorganic Chemistry Communications*, 19:1–3, 2012.
- [108] Jürgen Vitz, Tina Erdmenger, Claudia Haensch, and Ulrich S. Schubert. Extended dissolution studies of cellulose in imidazolium based ionic liquids. *Green Chemistry*, 11(3):417, 2009.
- [109] Congmin Wang, Huimin Luo, De en Jiang, Haoran Li, and Sheng Dai. Carbon dioxide capture by superbase-derived protic ionic liquids. *Angewandte Chemie International Edition*, 49(34):5978–5981, 2010.
- [110] Guojun Wang, Shaohua Fang, Yi Liu, Dong Luo, Li Yang, and Shin ichi Hirano. Physicochemical properties of functionalized 1,3-dialkylimidazolium ionic liquids based on the bis(fluorosulfonyl)imide anion. *RSC Advances*, 6(71):66650–66657, 2016.

- [111] Guojun Wang, Shumin Shen, Shaohua Fang, Dong Luo, Li Yang, and Shin ichi Hirano. New ether-functionalized pyrazolium ionic liquid electrolytes based on the bis(fluorosulfonyl)imide anion for lithium-ion batteries. *RSC Advances*, 6(75):71489–71495, 2016.
- [112] Ruihu Wang, Melissa M. Piekarski, and Jean’ne M. Shreeve. Pyrazolyl-functionalized 2-methylimidazolium-based ionic liquids and their palladium(ii) complexes as recyclable catalysts. *Organic & Biomolecular Chemistry*, 4(10):1878, 2006.
- [113] Zhi Wang, Zuopeng Li, Yunhe Jin, Wei Liu, Linhai Jiang, and Qinghua Zhang. Organic superbases derived ionic liquids based on the TFSI anion: synthesis, characterization, and electrochemical properties. *New Journal of Chemistry*, 41(12):5091–5097, 2017.
- [114] Banqiu Wu, Ramana G. Reddy, and Robin D. Rogers. Novel ionic liquid thermal storage for solar thermal electric power systems. In *Proceedings of Solar Forum-2001, Solar Energy: The Power to Choose*, Washington DC, 2001.
- [115] Ji-Chang Xiao, Chengfeng Ye, and Jean’ne M. Shreeve. Bipyridinium ionic liquid-promoted cross-coupling reactions between perfluoroalkyl or pentafluorophenyl halides and aryl iodides. *Organic Letters*, 7(10):1963–1965, 2005.
- [116] H. Xue and J. M. Shreeve. Energetic ionic liquids from azido derivatives of 1,2,4-triazole. *Advanced Materials*, 17(17):2142–2146, 2005.
- [117] Hong Xue, Sean W. Arritt, Brendan Twamley, and Jean’ne M. Shreeve. Energetic salts from N-aminoazoles. *Inorganic Chemistry*, 43(25):7972–7977, 2004.
- [118] Hong Xue, Ye Gao, Brendan Twamley, and Jean’ne M. Shreeve. Energetic azolium azolate salts. *Inorganic Chemistry*, 44(14):5068–5072, 2005.
- [119] Hong Xue, Ye Gao, Brendan Twamley, and Jean’ne M. Shreeve. New energetic salts based on nitrogen-containing heterocycles. *Chemistry of Materials*, 17(1):191–198, 2005.
- [120] Hong Xue, Brendan Twamley, and Jean’ne M. Shreeve. The first 1-alkyl-3-perfluoroalkyl-4,5-dimethyl-1,2,4-triazolium salts. *The Journal of Organic Chemistry*, 69(4):1397–1400, 2004.
- [121] Chengfeng Ye and Jean’ne M. Shreeve. Syntheses of very dense halogenated liquids. *The Journal of Organic Chemistry*, 69(19):6511–6513, 2004.
- [122] Sun-Hwa Yeon, Ki-Sub Kim, Sukjeong Choi, Huen Lee, Hoon Sik Kim, and Honggon Kim. Physical and electrochemical properties of 1-(2-hydroxyethyl)-3-methyl imidazolium and n-(2-hydroxyethyl)-n-methyl morpholinium ionic liquids. *Electrochimica Acta*, 50(27):5399–5407, 2005.

- [123] Tae-eun Yim, Hyun Yeong Lee, Hyo-Jin Kim, Junyoung Mun, Sangmi Kim, Seung M. Oh, and Young Gyu Kim. Synthesis and properties of pyrrolidinium and piperidinium bis(trifluoromethanesulfonyl)imide ionic liquids with allyl substituents. *Bulletin of the Korean Chemical Society*, 28(9):1567–1572, 2007.
- [124] Yukihiro Yoshida, Masatoshi Kondo, and Gunzi Saito. Ionic liquids formed with polycyano 1,1,3,3-tetracyanoallyl anions: Substituent effects of anions on liquid properties. *The Journal of Physical Chemistry B*, 113(26):8960–8966, 2009.
- [125] Yukihiro Yoshida, Koji Muroi, Akihiro Otsuka, Gunzi Saito, Masahide Takahashi, and Toshinobu Yoko. 1-ethyl-3-methylimidazolium based ionic liquids containing cyano groups: synthesis, characterization, and crystal structure. *Inorganic Chemistry*, 43(4):1458–1462, 2004.
- [126] Masahiro Yoshizawa-Fujita, Katarina Johansson, Peter Newman, Douglas R. MacFarlane, and Maria Forsyth. Novel lewis-base ionic liquids replacing typical anions. *Tetrahedron Letters*, 47(16):2755–2758, 2006.
- [127] Yinghao Yu, Xingmei Lu, Qing Zhou, Kun Dong, Hongwei Yao, and Suojian Zhang. Biodegradable naphthenic acid ionic liquids: Synthesis, characterization, and quantitative structure-biodegradation relationship. *Chemistry - A European Journal*, 14(35):11174–11182, 2008.
- [128] Xiao Liang Yuan, Suo Jiang Zhang, and Xing Mei Lu. Hydroxyl ammonium ionic liquids: synthesis, properties, and solubility of SO₂. *Journal of Chemical & Engineering Data*, 52(2):596–599, 2007.
- [129] Jianmin Zhang, Suojian Zhang, Kun Dong, Yanqiang Zhang, Youqing Shen, and Xingmei Lv. Supported absorption of CO₂ by tetrabutylphosphonium amino acid ionic liquids. *Chemistry - A European Journal*, 12(15):4021–4026, 2006.
- [130] Jinzhi Zhang, Cai Jia, Haifeng Dong, Jinquan Wang, Xiangping Zhang, and Suojian Zhang. A novel dual amino-functionalized cation-tethered ionic liquid for CO₂ capture. *Industrial & Engineering Chemistry Research*, 52(17):5835–5841, 2013.
- [131] Qinghua Zhang, Xiangyuan Ma, Shimin Liu, Benqun Yang, Liujin Lu, Yude He, and Youquan Deng. Hydrophobic 1-allyl-3-alkylimidazolium dicyanamide ionic liquids with low densities. *Journal of Materials Chemistry*, 21(19):6864, 2011.
- [132] Sumei Zhang, Yawei Hou, Weiguo Huang, and Yongkui Shan. Preparation and characterization of novel ionic liquid based on benzotriazolium cation. *Electrochimica Acta*, 50(20):4097–4103, 2005.

- [133] Yanqiang Zhang, Suojiang Zhang, Xingmei Lu, Qing Zhou, Wei Fan, and XiangPing Zhang. Dual amino-functionalised phosphonium ionic liquids for CO₂ capture. *Chemistry - A European Journal*, 15(12):3003–3011, 2009.
- [134] Yi Zhang, Xu Zhao, Qiwei Yang, Zhiguo Zhang, Qilong Ren, and Huabin Xing. Long-chain carboxylate ionic liquids combining high solubility and low viscosity for light hydrocarbon separations. *Industrial & Engineering Chemistry Research*, 56(25):7336–7344, 2017.
- [135] Zhengxi Zhang, Li Yang, Shichun Luo, Miao Tian, Kazuhiro Tachibana, and Kouichi Kamijima. Ionic liquids based on aliphatic tetraalkylammonium dications and TFSI anion as potential electrolytes. *Journal of Power Sources*, 167(1):217–222, 2007.
- [136] Yan Zhou, Jeffrey Dyck, Todd W. Graham, Huimin Luo, Donovan N. Leonard, and Jun Qu. Ionic liquids composed of phosphonium cations and organophosphate, carboxylate, and sulfonate anions as lubricant antiwear additives. *Langmuir*, 30(44):13301–13311, 2014.
- [137] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: 1-alkyl(alkyl ether)-3-methylimidazolium perfluoroalkyltrifluoroborate. *Chemistry - A European Journal*, 10(24):6581–6591, 2004.
- [138] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: Aliphatic quaternary ammonium salts with perfluoroalkyltrifluoroborates. *Chemistry - A European Journal*, 11(2):752–766, 2005.
- [139] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Cyclic quaternary ammonium ionic liquids with perfluoroalkyltrifluoroborates: Synthesis, characterization, and properties. *Chemistry - A European Journal*, 12(8):2196–2212, 2006.
- [140] Xiao Zhu, Mengling Song, and Yingjie Xu. DBU-based protic ionic liquids for CO₂ capture. *ACS Sustainable Chemistry & Engineering*, 5(9):8192–8198, 2017.
- [141] Abobakr Khidir Ziyada, Mohamad Azmi Bustam, Thanapalan Murugesan, and Cecilia Devi Wilfred. Effect of sulfonate-based anions on the physicochemical properties of 1-alkyl-3-propanenitrile imidazolium ionic liquids. *New Journal of Chemistry*, 35(5):1111, 2011.

Viscosity

- [1] Mahpuzah Abai, John D. Holbrey, Robin D. Rogers, and Geetha Srinivasan. Ionic liquid s-alkylthiuronium salts. *New Journal of Chemistry*, 34(9):1981, 2010.
- [2] Andrew P. Abbott and Katy J. McKenzie. Application of ionic liquids to the electrodeposition of metals. *Physical Chemistry Chemical Physics*, 8(37):4265, 2006.
- [3] Gabriela Adamová, Ramesh L. Gardas, Mark Nieuwenhuyzen, Alberto V. Puga, Luís Paulo N. Rebelo, Allan J. Robertson, and Kenneth R. Seddon. Alkyltributylphosphonium chloride ionic liquids: synthesis, physicochemical properties and crystal structure. *Dalton Transactions*, 41(27):8316, 2012.
- [4] Gabriela Adamová, Ramesh L. Gardas, Luís Paulo N. Rebelo, Allan J. Robertson, and Kenneth R. Seddon. Alkyltrioctylphosphonium chloride ionic liquids: synthesis and physicochemical properties. *Dalton Transactions*, 40(47):12750, 2011.
- [5] D. Almantariotis, T. Gefflaut, A. A. H. Pádua, J.-Y. Coxam, and M. F. Costa Gomes. Effect of fluorination and size of the alkyl side-chain on the solubility of carbon dioxide in 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl)amide ionic liquids. *The Journal of Physical Chemistry B*, 114(10):3608–3617, 2010.
- [6] D. Almantariotis, A. S. Pensado, H. Q. N. Gunaratne, C. Hardacre, A. A. H. Pádua, J.-Y. Coxam, and M. F. Costa Gomes. Influence of fluorination on the solubilities of carbon dioxide, ethane, and nitrogen in 1-n-fluoro-alkyl-3-methylimidazolium bis(n-fluoroalkylsulfonyl)amide ionic liquids. *The Journal of Physical Chemistry B*, 121(2):426–436, 2017.
- [7] D. Almantariotis, S. Stevanovic, O. Fandiño, A. S. Pensado, A. A. H. Padua, J.-Y. Coxam, and M. F. Costa Gomes. Absorption of carbon dioxide, nitrous oxide, ethane and nitrogen by 1-alkyl-3-methylimidazolium (cnmim, n = 2,4,6) tris(pentafluoroethyl)trifluorophosphate ionic liquids (eFAP). *The Journal of Physical Chemistry B*, 116(26):7728–7738, 2012.

- [8] Hugo F. D. Almeida, Helena Passos, José A. Lopes da Silva, Ana M. Fernandes, Mara G. Freire, and João A. P. Coutinho. Thermophysical properties of five acetate-based ionic liquids. *Journal of Chemical & Engineering Data*, 57(11):3005–3013, 2012.
- [9] Víctor H. Álvarez, Noelia Dosil, Rebeca Gonzalez-Cabaleiro, Silvana Mattedi, Manuel Martin-Pastor, Miguel Iglesias, and José M. Navaza. Brønsted ionic liquids for sustainable processes: Synthesis and physical properties. *Journal of Chemical & Engineering Data*, 55(2):625–632, 2010.
- [10] Xiaowei An, Xiao Du, Donghong Duan, Lijuan Shi, Xiaogang Hao, Houfang Lu, Guoqing Guan, and Changjun Peng. An absorption mechanism and polarity-induced viscosity model for CO₂ capture using hydroxypyridine-based ionic liquids. *Physical Chemistry Chemical Physics*, 19(2):1134–1142, 2017.
- [11] Mérièm Anouti, Magaly Caillon-Caravanier, Yosra Dridi, Herve Galiano, and Daniel Lemordant. Synthesis and characterization of new pyrrolidinium based protic ionic liquids. good and superionic liquids. *The Journal of Physical Chemistry B*, 112(42):13335–13343, 2008.
- [12] Mérièm Anouti, Magaly Caillon-Caravanier, Corinne Le Floch, and Daniel Lemordant. Alkylammonium-based protic ionic liquids part i: Preparation and physicochemical characterization. *The Journal of Physical Chemistry B*, 112(31):9406–9411, 2008.
- [13] Meriem Anouti, Jennifer Jones, Aurélien Boisset, Johan Jacquemin, Magaly Caillon-Caravanier, and Daniel Lemordant. Aggregation behavior in water of new imidazolium and pyrrolidinium alkylcarboxylates protic ionic liquids. *Journal of Colloid and Interface Science*, 340(1):104–111, 2009.
- [14] Mérièm Anouti, Laure Timperman, Mostafa el hilali, Aurélien Boisset, and Hervé Galiano. Sulfonium bis(trifluorosulfonimide) plastic crystal ionic liquid as an electrolyte at elevated temperature for high-energy supercapacitors. *The Journal of Physical Chemistry C*, 116(17):9412–9418, 2012.
- [15] Mérièm Anouti, Annie Vigeant, Johan Jacquemin, Catherine Brigouleix, and Daniel Lemordant. Volumetric properties, viscosity and refractive index of the protic ionic liquid, pyrrolidinium octanoate, in molecular solvents. *The Journal of Chemical Thermodynamics*, 42(7):834–845, 2010.
- [16] Santiago Aparicio, Mert Atilhan, Majeda Khraisheh, and Rafael Alcalde. Study on hydroxylammonium-based ionic liquids. i. characterization. *The Journal of Physical Chemistry B*, 115(43):12473–12486, 2011.
- [17] Giovanni B. Appetecchi, Maria Montanino, Maria Carewska, Margherita Moreno, Fabrizio Alessandrini, and Stefano Passerini. Chemical–physical properties of bis(perfluoroalkylsulfonyl)imide-based ionic liquids. *Elettrochimica Acta*, 56(3):1300–1307, 2011.

- [18] Giovanni B. Appetecchi, Maria Montanino, Daniela Zane, Maria Carewska, Fabrizio Alessandrini, and Stefano Passerini. Effect of the alkyl group on the synthesis and the electrochemical properties of n-alkyl-n-methyl-pyrrolidinium bis(trifluoromethanesulfonyl)imide ionic liquids. *Electrochimica Acta*, 54(4):1325–1332, 2009.
- [19] Alberto Arce, Ana Soto, Juan Ortega, and Gisela Sabater. Mixing properties of tris(2-hydroxyethyl)methylamonium methylsulfate, water, and methanol at 298.15k. data treatment using several correlation equations. *The Journal of Chemical Thermodynamics*, 41(2):235–242, 2009.
- [20] Mert Atilhan, Johan Jacquemin, David Rooney, Majeda Khraisheh, and Santiago Aparicio. Viscous behavior of imidazolium-based ionic liquids. *Industrial & Engineering Chemistry Research*, 52(47):16774–16785, 2013.
- [21] Isabel Bandrés, Rafael Alcalde, Carlos Lafuente, Mert Atilhan, and Santiago Aparicio. On the viscosity of pyridinium based ionic liquids: An experimental and computational study. *The Journal of Physical Chemistry B*, 115(43):12499–12513, 2011.
- [22] Isabel Bandrés, Beatriz Giner, Héctor Artigas, Carlos Lafuente, and Félix M. Royo. Thermophysical properties of n-octyl-3-methylpyridinium tetrafluoroborate. *Journal of Chemical & Engineering Data*, 54(2):236–240, 2009.
- [23] Isabel Bandrés, M. Carmen López, Miguel Castro, Joaquín Barberá, and Carlos Lafuente. Thermophysical properties of 1-propylpyridinium tetrafluoroborate. *The Journal of Chemical Thermodynamics*, 44(1):148–153, 2012.
- [24] Isabel Bandrés, Gorka Pera, Santiago Martín, Miguel Castro, and Carlos Lafuente. Thermophysical study of 1-butyl-2-methylpyridinium tetrafluoroborate ionic liquid. *The Journal of Physical Chemistry B*, 113(35):11936–11942, 2009.
- [25] Fernanda F.C. Bazito, Yoshio Kawano, and Roberto M. Torresi. Synthesis and characterization of two ionic liquids with emphasis on their chemical stability towards metallic lithium. *Electrochimica Acta*, 52(23):6427–6437, 2007.
- [26] Dana Bejan, Nikolai Ignat’ev, and Helge Willner. New ionic liquids with the bis[bis(pentafluoroethyl)phosphinyl]imide anion, [(c2f5)2p(o)]2n—synthesis and characterization. *Journal of Fluorine Chemistry*, 131(3):325–332, 2010.
- [27] Tayeb Belhocine, Stewart A. Forsyth, H. Q. Nimal Gunaratne, Mark Nieuwenhuyzen, Peter Nockemann, Alberto V. Puga, Kenneth R. Seddon, Geetha Srinivasan, and Keith Whiston. Azepanium ionic liquids. *Green Chemistry*, 13(11):3137, 2011.

- [28] Shubhankar Bhattacharyya, Andrei Filippov, and Faiz Ullah Shah. Insights into the effect of CO₂ absorption on the ionic mobility of ionic liquids. *Physical Chemistry Chemical Physics*, 18(41):28617–28625, 2016.
- [29] Shubhankar Bhattacharyya and Faiz Ullah Shah. Ether functionalized choline tethered amino acid ionic liquids for enhanced CO₂ capture. *ACS Sustainable Chemistry & Engineering*, 4(10):5441–5449, 2016.
- [30] Bożena Bittner, Rafal J. Wrobel, and Eugeniusz Milchert. Physical properties of pyridinium ionic liquids. *The Journal of Chemical Thermodynamics*, 55:159–165, 2012.
- [31] D. Blanco, M. Bartolomé, B. Ramajo, J. L. Viesca, R. González, and A. Hernández Battez. Wetting properties of seven phosphonium cation-based ionic liquids. *Industrial & Engineering Chemistry Research*, 55(36):9594–9602, 2016.
- [32] Marijana Blesic, Małgorzata Swadźba-Kwaśny, Tayeb Belhocine, H. Q. Nimal Gunaratne, José N. Canongia Lopes, Margarida F. Costa Gomes, Agílio A. H. Pádua, Kenneth R. Seddon, and Luís Paulo N. Rebelo. 1-alkyl-3-methylimidazolium alkanesulfonate ionic liquids, [C_nH_{2n} + 1mim][CkH_{2k} + 1so₃]: synthesis and physicochemical properties. *Physical Chemistry Chemical Physics*, 11(39):8939, 2009.
- [33] Pierre Bonhôte, Ana-Paula Dias, Nicholas Papageorgiou, Kuppaswamy Kalyanasundaram, and Michael Grätzel. Hydrophobic, highly conductive ambient-temperature molten salts. *Inorganic Chemistry*, 35(5):1168–1178, 1996.
- [34] Luís C. Branco, João N. Rosa, Joaquim J. Moura Ramos, and Carlos A. M. Afonso. Preparation and characterization of new room temperature ionic liquids. *Chemistry - A European Journal*, 8(16):3671–3677, 2002.
- [35] Catherine Brigouleix, Mérièm Anouti, Johan Jacquemin, Magali Caillon-Caravanier, Hervé Galiano, and Daniel Lemordant. Physicochemical characterization of morpholinium cation based protic ionic liquids used as electrolytes. *The Journal of Physical Chemistry B*, 114(5):1757–1766, 2010.
- [36] Paul Brown, Burcu E. Gurkan, and T. Alan Hatton. Enhanced gravimetric CO₂ capacity and viscosity for ionic liquids with cyanopyrrolide anion. *AIChE Journal*, 61(7):2280–2285, 2015.
- [37] Geoffrey L. Burrell, Iko M. Burgar, Frances Separovic, and Noel F. Dunlop. Preparation of protic ionic liquids with minimal water content and 15n NMR study of proton transfer. *Physical Chemistry Chemical Physics*, 12(7):1571, 2010.
- [38] Ning Cai, Jing Zhang, Difei Zhou, Zhihui Yi, Jin Guo, and Peng Wang. N-methyl-n-allylpyrrolidinium based ionic liquids for solvent-free dye-sensitized solar cells. *The Journal of Physical Chemistry C*, 113(10):4215–4221, 2009.

- [39] Yue Qin Cai, Feng Lu, Yan Qing Peng, and Gong Hua Song. Preparation and characterization of amino or carboxyl-functionalized ionic liquids. *Chinese Chemical Letters*, 18(1):21–23, 2007.
- [40] Pedro J. Carvalho, Teresa Regueira, Luis M. N. B. F. Santos, Josefa Fernandez, and João A. P. Coutinho. Effect of water on the viscosities and densities of 1-butyl-3-methylimidazolium dicyanamide and 1-butyl-3-methylimidazolium tricyanomethane at atmospheric pressure. *Journal of Chemical & Engineering Data*, 55(2):645–652, 2010.
- [41] Pedro J. Carvalho, Sónia P. M. Ventura, Marta L. S. Batista, Bernd Schröder, Fernando Gonçalves, José Esperança, Fabrice Mutelet, and João A. P. Coutinho. Understanding the impact of the central atom on the ionic liquid behavior: Phosphonium vs ammonium cations. *The Journal of Chemical Physics*, 140(6):064505, 2014.
- [42] Ming Chai, Yide Jin, Shaohua Fang, Li Yang, Shin ichi Hirano, and Kazuhiro Tachibana. Ether-functionalized pyrazolium ionic liquids as new electrolytes for lithium battery. *Electrochimica Acta*, 66:67–74, 2012.
- [43] Zheng Jian Chen and Jong-Min Lee. Free volume model for the unexpected effect of c2-methylation on the properties of imidazolium ionic liquids. *The Journal of Physical Chemistry B*, 118(10):2712–2718, 2014.
- [44] Zhengjian Chen, Shimin Liu, Zuopeng Li, Qinghua Zhang, and Youquan Deng. Dialkoxy functionalized quaternary ammonium ionic liquids as potential electrolytes and cellulose solvents. *New Journal of Chemistry*, 35(8):1596, 2011.
- [45] Zhengjian Chen, Shiguo Zhang, Xiujuan Qi, Shimin Liu, Qinghua Zhang, and Youquan Deng. Fluorescent quinolinium ionic liquids (salts) with unexpectedly high quantum yields up to >99%. *Journal of Materials Chemistry*, 21(25):8979, 2011.
- [46] Pratap K. Chhotaray and Ramesh L. Gardas. Thermophysical properties of ammonium and hydroxylammonium protic ionic liquids. *The Journal of Chemical Thermodynamics*, 72:117–124, 2014.
- [47] Pratap K. Chhotaray, Shankar Jella, and Ramesh L. Gardas. Physicochemical properties of low viscous lactam based ionic liquids. *The Journal of Chemical Thermodynamics*, 74:255–262, 2014.
- [48] Cinzia Chiappe, Angelo Sanzone, Daniele Mendola, Franca Castiglione, Antonino Famulari, Guido Raos, and Andrea Mele. Pyrazolium- versus imidazolium-based ionic liquids: Structure, dynamics and physicochemical properties. *The Journal of Physical Chemistry B*, 117(2):668–676, 2013.
- [49] Anabela J. L. Costa, José M. S. S. Esperança, Isabel M. Marrucho, and Luís Paulo N. Rebelo. Densities and viscosities of 1-ethyl-3-methylimidazolium-alkyl sulfates. *Journal of Chemical & Engineering Data*, 56(8):3433–3441, 2011.

- [50] Jacob M. Crosthwaite, Mark J. Muldoon, JaNeille K. Dixon, Jessica L. Anderson, and Joan F. Brennecke. Phase transition and decomposition temperatures, heat capacities and viscosities of pyridinium ionic liquids. *The Journal of Chemical Thermodynamics*, 37(6):559–568, 2005.
- [51] Francisco J. Deive, Miguel A. Rivas, and Ana Rodríguez. Thermophysical properties of two ionic liquids based on benzyl imidazolium cation. *The Journal of Chemical Thermodynamics*, 43(3):487–491, 2011.
- [52] Francisco J. Deive, Miguel A. Rivas, and Ana Rodríguez. Study of thermodynamic and transport properties of phosphonium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 62:98–103, 2013.
- [53] Daphne Depuydt, Wim Dehaen, and Koen Binnemans. Docusate ionic liquids: Effect of cation on water solubility and solvent extraction behavior. *ChemPlusChem*, 82(3):458–466, 2017.
- [54] João C.F. Diogo, Fernando J.P. Caetano, João M.N.A. Fareleira, and William A. Wakeham. Viscosity measurements of three ionic liquids using the vibrating wire technique. *Fluid Phase Equilibria*, 353:76–86, 2013.
- [55] U. Domańska and M. Królikowska. Density and viscosity of binary mixtures of thiocyanate ionic liquids + water as a function of temperature. *Journal of Solution Chemistry*, 41(8):1422–1445, 2012.
- [56] Urszula Domańska, Marta Królikowska, and Klaudia Walczak. Density, viscosity and surface tension of binary mixtures of 1-butyl-1-methylpyrrolidinium tricyanomethanide with benzothiophene. *Journal of Solution Chemistry*, 43(11):1929–1946, 2014.
- [57] Urszula Domańska, Katarzyna Skiba, Maciej Zawadzki, Kamil Padiuszyński, and Marek Królikowski. Synthesis, physical, and thermodynamic properties of 1-alkyl-cyanopyridinium bis(trifluoromethyl)sulfonylimide ionic liquids. *The Journal of Chemical Thermodynamics*, 56:153–161, 2013.
- [58] Urszula Domańska and Maciej Zawadzki. Thermodynamic properties of the n-butylisoquinolinium bis(trifluoromethylsulfonyl)imide. *The Journal of Chemical Thermodynamics*, 43(6):989–995, 2011.
- [59] Urszula Domańska, Maciej Zawadzki, and Magdalena Zwolińska. Thermophysical properties and phase equilibria study of the binary systems N-hexylquinolinium bis(trifluoromethylsulfonyl)imide + aromatic hydrocarbons, or an alcohol. *The Journal of Chemical Thermodynamics*, 43(5):775–781, 2011.
- [60] Takeshi Enomoto, Kazuhiko Matsumoto, and Rika Hagiwara. Properties of fluorosulfate-based ionic liquids and geometries of (FO2soh)OSO2f- and (FO2soh)2o2sof-. *Dalton Transactions*, 40(46):12491, 2011.

- [61] Hua Er and Hui Wang. Properties of protic ionic liquids composed of n-alkyl (=hexyl, octyl and 2-ethylhexyl) ethylenediaminum cations with trifluoromethanesulfonate and trifluoroacetate anion. *Journal of Molecular Liquids*, 220:649–656, 2016.
- [62] Daniel P. Fagnant, George S. Goff, Brian L. Scott, Wolfgang Runde, and Joan F. Brennecke. Switchable phase behavior of [HBet][tf2n]-h2o upon neodymium loading: Implications for lanthanide separations. *Inorganic Chemistry*, 52(2):549–551, 2013.
- [63] Shaohua Fang, Li Yang, Chao Wei, Chen Jiang, Kazuhiro Tachibana, and Kouichi Kamijima. Ionic liquids based on guanidinium cations and TFSI anion as potential electrolytes. *Electrochimica Acta*, 54(6):1752–1756, 2009.
- [64] Shaohua Fang, Li Yang, Chao Wei, Chengxin Peng, Kazuhiro Tachibana, and Kouichi Kamijima. Low-viscosity and low-melting point asymmetric trialkylsulfonium based ionic liquids as potential electrolytes. *Electrochemistry Communications*, 9(11):2696–2702, 2007.
- [65] Shaohua Fang, Zhengxi Zhang, Yide Jin, Li Yang, Shin ichi Hirano, Kazuhiro Tachibana, and Shingo Katayama. New functionalized ionic liquids based on pyrrolidinium and piperidinium cations with two ether groups as electrolytes for lithium battery. *Journal of Power Sources*, 196(13):5637–5644, 2011.
- [66] Reza Fareghi-Alamdari, Faezeh Ghorbani-Zamani, and Negar Zekri. Synthesis and hypergolic activity evaluation of some new ammonium-imidazolium based ionic liquids. *RSC Advances*, 6(31):26386–26391, 2016.
- [67] Sebastian Fendt, Sasisanker Padmanabhan, Harvey W. Blanch, and John M. Prausnitz. Viscosities of acetate or chloride-based ionic liquids and some of their mixtures with water or other common solvents. *Journal of Chemical & Engineering Data*, 56(1):31–34, 2011.
- [68] Carlos E. Ferreira, Nieves M.C. Talavera-Prieto, Isabel M.A. Fonseca, António T.G. Portugal, and Abel G.M. Ferreira. Measurements of pVT, viscosity, and surface tension of trihexyltetradecylphosphonium tris(pentafluoroethyl)trifluorophosphate ionic liquid and modelling with equations of state. *The Journal of Chemical Thermodynamics*, 47:183–196, 2012.
- [69] Joseph J. Fillion, Han Xia, M. Aruni Desilva, Mauricio Quiroz-Guzman, and Joan F. Brennecke. Phase transitions, decomposition temperatures, viscosities, and densities of phosphonium, ammonium, and imidazolium ionic liquids with aprotic heterocyclic anions. *Journal of Chemical & Engineering Data*, 61(8):2897–2914, 2016.

- [70] S. Isobel Fletcher, Fiona B. Sillars, Nicholas E. Hudson, and Peter J. Hall. Physical properties of selected ionic liquids for use as electrolytes and other industrial applications. *Journal of Chemical & Engineering Data*, 55(2):778–782, 2010.
- [71] Jolanta Flieger and Anna Czajkowska-żelazko. Identification of ionic liquid components by RP-HPLC with diode array detector using chaotropic effect and perturbation technique. *Journal of Separation Science*, 35(2):248–255, 2012.
- [72] Kevin J. Fraser, Ekaterina I. Izgorodina, Maria Forsyth, Janet L. Scott, and Douglas R. MacFarlane. Liquids intermediate between molecular and ionic liquids: Liquid ion pairs. *Chemical Communications*, (37):3817, 2007.
- [73] Shitao Fu, Shouzhe Gong, Chengyong Liu, Liping Zheng, Wenfang Feng, Jin Nie, and Zhibin Zhou. Ionic liquids based on bis(2,2,2-trifluoroethoxysulfonyl)imide with various oniums. *Electrochimica Acta*, 94:229–237, 2013.
- [74] Félix M. Gaciño, Xavier Paredes, María J.P. Comuñas, and Josefa Fernández. Effect of the pressure on the viscosities of ionic liquids: Experimental values for 1-ethyl-3-methylimidazolium ethylsulfate and two bis(trifluoromethyl-sulfonyl)imide salts. *The Journal of Chemical Thermodynamics*, 54:302–309, 2012.
- [75] Félix M. Gaciño, Xavier Paredes, María J.P. Comuñas, and Josefa Fernández. Pressure dependence on the viscosities of 1-butyl-2,3-dimethylimidazolium bis(trifluoromethylsulfonyl)imide and two tris(pentafluoroethyl)trifluorophosphate based ionic liquids: New measurements and modelling. *The Journal of Chemical Thermodynamics*, 62:162–169, 2013.
- [76] Zong gang Mu, Feng Zhou, Shu xiang Zhang, Yong min Liang, and Wei min Liu. Preparation and characterization of new phosphonyl-substituted imidazolium ionic liquids. *Helvetica Chimica Acta*, 87(10):2549–2555, 2004.
- [77] Alejandro García, Luis C. Torres-González, Karinjlottu P. Padmasree, Maria G. Benavides-Garcia, and Eduardo M. Sánchez. Conductivity and viscosity properties of associated ionic liquids phosphonium orthoborates. *Journal of Molecular Liquids*, 178:57–62, 2013.
- [78] Ming-Lan Ge, Xiao-Guang Ren, Yong-Ji Song, and Li-Sheng Wang. Densities and viscosities of 1-propyl-2,3-dimethylimidazolium tetrafluoroborate + h₂o at T = (298.15 to 343.15) K. *Journal of Chemical & Engineering Data*, 54(4):1400–1402, 2009.

- [79] Dirk Gerhard, Samim Cenk Alpaslan, Heiner Jakob Gores, Marc Uerdingen, and Peter Wasserscheid. Trialkylsulfonium dicyanamides - a new family of ionic liquids with very low viscosities. *Chemical Communications*, (40):5080, 2005.
- [80] Mohammad Hadi Ghatee, Maryam Bahrami, and Neda Khanjari. Measurement and study of density, surface tension, and viscosity of quaternary ammonium-based ionic liquids ([n222(n)]tf2n). *The Journal of Chemical Thermodynamics*, 65:42–52, 2013.
- [81] Mohammad Hadi Ghatee, Maryam Bahrami, Neda Khanjari, Habib Firouzabadi, and Yasaman Ahmadi. A functionalized high-surface-energy ammonium-based ionic liquid: Experimental measurement of viscosity, density, and surface tension of (2-hydroxyethyl)ammonium formate. *Journal of Chemical & Engineering Data*, 57(8):2095–2101, 2012.
- [82] Mohammad Hadi Ghatee, Morteza Zare, Fatemeh Moosavi, and Amin Reza Zolghadr. Temperature-dependent density and viscosity of the ionic liquids 1-alkyl-3-methylimidazolium iodides: Experiment and molecular dynamics simulation. *Journal of Chemical & Engineering Data*, 55(9):3084–3088, 2010.
- [83] Elena Gómez, Noelia Calvar, Ángeles Domínguez, and Eugénia A. Macedo. Synthesis and temperature dependence of physical properties of four pyridinium-based ionic liquids: Influence of the size of the cation. *The Journal of Chemical Thermodynamics*, 42(11):1324–1329, 2010.
- [84] Elena Gómez, Noelia Calvar, Eugénia A. Macedo, and ángeles Domínguez. Effect of the temperature on the physical properties of pure 1-propyl 3-methylimidazolium bis(trifluoromethylsulfonyl)imide and characterization of its binary mixtures with alcohols. *The Journal of Chemical Thermodynamics*, 45(1):9–15, 2012.
- [85] Girma Gonfa, Mohamad Azmi Bustam, Nawshad Muhammad, and Amir Sada Khan. Evaluation of thermophysical properties of functionalized imidazolium thiocyanate based ionic liquids. *Industrial & Engineering Chemistry Research*, 54(49):12428–12437, 2015.
- [86] Begoña González, Noelia Calvar, Elena Gómez, Irene Domínguez, and Ángeles Domínguez. Synthesis and physical properties of 1-ethylpyridinium ethylsulfate and its binary mixtures with ethanol and 1-propanol at several temperatures. *Journal of Chemical & Engineering Data*, 54(4):1353–1358, 2009.
- [87] Begoña González, Noelia Calvar, Elena Gómez, Eugénia A. Macedo, and Ángeles Domínguez. Synthesis and physical properties of 1-ethyl 3-methylpyridinium ethylsulfate and its binary mixtures with ethanol and water at several temperatures. *Journal of Chemical & Engineering Data*, 53(8):1824–1828, 2008.

- [88] Begoña González, Elena Gómez, Ángeles Domínguez, Miguel Vilas, and Emilia Tojo. Physicochemical characterization of new sulfate ionic liquids. *Journal of Chemical & Engineering Data*, 56(1):14–20, 2011.
- [89] Begoña González and Emilio J. González. Physical properties of the pure 1-methyl-1-propylpyrrolidinium bis(trifluoromethylsulfonyl)imide ionic liquid and its binary mixtures with alcohols. *The Journal of Chemical Thermodynamics*, 68:109–116, 2014.
- [90] Emilio J. González, Luisa Alonso, and ángeles Domínguez. Physical properties of binary mixtures of the ionic liquid 1-methyl-3-octylimidazolium chloride with methanol, ethanol, and 1-propanol at $T = (298.15, 313.15, \text{ and } 328.15) \text{ K}$ and at $P = 0.1 \text{ MPa}$. *Journal of Chemical & Engineering Data*, 51(4):1446–1452, 2006.
- [91] Emilio J. González, Begoña González, and Eugénia A. Macedo. Thermophysical properties of the pure ionic liquid 1-butyl-1-methylpyrrolidinium dicyanamide and its binary mixtures with alcohols. *Journal of Chemical & Engineering Data*, 58(6):1440–1448, 2013.
- [92] Brett F. Goodrich, Juan C. de la Fuente, Burcu E. Gurkan, David J. Zadi-gian, Erica A. Price, Yong Huang, and Joan F. Brennecke. Experimental measurements of amine-functionalized anion-tethered ionic liquids with carbon dioxide. *Industrial & Engineering Chemistry Research*, 50(1):111–118, 2011.
- [93] B. Gorska, L. Timperman, M. Anouti, J. Pernak, and F. Béguin. Physicochemical and electrochemical properties of a new series of protic ionic liquids with n-chloroalkyl functionalized cations. *RSC Advances*, 6(60):55144–55158, 2016.
- [94] Andreia S. L. Gouveia, Liliana C. Tomé, and Isabel M. Marrucho. Density, viscosity, and refractive index of ionic liquid mixtures containing cyano and amino acid-based anions. *Journal of Chemical & Engineering Data*, 61(1):83–93, 2015.
- [95] Varadhi Govinda, P. Madhusudhana Reddy, Indra Bahadur, Pankaj Attri, P. Venkatesu, and P. Venkateswarlu. Effect of anion variation on the thermophysical properties of triethylammonium based protic ionic liquids with polar solvent. *Thermochimica Acta*, 556:75–88, 2013.
- [96] E.P. Grishina, L.M. Ramenskaya, M.S. Gruzdev, and O.V. Kraeva. Water effect on physicochemical properties of 1-butyl-3-methylimidazolium based ionic liquids with inorganic anions. *Journal of Molecular Liquids*, 177:267–272, 2013.
- [97] Lei Guo, Xu Pan, Changneng Zhang, Meng Wang, Molang Cai, Xiaqin Fang, and Songyuan Dai. Novel hydrophobic cyclic sulfonium-based ionic liquids as potential electrolyte. *Journal of Molecular Liquids*, 158(2):75–79, 2011.

- [98] Hong-Bo Han, Kai Liu, Shao-Wei Feng, Si-Si Zhou, Wen-Fang Feng, Jin Nie, Hong Li, Xue-Jie Huang, Hajime Matsumoto, Michel Armand, and Zhi-Bin Zhou. Ionic liquid electrolytes based on multi-methoxyethyl substituted ammoniums and perfluorinated sulfonimides: Preparation, characterization, and properties. *Electrochimica Acta*, 55(23):7134–7144, 2010.
- [99] Christopher Hardacre, John D. Holbrey, Suhas P. Katsare, and Kenneth R. Seddon. Alternating copolymerisation of styrene and carbon monoxide in ionic liquids. *Green Chemistry*, 4(2):143–146, 2002.
- [100] Christopher Hardacre, John D. Holbrey, Claire L. Mullan, Mark Nieuwenhuyzen, W. Matthew Reichert, Kenneth R. Seddon, and Simon J. Teat. Ionic liquid characteristics of 1-alkyl-n-cyanopyridinium and 1-alkyl-n-(trifluoromethyl)pyridinium salts. *New Journal of Chemistry*, 32(11):1953, 2008.
- [101] Kenneth R. Harris, Lawrence A. Woolf, Mitsuhiro Kanakubo, and Thomas R  ther. Transport properties of N-butyl-n-methylpyrrolidinium bis(trifluoromethylsulfonyl)amide. *Journal of Chemical & Engineering Data*, 56(12):4672–4685, 2011.
- [102] Benjamin Hasse, Julia Lehmann, Daniel Assenbaum, Peter Wasserscheid, Alfred Leipertz, and Andreas Paul Fr  ba. Viscosity, interfacial tension, density, and refractive index of ionic liquids [EMIM][MeSO₃], [EMIM][MeOHPO₂], [EMIM][OcSO₄], and [BBIM][NTf₂] in dependence on temperature at atmospheric pressure. *Journal of Chemical & Engineering Data*, 54(9):2576–2583, 2009.
- [103] Mahesha B. Herath, Tom Hickman, Stephen E. Creager, and Darryl D. DesMarteau. A new fluorinated anion for room-temperature ionic liquids. *Journal of Fluorine Chemistry*, 132(1):52–56, 2011.
- [104] Tobias Herzig, Christian Schreiner, Dirk Gerhard, Peter Wasserscheid, and Heiner Jakob Gores. Characterisation and properties of new ionic liquids with the difluoromono[1,2-oxalato(2-)-o,o']borate anion. *Journal of Fluorine Chemistry*, 128(6):612–618, 2007.
- [105] Patrick C. Hillesheim, Shannon M. Mahurin, Pasquale F. Fulvio, Joshua S. Yeary, Yatsandra Oyola, De en Jiang, and Sheng Dai. Synthesis and characterization of thiazolium-based room temperature ionic liquids for gas separations. *Industrial & Engineering Chemistry Research*, 51(35):11530–11537, 2012.
- [106] Patrick C. Hillesheim, Joseph A. Singh, Shannon M. Mahurin, Pasquale F. Fulvio, Yatsandra Oyola, Xiang Zhu, De en Jiang, and Sheng Dai. Effect of alkyl and aryl substitutions on 1,2,4-triazolium-based ionic liquids for carbon dioxide separation and capture. *RSC Advances*, 3(12):3981, 2013.

- [107] Yuya Hiraga, Aya Kato, Yoshiyuki Sato, and Richard L. Smith. Densities at pressures up to 200 MPa and atmospheric pressure viscosities of ionic liquids 1-ethyl-3-methylimidazolium methylphosphate, 1-ethyl-3-methylimidazolium diethylphosphate, 1-butyl-3-methylimidazolium acetate, and 1-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide. *Journal of Chemical & Engineering Data*, 60(3):876–885, 2015.
- [108] Michael Hog, Marius Schneider, and Ingo Krossing. Synthesis and characterization of bromoaluminate ionic liquids. *Chemistry - A European Journal*, 23(41):9821–9830, 2017.
- [109] John D. Holbrey, Megan B. Turner, W. Matthew Reichert, and Robin D. Rogers. New ionic liquids containing an appended hydroxyl functionality from the atom-efficient, one-pot reaction of 1-methylimidazole and acid with propylene oxide. *Green Chemistry*, 5(6):731, 2003.
- [110] Guo hong Tao, Ling He, Ning Sun, and Yuan Kou. New generation ionic liquids: cations derived from amino acids. *Chemical Communications*, (28):3562, 2005.
- [111] M. Ismail Hossain, Moulay-Rachid Babaa, Mohanad El-Harbawi, Zakaria Man, Glenn Hefter, and Chun-Yang Yin. Synthesis, characterization, physical properties, and cytotoxicities of 1-(6-hydroxyhexyl)-3-alkylimidazolium chloride ionic liquids. *Journal of Chemical & Engineering Data*, 56(11):4188–4193, 2011.
- [112] Jonathan G. Huddleston, Ann E. Visser, W. Matthew Reichert, Heather D. Willauer, Grant A. Broker, and Robin D. Rogers. Characterization and comparison of hydrophilic and hydrophobic room temperature ionic liquids incorporating the imidazolium cation. *Green Chemistry*, 3(4):156–164, 2001.
- [113] Yin hui Gong, Chong Shen, Ying zhou Lu, Hong Meng, and Chun xi Li. Viscosity and density measurements for six binary mixtures of water (methanol or ethanol) with an ionic liquid ([BMIM][DMP] or [EMIM][DMP]) at atmospheric pressure in the temperature range of (293.15 to 333.15) k. *Journal of Chemical & Engineering Data*, 57(1):33–39, 2011.
- [114] M. Iglesias, R. Gonzalez-Olmos, I. Cota, and F. Medina. Brønsted ionic liquids: Study of physico-chemical properties and catalytic activity in aldol condensations. *Chemical Engineering Journal*, 162(2):802–808, 2010.
- [115] N.V. Ignat’ev, U. Welz-Biermann, A. Kucheryna, G. Bissky, and H. Willner. New ionic liquids with tris(perfluoroalkyl)trifluorophosphate (FAP) anions. *Journal of Fluorine Chemistry*, 126(8):1150–1159, 2005.

- [116] Masayuki Iguchi, Yuya Hiraga, Yoshiyuki Sato, Taku Michael Aida, Masaru Watanabe, and Richard L. Smith. Measurement of high-pressure densities and atmospheric viscosities of ionic liquids: 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide and 1-hexyl-3-methylimidazolium chloride. *Journal of Chemical & Engineering Data*, 59(3):709–717, 2014.
- [117] Ying-Ying Jiang, Guan-Nan Wang, Zheng Zhou, You-Ting Wu, Jiao Geng, and Zhi-Bing Zhang. Tetraalkylammonium amino acids as functionalized ionic liquids of low viscosity. *Chem. Commun.*, (4):505–507, 2008.
- [118] Hui Jin, Bernie O’Hare, Jing Dong, Sergei Arzhantsev, Gary A. Baker, James F. Wishart, Alan J. Benesi, and Mark Maroncelli. Physical properties of ionic liquids consisting of the 1-butyl-3-methylimidazolium cation with various anions and the bis(trifluoromethylsulfonyl)imide anion with various cations. *The Journal of Physical Chemistry B*, 112(1):81–92, 2008.
- [119] Yide Jin, Shaohua Fang, Ming Chai, Li Yang, and Shin ichi Hirano. Ether-functionalized trialkylimidazolium ionic liquids: Synthesis, characterization, and properties. *Industrial & Engineering Chemistry Research*, 51(34):11011–11020, 2012.
- [120] Yide Jin, Shaohua Fang, Ming Chai, Li Yang, Kazuhiro Tachibana, and Shin ichi Hirano. Properties and application of ether-functionalized trialkylimidazolium ionic liquid electrolytes for lithium battery. *Journal of Power Sources*, 226:210–218, 2013.
- [121] Yide Jin, Shaohua Fang, Li Yang, Shin ichi Hirano, and Kazuhiro Tachibana. Functionalized ionic liquids based on guanidinium cations with two ether groups as new electrolytes for lithium battery. *Journal of Power Sources*, 196(24):10658–10666, 2011.
- [122] Yide Jin, Shaohua Fang, Jianhao Zhang, Zhengxi Zhang, Kaiqiang Yu, Jianzhi Song, Li Yang, and Shin ichi Hirano. Functionalized ionic liquids based on trialkylimidazolium cations with alkoxymethyl group at the n-1 position: Synthesis, characterization, and application as electrolytes for a lithium ion battery. *Industrial & Engineering Chemistry Research*, 53(8):2860–2871, 2014.
- [123] Yide Jin, Shaohua Fang, Zhengxi Zhang, Jianhao Zhang, Li Yang, and Shin ichi Hirano. C-2 functionalized trialkylimidazolium ionic liquids with alkoxymethyl group: Synthesis, characterization, and properties. *Industrial & Engineering Chemistry Research*, 52(22):7297–7306, 2013.
- [124] Zhu Jiqin, Chen Jian, Li Chengyue, and Fei Weiyang. Viscosities and interfacial properties of 1-methyl-3-butylimidazolium hexafluorophosphate and 1-isobutenyl-3-methylimidazolium tetrafluoroborate ionic liquids. *Journal of Chemical & Engineering Data*, 52(3):812–816, 2007.

- [125] Noémi Jordão, Luis Cabrita, Fernando Pina, and Luís C. Branco. Novel bipyridinium ionic liquids as liquid electrochromic devices. *Chemistry - A European Journal*, 20(14):3982–3988, 2014.
- [126] Junko Kagimoto, Satomi Taguchi, Kenta Fukumoto, and Hiroyuki Ohno. Hydrophobic and low-density amino acid ionic liquids. *Journal of Molecular Liquids*, 153(2-3):133–138, 2010.
- [127] Ghassan M J Al Kaisy, M. Ibrahim A Mutalib, J M Leveque, and T V V L N Rao. Novel low viscosity ammonium-based ionic liquids with carboxylate anions: Synthesis, characterization, and thermophysical properties. *Journal of Molecular Liquids*, 230:565–573, 2017.
- [128] Ghassan M.J. Al Kaisy, M.I. Abdul Mutalib, and T.V.V.L.N. Rao. Novel halogen free hydrophobic trioctylammonium-based protic ionic liquids with carboxylate anions: Synthesis, characterization, and thermophysical properties. *Journal of Molecular Liquids*, 242:349–356, 2017.
- [129] Maria Kaliner, Alexander Rupp, Ingo Krossing, and Thomas Strasser. Tunable aryl alkyl ionic liquids with weakly coordinating tetrakis((1,1,1,3,3,3-hexafluoropropan-2-yl)oxy)borate [b(hfip)₄] anions. *Chemistry - A European Journal*, 22(29):10044–10049, 2016.
- [130] Mitsuhiro Kanakubo, Hiroshi Nanjo, Tetsuo Nishida, and Jun Takano. Density, viscosity, and electrical conductivity of n-methoxymethyl-n-methylpyrrolidinium bis(trifluoromethanesulfonyl)amide. *Fluid Phase Equilibria*, 302(1-2):10–13, 2011.
- [131] Shoichi Katsuta, Yuta Shiozawa, Kazuo Imai, Yoshihiro Kudo, and Yasuyuki Takeda. Stability of ion pairs of bis(trifluoromethanesulfonyl)amide-based ionic liquids in dichloromethane. *Journal of Chemical & Engineering Data*, 55(4):1588–1593, 2010.
- [132] T. Kavitha, Pankaj Attri, Pannuru Venkatesu, R. S. Rama Devi, and T. Hofman. Influence of alkyl chain length and temperature on thermophysical properties of ammonium-based ionic liquids with molecular solvent. *The Journal of Physical Chemistry B*, 116(15):4561–4574, 2012.
- [133] Massoud Kermanioryani, M. Ibrahim A. Mutalib, Yue Dong, Kallidanthiyil Chellappan Lethesh, Ouahid Ben Omar Ben Ghanem, Kiki Adi Kurnia, Noor Fathanah Aminuddin, and Jean-Marc Leveque. Physicochemical properties of new imidazolium-based ionic liquids containing aromatic group. *Journal of Chemical & Engineering Data*, 61(6):2020–2026, 2016.
- [134] Jinwi Kim, Rajendra P. Singh, and Jean’ne M. Shreeve. Low melting inorganic salts of alkyl-, fluoroalkyl-, alkyl ether-, and fluoroalkyl ether-substituted oxazolidine and morpholine. *Inorganic Chemistry*, 43(9):2960–2966, 2004.

- [135] Ki-Sub Kim, Bae-Kun Shin, and Huen Lee. Physical and electrochemical properties of 1-butyl-3-methylimidazolium bromide, 1-butyl-3-methylimidazolium iodide, and 1-butyl-3-methylimidazolium tetrafluoroborate. *Korean Journal of Chemical Engineering*, 21(5):1010–1014, 2004.
- [136] Regina Klein, Oliver Zech, Eva Maurer, Matthias Kellermeier, and Werner Kunz. Oligoether carboxylates: Task-specific room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 115(29):8961–8969, 2011.
- [137] Thomas Koller, Michael H. Rausch, Peter S. Schulz, Markus Berger, Peter Wasserscheid, Ioannis G. Economou, Alfred Leipertz, and Andreas P. Fröba. Viscosity, interfacial tension, self-diffusion coefficient, density, and refractive index of the ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate as a function of temperature at atmospheric pressure. *Journal of Chemical & Engineering Data*, 57(3):828–835, 2012.
- [138] Roksana Kordala-Markiewicz, Hubert Rodak, Bartosz Markiewicz, Filip Walkiewicz, Agata Sznajdrowska, Katarzyna Materna, Katarzyna Marcinkowska, Tadeusz Praczyk, and Juliusz Pernak. Phenoxy herbicidal ammonium ionic liquids. *Tetrahedron*, 70(32):4784–4789, 2014.
- [139] Marta Królikowska, Monika Karpińska, and Maciej Zawadzki. Phase equilibria study of the binary systems (n-hexylisoquinolinium thiocyanate ionic liquid + organic solvent or water). *The Journal of Physical Chemistry B*, 116(14):4292–4299, 2012.
- [140] Marta Królikowska, Kamil Padaszyński, and Maciej Zawadzki. Measurements, correlations, and predictions of thermodynamic properties of n-octylisoquinolinium thiocyanate ionic liquid and its aqueous solutions. *Journal of Chemical & Engineering Data*, 58(2):285–293, 2013.
- [141] Prashant S. Kulkarni, Luís C. Branco, João G. Crespo, M. Cristiana Nunes, Anabela Raymundo, and Carlos A. M. Afonso. Comparison of physicochemical properties of new ionic liquids based on imidazolium, quaternary ammonium, and guanidinium cations. *Chemistry - A European Journal*, 13(30):8478–8488, 2007.
- [142] K.A. Kurnia, C.D. Wilfred, and T. Murugesan. Thermophysical properties of hydroxyl ammonium ionic liquids. *The Journal of Chemical Thermodynamics*, 41(4):517–521, 2009.
- [143] Kiki A. Kurnia and M. Ibrahim A. Mutalib. Densities and viscosities of binary mixture of the ionic liquid bis(2-hydroxyethyl)ammonium propionate with methanol, ethanol, and 1-propanol at $T = (293.15, 303.15, 313.15, \text{ and } 323.15) \text{ K}$ and at $P = 0.1 \text{ MPa}$. *Journal of Chemical & Engineering Data*, 56(1):79–83, 2011.
- [144] Boor Singh Lalia and S.S. Sekhon. Polymer electrolytes containing ionic liquids with acidic counteranion (DMRImH₂po₄, r=ethyl, butyl and octyl). *Chemical Physics Letters*, 425(4-6):294–300, 2006.

- [145] Marcos Larriba, Silvia García, Julián García, José S. Torrecilla, and Francisco Rodríguez. Thermophysical properties of 1-ethyl-3-methylimidazolium 1,1,2,2-tetrafluoroethanesulfonate and 1-ethyl-3-methylimidazolium ethylsulfate ionic liquids as a function of temperature. *Journal of Chemical & Engineering Data*, 56(9):3589–3597, 2011.
- [146] Marcos Larriba, Pablo Navarro, Julián García, and Francisco Rodríguez. Liquid–liquid extraction of toluene from heptane using [emim][DCA], [bmim][DCA], and [emim][TCM] ionic liquids. *Industrial & Engineering Chemistry Research*, 52(7):2714–2720, 2013.
- [147] Genevieve P. S. Lau, Hoi Nok Tsao, Shaik M. Zakeeruddin, Michael Grätzel, and Paul J. Dyson. Highly stable dye-sensitized solar cells based on novel 1,2,3-triazolium ionic liquids. *ACS Applied Materials & Interfaces*, 6(16):13571–13577, 2014.
- [148] My-Loan-Phung Le, Fannie Alloin, Pierre Strobel, Jean-Claude Leprêtre, Laure Cointeaux, and Carlos Pérez del Valle. Electrolyte based on fluorinated cyclic quaternary ammonium ionic liquids. *Ionics*, 18(9):817–827, 2012.
- [149] My Loan Phung Le, Fannie Alloin, Pierre Strobel, Jean-Claude Leprêtre, Carlos Pérez del Valle, and Patrick Judeinstein. Structure-properties relationships of lithium electrolytes based on ionic liquid. *The Journal of Physical Chemistry B*, 114(2):894–903, 2010.
- [150] My Loan Phung Le, Ngoc Anh Tran, Hoang Phuong Khanh Ngo, Truong Giang Nguyen, and Van Man Tran. Liquid electrolytes based on ionic liquids for lithium-ion batteries. *Journal of Solution Chemistry*, 44(12):2332–2343, 2015.
- [151] Janice L. Lebga-Nebane, Simon E. Rock, Joshua Franclemont, Dipankar Roy, and Sitaraman Krishnan. Thermophysical properties and proton transport mechanisms of trialkylammonium and 1-alkyl-1h-imidazol-3-ium protic ionic liquids. *Industrial & Engineering Chemistry Research*, 51(43):14084–14098, 2012.
- [152] Sze Ying Lee, Filipa A. Vicente, João A. P. Coutinho, Ianatul Khoiroh, Pau Loke Show, and Sónia P. M. Ventura. Densities, viscosities, and refractive indexes of good’s buffer ionic liquids. *Journal of Chemical & Engineering Data*, 61(7):2260–2268, 2016.
- [153] Tae Bum Lee, Seungmin Oh, Thomas R. Gohndrone, Oscar Morales-Collazo, Samuel Seo, Joan F. Brennecke, and William F. Schneider. CO₂ chemistry of phenolate-based ionic liquids. *The Journal of Physical Chemistry B*, 120(8):1509–1517, 2015.
- [154] Kallidanthiyil Chellappan Lethesh, Wim Dehaen, and Koen Binnemans. Base stable quaternary ammonium ionic liquids. *RSC Adv.*, 4(9):4472–4477, 2014.

- [155] Kallidanthiyil Chellappan Lethesh, Kristof Van Hecke, Luc Van Meervelt, Peter Nockemann, Barbara Kirchner, Stefan Zahn, Tatjana N. Parac-Vogt, Wim Dehaen, and Koen Binnemans. Nitrile-functionalized pyridinium, pyrrolidinium, and piperidinium ionic liquids. *The Journal of Physical Chemistry B*, 115(26):8424–8438, 2011.
- [156] Kallidanthiyil Chellappan Lethesh, Syed Nasir Shah, and M. I. Abdul Mutalib. Synthesis, characterization, and thermophysical properties of 1,8-diazobicyclo[5.4.0]undec-7-ene based thiocyanate ionic liquids. *Journal of Chemical & Engineering Data*, 59(6):1788–1795, 2014.
- [157] Ji-Guang Li, Yu-Feng Hu, Shan Ling, and Jin-Zhu Zhang. Physicochemical properties of [c6mim][PF6] and [c6mim][(c2f5)3pf3] ionic liquids. *Journal of Chemical & Engineering Data*, 56(7):3068–3072, 2011.
- [158] Ji-Guang Li, Yu-Feng Hu, Shu-Feng Sun, Yan-Sheng Liu, and Zhi-Chang Liu. Densities and dynamic viscosities of the binary system (water + 1-hexyl-3-methylimidazolium bromide) at different temperatures. *The Journal of Chemical Thermodynamics*, 42(7):904–908, 2010.
- [159] Chen Liao, Nan Shao, Kee Sung Han, Xiao-Guang Sun, De-En Jiang, Edward W. Hagaman, and Sheng Dai. Physicochemical properties of imidazolium-derived ionic liquids with different c-2 substitutions. *Physical Chemistry Chemical Physics*, 13(48):21503, 2011.
- [160] Hongjun Liu, Edward Maginn, Ann E. Visser, Nicholas J. Bridges, and Elise B. Fox. Thermal and transport properties of six ionic liquids: An experimental and molecular dynamics study. *Industrial & Engineering Chemistry Research*, 51(21):7242–7254, 2012.
- [161] Kai Liu, Yi-Xuan Zhou, Hong-Bo Han, Si-Si Zhou, Wen-Fang Feng, Jin Nie, Hong Li, Xue-Jie Huang, Michel Armand, and Zhi-Bin Zhou. Ionic liquids based on (fluorosulfonyl)(pentafluoroethanesulfonyl)imide with various oniums. *Electrochimica Acta*, 55(23):7145–7151, 2010.
- [162] Qing-Shan Liu, Pei-Pei Li, Urs Welz-Biermann, Jian Chen, and Xiao-Xia Liu. Density, dynamic viscosity, and electrical conductivity of pyridinium-based hydrophobic ionic liquids. *The Journal of Chemical Thermodynamics*, 66:88–94, 2013.
- [163] Qing-Shan Liu, Pei-Pei Li, Urs Welz-Biermann, Xiao-Xia Liu, and Jian Chen. Density, electrical conductivity, and dynamic viscosity of n-alkyl-4-methylpyridinium bis(trifluoromethylsulfonyl)imide. *Journal of Chemical & Engineering Data*, 57(11):2999–3004, 2012.
- [164] Qing-Shan Liu, Zhuo Li, Urs Welz-Biermann, Chang-Ping Li, and Xiao-Xia Liu. Thermodynamic properties of a new hydrophobic amide-based task-specific ionic liquid [EimCH2conhbu][NTf2]. *Journal of Chemical & Engineering Data*, 58(1):93–98, 2012.

- [165] Qing-Shan Liu, Jing Liu, Xiao-Xia Liu, and Shi-Tao Zhang. Density, dynamic viscosity, and electrical conductivity of two hydrophobic functionalized ionic liquids. *The Journal of Chemical Thermodynamics*, 90:39–45, 2015.
- [166] Qing-Shan Liu, Miao Yang, Pei-Pei Li, Si-Si Sun, Urs Welz-Biermann, Zhi-Cheng Tan, and Qing-Guo Zhang. Physicochemical properties of ionic liquids [c3py][NTf2] and [c6py][NTf2]. *Journal of Chemical & Engineering Data*, 56(11):4094–4101, 2011.
- [167] Xiangyang Liu, Waheed Afzal, and John M. Prausnitz. Unusual trend of viscosities and densities for four ionic liquids containing a tetraalkyl phosphonium cation and the anion bis(2,4,4-trimethylpentyl) phosphinate. *The Journal of Chemical Thermodynamics*, 70:122–126, 2014.
- [168] Venkatramana Losetty, Bharath Kumar Chennuri, and Ramesh L. Gardas. Synthesis, spectroscopic characterization and acoustic, volumetric, transport and thermal properties of hydroxyl ammonium based ionic liquids. *The Journal of Chemical Thermodynamics*, 92:175–181, 2016.
- [169] Huimin Luo, Gary A. Baker, Je Seung Lee, Richard M. Pagni, and Sheng Dai. Ultrastable superbase-derived protic ionic liquids. *The Journal of Physical Chemistry B*, 113(13):4181–4183, 2009.
- [170] Karolina Machanová, Aurélien Boisset, Zuzana Sedláková, Mérièm Anouti, Magdalena Bendová, and Johan Jacquemin. Thermophysical properties of ammonium-based bis(trifluoromethyl)sulfonylimide ionic liquids: Volumetric and transport properties. *Journal of Chemical & Engineering Data*, 57(8):2227–2235, 2012.
- [171] Maria Mahrova, Miguel Vilas, ángeles Domínguez, Elena Gómez, Noelia Calvar, and Emilia Tojo. Physicochemical characterization of new sulfonate and sulfate ammonium ionic liquids. *Journal of Chemical & Engineering Data*, 57(2):241–248, 2012.
- [172] Shannon M. Mahurin, Thomas Dai, Joshua S. Yeary, Huimin Luo, and Sheng Dai. Benzyl-functionalized room temperature ionic liquids for CO₂/n₂ separation. *Industrial & Engineering Chemistry Research*, 50(24):14061–14069, 2011.
- [173] Takashi Makino, Mitsuhiro Kanakubo, Yoshio Masuda, Tatsuya Umecky, and Akira Suzuki. CO₂ absorption properties, densities, viscosities, and electrical conductivities of ethylimidazolium and 1-ethyl-3-methylimidazolium ionic liquids. *Fluid Phase Equilibria*, 362:300–306, 2014.
- [174] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Matsuki, Eiji Kamio, Hiromitsu Takaba, and Hideto Matsuyama. High pressure CO₂ solubility and physical properties of tetrabutylphosphonium l-prolinate. *Fluid Phase*

Equilibria, 420:89 – 96, 2016. MTMS 2015 - 7th International Symposium on Molecular Thermodynamics and Molecular Simulation.

- [175] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, and Akira Suzuki. CO₂ solubility and physical properties of n-(2-hydroxyethyl)pyridinium bis(trifluoromethanesulfonyl)amide. *Fluid Phase Equilibria*, 357:64–70, 2013.
- [176] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, and Akira Suzuki. Electrical conductivities, viscosities, and densities of n-acetoxyethyl-n,n-dimethyl-n-ethylammonium and n,n-dimethyl-n-ethyl-n-methoxyethoxyethylammonium bis(trifluoromethanesulfonyl)amide and their nonfunctionalized analogues. *Journal of Chemical & Engineering Data*, 58(2):370–376, 2013.
- [177] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, Akira Suzuki, Tetsuo Nishida, and Jun Takano. Electrical conductivities, viscosities, and densities of n-methoxymethyl- and n-butyl-n-methylpyrrolidinium ionic liquids with the bis(fluorosulfonyl)amide anion. *Journal of Chemical & Engineering Data*, 57(3):751–755, 2012.
- [178] Toshihiko Mandai, Hyuma Masu, Mamoru Imanari, and Keiko Nishikawa. Comparison between cycloalkyl- and n-alkyl-substituted imidazolium-based ionic liquids in physicochemical properties and reorientational dynamics. *The Journal of Physical Chemistry B*, 116(7):2059–2064, 2012.
- [179] Toshihiko Mandai, Akiko Matsumura, Mamoru Imanari, and Keiko Nishikawa. Effects of cyclic-hydrocarbon substituents and linker length on physicochemical properties and reorientational dynamics of imidazolium-based ionic liquids. *The Journal of Physical Chemistry B*, 116(7):2090–2095, 2012.
- [180] Andrzej Marciniak and Marek Królikowski. Ternary (liquid + liquid) equilibria of trifluorotris(perfluoroethyl)phosphate based ionic liquids + thiophene + heptane. *The Journal of Chemical Thermodynamics*, 49:154–158, 2012.
- [181] Andrzej Marciniak and Marek Królikowski. Ternary liquid–liquid equilibria of bis(trifluoromethylsulfonyl)-amide based ionic liquids + thiophene + n-heptane. the influence of cation structure. *Fluid Phase Equilibria*, 321:59–63, 2012.
- [182] Hajime Matsumoto, Hiroyuki Kageyama, and Yoshinori Miyazaki. Room temperature ionic liquids based on small aliphatic ammonium cations and asymmetric amide anions. *Chemical Communications*, (16):1726–1727, 2002.
- [183] Hajime Matsumoto, Hikari Sakaebe, and Kuniaki Tatsumi. Preparation of room temperature ionic liquids based on aliphatic onium cations and

- asymmetric amide anions and their electrochemical properties as a lithium battery electrolyte. *Journal of Power Sources*, 146(1-2):45–50, 2005.
- [184] D.R McFarlane, J Sun, J Golding, P Meakin, and M Forsyth. High conductivity molten salts based on the imide ion. *Electrochimica Acta*, 45(8-9):1271–1278, 2000.
- [185] Glen McHale, Chris Hardacre, Rile Ge, Nicola Doy, Ray W. K. Allen, Jordan M. MacInnes, Mark R. Bown, and Michael I. Newton. Density-viscosity product of small-volume ionic liquid samples using quartz crystal impedance analysis. *Analytical Chemistry*, 80(15):5806–5811, 2008.
- [186] G.W. Meindersma, Bart T.J. Simons, and André B. de Haan. Physical properties of 3-methyl-n-butylpyridinium tetracyanoborate and 1-butyl-1-methylpyrrolidinium tetracyanoborate and ternary LLE data of [3-mebupy]b(CN)₄ with an aromatic and an aliphatic hydrocarbon at $t=303.2\text{k}$ and 328.2k and $p=0.1\text{mpa}$. *The Journal of Chemical Thermodynamics*, 43(11):1628–1640, 2011.
- [187] Wytze (G.W.) Meindersma, Tim van Acker, and André B. de Haan. Physical properties of 3-methyl-n-butylpyridinium tricyanomethanide and ternary LLE data with an aromatic and an aliphatic hydrocarbon at $t=(303.2\text{ and }328.2)\text{k}$ and $p=0.1\text{mpa}$. *Fluid Phase Equilibria*, 307(1):30–38, 2011.
- [188] Ana CF Mendonça, Nicole Dörr, and Agílio AH Pádua. Predicting thermophysical properties of ionic liquids as a function of temperature and pressure. *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*, 226(11):965–976, 2012.
- [189] Ahmed Messadi, Aminou Mohamadou, Stephanie Boudesocque, Laurent Dupont, Patrick Fricoteaux, Albert Nguyen-Van-Nhien, and Matthieu Courty. Syntheses and characterisation of hydrophobic ionic liquids containing trialkyl(2-ethoxy-2-oxoethyl)ammonium or n-(1-methylpyrrolidyl-2-ethoxy-2-oxoethyl)ammonium cations. *Journal of Molecular Liquids*, 184:68–72, 2013.
- [190] Satoshi Mikoshiba, Shinji Murai, Hiroyasu Sumino, Takashi Kado, Daisuke Kosugi, and Shuzi Hayase. Ionic liquid type dye-sensitized solar cells: increases in photovoltaic performances by adding a small amount of water. *Current Applied Physics*, 5(2):152–158, 2005.
- [191] Gwan-Hong Min, Taeun Yim, Hyun Yeong Lee, Hyo-Jin Kim, Junyoung Mun, Sangmi Kim, Seung M. Oh, and Young Gyu Kim. Synthesis and physicochemical properties of ionic liquids: 1-alkenyl-2,3-dimethylimidazolium tetrafluoroborates. *Bulletin of the Korean Chemical Society*, 28(9):1562–1566, 2007.

- [192] Babak Mokhtarani, Mohammad Majid Mojtahedi, Hamid Reza Mortaheb, Morteza Mafi, Farshad Yazdani, and Fatemeh Sadeghian. Densities, refractive indices, and viscosities of the ionic liquids 1-methyl-3-octylimidazolium tetrafluoroborate and 1-methyl-3-butylimidazolium perchlorate and their binary mixtures with ethanol at several temperatures. *Journal of Chemical & Engineering Data*, 53(3):677–682, 2008.
- [193] Babak Mokhtarani, Ali Sharifi, Hamid Reza Mortaheb, Mojtaba Mirzaei, Morteza Mafi, and Fatemeh Sadeghian. Density and viscosity of 1-butyl-3-methylimidazolium nitrate with ethanol, 1-propanol, or 1-butanol at several temperatures. *The Journal of Chemical Thermodynamics*, 41(12):1432–1438, 2009.
- [194] Babak Mokhtarani, Ali Sharifi, Hamid Reza Mortaheb, Mojtaba Mirzaei, Morteza Mafi, and Fatemeh Sadeghian. Density and viscosity of pyridinium-based ionic liquids and their binary mixtures with water at several temperatures. *The Journal of Chemical Thermodynamics*, 41(3):323–329, 2009.
- [195] Maria Montanino, Maria Carewska, Fabrizio Alessandrini, Stefano Passerini, and Giovanni B. Appetecchi. The role of the cation aliphatic side chain length in piperidinium bis(trifluoromethanesulfonyl)imide ionic liquids. *Electrochimica Acta*, 57:153–159, 2011.
- [196] Marcelo J. Monteiro, Fernanda F. Camilo, Mauro C. C. Ribeiro, and Roberto M. Torresi. Ether-bond-containing ionic liquids and the relevance of the ether bond position to transport properties. *The Journal of Physical Chemistry B*, 114(39):12488–12494, 2010.
- [197] Maria T. Mota-Martinez, Mamoun Althuluth, Maaïke C. Kroon, and Cor J. Peters. Solubility of carbon dioxide in the low-viscosity ionic liquid 1-hexyl-3-methylimidazolium tetracyanoborate. *Fluid Phase Equilibria*, 332:35–39, 2012.
- [198] Nawshad Muhammad, M. Ismail Hossain, Zakaria Man, Mohanad El-Harbawi, M. Azmi Bustam, Youssr Abdulhadi Noaman, Noorjahan Banu Mohamed Alitheen, Mei Kee Ng, Glenn Hefter, and Chun-Yang Yin. Synthesis and physical properties of choline carboxylate ionic liquids. *Journal of Chemical & Engineering Data*, 57(8):2191–2196, 2012.
- [199] Nawshad Muhammad, Zakaria Man, Abobakr K. Ziyada, M. Azmi Bustam, M. I. Abdul Mutalib, Cecilia D. Wilfred, Sikander Rafiq, and Isa Mohd Tan. Thermophysical properties of dual functionalized imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 57(3):737–743, 2012.
- [200] Samuel M. Murray, T. Kyle Zimlich, Arsalan Mirjafari, Richard A. O’Brien, James H. Davis, and Kevin N. West. Thermophysical properties of imidazolium-based lipidic ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1516–1522, 2013.

- [201] Shidokht Nazari, Stanley Cameron, Michel B. Johnson, and Khashayar Ghandi. Physicochemical properties of imidazo-pyridine protic ionic liquids. *Journal of Materials Chemistry A*, 1(38):11570, 2013.
- [202] Andreas Nazet, Sophia Sokolov, Thomas Sonnleitner, Sergej Friesen, and Richard Buchner. Densities, refractive indices, viscosities, and conductivities of non-imidazolium ionic liquids [et3s][TFSI], [et2mes][TFSI], [BuPy][TFSI], [n8881][TFA], and [p14][DCA]. *Journal of Chemical & Engineering Data*, 62(9):2549–2561, 2017.
- [203] Andreas Nazet, Sophia Sokolov, Thomas Sonnleitner, Takashi Makino, Mitsuhiro Kanakubo, and Richard Buchner. Densities, viscosities, and conductivities of the imidazolium ionic liquids [emim][ac], [emim][FAP], [bmim][BETI], [bmim][FSI], [hmim][TFSI], and [omim][TFSI]. *Journal of Chemical & Engineering Data*, 60(8):2400–2411, 2015.
- [204] Catarina M. S. S. Neves, Marta L. S. Batista, Ana Filipa M. Cláudio, Luís M. N. B. F. Santos, Isabel M. Marrucho, Mara G. Freire, and João A. P. Coutinho. Thermophysical properties and water saturation of pf6-based ionic liquids. *Journal of Chemical & Engineering Data*, 55(11):5065–5073, 2010.
- [205] Catarina M. S. S. Neves, Kiki Adi Kurnia, João A. P. Coutinho, Isabel M. Marrucho, José N. Canongia Lopes, Mara G. Freire, and Luís Paulo N. Rebelo. Systematic study of the thermophysical properties of imidazolium-based ionic liquids with cyano-functionalized anions. *The Journal of Physical Chemistry B*, 117(35):10271–10283, 2013.
- [206] Catarina M.S.S. Neves, Pedro J. Carvalho, Mara G. Freire, and João A.P. Coutinho. Thermophysical properties of pure and water-saturated tetradecyltrihexylphosphonium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 43(6):948–957, 2011.
- [207] Michał Niemczak, Łukasz Chrzanowski, Tadeusz Praczyk, and Juliusz Pernak. Biodegradable herbicidal ionic liquids based on synthetic auxins and analogues of betaine. *New Journal of Chemistry*, 41(16):8066–8077, 2017.
- [208] Naoya Nishi, Seiichi Imakura, and Takashi Kakiuchi. Wide electrochemical window at the interface between water and a hydrophobic room-temperature ionic liquid of tetrakis[3,5-bis(trifluoromethyl)phenyl]borate. *Analytical Chemistry*, 78(8):2726–2731, 2006.
- [209] Wioletta Ochędzan-Siodłak, Katarzyna Dziubek, and Dawid Siodłak. Densities and viscosities of imidazolium and pyridinium chloroaluminate ionic liquids. *Journal of Molecular Liquids*, 177:85–93, 2013.
- [210] H Ohno. Ion conductive characteristics of ionic liquids prepared by neutralization of alkylimidazoles. *Solid State Ionics*, 154-155:303–309, 2002.

- [211] O.O. Okoturo and T.J. VanderNoot. Temperature dependence of viscosity for room temperature ionic liquids. *Journal of Electroanalytical Chemistry*, 568:167–181, 2004.
- [212] Filipe S. Oliveira, Mara G. Freire, Pedro J. Carvalho, João A. P. Coutinho, José N. Canongia Lopes, Luís P. N. Rebelo, and Isabel M. Marrucho. Structural and positional isomerism influence in the physical properties of pyridinium NTf₂-based ionic liquids: Pure and water-saturated mixtures. *Journal of Chemical & Engineering Data*, 55(10):4514–4520, 2010.
- [213] Ali Ouadi, Benoît Gadenne, Peter Hesemann, Joel J. E. Moreau, Isabelle Billard, Clotilde Gaillard, Soufiane Mekki, and Gilles Moutiers. Task-specific ionic liquids bearing 2-hydroxybenzylamine units: Synthesis and americium-extraction studies. *Chemistry - A European Journal*, 12(11):3074–3081, 2006.
- [214] Kamil Paduszyński, Marcin Okuniewski, and Urszula Domańska. Renewable feedstocks in green solvents: Thermodynamic study on phase diagrams of d-sorbitol and xylitol with dicyanamide based ionic liquids. *The Journal of Physical Chemistry B*, 117(23):7034–7046, 2013.
- [215] Kamil Paduszyński, Marcin Okuniewski, and Urszula Domańska. “sweet-in-green” systems based on sugars and ionic liquids: New solubility data and thermodynamic analysis. *Industrial & Engineering Chemistry Research*, 52(51):18482–18491, 2013.
- [216] Nicolas Papaiconomou, Justin Salminen, Jong-Min Lee, and John M. Prausnitz. Physicochemical properties of hydrophobic ionic liquids containing 1-octylpyridinium, 1-octyl-2-methylpyridinium, or 1-octyl-4-methylpyridinium cations. *Journal of Chemical & Engineering Data*, 52(3):833–840, 2007.
- [217] Nicolas Papaiconomou, Oliver Zech, Pierre Bauduin, Jean-Marc Lévêque, and Werner Kunz. The effect of position and length of alkyl substituents in pyridinium based ionic liquids on temperature dependent transport properties. *Electrochimica Acta*, 70:124–130, 2012.
- [218] Ana B. Pereiro, João M. M. Araújo, Susana Martinho, Filipa Alves, Sara Nunes, Ana Matias, Catarina M. M. Duarte, Luis Paulo N. Rebelo, and Isabel M. Marrucho. Fluorinated ionic liquids: Properties and applications. *ACS Sustainable Chemistry & Engineering*, 1(4):427–439, 2013.
- [219] Ana B. Pereiro, Helena I.M. Veiga, José M.S.S. Esperança, and Ana Rodríguez. Effect of temperature on the physical properties of two ionic liquids. *The Journal of Chemical Thermodynamics*, 41(12):1419–1423, 2009.
- [220] Juliusz Pernak and Joanna Feder-Kubis. Synthesis and properties of chiral ammonium-based ionic liquids. *Chemistry - A European Journal*, 11(15):4441–4449, 2005.

- [221] Juliusz Pernak and Joanna Feder-Kubis. Chiral pyridinium-based ionic liquids containing the (1r,2s,5r)-(-)-menthyl group. *Tetrahedron: Asymmetry*, 17(11):1728–1737, 2006.
- [222] Juliusz Pernak, Joanna Feder-Kubis, Anna Cieniecka-Rosłonkiewicz, Cedric Fischmeister, Scott T. Griffin, and Robin D. Rogers. Synthesis and properties of chiral imidazolium ionic liquids with a (1r,2s,5r)-(-)-menthoxymethyl substituent. *New J. Chem.*, 31(6):879–892, 2007.
- [223] Juliusz Pernak, Rafał Giszter, Agnieszka Biedziak, Michał Niemczak, Radosław Olszewski, Katarzyna Marcinkowska, and Tadeusz Praczyk. Alkyl(c16, c18, c22)trimethylammonium-based herbicidal ionic liquids. *Journal of Agricultural and Food Chemistry*, 65(2):260–269, 2017.
- [224] Juliusz Pernak, Roksana Kordala, Bartosz Markiewicz, Filip Walkiewicz, Mikołaj Popławski, Anna Fabiańska, Stefan Jankowski, and Marek Łożyński. Synthesis and properties of ammonium ionic liquids with cyclohexyl substituent and dissolution of cellulose. *RSC Advances*, 2(22):8429, 2012.
- [225] Juliusz Pernak, Michał Niemczak, Łukasz Chrzanowski, Łukasz Ławniczak, Przemysław Fochtman, Katarzyna Marcinkowska, and Tadeusz Praczyk. Betaine and carnitine derivatives as herbicidal ionic liquids. *Chemistry - A European Journal*, 22(34):12012–12021, 2016.
- [226] Juliusz Pernak, Kinga Sobaszekiewicz, and Joanna Foksowicz-Flaczyk. Ionic liquids with symmetrical dialkoxymethyl-substituted imidazolium cations. *Chemistry - A European Journal*, 10(14):3479–3485, 2004.
- [227] Juliusz Pernak, Filip Stefaniak, and Józef Węglewski. Phosphonium ace-sulfamate based ionic liquids. *European Journal of Organic Chemistry*, 2005(4):650–652, 2005.
- [228] Juliusz Pernak, Anna Syguda, Ilona Mirska, Anna Pernak, Jan Nawrot, Aleksandra Prądkyńska, Scott T. Griffin, and Robin D. Rogers. Choline-derivative-based ionic liquids. *Chemistry - A European Journal*, 13(24):6817–6827, 2007.
- [229] André Pinkert, Keng L. Ang, Kenneth N. Marsh, and Shusheng Pang. Density, viscosity and electrical conductivity of protic alkanolammonium ionic liquids. *Physical Chemistry Chemical Physics*, 13(11):5136, 2011.
- [230] Julie Pires, Laure Timperman, Johan Jacquemin, Andrea Balducci, and Mérièm Anouti. Density, conductivity, viscosity, and excess properties of (pyrrolidinium nitrate-based protic ionic liquid + propylene carbonate) binary mixture. *The Journal of Chemical Thermodynamics*, 59:10–19, 2013.

- [231] S. Pohlmann, T. Olyschläger, P. Goodrich, J. Alvarez Vicente, J. Jacquemin, and A. Balducci. Azepanium-based ionic liquids as green electrolytes for high voltage supercapacitors. *Journal of Power Sources*, 273:931–936, 2015.
- [232] Jennifer M. Pringle, Jake Golding, Krisztian Baranyai, Craig M. Forsyth, Glen B. Deacon, Janet L. Scott, and Douglas R. MacFarlane. The effect of anion fluorination in ionic liquids—physical properties of a range of bis(methanesulfonyl)amide salts. *New J. Chem.*, 27(10):1504–1510, 2003.
- [233] Yan Qiao, Fangyou Yan, Shuqian Xia, Shen Yin, and Peisheng Ma. Densities and viscosities of [bmim][PF6] and binary systems [bmim][PF6] + ethanol, [bmim][PF6] + benzene at several temperatures and pressures: Determined by the falling-ball method. *Journal of Chemical & Engineering Data*, 56(5):2379–2385, 2011.
- [234] Jakub Reiter, Sebastian Jeremias, Elie Paillard, Martin Winter, and Stefano Passerini. Fluorosulfonyl-(trifluoromethanesulfonyl)imide ionic liquids with enhanced asymmetry. *Physical Chemistry Chemical Physics*, 15(7):2565, 2013.
- [235] Jakub Reiter, Elie Paillard, Lorenzo Grande, Martin Winter, and Stefano Passerini. Physicochemical properties of n-methoxyethyl-n-methylpyrrolidinium ionic liquids with perfluorinated anions. *Electrochimica Acta*, 91:101–107, 2013.
- [236] Anthony J. R. Rennie, Vitor L. Martins, Roberto M. Torresi, and Peter J. Hall. Ionic liquids containing sulfonium cations as electrolytes for electrochemical double layer capacitors. *The Journal of Physical Chemistry C*, 119(42):23865–23874, 2015.
- [237] José Restolho, Ana P. Serro, José L. Mata, and Benilde Saramago. Viscosity and surface tension of 1-ethanol-3-methylimidazolium tetrafluoroborate and 1-methyl-3-octylimidazolium tetrafluoroborate over a wide temperature range. *Journal of Chemical & Engineering Data*, 54(3):950–955, 2009.
- [238] Marisa A. A. Rocha, Catarina M. S. S. Neves, Mara G. Freire, Olga Russina, Alessandro Triolo, João A. P. Coutinho, and Luís M. N. B. F. Santos. Alkylimidazolium based ionic liquids: Impact of cation symmetry on their nanoscale structural organization. *The Journal of Physical Chemistry B*, 117(37):10889–10897, 2013.
- [239] Marisa A.A. Rocha, Filipe M.S. Ribeiro, Ana I.M.C. Lobo Ferreira, João A.P. Coutinho, and Luís M.N.B.F. Santos. Thermophysical properties of [CN-1c1im][PF6] ionic liquids. *Journal of Molecular Liquids*, 188:196–202, 2013.

- [240] Olga Russina, Ruggero Caminiti, Alessandro Triolo, Sunita Rajamani, Bernardo Melai, Alessandra Bertoli, and Cinzia Chiappe. Physico-chemical properties and nanoscale morphology in n-alkyl-n-methylmorpholinium dicyanamide room temperature ionic liquids. *Journal of Molecular Liquids*, 187:252–259, 2013.
- [241] Javid Safarov, Ismail Kul, Waleed A. El-Awady, Jürgen Nocke, Astan Shahverdiyev, and Egon Hassel. Thermophysical properties of 1-butyl-4-methylpyridinium tetrafluoroborate. *The Journal of Chemical Thermodynamics*, 51:82–87, 2012.
- [242] Josefa Salgado, Teresa Regueira, Luis Lugo, Javier Vijande, Josefa Fernández, and Josefa García. Density and viscosity of three (2,2,2-trifluoroethanol + 1-butyl-3-methylimidazolium) ionic liquid binary systems. *The Journal of Chemical Thermodynamics*, 70:101–110, 2014.
- [243] Lara Galán Sánchez, Josep Ribé Espel, Ferdy Onink, G. Wytze Meindersma, and André B. de Haan. Density, viscosity, and surface tension of synthesis grade imidazolium, pyridinium, and pyrrolidinium based room temperature ionic liquids. *Journal of Chemical & Engineering Data*, 54(10):2803–2812, 2009.
- [244] Y.A. Sanmamed, D. González-Salgado, J. Troncoso, L. Romani, A. Baylaucq, and C. Boned. Experimental methodology for precise determination of density of RTILs as a function of temperature and pressure using vibrating tube densimeters. *The Journal of Chemical Thermodynamics*, 42(4):553–563, 2010.
- [245] Serena De Santis, Giancarlo Masci, Francesco Casciotta, Ruggero Caminiti, Eleonora Scarpellini, Marco Campetella, and Lorenzo Gontrani. Cholinium-amino acid based ionic liquids: a new method of synthesis and physico-chemical characterization. *Physical Chemistry Chemical Physics*, 17(32):20687–20698, 2015.
- [246] H. Schmidt, M. Stephan, J. Safarov, I. Kul, J. Nocke, I.M. Abdulagatov, and E. Hassel. Experimental study of the density and viscosity of 1-ethyl-3-methylimidazolium ethyl sulfate. *The Journal of Chemical Thermodynamics*, 47:68–75, 2012.
- [247] Stefan Schneider, Tommy Hawkins, Michael Rosander, Ghanshyam Vaghjiani, Steven Chambreau, and Gregory Drake. Ionic liquids as hypergolic fuels. *Energy & Fuels*, 22(4):2871–2872, 2008.
- [248] Christian Schreiner, Sandra Zugmann, Robert Hartl, and Heiner J. Gores. Fractional walden rule for ionic liquids: Examples from recent measurements and a critique of the so-called ideal KCl line for the walden plot. *Journal of Chemical & Engineering Data*, 55(5):1784–1788, 2010.

- [249] Shiro Seki, Seiji Tsuzuki, Kikuko Hayamizu, Nobuyuki Serizawa, Shimpei Ono, Katsuhito Takei, Hiroyuki Doi, and Yasuhiro Umebayashi. Static and transport properties of alkyltrimethylammonium cation-based room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 118(17):4590–4599, 2014.
- [250] Raquel G. Seoane, Sandra Corderí, Elena Gómez, Noelia Calvar, Emilio J. González, Eugenia A. Macedo, and ángeles Domínguez. Temperature dependence and structural influence on the thermophysical properties of eleven commercial ionic liquids. *Industrial & Engineering Chemistry Research*, 51(5):2492–2504, 2012.
- [251] Rico E. Del Sesto, Cynthia Corley, Al Robertson, and John S. Wilkes. Tetraalkylphosphonium-based ionic liquids. *Journal of Organometallic Chemistry*, 690(10):2536–2542, 2005.
- [252] Syed Nasir Shah, Kallidanthiyil Chellappan Lethesh, M. I. Abdul Mutalib, and Rashidah Binti Mohd Pilus. Evaluation of thermophysical properties of imidazolium-based phenolate ionic liquids. *Industrial & Engineering Chemistry Research*, 54(14):3697–3705, 2015.
- [253] Mojtaba Shamsipur, Ali Akbar Miran Beigi, Mohammad Teymouri, Sayed Mahdi Pourmortazavi, and Mohsen Irandoust. Physical and electrochemical properties of ionic liquids 1-ethyl-3-methylimidazolium tetrafluoroborate, 1-butyl-3-methylimidazolium trifluoromethanesulfonate and 1-butyl-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide. *Journal of Molecular Liquids*, 157(1):43–50, 2010.
- [254] Dongbei Shao, Xiaoxing Lu, Wenjun Fang, Yongsheng Guo, and Li Xu. Densities and viscosities for binary mixtures of the ionic liquid n-ethyl piperazinium propionate with n-alcohols at several temperatures. *Journal of Chemical & Engineering Data*, 57(3):937–942, 2012.
- [255] Pankaj Sharma, Sang Do Park, Ki Tae Park, Sung Chan Nam, Soon Kwan Jeong, Yeo Il Yoon, and Il Hyun Baek. Solubility of carbon dioxide in amine-functionalized ionic liquids: Role of the anions. *Chemical Engineering Journal*, 193-194:267–275, 2012.
- [256] Hemayat Shekaari and Sedigheh S. Mousavi. Volumetric properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate + molecular solvents at $t=(298.15\text{--}328.15)\text{K}$. *Fluid Phase Equilibria*, 291(2):201–207, 2010.
- [257] Yan Shen, Danielle F. Kennedy, Tamar L. Greaves, Asoka Weerawardena, Roger J. Mulder, Nigel Kirby, Gonghua Song, and Calum J. Drummond. Protic ionic liquids with fluorine anions: physicochemical properties and self-assembly nanostructure. *Physical Chemistry Chemical Physics*, 14(22):7981, 2012.

- [258] Hideaki Shirota, Toshihiko Mandai, Hiroki Fukazawa, and Tatsuya Kato. Comparison between dicationic and monocationic ionic liquids: Liquid density, thermal properties, surface tension, and shear viscosity. *Journal of Chemical & Engineering Data*, 56(5):2453–2459, 2011.
- [259] J. A. Smith, Grant B. Webber, Gregory G. Warr, and Rob Atkin. Rheology of protic ionic liquids and their mixtures. *The Journal of Physical Chemistry B*, 117(44):13930–13935, 2013.
- [260] Dayong Song and Jing Chen. Density and viscosity data for mixtures of ionic liquids with a common anion. *Journal of Chemical & Engineering Data*, 59(2):257–262, 2014.
- [261] H. Srour, W. Darwich, F. Lindl, P. Husson, H. Rouault, and C. Santini. New route to carbonate-functionalized imidazolium and pyrrolidinium-based ionic liquids. *New Journal of Chemistry*, 41(20):11915–11920, 2017.
- [262] Tom J. Stockmann and Zhifeng Ding. Tetraoctylphosphonium tetrakis(pentafluorophenyl)borate room temperature ionic liquid toward enhanced physicochemical properties for electrochemistry. *The Journal of Physical Chemistry B*, 116(42):12826–12834, 2012.
- [263] J. Sun, M. Forsyth, and D. R. MacFarlane. Room-temperature molten salts based on the quaternary ammonium ion. *The Journal of Physical Chemistry B*, 102(44):8858–8864, 1998.
- [264] J. Sun, D.R. MacFarlane, and M. Forsyth. A new family of ionic liquids based on the 1-alkyl-2-methyl pyrrolinium cation. *Electrochimica Acta*, 48(12):1707–1711, 2003.
- [265] Liyuan Sun, Oscar Morales-Collazo, Han Xia, and Joan F. Brennecke. Effect of structure on transport properties (viscosity, ionic conductivity, and self-diffusion coefficient) of aprotic heterocyclic anion (AHA) room temperature ionic liquids. 2. variation of alkyl chain length in the phosphonium cation. *The Journal of Physical Chemistry B*, 120(25):5767–5776, 2016.
- [266] Nicola Taccardi, Inga Niedermaier, Florian Maier, Hans-Peter Steinrück, and Peter Wasserscheid. Cyclic thiouronium ionic liquids: Physicochemical properties and their electronic structure probed by x-ray induced photoelectron spectroscopy. *Chemistry - A European Journal*, 18(27):8288–8291, 2012.
- [267] Duan-Jian Tao, Zheng Cheng, Feng-Feng Chen, Zhang-Min Li, Na Hu, and Xiang-Shu Chen. Synthesis and thermophysical properties of bio-compatible cholinium-based amino acid ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1542–1548, 2013.

- [268] Duan-Jian Tao, Wen-Jing Hu, Feng-Feng Chen, Xiang-Shu Chen, Xiao-Liang Zhang, and Yan Zhou. Low-viscosity tetramethylguanidinium-based ionic liquids with different phenolate anions: Synthesis, characterization, and physical properties. *Journal of Chemical & Engineering Data*, 59(12):4031–4038, 2014.
- [269] Naohiro Terasawa, Seiji Tsuzuki, Tatsuya Umecky, Yuria Saito, and Hajime Matsumoto. Alkoxy chains in ionic liquid anions; effect of introducing ether oxygen into perfluoroalkylborate on physical and thermal properties. *Chemical Communications*, 46(10):1730, 2010.
- [270] Shidong Tian, Shuhang Ren, Yucui Hou, Weize Wu, and Wei Peng. Densities, viscosities and excess properties of binary mixtures of 1,1,3,3-tetramethylguanidinium lactate + water at $t = (303.15 \text{ to } 328.15) \text{ k}$. *Journal of Chemical & Engineering Data*, 58(7):1885–1892, 2013.
- [271] Laure Timperman and Mériem Anouti. Transport properties of tributylphosphonium tetrafluoroborate protic ionic liquid. *Industrial & Engineering Chemistry Research*, 51(7):3170–3178, 2012.
- [272] D. Tomida, A. Kumagai, K. Qiao, and C. Yokoyama. Viscosity of [bmim][PF₆] and [bmim][BF₄] at high pressure. *International Journal of Thermophysics*, 27(1):39–47, 2006.
- [273] José S. Torrecilla, José Palomar, Julián García, and Francisco Rodríguez. Effect of cationic and anionic chain lengths on volumetric, transport, and surface properties of 1-alkyl-3-methylimidazolium alkylsulfate ionic liquids at (298.15 and 313.15) k. *Journal of Chemical & Engineering Data*, 54(4):1297–1301, 2009.
- [274] Angel A. J. Torriero, Amal I. Siriwardana, Alan M. Bond, Iko M. Burgar, Noel F. Dunlop, Glen B. Deacon, and Douglas R. MacFarlane. Physical and electrochemical properties of thioether-functionalized ionic liquids. *The Journal of Physical Chemistry B*, 113(32):11222–11231, 2009.
- [275] B. E. Mbondo Tsamba, S. Sarraute, M. Traïkia, and P. Husson. Transport properties and ionic association in pure imidazolium-based ionic liquids as a function of temperature. *Journal of Chemical & Engineering Data*, 59(6):1747–1754, 2014.
- [276] Yasuhiro Tsukada, Kazuhisa Iwamoto, Hiroyuki Furutani, Yuichi Matsushita, Yoshikazu Abe, Kei Matsumoto, Keishi Monda, Shuichi Hayase, Motoi Kawatsura, and Toshiyuki Itoh. Preparation of novel hydrophobic fluorine-substituted-alkyl sulfate ionic liquids and application as an efficient reaction medium for lipase-catalyzed reaction. *Tetrahedron Letters*, 47(11):1801–1804, 2006.
- [277] Katsuhiko Tsunashima, Atsuko Kawabata, Masahiko Matsumiya, Shun Kodama, Ryuichi Enomoto, Masashi Sugiya, and Yoshihito Kunugi.

Low viscous and highly conductive phosphonium ionic liquids based on bis(fluorosulfonyl)amide anion as potential electrolytes. *Electrochemistry Communications*, 13(2):178–181, 2011.

- [278] Katsuhiko Tsunashima, Shun Kodama, Masashi Sugiyama, and Yoshihito Kunugi. Physical and electrochemical properties of room-temperature dicyanamide ionic liquids based on quaternary phosphonium cations. *Electrochimica Acta*, 56(2):762–766, 2010.
- [279] Katsuhiko Tsunashima, Eiko Niwa, Shun Kodama, Masashi Sugiyama, and Yasushi Ono. Thermal and transport properties of ionic liquids based on benzyl-substituted phosphonium cations. *The Journal of Physical Chemistry B*, 113(48):15870–15874, 2009.
- [280] Katsuhiko Tsunashima, Yasushi Ono, and Masashi Sugiyama. Physical and electrochemical characterization of ionic liquids based on quaternary phosphonium cations containing a carbon–carbon double bond. *Electrochimica Acta*, 56(11):4351–4355, 2011.
- [281] Katsuhiko Tsunashima, Yuki Sakai, and Masahiko Matsumiya. Physical and electrochemical properties of phosphonium ionic liquids derived from trimethylphosphine. *Electrochemistry Communications*, 39:30–33, 2014.
- [282] Katsuhiko Tsunashima and Masashi Sugiyama. Physical and electrochemical properties of low-viscosity phosphonium ionic liquids as potential electrolytes. *Electrochemistry Communications*, 9(9):2353–2358, 2007.
- [283] Gholamreza Vakili-Nezhaad, Mostafa Vatani, Morteza Asghari, and Ibrahim Ashour. Effect of temperature on the physical properties of 1-butyl-3-methylimidazolium based ionic liquids with thiocyanate and tetrafluoroborate anions, and 1-hexyl-3-methylimidazolium with tetrafluoroborate and hexafluorophosphate anions. *The Journal of Chemical Thermodynamics*, 54:148–154, 2012.
- [284] Congmin Wang, Huimin Luo, Haoran Li, Xiang Zhu, Bo Yu, and Sheng Dai. Tuning the physicochemical properties of diverse phenolic ionic liquids for equimolar CO₂ capture by the substituent on the anion. *Chemistry - A European Journal*, 18(7):2153–2160, 2012.
- [285] Guannan Wang, Wenlong Hou, Feng Xiao, Jiao Geng, Youting Wu, and Zhibing Zhang. Low-viscosity triethylbutylammonium acetate as a task-specific ionic liquid for reversible CO₂ absorption. *Journal of Chemical & Engineering Data*, 56(4):1125–1133, 2011.
- [286] Guojun Wang, Shaohua Fang, Yi Liu, Dong Luo, Li Yang, and Shin ichi Hirano. Physicochemical properties of functionalized 1,3-dialkylimidazolium ionic liquids based on the bis(fluorosulfonyl)imide anion. *RSC Advances*, 6(71):66650–66657, 2016.

- [287] Guojun Wang, Shumin Shen, Shaohua Fang, Dong Luo, Li Yang, and Shin ichi Hirano. New ether-functionalized pyrazolium ionic liquid electrolytes based on the bis(fluorosulfonyl)imide anion for lithium-ion batteries. *RSC Advances*, 6(75):71489–71495, 2016.
- [288] P. Wang, S.M. Zakeeruddin, M. Grätzel, W. Kantlehner, J. Mezger, E.V. Stoyanov, and O. Scherr. Novel room temperature ionic liquids of hexaalkyl substituted guanidinium salts for dye-sensitized solar cells. *Applied Physics A*, 79(1):73–77, 2004.
- [289] Yuqiao Wang, Yueming Sun, Bo Song, and Juntao Xi. Ionic liquid electrolytes based on 1-vinyl-3-alkylimidazolium iodides for dye-sensitized solar cells. *Solar Energy Materials and Solar Cells*, 92(6):660–666, 2008.
- [290] Zanzia Wang, Li Fu, Hui Xu, Ying Shang, Li Zhang, and Jianmin Zhang. Density, viscosity, and conductivity for the binary systems of water + dual amino-functionalized ionic liquids. *Journal of Chemical & Engineering Data*, 57(4):1057–1063, 2012.
- [291] Zhi Wang, Zuopeng Li, Yunhe Jin, Wei Liu, Linhai Jiang, and Qinghua Zhang. Organic superbases derived ionic liquids based on the TFSI anion: synthesis, characterization, and electrochemical properties. *New Journal of Chemistry*, 41(12):5091–5097, 2017.
- [292] Peter Wasserscheid, Roy van Hal, and Andreas Bösmann. 1-n-butyl-3-methylimidazolium ([bmim]) octylsulfate—an even ‘greener’ ionic liquid. *Green Chem.*, 4(4):400–404, 2002.
- [293] Masaki Watanabe, Daisuke Kodama, Takashi Makino, and Mitsuhiro Kanakubo. Density, viscosity, and electrical conductivity of protic amidium bis(trifluoromethanesulfonyl)amide ionic liquids. *Journal of Chemical & Engineering Data*, 61(12):4215–4221, 2016.
- [294] Michał Wlazło and Andrzej Marciniak. Ternary liquid–liquid equilibria of trifluorotris(perfluoroethyl)phosphate based ionic liquids + benzothio-*phene* + heptane. *Fluid Phase Equilibria*, 361:54–59, 2014.
- [295] T. Y. Wu, S. G. Su, S. T. Gung, M. W. Lin, Y. C. Lin, W. C. Ouyang, I. W. Sun, and C. A. Lai. Synthesis and characterization of protic ionic liquids containing cyclic amine cations and tetrafluoroborate anion. *Journal of the Iranian Chemical Society*, 8(1):149–165, 2011.
- [296] Tzi-Yi Wu, Bor-Kuan Chen, Lin Hao, Yuan-Chung Lin, H. Paul Wang, Chung-Wen Kuo, and I-Wen Sun. Physicochemical properties of glycine-based ionic liquid [QuatGly-OEt][EtOSO₃] (2-ethoxy-1-ethyl-1,1-dimethyl-2-oxoethanaminium ethyl sulfate) and its binary mixtures with poly(ethylene glycol) (mw = 200) at various temperatures. *International Journal of Molecular Sciences*, 12(12):8750–8772, 2011.

- [297] Tzi-Yi Wu, Shyh-Gang Su, Shr-Tusen Gung, Ming-Wei Lin, Yuan-Chung Lin, Chao-Anx Lai, and I-Wen Sun. Ionic liquids containing an alkyl sulfate group as potential electrolytes. *Electrochimica Acta*, 55(15):4475–4482, 2010.
- [298] Tzi-Yi Wu, Shyh-Gang Su, Keng-Fu Lin, Yuan-Chung Lin, H. Paul Wang, Ming-Wei Lin, Shr-Tusen Gung, and I-Wen Sun. Voltammetric and physicochemical characterization of hydroxyl- and ether-functionalized onium bis(trifluoromethanesulfonyl)imide ionic liquids. *Electrochimica Acta*, 56(21):7278–7287, 2011.
- [299] Tzi-Yi Wu, Shyh-Gang Su, H. Paul Wang, Yuan-Chung Lin, Shr-Tusen Gung, Ming-Wei Lin, and I-Wen Sun. Electrochemical studies and self diffusion coefficients in cyclic ammonium based ionic liquids with allyl substituents. *Electrochimica Acta*, 56(9):3209–3218, 2011.
- [300] Tzi-Yi Wu, Shyh-Gang Su, H. Paul Wang, and I-Wen Sun. Glycine-based ionic liquids as potential electrolyte for electrochemical studies of organometallic and organic redox couples. *Electrochemistry Communications*, 13(3):237–241, 2011.
- [301] Airong Xu, Yajuan Zhang, Zhiyong Li, and Jianji Wang. Viscosities and conductivities of 1-butyl-3-methylimidazolium carboxylates ionic liquids at different temperatures. *Journal of Chemical & Engineering Data*, 57(11):3102–3108, 2012.
- [302] Fan Xu, Hongshuai Gao, Haifeng Dong, Zhanli Wang, Xiangping Zhang, Baozeng Ren, and Suojiang Zhang. Solubility of CO₂ in aqueous mixtures of monoethanolamine and dicyanamide-based ionic liquids. *Fluid Phase Equilibria*, 365:80–87, 2014.
- [303] Yingjie Xu, Bin Chen, Wu Qian, and Haoran Li. Properties of pure n-butylammonium nitrate ionic liquid and its binary mixtures of with alcohols at $t=(293.15 \text{ to } 313.15)\text{k}$. *The Journal of Chemical Thermodynamics*, 58:449–459, 2013.
- [304] Hong Xue, Rajendar Verma, and Jean'ne M. Shreeve. Review of ionic liquids with fluorine-containing anions. *Journal of Fluorine Chemistry*, 127(2):159–176, 2006.
- [305] Lianjie Xue, Eshan Gurung, George Tamas, Yung P. Koh, Michael Shadeck, Sinee L. Simon, Mark Maroncelli, and Edward L. Quitevis. Effect of alkyl chain branching on physicochemical properties of imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 61(3):1078–1091, 2016.
- [306] Cong Yao, William R. Pitner, and Jared L. Anderson. Ionic liquids containing the tris(pentafluoroethyl)trifluorophosphate anion: a new class of highly selective and ultra hydrophobic solvents for the extraction of

polycyclic aromatic hydrocarbons using single drop microextraction. *Analytical Chemistry*, 81(12):5054–5063, 2009.

- [307] Tae-eun Yim, Hyun Yeong Lee, Hyo-Jin Kim, Junyoung Mun, Sangmi Kim, Seung M. Oh, and Young Gyu Kim. Synthesis and properties of pyrrolidinium and piperidinium bis(trifluoromethanesulfonyl)imide ionic liquids with allyl substituents. *Bulletin of the Korean Chemical Society*, 28(9):1567–1572, 2007.
- [308] Brian Yoo, Waheed Afzal, and John M. Prausnitz. Effect of water on the densities and viscosities of some ionic liquids containing a phosphonium cation. *Zeitschrift für Physikalische Chemie*, 227(2-3):157–166, 2013.
- [309] Yukihiro Yoshida, Osamu Baba, and Gunzi Saito. Ionic liquids based on dicyanamide anion: influence of structural variations in cationic structures on ionic conductivity. *The Journal of Physical Chemistry B*, 111(18):4742–4749, 2007.
- [310] Yukihiro Yoshida, Masatoshi Kondo, and Gunzi Saito. Ionic liquids formed with polycyano 1,1,3,3-tetracyanoallyl anions: Substituent effects of anions on liquid properties. *The Journal of Physical Chemistry B*, 113(26):8960–8966, 2009.
- [311] Kazuki Yoshii, Keisuke Yamaji, Tetsuya Tsuda, Katsuhiko Tsunashima, Hiroyuki Yoshida, Masanori Ozaki, and Susumu Kuwabata. Physico-chemical properties of tri-n-butylalkylphosphonium cation-based room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 117(48):15051–15059, 2013.
- [312] Guangren Yu, Dachuan Zhao, Lu Wen, Shendu Yang, and Xiaochun Chen. Viscosity of ionic liquids: Database, observation, and quantitative structure-property relationship analysis. *AIChE Journal*, 58(9):2885–2899, 2011.
- [313] Yinghao Yu, Xingmei Lu, Qing Zhou, Kun Dong, Hongwei Yao, and Suojiang Zhang. Biodegradable naphthenic acid ionic liquids: Synthesis, characterization, and quantitative structure-biodegradation relationship. *Chemistry - A European Journal*, 14(35):11174–11182, 2008.
- [314] Zhichao Yu, Haiyan Gao, Haijun Wang, and Lianwei Chen. Densities, viscosities, and refractive properties of the binary mixtures of the amino acid ionic liquid [bmim][ala] with methanol or benzylalcohol at $T = (298.15 \text{ to } 313.15) \text{ K}$. *Journal of Chemical & Engineering Data*, 56(6):2877–2883, 2011.
- [315] Zhichao Yu, Haiyan Gao, Haijun Wang, and Lianwei Chen. Thermodynamic properties of binary mixtures of the amino acid ionic liquids [bmim][glu] or [bmim][gly] with methanol at $t = 298.15 \text{ to } 313.15 \text{ K}$. *Journal of Solution Chemistry*, 41(1):173–186, 2012.

- [316] Xiao Liang Yuan, Suo Jiang Zhang, and Xing Mei Lu. Hydroxyl ammonium ionic liquids: synthesis, properties, and solubility of SO₂. *Journal of Chemical & Engineering Data*, 52(2):596–599, 2007.
- [317] Normawati M. Yunus, M.I. Abdul Mutalib, Zakaria Man, Mohamad Azmi Bustam, and T. Murugesan. Thermophysical properties of 1-alkylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquids. *The Journal of Chemical Thermodynamics*, 42(4):491–495, 2010.
- [318] Ramzi Zarrougui, Nouredine Raouafi, and Daniel Lemordant. New series of green cyclic ammonium-based room temperature ionic liquids with alkylphosphite-containing anion: Synthesis and physicochemical characterization. *Journal of Chemical & Engineering Data*, 59(4):1193–1201, 2014.
- [319] Maciej Zawadzki, Leszek Niedzicki, Władysław Wieczorek, and Urszula Domańska. Estimation of extraction properties of new imidazolidine anion based ionic liquids on the basis of activity coefficient at infinite dilution measurements. *Separation and Purification Technology*, 118:242–254, 2013.
- [320] Qingguo Zhang, Yalin Lan, Hongwei Liu, Xinyuan Zhang, Xuelei Zhang, and Ying Wei. Estimation and structural effect on physicochemical properties of alkylimidazolium-based ionic liquids with different anions. *Journal of Chemical & Engineering Data*, 61(6):2002–2012, 2016.
- [321] Qinghua Zhang, Zuopeng Li, Juan Zhang, Shiguo Zhang, Laiying Zhu, Jing Yang, Xiaoping Zhang, and Youquan Deng. Physicochemical properties of nitrile-functionalized ionic liquids. *The Journal of Physical Chemistry B*, 111(11):2864–2872, 2007.
- [322] Qinghua Zhang, Shimin Liu, Zuopeng Li, Jian Li, Zhengjian Chen, Ruifeng Wang, Liujin Lu, and Youquan Deng. Novel cyclic sulfonium-based ionic liquids: Synthesis, characterization, and physicochemical properties. *Chemistry - A European Journal*, 15(3):765–778, 2009.
- [323] Qinghua Zhang, Xiangyuan Ma, Shimin Liu, Benqun Yang, Liujin Lu, Yude He, and Youquan Deng. Hydrophobic 1-allyl-3-alkylimidazolium dicyanamide ionic liquids with low densities. *Journal of Materials Chemistry*, 21(19):6864, 2011.
- [324] Yanqiang Zhang, Haixiang Gao, Yong Guo, Young-Hyuk Joo, and Jean’neM. Shreeve. Hypergolic N,N-dimethylhydrazinium ionic liquids. *Chemistry - A European Journal*, 16(10):3114–3120, 2010.
- [325] Yanqiang Zhang, Suojiang Zhang, Xingmei Lu, Qing Zhou, Wei Fan, and XiangPing Zhang. Dual amino-functionalised phosphonium ionic liquids for CO₂ capture. *Chemistry - A European Journal*, 15(12):3003–3011, 2009.

- [326] Yi Zhang, Zaikun Wu, Shaoli Chen, Ping Yu, and Yunbai Luo. CO₂ capture by imidazolate-based ionic liquids: Effect of functionalized cation and dication. *Industrial & Engineering Chemistry Research*, 52(18):6069–6075, 2013.
- [327] Yi Zhang, Xu Zhao, Qiwei Yang, Zhiguo Zhang, Qilong Ren, and Huabin Xing. Long-chain carboxylate ionic liquids combining high solubility and low viscosity for light hydrocarbon separations. *Industrial & Engineering Chemistry Research*, 56(25):7336–7344, 2017.
- [328] Dongbin Zhao, Zhaofu Fei, C. André Ohlin, Gábor Laurenczy, and Paul J. Dyson. Dual-functionalised ionic liquids: synthesis and characterisation of imidazolium salts with a nitrile-functionalised anion. *Chemical Communications*, (21):2500, 2004.
- [329] Dongbin Zhao, Zhaofu Fei, Rosario Scopelliti, and Paul J. Dyson. Synthesis and characterization of ionic liquids incorporating the nitrile functionality. *Inorganic Chemistry*, 43(6):2197–2205, 2004.
- [330] Yan Zhou, Jeffrey Dyck, Todd W. Graham, Huimin Luo, Donovan N. Leonard, and Jun Qu. Ionic liquids composed of phosphonium cations and organophosphate, carboxylate, and sulfonate anions as lubricant antiwear additives. *Langmuir*, 30(44):13301–13311, 2014.
- [331] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: 1-alkyl(alkyl ether)-3-methylimidazolium perfluoroalkyltrifluoroborate. *Chemistry - A European Journal*, 10(24):6581–6591, 2004.
- [332] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: Aliphatic quaternary ammonium salts with perfluoroalkyltrifluoroborates. *Chemistry - A European Journal*, 11(2):752–766, 2005.
- [333] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Structure and properties of new ionic liquids based on alkyl- and alkenyltrifluoroborates. *ChemPhysChem*, 6(7):1324–1332, 2005.
- [334] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Cyclic quaternary ammonium ionic liquids with perfluoroalkyltrifluoroborates: Synthesis, characterization, and properties. *Chemistry - A European Journal*, 12(8):2196–2212, 2006.
- [335] Abobakr K. Ziyada, M. Azmi Bustam, Cecilia D. Wilfred, and Thanapalan Murugesan. Densities, viscosities, and refractive indices of 1-hexyl-3-propanenitrile imidazolium ionic liquids incorporated with sulfonate-based anions. *Journal of Chemical & Engineering Data*, 56(5):2343–2348, 2011.

- [336] Abobakr K. Ziyada, Cecilia D. Wilfred, M. Azmi Bustam, Zakaria Man, and Thanapalan Murugesan. Thermophysical properties of 1-propyronitrile-3-alkylimidazolium bromide ionic liquids at temperatures from (293.15 to 353.15) k. *Journal of Chemical & Engineering Data*, 55(9):3886–3890, 2010.
- [337] Abobakr K. Ziyada, Cecilia D. Wilfred, and Thanapalan Murugesan. Densities, viscosities and refractive indices of 1-alkyl-3-propanenitrile imidazolium chloride ionic liquids. *Physics and Chemistry of Liquids*, 50(2):152–160, 2012.
- [338] Abobakr Khidir Ziyada, Mohamad Azmi Bustam, Thanapalan Murugesan, and Cecilia Devi Wilfred. Effect of sulfonate-based anions on the physicochemical properties of 1-alkyl-3-propanenitrile imidazolium ionic liquids. *New Journal of Chemistry*, 35(5):1111, 2011.
- [339] Abobakr Khidir Ziyada and Cecilia Devi Wilfred. Physical properties of ionic liquids consisting of 1-butyl-3-propanenitrile- and 1-decyl-3-propanenitrile imidazolium-based cations: Temperature dependence and influence of the anion. *Journal of Chemical & Engineering Data*, 59(4):1232–1239, 2014.

Density

- [1] Farida Allal, Fabrice Mutelet, Abdellah Dahmani, and Boubakeur Saidat. Measurements of activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium ethylphosphonate [EMIM][(EtO)(h)PO₂] using gas-liquid chromatography. *Journal of Molecular Liquids*, 220:243–247, 2016.
- [2] D. Almantariotis, S. Stevanovic, O. Fandiño, A. S. Pensado, A. A. H. Padua, J.-Y. Coxam, and M. F. Costa Gomes. Absorption of carbon dioxide, nitrous oxide, ethane and nitrogen by 1-alkyl-3-methylimidazolium (cnmim, n = 2,4,6) tris(pentafluoroethyl)trifluorophosphate ionic liquids (eFAP). *The Journal of Physical Chemistry B*, 116(26):7728–7738, 2012.
- [3] Hugo F. D. Almeida, Helena Passos, José A. Lopes da Silva, Ana M. Fernandes, Mara G. Freire, and João A. P. Coutinho. Thermophysical properties of five acetate-based ionic liquids. *Journal of Chemical & Engineering Data*, 57(11):3005–3013, 2012.
- [4] V. H. Alvarez, S. Mattedi, and M. Aznar. Density, refraction index, and vapor-liquid equilibria of n-methyl-2-hydroxyethylammonium hexanoate plus (methyl acetate, ethyl acetate, or propyl acetate) at several temperatures. *Industrial & Engineering Chemistry Research*, 51(44):14543–14554, 2012.
- [5] Víctor H. Álvarez, Noelia Dosil, Rebeca Gonzalez-Cabaleiro, Silvana Mattedi, Manuel Martin-Pastor, Miguel Iglesias, and José M. Navaza. Brønsted ionic liquids for sustainable processes: Synthesis and physical properties†. *Journal of Chemical & Engineering Data*, 55(2):625–632, 2010.
- [6] A. Andresova, J. Storch, M. Traïkia, Z. Wagner, M. Bendova, and P. Husson. Branched and cyclic alkyl groups in imidazolium-based ionic liquids: Molecular organization and physico-chemical properties. *Fluid Phase Equilibria*, 371:41–49, 2014.
- [7] Yuriy O. Andriyko, Wolfgang Reischl, and Gerhard E. Nauer. Trialkyl-substituted imidazolium-based ionic liquids for electrochemical applications: Basic physicochemical properties. *Journal of Chemical & Engineering Data*, 54(3):855–860, 2009.

- [8] Mérièm Anouti, Magaly Caillon-Caravanier, Yosra Dridi, Johan Jacquemin, Christopher Hardacre, and Daniel Lemordant. Liquid densities, heat capacities, refractive index and excess quantities for {protic ionic liquids+water} binary system. *The Journal of Chemical Thermodynamics*, 41(6):799–808, 2009.
- [9] Mérièm Anouti, Johan Jacquemin, and Daniel Lemordant. Volumetric properties, viscosities, and isobaric heat capacities of imidazolium octanoate protic ionic liquid in molecular solvents. *Journal of Chemical & Engineering Data*, 55(12):5719–5728, 2010.
- [10] Victor Antón, Mónica García-Mardones, Carlos Lafuente, and Hernando Guerrero. Volumetric behavior of two pyridinium-based ionic liquids. *Fluid Phase Equilibria*, 382:59–64, 2014.
- [11] Santiago Aparicio, Rafael Alcalde, Begoña García, and José M. Leal. High-pressure study of the methylsulfate and tosylate imidazolium ionic liquids. *The Journal of Physical Chemistry B*, 113(16):5593–5606, 2009.
- [12] Giovanni B. Appetecchi, Maria Montanino, Maria Carewska, Margherita Moreno, Fabrizio Alessandrini, and Stefano Passerini. Chemical-physical properties of bis(perfluoroalkylsulfonyl)imide-based ionic liquids. *Elettrochimica Acta*, 56(3):1300–1307, 2011.
- [13] Amel Ayad, Fabrice Mutelet, Amina Negadi, William E. Acree, Bihan Jiang, Amber Lu, Durgesh V. Wagle, and Gary A. Baker. Activity coefficients at infinite dilution for organic solutes dissolved in two 1-alkylquinuclidinium bis(trifluoromethylsulfonyl)imides bearing alkyl side chains of six and eight carbons. *Journal of Molecular Liquids*, 215:176–184, 2016.
- [14] Indra Bahadur, Byron Bradley Govender, Khalid Osman, Mark D. Williams-Wynn, Wayne Michael Nelson, Paramespri Naidoo, and Deresh Ramjugernath. Measurement of activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium 2-(2-methoxyethoxy) ethylsulfate at $t=(308.15, 313.15, 323.15 \text{ and } 333.15)\text{k}$ using gas+liquid chromatography. *The Journal of Chemical Thermodynamics*, 70:245–252, 2014.
- [15] Isabel Bandrés, M. Carmen López, Miguel Castro, Joaquín Barberá, and Carlos Lafuente. Thermophysical properties of 1-propylpyridinium tetrafluoroborate. *The Journal of Chemical Thermodynamics*, 44(1):148–153, 2012.
- [16] Javier Benito, Mónica García-Mardones, Víctor Pérez-Gregorio, Ignacio Gascón, and Carlos Lafuente. Physicochemical study of n-ethylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquid. *Journal of Solution Chemistry*, 43(4):696–710, 2014.

- [17] Zehor Bensaid, Fabrice Mutelet, Mohammed Bouroukba, and Amina Negadi. Experimental and theoretical study of interaction between organic compounds and 1-(4-sulfobutyl)-3-methylimidazolium based ionic liquids. *Fluid Phase Equilibria*, 378:34–43, 2014.
- [18] Arijit Bhattacharjee, Pedro J. Carvalho, and João A.P. Coutinho. The effect of the cation aromaticity upon the thermophysical properties of piperidinium- and pyridinium-based ionic liquids. *Fluid Phase Equilibria*, 375:80–88, 2014.
- [19] Arijit Bhattacharjee, José A. Lopes da Silva, Mara G. Freire, João A.P. Coutinho, and Pedro J. Carvalho. Thermophysical properties of phosphonium-based ionic liquids. *Fluid Phase Equilibria*, 400:103–113, 2015.
- [20] Arijit Bhattacharjee, Andreia Luís, João H. Santos, José A. Lopes da Silva, Mara G. Freire, Pedro J. Carvalho, and João A.P. Coutinho. Thermophysical properties of sulfonium- and ammonium-based ionic liquids. *Fluid Phase Equilibria*, 381:36 – 45, 2014.
- [21] Pravena Bhujrajh and Nirmala Deenadayalu. Liquid densities and excess molar volumes for binary systems (ionic liquids + methanol or water) at 298.15, 303.15 and 313.15 k, and at atmospheric pressure. *Journal of Solution Chemistry*, 36(5):631–642, 2007.
- [22] Bożena Bittner, Rafal J. Wrobel, and Eugeniusz Milchert. Physical properties of pyridinium ionic liquids. *The Journal of Chemical Thermodynamics*, 55:159–165, 2012.
- [23] Aleš Blahut and Vladimír Dohnal. Interactions of volatile organic compounds with the ionic liquids 1-butyl-1-methylpyrrolidinium tetracyanoborate and 1-butyl-1-methylpyrrolidinium bis(oxalato)borate. *The Journal of Chemical Thermodynamics*, 57:344–354, 2013.
- [24] Luís C. Branco, João N. Rosa, Joaquim J. Moura Ramos, and Carlos A. M. Afonso. Preparation and characterization of new room temperature ionic liquids. *Chemistry - A European Journal*, 8(16):3671–3677, 2002.
- [25] Ulises G. Brauer, Andrea T. De La Hoz, and Kevin M. Miller. The effect of counteranion on the physicochemical and thermal properties of 4-methyl-1-propyl-1,2,4-triazolium ionic liquids. *Journal of Molecular Liquids*, 210:286–292, 2015.
- [26] Aristides P. Carneiro, Oscar Rodríguez, and Eugénia A. Macedo. Solubility of xylitol and sorbitol in ionic liquids - experimental data and modeling. *The Journal of Chemical Thermodynamics*, 55:184–192, 2012.
- [27] Gonçalo V. S. M. Carrera, Carlos A. M. Afonso, and Luis C. Branco. Interfacial properties, densities, and contact angles of task specific ionic liquids†. *Journal of Chemical & Engineering Data*, 55(2):609–615, 2010.

- [28] Jiayi Chen, Lingxiao Chen, and Yingjie Xu. Properties of pure 1,1,3,3-tetramethylguanidine imidazole ionic liquid and its binary mixtures with alcohols at $t=(293.15$ to $313.15)$ k. *The Journal of Chemical Thermodynamics*, 88:110–120, 2015.
- [29] Yushu Chen, Fabrice Mutelet, and Jean-Noël Jaubert. Solubility of CO₂ in 1-butyl-3-methylimidazolium diethylene-glycolmonomethylethersulfate and trihexyl(tetradecyl)phosphonium dodecyl-benzenesulfonate. *Fluid Phase Equilibria*, 354:191–198, 2013.
- [30] Yushu Chen, Fabrice Mutelet, and Jean-Noël Jaubert. Experimental measurement and modeling of phase diagrams of binary systems encountered in the gasoline desulfurization process using ionic liquids. *Journal of Chemical & Engineering Data*, 59(3):603–612, 2014.
- [31] Pratap K. Chhotaray and Ramesh L. Gardas. Thermophysical properties of ammonium and hydroxylammonium protic ionic liquids. *The Journal of Chemical Thermodynamics*, 72:117–124, 2014.
- [32] Martha Claros, Héctor R. Galleguillos, Iván Brito, and Teófilo A. Graber. Thermophysical properties of a new dicationic ionic liquid. *Journal of Chemical & Engineering Data*, 57(8):2147–2152, 2012.
- [33] Anabela J. L. Costa, José M. S. S. Esperança, Isabel M. Marrucho, and Luís Paulo N. Rebelo. Densities and viscosities of 1-ethyl-3-methylimidazolium-alkyl sulfates. *Journal of Chemical & Engineering Data*, 56(8):3433–3441, 2011.
- [34] M.M. Cruz, R.P. Borges, M. Godinho, C.S. Marques, E. Langa, A.P.C. Ribeiro, M.J.V. Lourenço, F.J.V. Santos, C.A. Nieto de Castro, M. Macatrão, M. Tariq, J.M.S.S. Esperança, J.N. Canongia Lopes, C.A.M. Afonso, and L.P.N. Rebelo. Thermophysical and magnetic studies of two paramagnetic liquid salts: [c4mim][FeCl₄] and [p66614][FeCl₄]. *Fluid Phase Equilibria*, 350:43–50, 2013.
- [35] Carlos A. Nieto de Castro, Elisa Langa, Ana L. Morais, Manuel L. Matos Lopes, Maria J.V. Lourenço, Fernando J.V. Santos, M. Soledade C.S. Santos, José N. Canongia Lopes, Helena I.M. Veiga, Mafalda Macatrão, José M.S.S. Esperança, Carolina S. Marques, Luís P.N. Rebelo, and Carlos A.M. Afonso. Studies on the density, heat capacity, surface tension and infinite dilution diffusion with the ionic liquids [c4mim][NTf₂], [c4mim][dca], [c2mim][EtOSO₃] and [aliquat][dca]. *Fluid Phase Equilibria*, 294(1-2):157–179, 2010.
- [36] Francisco J. Deive, Miguel A. Rivas, and Ana Rodríguez. Thermophysical properties of two ionic liquids based on benzyl imidazolium cation. *The Journal of Chemical Thermodynamics*, 43(3):487–491, 2011.

- [37] Francisco J. Deive, Miguel A. Rivas, and Ana Rodríguez. Study of thermodynamic and transport properties of phosphonium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 62:98–103, 2013.
- [38] Dongshun Deng, Yanhong Cui, Dong Chen, and Ning Ai. Solubility of CO₂ in amide-based brønsted acidic ionic liquids. *The Journal of Chemical Thermodynamics*, 57:355–359, 2013.
- [39] Yun Deng, Pascale Husson, Anne-Marie Delort, Pascale Besse-Hoggan, Martine Sancelme, and Margarida F. Costa Gomes. Influence of an oxygen functionalization on the physicochemical properties of ionic liquids: Density, viscosity, and carbon dioxide solubility as a function of temperature. *Journal of Chemical & Engineering Data*, 56(11):4194–4202, 2011.
- [40] João C.F. Diogo, Fernando J.P. Caetano, João M.N.A. Fareleira, and William A. Wakeham. Viscosity measurements of three ionic liquids using the vibrating wire technique. *Fluid Phase Equilibria*, 353:76–86, 2013.
- [41] U. Domańska and M. Królikowska. Density and viscosity of binary mixtures of thiocyanate ionic liquids + water as a function of temperature. *Journal of Solution Chemistry*, 41(8):1422–1445, 2012.
- [42] Urszula Domańska and Marek Królikowski. Extraction of butan-1-ol from water with ionic liquids at $t=308.15\text{K}$. *The Journal of Chemical Thermodynamics*, 53:108–113, 2012.
- [43] Urszula Domańska, Marek Królikowski, Maciej Zawadzki, and Agnieszka Wróblewska. Phase equilibrium investigation with ionic liquids and selectivity in separation of 2-phenylethanol from water. *The Journal of Chemical Thermodynamics*, 102:357–366, 2016.
- [44] Urszula Domańska, Aneta Pobudkowska, and Patrycja Bocheńska. Extraction of nitrofurantoin using ionic liquids. *Journal of Chemical & Engineering Data*, 57(7):1894–1898, 2012.
- [45] Urszula Domańska, Katarzyna Skiba, Maciej Zawadzki, Kamil Padaszyński, and Marek Królikowski. Synthesis, physical, and thermodynamic properties of 1-alkyl-cyanopyridinium bis{(trifluoromethyl)sulfonyl}imide ionic liquids. *The Journal of Chemical Thermodynamics*, 56:153–161, 2013.
- [46] Urszula Domańska, Klaudia Walczak, and Maciej Zawadzki. Separation of sulfur compounds from alkanes with 1-alkylcyanopyridinium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 69:27–35, 2014.
- [47] Urszula Domańska and Michał Wlazło. Thermodynamics and limiting activity coefficients measurements for organic solutes and water in the ionic liquid 1-dodecyl-3-methylimidazolium bis(trifluoromethylsulfonyl) imide. *The Journal of Chemical Thermodynamics*, 103:76–85, 2016.

- [48] Urszula Domańska and Maciej Zawadzki. Thermodynamic properties of the n-butylisoquinolinium bis(trifluoromethylsulfonyl)imide. *The Journal of Chemical Thermodynamics*, 43(6):989–995, 2011.
- [49] Urszula Domańska, Maciej Zawadzki, and Anna Lewandowska. Effect of temperature and composition on the density, viscosity, surface tension, and thermodynamic properties of binary mixtures of n-octylisoquinolinium bis{(trifluoromethyl)sulfonyl}imide with alcohols. *The Journal of Chemical Thermodynamics*, 48:101–111, 2012.
- [50] Urszula Domańska, Maciej Zawadzki, and Magdalena Zwolińska. Thermophysical properties and phase equilibria study of the binary systems {n-hexylquinolinium bis(trifluoromethylsulfonyl)imide+aromatic hydrocarbons, or an alcohol}. *The Journal of Chemical Thermodynamics*, 43(5):775–781, 2011.
- [51] Urszula Domańska, Zuzanna Żólek-Tryznowska, and Aneta Pobudkowska. Separation of hexane/ethanol mixtures. LLE of ternary systems (ionic liquid or hyperbranched polymer + ethanol + hexane) at $T = 298.15$ K. *Journal of Chemical & Engineering Data*, 54(3):972–976, 2009.
- [52] N. Mac Dowell, F. Llovel, N. Sun, J. P. Hallett, A. George, P. A. Hunt, T. Welton, B. A. Simmons, and L. F. Vega. New experimental density data and soft-SAFT models of alkylimidazolium ([CnClim]⁺) chloride (Cl⁻), methylsulfate ([MeSO₄]⁻), and dimethylphosphate ([me₂po₄]⁻) based ionic liquids. *The Journal of Physical Chemistry B*, 118(23):6206–6221, 2014.
- [53] Sanja Dožić, Nebojša Zec, Aleksandar Tot, Snežana Papović, Ksenija Pavlović, Slobodan Gadžurić, and Milan Vraneš. Does the variation of the alkyl chain length on n₁ and n₃ of imidazole ring affect physicochemical features of ionic liquids in the same way? *The Journal of Chemical Thermodynamics*, 93:52–59, 2016.
- [54] Sergei V. Dzyuba and Richard A. Bartsch. Influence of structural variations in 1-alkyl(aralkyl)-3-methylimidazolium hexafluorophosphates and bis(trifluoromethylsulfonyl)imides on physical properties of the ionic liquids. *ChemPhysChem*, 3(2):161–166, 2002.
- [55] José M. S. S. Esperança, Henrique J. R. Guedes, Marijana Blesic, and Luís P. N. Rebelo. Densities and derived thermodynamic properties of ionic liquids. 3. phosphonium-based ionic liquids over an extended pressure range. *Journal of Chemical & Engineering Data*, 51(1):237–242, 2006.
- [56] José M. S. S. Esperança, Zoran P. Visak, Natalia V. Plechkova, Kenneth R. Seddon, Henrique J. R. Guedes, and Luís P. N. Rebelo. Density, speed of sound, and derived thermodynamic properties of ionic liquids over an extended pressure range. 4. [c3mim][NTf₂] and [c5mim][NTf₂]. *Journal of Chemical & Engineering Data*, 51(6):2009–2015, 2006.

- [57] Reza Fareghi-Alamdari and Raziieh Hatefipour. Synthesis and thermo-physical characterization of novel azide functionalized imidazolium based ionic liquids. *Thermochimica Acta*, 617:172–178, 2015.
- [58] Carlos E. Ferreira, Nieves M.C. Talavera-Prieto, Isabel M.A. Fonseca, António T.G. Portugal, and Abel G.M. Ferreira. Measurements of pVT, viscosity, and surface tension of trihexyltetradecylphosphonium tris(pentafluoroethyl)trifluorophosphate ionic liquid and modelling with equations of state. *The Journal of Chemical Thermodynamics*, 47:183–196, 2012.
- [59] Lindsay E. Ficke, Robert R. Novak, and Joan F. Brennecke. Thermodynamic and thermophysical properties of ionic liquid + water systems. *Journal of Chemical & Engineering Data*, 55(11):4946–4950, 2010.
- [60] Joseph J. Fillion, Han Xia, M. Aruni Desilva, Mauricio Quiroz-Guzman, and Joan F. Brennecke. Phase transitions, decomposition temperatures, viscosities, and densities of phosphonium, ammonium, and imidazolium ionic liquids with aprotic heterocyclic anions. *Journal of Chemical & Engineering Data*, 61(8):2897–2914, 2016.
- [61] Gerd Fischer, Gerhard Holl, Thomas M. Klapötke, and Jan J. Weigand. A study on the thermal decomposition behavior of derivatives of 1,5-diamino-1h-tetrazole (DAT): A new family of energetic heterocyclic-based salts. *Thermochimica Acta*, 437(1-2):168–178, 2005.
- [62] Mara G. Freire, Ana Rita R. Teles, Marisa A. A. Rocha, Bernd Schröder, Catarina M. S. S. Neves, Pedro J. Carvalho, Dmitry V. Evtuguin, Luís M. N. B. F. Santos, and João A. P. Coutinho. Thermophysical characterization of ionic liquids able to dissolve biomass. *Journal of Chemical & Engineering Data*, 56(12):4813–4822, 2011.
- [63] Andreas P. Fröba, Heiko Kremer, and Alfred Leipertz. Density, refractive index, interfacial tension, and viscosity of ionic liquids [EMIM][EtSO₄], [EMIM][NTf₂], [EMIM][n(CN)₂], and [OMA][NTf₂] in dependence on temperature at atmospheric pressure. *The Journal of Physical Chemistry B*, 112(39):12420–12430, 2008.
- [64] Félix M. Gaciño, Teresa Regueira, Alexander V. Bolotov, Artur Sharipov, Luís Lugo, María J.P. Comuñas, and Josefa Fernández. Volumetric behaviour of six ionic liquids from $t = (278 \text{ to } 398) \text{ k}$ and up to 120 MPa. *The Journal of Chemical Thermodynamics*, 93:24–33, 2016.
- [65] Félix M. Gaciño, Teresa Regueira, María J.P. Comuñas, Luis Lugo, and Josefa Fernández. Density and isothermal compressibility for two trialkylimidazolium-based ionic liquids at temperatures from (278 to 398) k and up to 120 MPa. *The Journal of Chemical Thermodynamics*, 81:124–130, 2015.

- [66] Haixiang Gao, Buxing Han, Junchun Li, Tao Jiang, Zhimin Liu, Weize Wu, Yanhong Chang, and Jianmin Zhang. Preparation of room-temperature ionic liquids by neutralization of 1,1,3,3-tetramethylguanidine with acids and their use as media for mannich reaction. *Synthetic Communications*, 34(17):3083–3089, 2004.
- [67] Haixiang Gao, Buxing Han, Junchun Li, Tao Jiang, Zhimin Liu, Weize Wu, Yanhong Chang, and Jianmin Zhang. Preparation of room-temperature ionic liquids by neutralization of 1,1,3,3-tetramethylguanidine with acids and their use as media for mannich reaction. *Synthetic Communications*, 34(17):3083–3089, 2004.
- [68] María García-Andreu, Miguel Castro, Ignacio Gascón, and Carlos Lafuente. Thermophysical characterization of 1-ethylpyridinium triflate and comparison with similar ionic liquids. *The Journal of Chemical Thermodynamics*, 103:395–402, 2016.
- [69] Ramesh L. Gardas, Henrique F. Costa, Mara G. Freire, Pedro J. Carvalho, Isabel M. Marrucho, Isabel M. A. Fonseca, Abel G. M. Ferreira, and João A. P. Coutinho. Densities and derived thermodynamic properties of imidazolium-, pyridinium-, pyrrolidinium-, and piperidinium-based ionic liquids. *Journal of Chemical & Engineering Data*, 53(3):805–811, 2008.
- [70] Ramesh L. Gardas, Mara G. Freire, Pedro J. Carvalho, Isabel M. Marrucho, Isabel M. A. Fonseca, Abel G. M. Ferreira, and João A. P. Coutinho. High-pressure densities and derived thermodynamic properties of imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 52(1):80–88, 2007.
- [71] Ramesh L. Gardas, Mara G. Freire, Pedro J. Carvalho, Isabel M. Marrucho, Isabel M. A. Fonseca, Abel G. M. Ferreira, and João A. P. Coutinho. PpTMeasurements of imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 52(5):1881–1888, 2007.
- [72] Ramesh L. Gardas, Rile Ge, Peter Goodrich, Christopher Hardacre, Azlan Hussain, and David W. Rooney. Thermophysical properties of amino acid-based ionic liquids. *Journal of Chemical & Engineering Data*, 55(4):1505–1515, 2010.
- [73] Ming-Lan Ge, Xiao-Guang Ren, Yong-Ji Song, and Li-Sheng Wang. Densities and viscosities of 1-propyl-2,3-dimethylimidazolium tetrafluoroborate + h₂o at T= (298.15 to 343.15) k. *Journal of Chemical & Engineering Data*, 54(4):1400–1402, 2009.
- [74] Ouahid Ben Ghanem, M.I. Abdul Mutalib, Jean-Marc Lévêque, Girma Gonfa, Chong Fai Kait, and Mohanad El-Harbawi. Studies on the physicochemical properties of ionic liquids based on 1-octyl-3-methylimidazolium amino acids. *Journal of Chemical & Engineering Data*, 60(6):1756–1763, 2015.

- [75] Mohammad Hadi Ghatee, Maryam Bahrami, and Neda Khanjari. Measurement and study of density, surface tension, and viscosity of quaternary ammonium-based ionic liquids ($[n222(n)]tf2n$). *The Journal of Chemical Thermodynamics*, 65:42–52, 2013.
- [76] Mohammad Hadi Ghatee, Morteza Zare, Fatemeh Moosavi, and Amin Reza Zolghadr. Temperature-dependent density and viscosity of the ionic liquids 1-alkyl-3-methylimidazolium iodides: Experiment and molecular dynamics simulation. *Journal of Chemical & Engineering Data*, 55(9):3084–3088, 2010.
- [77] Elena Gómez, Noelia Calvar, Ángeles Domínguez, and Eugénia A. Macedo. Synthesis and temperature dependence of physical properties of four pyridinium-based ionic liquids: Influence of the size of the cation. *The Journal of Chemical Thermodynamics*, 42(11):1324–1329, 2010.
- [78] F.A.M.M. Gonçalves, C.S.M.F. Costa, C.E. Ferreira, J.C.S. Bernardo, I. Johnson, I.M.A. Fonseca, and A.G.M. Ferreira. Pressure-volume-temperature measurements of phosphonium-based ionic liquids and analysis with simple equations of state. *The Journal of Chemical Thermodynamics*, 43(6):914–929, 2011.
- [79] Girma Gonfa, Mohamad Azmi Bustam, Nawshad Muhammad, and Sami Ullah. Density and excess molar volume of binary mixture of thiocyanate-based ionic liquids and methanol at temperatures 293.15–323.15k. *Journal of Molecular Liquids*, 211:734–741, 2015.
- [80] Begoña GonzÁlez, Elena Gómez, Ángeles Domínguez, Miguel Vilas, and Emilia Tojo. Physicochemical characterization of new sulfate ionic liquids. *Journal of Chemical & Engineering Data*, 56(1):14–20, 2011.
- [81] Andreia S. L. Gouveia, Liliana C. Tomé, and Isabel M. Marrucho. Density, viscosity, and refractive index of ionic liquid mixtures containing cyano and amino acid-based anions. *Journal of Chemical & Engineering Data*, 61(1):83–93, 2015.
- [82] Varadhi Govinda, Pankaj Attri, P. Venkatesu, and P. Venkateswarlu. Thermophysical properties of dimethylsulfoxide with ionic liquids at various temperatures. *Fluid Phase Equilibria*, 304(1-2):35–43, 2011.
- [83] Varadhi Govinda, P. Madhusudhana Reddy, Pankaj Attri, P. Venkatesu, and P. Venkateswarlu. Influence of anion on thermophysical properties of ionic liquids with polar solvent. *The Journal of Chemical Thermodynamics*, 58:269–278, 2013.
- [84] Tamar L. Greaves, Asoka Weerawardena, Celesta Fong, Irena Krodkiewska, and Calum J. Drummond. Protic ionic liquids: solvents with tunable phase behavior and physicochemical properties. *The Journal of Physical Chemistry B*, 110(45):22479–22487, 2006.

- [85] T. R. Griffiths. Densities of some molten organic quaternary halides. *Journal of Chemical & Engineering Data*, 8(4):568–569, 1963.
- [86] Wei Guan, Jing Tong, San-Ping Chen, Qing-Shan Liu, and Sheng-Li Gao. Density and surface tension of amino acid ionic liquid 1-alkyl-3-methylimidazolium glutamate. *Journal of Chemical & Engineering Data*, 55(9):4075–4079, 2010.
- [87] Hernando Guerrero, Mónica García-Mardones, Pilar Cea, Carlos Lafuente, and Isabel Bandrés. Correlation of the volumetric behaviour of pyridinium-based ionic liquids with two different equations. *Thermochimica Acta*, 531:21–27, 2012.
- [88] Hernando Guerrero, Santiago Martín, Victor Pérez-Gregorio, Carlos Lafuente, and Isabel Bandrés. Volumetric characterization of pyridinium-based ionic liquids. *Fluid Phase Equilibria*, 317:102–109, 2012.
- [89] Kenneth R. Harris and Mitsuhiro Kanakubo. Self-diffusion coefficients and related transport properties for a number of fragile ionic liquids. *Journal of Chemical & Engineering Data*, 61(7):2399–2411, 2016.
- [90] Kenneth R. Harris, Lawrence A. Woolf, Mitsuhiro Kanakubo, and Thomas Rütther. Transport properties of N-butyl-N-methylpyrrolidinium bis(trifluoromethylsulfonyl)amide. *Journal of Chemical & Engineering Data*, 56(12):4672–4685, 2011.
- [91] Benjamin Hasse, Julia Lehmann, Daniel Assenbaum, Peter Wasserscheid, Alfred Leipertz, and Andreas Paul Fröba. Viscosity, interfacial tension, density, and refractive index of ionic liquids [EMIM][MeSO₃], [EMIM][MeOHPO₂], [EMIM][OcSO₄], and [BBIM][NTf₂] in dependence on temperature at atmospheric pressure†. *Journal of Chemical & Engineering Data*, 54(9):2576–2583, 2009.
- [92] Kikuko Hayamizu, Seiji Tsuzuki, and Shiro Seki. Transport and electrochemical properties of three quaternary ammonium ionic liquids and lithium salts doping effects studied by NMR spectroscopy. *Journal of Chemical & Engineering Data*, 59(6):1944–1954, 2014.
- [93] Mohammad Reza Heidari, Babak Mokhtarani, Naser Seghatoleslami, Ali Sharifi, and Mojtaba Mirzaei. Liquid-liquid extraction of aromatics from their mixtures with alkanes using 1-methyl 3-octylimidazolium thiocyanate ionic liquid. *The Journal of Chemical Thermodynamics*, 54:310–315, 2012.
- [94] Yuya Hiraga, Musashi Goto, Yoshiyuki Sato, and Richard L. Smith. Measurement of high pressure densities and atmospheric pressure viscosities of alkyl phosphate anion ionic liquids and correlation with the ϵ^* -modified Sanchez-Lacombe equation of state. *The Journal of Chemical Thermodynamics*, 104:73–81, 2017.

- [95] Yuya Hiraga, Aya Kato, Yoshiyuki Sato, and Richard L. Smith. Densities at pressures up to 200 MPa and atmospheric pressure viscosities of ionic liquids 1-ethyl-3-methylimidazolium methylphosphate, 1-ethyl-3-methylimidazolium diethylphosphate, 1-butyl-3-methylimidazolium acetate, and 1-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide. *Journal of Chemical & Engineering Data*, 60(3):876–885, 2015.
- [96] Mei Hong, Ao Sun, Chun Liu, Wei Guan, Jing Tong, and Jia-Zhen Yang. Physico-chemical properties of 1-alkyl-3-methylimidazolium propionate ionic liquids {[cnmim][pro](n = 3, 4, 5, 6)} from 288.15 k to 328.15 k. *Industrial & Engineering Chemistry Research*, 52(44):15679–15683, 2013.
- [97] Mei Hong, Ao Sun, Qi Yang, Wei Guan, Jing Tong, and Jia-Zhen Yang. Studies on properties of ionic liquids 1-alkyl-3-methylimidazolium lactate at temperatures from (288.15 to 333.15)k. *The Journal of Chemical Thermodynamics*, 67:91–98, 2013.
- [98] M. Ismail Hossain, Moulay-Rachid Babaa, Mohanad El-Harbawi, Zakaria Man, Glenn Hefter, and Chun-Yang Yin. Synthesis, characterization, physical properties, and cytotoxicities of 1-(6-hydroxyhexyl)-3-alkylimidazolium chloride ionic liquids. *Journal of Chemical & Engineering Data*, 56(11):4188–4193, 2011.
- [99] Xuesheng Hu, Jiang Yu, and Huizhou Liu. Liquid-liquid equilibria of the system 1-(2-hydroxyethyl)-3-methylimidazolium tetrafluoroborate or 1-(2-hydroxyethyl)-2,3-dimethylimidazolium tetrafluoroborate + water + 1-butanol at 293.15 k. *Journal of Chemical & Engineering Data*, 51(2):691–695, 2006.
- [100] Muna Hassan Ibrahim, Maan Hayyan, Mohd Ali Hashim, Adeeb Hayyan, and Mohamed K. Hadj-Kali. Physicochemical properties of piperidinium, ammonium, pyrrolidinium and morpholinium cations based ionic liquids paired with bis(trifluoromethylsulfonyl)imide anion. *Fluid Phase Equilibria*, 427:18–26, 2016.
- [101] Johan Jacquemin, Rile Ge, Paul Nancarrow, David W. Rooney, Margarida F. Costa Gomes, Agilio A. H. Pádua, and Christopher Hardacre. Prediction of ionic liquid properties. i. volumetric properties as a function of temperature at 0.1 MPa. *Journal of Chemical & Engineering Data*, 53(3):716–726, 2008.
- [102] Johan Jacquemin, Paul Nancarrow, David W. Rooney, Margarida F. Costa Gomes, Pascale Husson, Vladimir Majer, Agilio A. H. Pádua, and Christopher Hardacre. Prediction of ionic liquid properties. II. volumetric properties as a function of temperature and pressure. *Journal of Chemical & Engineering Data*, 53(9):2133–2143, 2008.

- [103] Haichao Jiang, Jianying Wang, Fengyun Zhao, Guodi Qi, and Yongqi Hu. Volumetric and surface properties of pure ionic liquid n-octyl-pyridinium nitrate and its binary mixture with alcohol. *The Journal of Chemical Thermodynamics*, 47:203–208, 2012.
- [104] Haichao Jiang, Ying Zhao, Jianying Wang, Fengyun Zhao, Runjing Liu, and Yongqi Hu. Density and surface tension of pure ionic liquid 1-butyl-3-methyl-imidazolium l-lactate and its binary mixture with alcohol and water. *The Journal of Chemical Thermodynamics*, 64:1–13, 2013.
- [105] Hui Jin, Bernie O’Hare, Jing Dong, Sergei Arzhantsev, Gary A. Baker, James F. Wishart, Alan J. Benesi, and Mark Maroncelli. Physical properties of ionic liquids consisting of the 1-butyl-3-methylimidazolium cation with various anions and the bis(trifluoromethylsulfonyl)imide anion with various cations. *The Journal of Physical Chemistry B*, 112(1):81–92, 2008.
- [106] Ryo Kato and Jürgen Gmehling. Activity coefficients at infinite dilution of various solutes in the ionic liquids [MMIM]+[CH3so4]-, [MMIM]+[CH3oc2h4so4]-, [MMIM]+[(CH3)2po4]-, [c5h5nc2h5]+[(CF3so2)2n]- and [c5h5nh]+[c2h5oc2h4oso3]-. *Fluid Phase Equilibria*, 226:37–44, 2004.
- [107] Shoichi Katsuta, Yuta Shiozawa, Kazuo Imai, Yoshihiro Kudo, and Yasuyuki Takeda. Stability of ion pairs of bis(trifluoromethanesulfonyl)amide-based ionic liquids in dichloromethane. *Journal of Chemical & Engineering Data*, 55(4):1588–1593, 2010.
- [108] T. Kavitha, Pankaj Attri, Pannuru Venkatesu, R.S. Rama Devi, and T. Hofman. Temperature dependence measurements and molecular interactions for ammonium ionic liquid with n-methyl-2-pyrrolidone. *The Journal of Chemical Thermodynamics*, 54:223–237, 2012.
- [109] Massoud Kermanioryani, M. Ibrahim A. Mutalib, Yue Dong, Kallidanthiyil Chellappan Lethesh, Ouahid Ben Omar Ben Ghanem, Kiki Adi Kurnia, Noor Fathanah Aminuddin, and Jean-Marc Leveque. Physicochemical properties of new imidazolium-based ionic liquids containing aromatic group. *Journal of Chemical & Engineering Data*, 61(6):2020–2026, 2016.
- [110] Prem Kilaru, Gary A. Baker, and Paul Scovazzo. Density and surface tension measurements of imidazolium-, quaternary phosphonium-, and ammonium-based room-temperature ionic liquids: data and correlations. *Journal of Chemical & Engineering Data*, 52(6):2306–2314, 2007.
- [111] Thomas M. Klapötke, Heinrich Nöth, Holger Schwenk-Kircher, Wolf-Henning Walther, and Gerhard Holl. Synthesis and x-ray structure of 1,1-dimethylhydrazinium azide. *Polyhedron*, 18(5):717 – 719, 1999.

- [112] Thomas M. Klapötke, Heinrich Nöth, Holger Schwenk-Kircher, Wolf-Henning Walther, and Gerhard Holl. Synthesis and x-ray structure of 1,1-dimethylhydrazinium azide. *Polyhedron*, 18(5):717–719, 1999.
- [113] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. P- ρ -t measurements for 1-alkyl-3-methylimidazolium-based ionic liquids with tetrafluoroborate and a trifluoromethanesulfonate anion. *Journal of Chemical & Engineering Data*, 57(3):708–720, 2012.
- [114] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. P- ρ -t measurements for 1-ethyl and 1-butyl-3-methylimidazolium dicyanamides from their melting temperature to 353 k and up to 60 MPa in pressure. *Journal of Chemical & Engineering Data*, 57(4):1213–1221, 2012.
- [115] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. Group contribution and parachor analysis of experimental data on densities and surface tension for six ionic liquids with the [PF₆] anion. *Fluid Phase Equilibria*, 385:62–71, 2015.
- [116] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. Low-temperature and high-pressure p- ρ -t relation for 1-(2-methoxyethyl)-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide and 1-cn-3-methylimidazolium thiocyanate with n = 2 and 4. *Journal of Chemical & Engineering Data*, 60(6):1855–1867, 2015.
- [117] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. Surface tension and density for members of four ionic liquid homologous series containing a pyridinium based-cation and the bis(trifluoromethylsulfonyl)imide anion. *Fluid Phase Equilibria*, 431:24–33, 2017.
- [118] Thomas Koller, Michael H. Rausch, Peter S. Schulz, Markus Berger, Peter Wasserscheid, Ioannis G. Economou, Alfred Leipertz, and Andreas P. Fröba. Viscosity, interfacial tension, self-diffusion coefficient, density, and refractive index of the ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate as a function of temperature at atmospheric pressure. *Journal of Chemical & Engineering Data*, 57(3):828–835, 2012.
- [119] Thomas M. Koller, Stefan R. Schmid, Svetlana J. Sachnov, Michael H. Rausch, Peter Wasserscheid, and Andreas P. Fröba. Measurement and prediction of the thermal conductivity of tricyanomethanide- and tetracyanoborate-based imidazolium ionic liquids. *International Journal of Thermophysics*, 35(2):195–217, 2014.
- [120] Michel Krannich, Florian Heym, and Andreas Jess. Characterization of six hygroscopic ionic liquids with regard to their suitability for gas dehydration: Density, viscosity, thermal and oxidative stability, vapor pressure, diffusion coefficient, and activity coefficient of water. *Journal of Chemical & Engineering Data*, 61(3):1162–1176, 2016.

- [121] Marta Królikowska and Tadeusz Hofman. Densities, isobaric expansivities and isothermal compressibilities of the thiocyanate-based ionic liquids at temperatures (298.15–338.15K) and pressures up to 10MPa. *Thermochimica Acta*, 530:1–6, 2012.
- [122] Marta Królikowska, Monika Karpińska, and Maciej Zawadzki. Phase equilibria study of the binary systems (n-hexylisoquinolinium thiocyanate ionic liquid + organic solvent or water). *The Journal of Physical Chemistry B*, 116(14):4292–4299, 2012.
- [123] Marta Królikowska, Paweł Lipiński, and Daria Maik. Density, viscosity and phase equilibria study of {ethylsulfate-based ionic liquid+water} binary systems as a function of temperature and composition. *Thermochimica Acta*, 582:1–9, 2014.
- [124] Marta Królikowska, Kamil Paduszyński, and Maciej Zawadzki. Measurements, correlations, and predictions of thermodynamic properties of n-octylisoquinolinium thiocyanate ionic liquid and its aqueous solutions. *Journal of Chemical & Engineering Data*, 58(2):285–293, 2013.
- [125] Marta Królikowska, Maciej Zawadzki, and Marek Królikowski. Physicochemical and thermodynamic study on aqueous solutions of dicyanamide - based ionic liquids. *The Journal of Chemical Thermodynamics*, 70:127–137, 2014.
- [126] K.A. Kurnia, C.D. Wilfred, and T. Murugesan. Thermophysical properties of hydroxyl ammonium ionic liquids. *The Journal of Chemical Thermodynamics*, 41(4):517–521, 2009.
- [127] Kiki A. Kurnia, M. I. Abdul Mutalib, and Bambang Ariwahjoedi. Estimation of physicochemical properties of ionic liquids [h2n-c2mim][BF4] and [h2n-c3mim][BF4]. *Journal of Chemical & Engineering Data*, 56(5):2557–2562, 2011.
- [128] Kiki A. Kurnia, M. I. Abdul Mutalib, Zakaria Man, and M. Azmi Bustam. Density and surface tension of ionic liquids [h2n-c2mim][PF6] and [h2n-c3mim][PF6]. *Journal of Chemical & Engineering Data*, 57(11):2923–2927, 2012.
- [129] Marcos Larriba, Silvia García, Julián García, José S. Torrecilla, and Francisco Rodríguez. Thermophysical properties of 1-ethyl-3-methylimidazolium 1,1,2,2-tetrafluoroethanesulfonate and 1-ethyl-3-methylimidazolium ethylsulfate ionic liquids as a function of temperature. *Journal of Chemical & Engineering Data*, 56(9):3589–3597, 2011.
- [130] José Laynez, Birgitta Ringnér, and Stig Sunner. On the accuracy of rotating-bomb combustion calorimetry for organic chlorine and bromine compounds. *The Journal of Chemical Thermodynamics*, 2(4):603–610, 1970.

- [131] Sze Ying Lee, Filipa A. Vicente, João A. P. Coutinho, Ianatul Khoiroh, Pau Loke Show, and Sónia P. M. Ventura. Densities, viscosities, and refractive indexes of good's buffer ionic liquids. *Journal of Chemical & Engineering Data*, 61(7):2260–2268, 2016.
- [132] Kallidanthiyil Chellappan Lethesh, Syed Nasir Shah, and M. I. Abdul Mutalib. Synthesis, characterization, and thermophysical properties of 1,8-diazobicyclo[5.4.0]undec-7-ene based thiocyanate ionic liquids. *Journal of Chemical & Engineering Data*, 59(6):1788–1795, 2014.
- [133] Haifang Li, Guoying Zhao, Fangfang Liu, and Suojiang Zhang. Physico-chemical characterization of MFm-based ammonium ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1505–1515, 2013.
- [134] Ji-Guang Li, Yu-Feng Hu, Shu-Feng Sun, Yan-Sheng Liu, and Zhi-Chang Liu. Densities and dynamic viscosities of the binary system (water+1-hexyl-3-methylimidazolium bromide) at different temperatures. *The Journal of Chemical Thermodynamics*, 42(7):904–908, 2010.
- [135] Wenjing Li, Zhaofu Zhang, Buxing Han, Suqin Hu, Ye Xie, and Guanying Yang. Effect of water and organic solvents on the ionic dissociation of ionic liquids. *The Journal of Physical Chemistry B*, 111(23):6452–6456, 2007.
- [136] Hongjun Liu, Edward Maginn, Ann E. Visser, Nicholas J. Bridges, and Elise B. Fox. Thermal and transport properties of six ionic liquids: An experimental and molecular dynamics study. *Industrial & Engineering Chemistry Research*, 51(21):7242–7254, 2012.
- [137] Qing-Shan Liu, Pei-Pei Li, Urs Welz-Biermann, Jian Chen, and Xiao-Xia Liu. Density, dynamic viscosity, and electrical conductivity of pyridinium-based hydrophobic ionic liquids. *The Journal of Chemical Thermodynamics*, 66:88–94, 2013.
- [138] Qing-Shan Liu, Pei-Pei Li, Urs Welz-Biermann, Xiao-Xia Liu, and Jian Chen. Density, electrical conductivity, and dynamic viscosity of n-alkyl-4-methylpyridinium bis(trifluoromethylsulfonyl)imide. *Journal of Chemical & Engineering Data*, 57(11):2999–3004, 2012.
- [139] Qing-Shan Liu, Zhuo Li, Urs Welz-Biermann, Chang-Ping Li, and Xiao-Xia Liu. Thermodynamic properties of a new hydrophobic amide-based task-specific ionic liquid [EimCH₂conhbu][NTf₂]. *Journal of Chemical & Engineering Data*, 58(1):93–98, 2012.
- [140] Qing-Shan Liu, Jing Liu, Xiao-Xia Liu, and Shi-Tao Zhang. Density, dynamic viscosity, and electrical conductivity of two hydrophobic functionalized ionic liquids. *The Journal of Chemical Thermodynamics*, 90:39–45, 2015.

- [141] Qing-Shan Liu, Miao Yang, Pei-Fang Yan, Xiu-Mei Liu, Zhi-Cheng Tan, and Urs Welz-Biermann. Density and surface tension of ionic liquids [cnpy][NTf₂] (n= 2, 4, 5). *Journal of Chemical & Engineering Data*, 55(11):4928–4930, 2010.
- [142] Joana M. Lopes, Sabine Kareth, M^a Dolores Bermejo, Ángel Martín, Eckhard Weidner, and M^a José Cocero. Experimental determination of viscosities and densities of mixtures carbon dioxide+1-allyl-3-methylimidazolium chloride. viscosity correlation. *The Journal of Supercritical Fluids*, 111:91–96, 2016.
- [143] Xiaoxing Lu, Di Wu, Dengfeng Ye, Youping Wang, Yongsheng Guo, and Wenjun Fang. Densities and viscosities of binary mixtures of 2-ethyl-1,1,3,3-tetramethylguanidinium ionic liquids with ethanol and 1-propanol. *Journal of Chemical & Engineering Data*, 60(9):2618–2628, 2015.
- [144] Karolina Machanová, Aurélien Boisset, Zuzana Sedláková, Mérièm Anouti, Magdalena Bendová, and Johan Jacquemin. Thermophysical properties of ammonium-based bis{(trifluoromethyl)sulfonyl}imide ionic liquids: Volumetric and transport properties. *Journal of Chemical & Engineering Data*, 57(8):2227–2235, 2012.
- [145] Karolina Machanová, Jacobo Troncoso, Johan Jacquemin, and Magdalena Bendová. Excess molar volumes and excess molar enthalpies in binary systems n-alkyl-triethylammonium bis(trifluoromethylsulfonyl)imide+methanol. *Fluid Phase Equilibria*, 363:156–166, 2014.
- [146] Hiroshi Machida, Yoshiyuki Sato, and Richard L. Smith. Pressure-volume-temperature (PVT) measurements of ionic liquids ([bmim+][PF₆-], [bmim+][BF₄-], [bmim+][OcSO₄-]) and analysis with the sanchez-lacombe equation of state. *Fluid Phase Equilibria*, 264(1-2):147–155, 2008.
- [147] Hiroshi Machida, Ryosuke Taguchi, Yoshiyuki Sato, and Richard L. Smith. Measurement and correlation of high pressure densities of ionic liquids, 1-ethyl-3-methylimidazolium l-lactate ([emim][lactate]), 2-hydroxyethyl-trimethylammonium l-lactate ((c2h4oh)(CH₃)₃n][lactate]), and 1-butyl-3-methylimidazolium chloride ([bmim][cl]). *Journal of Chemical & Engineering Data*, 56(4):923–928, 2010.
- [148] Maria Mahrova, Miguel Vilas, Ángeles Domínguez, Elena Gómez, Noelia Calvar, and Emilia Tojo. Physicochemical characterization of new sulfonate and sulfate ammonium ionic liquids. *Journal of Chemical & Engineering Data*, 57(2):241–248, 2012.
- [149] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, and Akira Suzuki. CO₂ solubility and physical properties of n-(2-hydroxyethyl)pyridinium bis(trifluoromethanesulfonyl)amide. *Fluid Phase Equilibria*, 357:64–70, 2013.

- [150] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, and Akira Suzuki. Electrical conductivities, viscosities, and densities of n-acetoxyethyl-n,n-dimethyl-n-ethylammonium and n,n-dimethyl-n-ethyl-n-methoxyethoxyethylammonium bis(trifluoromethanesulfonyl)amide and their nonfunctionalized analogues. *Journal of Chemical & Engineering Data*, 58(2):370–376, 2013.
- [151] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, Akira Suzuki, Tetsuo Nishida, and Jun Takano. Electrical conductivities, viscosities, and densities of n-methoxymethyl- and n-butyl-n-methylpyrrolidinium ionic liquids with the bis(fluorosulfonyl)amide anion. *Journal of Chemical & Engineering Data*, 57(3):751–755, 2012.
- [152] Andrzej Marciniak and Marek Królikowski. Ternary (liquid+liquid) equilibria of {trifluorotris(perfluoroethyl)phosphate based ionic liquids+thiophene+heptane}. *The Journal of Chemical Thermodynamics*, 49:154–158, 2012.
- [153] Łukasz Marcinkowski, Adam Kloskowski, and Jacek Namieśnik. Physical and thermophysical properties of 1-hexyl-1,4-diaza[2.2.2]bicyclooctanium bis(trifluoromethylsulfonyl)imide ionic liquid. *Journal of Chemical & Engineering Data*, 59(3):585–591, 2014.
- [154] Dobrochna Matkowska and Tadeusz Hofman. High-pressure volumetric properties of ionic liquids: 1-butyl-3-methylimidazolium tetrafluoroborate, [c4mim][BF₄], 1-butyl-3-methylimidazolium methylsulfate [c4mim][MeSO₄] and 1-ethyl-3-methylimidazolium ethylsulfate, [c2mim][EtSO₄]. *Journal of Molecular Liquids*, 165:161–167, 2012.
- [155] Dobrochna Matkowska and Tadeusz Hofman. Volumetric properties of the ionic liquids: [c6mim][MeSO₄], [c6mim][EtSO₄], [c4mim][EtSO₄] and their mixtures with methanol or ethanol. *Journal of Molecular Liquids*, 177:301–305, 2013.
- [156] Glen McHale, Chris Hardacre, Rile Ge, Nicola Doy, Ray W. K. Allen, Jordan M. MacInnes, Mark R. Bown, and Michael I. Newton. Density-viscosity product of small-volume ionic liquid samples using quartz crystal impedance analysis. *Analytical Chemistry*, 80(15):5806–5811, 2008.
- [157] Wytze (G.W.) Meindersma, Tim van Acker, and André B. de Haan. Physical properties of 3-methyl-n-butylpyridinium tricyanomethanide and ternary LLE data with an aromatic and an aliphatic hydrocarbon at $t=(303.2 \text{ and } 328.2)\text{k}$ and $p=0.1\text{mpa}$. *Fluid Phase Equilibria*, 307(1):30–38, 2011.
- [158] Babak Mokhtarani, Mohammad Majid Mojtahedi, Hamid Reza Mortaheb, Morteza Mafi, Farshad Yazdani, and Fatemeh Sadeghian. Densities, refractive indices, and viscosities of the ionic liquids 1-methyl-3-octylimidazolium tetrafluoroborate and 1-methyl-3-butylimidazolium per-

chlorate and their binary mixtures with ethanol at several temperatures. *Journal of Chemical & Engineering Data*, 53(3):677–682, 2008.

- [159] Babak Mokhtarani, Ali Sharifi, Hamid Reza Mortaheb, Mojtaba Mirzaei, Morteza Mafi, and Fatemeh Sadeghian. Density and viscosity of 1-butyl-3-methylimidazolium nitrate with ethanol, 1-propanol, or 1-butanol at several temperatures. *The Journal of Chemical Thermodynamics*, 41(12):1432–1438, 2009.
- [160] Babak Mokhtarani, Ali Sharifi, Hamid Reza Mortaheb, Mojtaba Mirzaei, Morteza Mafi, and Fatemeh Sadeghian. Densities and viscosities of pure 1-methyl-3-octylimidazolium nitrate and its binary mixtures with alcohols at several temperatures. *Journal of Chemical & Engineering Data*, 55(9):3901–3908, 2010.
- [161] Nawshad Muhammad, M. Ismail Hossain, Zakaria Man, Mohanad El-Harbawi, M. Azmi Bustam, Yousef Abdulhadi Noaman, Noorjahan Banu Mohamed Alitheen, Mei Kee Ng, Glenn Hefter, and Chun-Yang Yin. Synthesis and physical properties of choline carboxylate ionic liquids. *Journal of Chemical & Engineering Data*, 57(8):2191–2196, 2012.
- [162] Nawshad Muhammad, Zakaria Man, Yasir A. Elsheikh, M. Azmi Bustam, and M.I. Abdul Mutalib. Synthesis and thermophysical properties of imidazolium-based bronsted acidic ionic liquids. *Journal of Chemical & Engineering Data*, 59(3):579–584, 2014.
- [163] Nawshad Muhammad, Zakaria Man, Abobakr K. Ziyada, M. Azmi Bustam, M. I. Abdul Mutalib, Cecilia D. Wilfred, Sikander Rafiq, and Isa Mohd Tan. Thermophysical properties of dual functionalized imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 57(3):737–743, 2012.
- [164] Samuel M. Murray, T. Kyle Zimlich, Arsalan Mirjafari, Richard A. O’Brien, James H. Davis, and Kevin N. West. Thermophysical properties of imidazolium-based lipidic ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1516–1522, 2013.
- [165] Alexander Nann, Jan Mündges, Christoph Held, Sergey P. Verevkin, and Gabriele Sadowski. Molecular interactions in 1-butanol + IL solutions by measuring and modeling activity coefficients. *The Journal of Physical Chemistry B*, 117(11):3173–3185, 2013.
- [166] Andreas Nazet, Sophia Sokolov, Thomas Sonnleitner, Takashi Makino, Mitsuhiro Kanakubo, and Richard Buchner. Densities, viscosities, and conductivities of the imidazolium ionic liquids [emim][ac], [emim][FAP], [bmim][BETI], [bmim][FSI], [hmim][TFSI], and [omim][TFSI]. *Journal of Chemical & Engineering Data*, 60(8):2400–2411, 2015.

- [167] Silke Nebig, Vincent Liebert, and Jürgen Gmehling. Measurement and prediction of activity coefficients at infinite dilution (γ_∞), vapor-liquid equilibria (VLE) and excess enthalpies (HE) of binary systems with 1,1-dialkyl-pyrrolidinium bis(trifluoromethylsulfonyl)imide using mod. UNIFAC (dortmund). *Fluid Phase Equilibria*, 277(1):61–67, 2009.
- [168] Catarina M. S. S. Neves, Kiki Adi Kurnia, João A. P. Coutinho, Isabel M. Marrucho, José N. Canongia Lopes, Mara G. Freire, and Luís Paulo N. Rebelo. Systematic study of the thermophysical properties of imidazolium-based ionic liquids with cyano-functionalized anions. *The Journal of Physical Chemistry B*, 117(35):10271–10283, 2013.
- [169] Catarina M.S.S. Neves, Pedro J. Carvalho, Mara G. Freire, and João A.P. Coutinho. Thermophysical properties of pure and water-saturated tetradecyltriethylphosphonium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 43(6):948–957, 2011.
- [170] Patrycja Okuniewska, Deresh Ramjugernath, Paramespri Naidoo, and Urszula Domańska. Solubility of ionic liquids in 2-phenylethanol (PEA) and water. *Fluid Phase Equilibria*, 376:55–63, 2014.
- [171] Marcin Okuniewski, Kamil Padaszyński, and Urszula Domańska. Effect of cation structure in trifluoromethanesulfonate-based ionic liquids: Density, viscosity, and aqueous biphasic systems involving carbohydrates as “salting-out” agents. *Journal of Chemical & Engineering Data*, 61(3):1296–1304, 2016.
- [172] Marcin Okuniewski, Deresh Ramjugernath, Paramespri Naidoo, and Urszula Domańska. Solubility data and modeling for sugar alcohols in ionic liquids. *The Journal of Chemical Thermodynamics*, 77:23–30, 2014.
- [173] Filipe S. Oliveira, Mara G. Freire, Pedro J. Carvalho, João A. P. Coutinho, José N. Canongia Lopes, Luís P. N. Rebelo, and Isabel M. Marrucho. Structural and positional isomerism influence in the physical properties of pyridinium NTF₂-based ionic liquids: Pure and water-saturated mixtures†. *Journal of Chemical & Engineering Data*, 55(10):4514–4520, 2010.
- [174] Kamil Padaszyński and Urszula Domańska. Experimental and theoretical study on infinite dilution activity coefficients of various solutes in piperidinium ionic liquids. *The Journal of Chemical Thermodynamics*, 60:169–178, 2013.
- [175] Kamil Padaszyński and Marta Królikowska. Interactions between molecular solutes and task-specific ionic liquid: Measurements of infinite dilution activity coefficients and modeling. *Journal of Molecular Liquids*, 221:235–244, 2016.
- [176] Kamil Padaszyński, Marcin Okuniewski, and Urszula Domańska. An effect of cation functionalization on thermophysical properties of ionic liquids

and solubility of glucose in them - measurements and PC-SAFT calculations. *The Journal of Chemical Thermodynamics*, 92:81–90, 2016.

- [177] Somenath Panda and Ramesh L. Gardas. Measurement and correlation for the thermophysical properties of novel pyrrolidonium ionic liquids: Effect of temperature and alkyl chain length on anion. *Fluid Phase Equilibria*, 386:65–74, 2015.
- [178] Nicolas Papaiconomou, Julien Estager, Youssef Traore, Pierre Bauduin, Corine Bas, Sophie Legeai, Sylvie Viboud, and Micheline Draye. Synthesis, physicochemical properties, and toxicity data of new hydrophobic ionic liquids containing dimethylpyridinium and trimethylpyridinium cations†. *Journal of Chemical & Engineering Data*, 55(5):1971–1979, 2010.
- [179] Snežana Papović, Milan Vraneš, Branko Kordić, Sanja Filipović, Marija Bešter-Rogač, and Slobodan Gadžurić. Interactions of 1,2,3-trialkylimidazolium-based ionic liquids with γ -butyrolactone. *The Journal of Chemical Thermodynamics*, 101:260–269, 2016.
- [180] Heta Patel, Zuber S. Vaid, Utkarsh U. More, Sushma P. Ijardar, and Naved I. Malek. Thermophysical, acoustic and optical properties of binary mixtures of imidazolium based ionic liquids + polyethylene glycol. *The Journal of Chemical Thermodynamics*, 99:40–53, 2016.
- [181] André Pinkert, Keng L. Ang, Kenneth N. Marsh, and Shusheng Pang. Density, viscosity and electrical conductivity of protic alkanolammonium ionic liquids. *Physical Chemistry Chemical Physics*, 13(11):5136, 2011.
- [182] Dharamashi Rabari, Nikunj Patel, Milind Joshipura, and Tamal Banerjee. Densities of six commercial ionic liquids: Experiments and prediction using a cohesion based cubic equation of state. *Journal of Chemical & Engineering Data*, 59(3):571–578, 2014.
- [183] Teresa Regueira, Luis Lugo, and Josefa Fernández. High pressure volumetric properties of 1-ethyl-3-methylimidazolium ethylsulfate and 1-(2-methoxyethyl)-1-methyl-pyrrolidinium bis(trifluoromethylsulfonyl)imide. *The Journal of Chemical Thermodynamics*, 48:213–220, 2012.
- [184] Teresa Regueira, Luis Lugo, and Josefa Fernández. Influence of the pressure, temperature, cation and anion on the volumetric properties of ionic liquids: New experimental values for two salts. *The Journal of Chemical Thermodynamics*, 58:440–448, 2013.
- [185] Marisa A. A. Rocha, Catarina M. S. S. Neves, Mara G. Freire, Olga Russina, Alessandro Triolo, João A. P. Coutinho, and Luís M. N. B. F. Santos. Alkylimidazolium based ionic liquids: Impact of cation symmetry on their nanoscale structural organization. *The Journal of Physical Chemistry B*, 117(37):10889–10897, 2013.

- [186] Marisa A.A. Rocha, Adriaan van den Bruinhorst, Wolfram Schröer, Bernd Rathke, and Maaïke C. Kroon. Physicochemical properties of fatty acid based ionic liquids. *The Journal of Chemical Thermodynamics*, 100:156–164, 2016.
- [187] Marisa A.A. Rocha, Miguel Vilas, Ana S.M.C. Rodrigues, Emilia Tojo, and Luís M.N.B.F. Santos. Physicochemical properties of 2-alkyl-1-ethylpyridinium based ionic liquids. *Fluid Phase Equilibria*, 428:112–120, 2016.
- [188] Ana S.M.C. Rodrigues, Hugo F.D. Almeida, Mara G. Freire, José A. Lopes da Silva, João A.P. Coutinho, and Luís M.N.B.F. Santos. The effect of n vs. iso isomerization on the thermophysical properties of aromatic and non-aromatic ionic liquids. *Fluid Phase Equilibria*, 423:190–202, 2016.
- [189] Héctor Rodríguez and Joan F. Brennecke. Temperature and composition dependence of the density and viscosity of binary mixtures of water + ionic liquid. *Journal of Chemical & Engineering Data*, 51(6):2145–2155, 2006.
- [190] Sylvia J. Rodríguez, Diana M. Cristancho, Paula C. Neita, Edgar F. Vargas, and Fleming Martínez. Volumetric properties of the octyl methoxycinnamate + ethyl acetate solvent system at several temperatures. *Physics and Chemistry of Liquids*, 48(5):638–647, 2010.
- [191] Rahmat Sadeghi, Hemayat Shekaari, and Rahim Hosseini. Volumetric and isentropic compressibility behavior of ionic liquid, 1-propyl-3-methylimidazolium bromide in acetonitrile, dimethylformamide, and dimethylsulfoxide at $t = (288.15 \text{ to } 308.15) \text{ K}$. *International Journal of Thermophysics*, 30(5):1491–1509, 2009.
- [192] Javid Safarov, Monika Geppert-Rybczyńska, Ismail Kul, and Egon Hassel. Thermophysical properties of 1-butyl-3-methylimidazolium acetate over a wide range of temperatures and pressures. *Fluid Phase Equilibria*, 383:144–155, 2014.
- [193] Javid Safarov, Rena Hamidova, Stefanie Zepik, Hannes Schmidt, Ismail Kul, Astan Shahverdiyev, and Egon Hassel. Thermophysical properties of 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide at high temperatures and pressures. *Journal of Molecular Liquids*, 187:137–156, 2013.
- [194] Hossein Sakhaeina, Vahid Taghikhani, Amir Hossein Jalili, Ali Mehdizadeh, and Ali Akbar Safekordi. Solubility of H_2S in 1-(2-hydroxyethyl)-3-methylimidazolium ionic liquids with different anions. *Fluid Phase Equilibria*, 298(2):303–309, 2010.
- [195] Lara GalÁN SÁnchez, Josep Ribé Espel, Ferdy Onink, G. Wytze Meindersma, and André B. de Haan. Density, viscosity, and surface tension of synthesis grade imidazolium, pyridinium, and pyrrolidinium based

- room temperature ionic liquids. *Journal of Chemical & Engineering Data*, 54(10):2803–2812, 2009.
- [196] Y.A. Sanmamed, D. González-Salgado, J. Troncoso, L. Romani, A. Baylaucq, and C. Boned. Experimental methodology for precise determination of density of RTILs as a function of temperature and pressure using vibrating tube densimeters. *The Journal of Chemical Thermodynamics*, 42(4):553–563, 2010.
- [197] Kenneth R. Seddon, Annegret Stark, and María-José Torres. Viscosity and density of 1-alkyl-3-methylimidazolium ionic liquids. In *ACS Symposium Series*, pages 34–49. American Chemical Society, 2002.
- [198] Shiro Seki, Seiji Tsuzuki, Kikuko Hayamizu, Yasuhiro Umebayashi, Nobuyuki Serizawa, Katsuhito Takei, and Hajime Miyashiro. Comprehensive refractive index property for room-temperature ionic liquids. *Journal of Chemical & Engineering Data*, 57(8):2211–2216, 2012.
- [199] Syed Nasir Shah, Kallidanthiyil Chellappan Lethesh, M. I. Abdul Mutalib, and Rashidah Binti Mohd Pilus. Evaluation of thermophysical properties of imidazolium-based phenolate ionic liquids. *Industrial & Engineering Chemistry Research*, 54(14):3697–3705, 2015.
- [200] Dongbei Shao, Xiaoxing Lu, Wenjun Fang, Yongsheng Guo, and Li Xu. Densities and viscosities for binary mixtures of the ionic liquid n-ethyl piperazinium propionate with n-alcohols at several temperatures. *Journal of Chemical & Engineering Data*, 57(3):937–942, 2012.
- [201] Mark B. Shiflett, Mark A. Harmer, Christopher P. Junk, and A. Yokozeki. Solubility and diffusivity of difluoromethane in room-temperature ionic liquids. *Journal of Chemical & Engineering Data*, 51(2):483–495, 2006.
- [202] Hideaki Shirota, Toshihiko Mandai, Hiroki Fukazawa, and Tatsuya Kato. Comparison between dicationic and monocationic ionic liquids: Liquid density, thermal properties, surface tension, and shear viscosity. *Journal of Chemical & Engineering Data*, 56(5):2453–2459, 2011.
- [203] Dayong Song and Jing Chen. Densities and viscosities for ionic liquids mixtures containing [eOHmim][BF₄], [bmim][BF₄] and [bpy][BF₄]. *The Journal of Chemical Thermodynamics*, 77:137–143, 2014.
- [204] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Surface tension and 0.1mpa densities of imidazolium-, pyridinium-, pyrrolidinium-, and piperidinium-based tris(pentafluoroethyl)trifluorophosphate ionic liquids. *Fluid Phase Equilibria*, 333:38–46, 2012.
- [205] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Measurements and group contribution analysis of 0.1mpa densities for still poorly studied ionic liquids with the [PF₆] and [NTf₂] anions. *The Journal of Chemical Thermodynamics*, 77:31–39, 2014.

- [206] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Surface tension and 0.1 mpa density data for 1- c_n -3-methylimidazolium iodides with $n = 3, 4,$ and $6,$ validated using a parachor and group contribution model. *The Journal of Chemical Thermodynamics*, 83:52–60, 2015.
- [207] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Surface tension and 0.1mpa density for members of homologous series of ionic liquids composed of imidazolium-, pyridinium-, and pyrrolidinium-based cations and of cyano-groups containing anions. *Fluid Phase Equilibria*, 406:181–193, 2015.
- [208] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Surface tension and 0.1mpa density of 1-alkyl-3-methylimidazolium tetrafluoroborates in a homologous series perspective. *The Journal of Chemical Thermodynamics*, 100:79–88, 2016.
- [209] S. Stevanovic and M.F. Costa Gomes. Solubility of carbon dioxide, nitrous oxide, ethane, and nitrogen in 1-butyl-1-methylpyrrolidinium and trihexyl(tetradecyl)phosphonium tris(pentafluoroethyl)trifluorophosphate (eFAP) ionic liquids. *The Journal of Chemical Thermodynamics*, 59:65–71, 2013.
- [210] Stéphane Stevanovic, Ajda Podgoršek, Agilio A. H. Pádua, and Margarida F. Costa Gomes. Effect of water on the carbon dioxide absorption by 1-alkyl-3-methylimidazolium acetate ionic liquids. *The Journal of Physical Chemistry B*, 116(49):14416–14425, 2012.
- [211] Ali Tagiuri, Kazi Z. Sumon, and Amr Henni. Solubility of carbon dioxide in three [tf2n] ionic liquids. *Fluid Phase Equilibria*, 380:39–47, 2014.
- [212] Ali Tagiuri, Kazi Z. Sumon, Amr Henni, Kourosh Zanganeh, and Ahmed Shafeen. Effect of cation on the solubility of carbon dioxide in three bis(fluorosulfonyl)imide low viscosity ([FSI]) ionic liquids. *Fluid Phase Equilibria*, 375:324–331, 2014.
- [213] Ryosuke Taguchi, Hiroshi Machida, Yoshiyuki Sato, and Richard L. Smith. High-pressure densities of 1-alkyl-3-methylimidazolium hexafluorophosphates and 1-alkyl-3-methylimidazolium tetrafluoroborates at temperatures from (313 to 473) k and at pressures up to 200 MPa. *Journal of Chemical & Engineering Data*, 54(1):22–27, 2009.
- [214] Duan-Jian Tao, Zheng Cheng, Feng-Feng Chen, Zhang-Min Li, Na Hu, and Xiang-Shu Chen. Synthesis and thermophysical properties of biocompatible cholinium-based amino acid ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1542–1548, 2013.
- [215] Ran Tao, George Tamas, Lianjie Xue, Sindee L. Simon, and Edward L. Quitevis. Thermophysical properties of imidazolium-based ionic liquids: The effect of aliphatic versus aromatic functionality. *Journal of Chemical & Engineering Data*, 59(9):2717–2724, 2014.

- [216] M. Tariq, P.A.S. Forte, M.F. Costa Gomes, J.N. Canongia Lopes, and L.P.N. Rebelo. Densities and refractive indices of imidazolium- and phosphonium-based ionic liquids: Effect of temperature, alkyl chain length, and anion. *The Journal of Chemical Thermodynamics*, 41(6):790–798, 2009.
- [217] Mohammad Tariq, Ana P. Serro, José L. Mata, Benilde Saramago, José M.S.S. Esperança, José N. Canongia Lopes, and Luís Paulo N. Rebelo. High-temperature surface tension and density measurements of 1-alkyl-3-methylimidazolium bistriflamide ionic liquids. *Fluid Phase Equilibria*, 294(1-2):131–138, 2010.
- [218] Craig M. Tenney, Marjorie Massel, Jason M. Mayes, Mihir Sen, Joan F. Brennecke, and Edward J. Maginn. A computational and experimental study of the heat transfer properties of nine different ionic liquids. *Journal of Chemical & Engineering Data*, 59(2):391–399, 2014.
- [219] Luciana I. N. Tomé, Pedro J. Carvalho, Mara G. Freire, Isabel M. Marucho, Isabel M. A. Fonseca, Abel G. M. Ferreira, João A. P. Coutinho, and Ramesh L. Gardas. Measurements and correlation of high-pressure densities of imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 53(8):1914–1921, 2008.
- [220] Luciana I. N. Tomé, Ramesh L. Gardas, Pedro J. Carvalho, Maria José Pastoriza-Gallego, Manuel M. Piñeiro, and João A. P. Coutinho. Measurements and correlation of high-pressure densities of phosphonium based ionic liquids. *Journal of Chemical & Engineering Data*, 56(5):2205–2217, 2011.
- [221] Daisuke Tomida, Satoshi Kenmochi, Kun Qiao, Takao Tsukada, and Chiaki Yokoyama. Densities and thermal conductivities of n-alkylpyridinium tetrafluoroborates at high pressure. *Fluid Phase Equilibria*, 340:31–36, 2013.
- [222] Jing Tong, Mei Hong, Wei Guan, Jing-Bin Li, and Jia-Zhen Yang. Studies on the thermodynamic properties of new ionic liquids: 1-methyl-3-pentylimidazolium salts containing metal of group III. *The Journal of Chemical Thermodynamics*, 38(11):1416–1421, 2006.
- [223] Jing Tong, Qing-Shan Liu, Peng Zhang, and Jia-Zhen Yang. Surface tension and density of 1-methyl-3-hexylimidazolium chloroindium. *Journal of Chemical & Engineering Data*, 52(4):1497–1500, 2007.
- [224] Aleksandar Tot, Stevan Armaković, Sanja Armaković, Slobodan Gadžurić, and Milan Vraneš. Kosmotropism of newly synthesized 1-butyl-3-methylimidazolium taurate ionic liquid: Experimental and computational study. *The Journal of Chemical Thermodynamics*, 94:85–95, 2016.

- [225] Tushar J. Trivedi, Pankaj Bharmoria, Tejwant Singh, and Arvind Kumar. Temperature dependence of physical properties of amino acid ionic liquid surfactants. *Journal of Chemical & Engineering Data*, 57(2):317–323, 2012.
- [226] Zahoor Ullah, M. Azmi Bustam, Nawshad Muhammad, Zakaria Man, and Amir Sada Khan. Synthesis and thermophysical properties of hydrogensulfate based acidic ionic liquids. *Journal of Solution Chemistry*, 44(3-4):875–889, 2015.
- [227] Ernesto Vercher, Pablo J. Miguel, Francisco J. Llopis, A. Vicent Orchillés, and Antoni Martínez-Andreu. Volumetric and acoustic properties of aqueous solutions of trifluoromethanesulfonate-based ionic liquids at several temperatures. *Journal of Chemical & Engineering Data*, 57(7):1953–1963, 2012.
- [228] Pedro Verdía, Marta Hernaiz, Emilio J. González, Eugénia A. Macedo, Josefa Salgado, and Emilia Tojo. Effect of the number, position and length of alkyl chains on the physical properties of polysubstituted pyridinium ionic liquids. *The Journal of Chemical Thermodynamics*, 69:19–26, 2014.
- [229] N.S.M. Vieira, A. Luís, P.M. Reis, P.J. Carvalho, J.A. Lopes da Silva, J.M.S.S. Esperança, J.M.M. Araújo, L.P.N. Rebelo, M.G. Freire, and A.B. Pereiro. Fluorination effects on the thermodynamic, thermophysical and surface properties of ionic liquids. *The Journal of Chemical Thermodynamics*, 97:354–361, 2016.
- [230] Joana Vitorino, Filipe Agapito, M. Fátima M. Piedade, Carlos E.S. Bernardes, Hermínio P. Diogo, João P. Leal, and Manuel E. Minas da Piedade. Thermochemistry of 1,1,3,3-tetramethylguanidine and 1,1,3,3-tetramethylguanidinium nitrate. *The Journal of Chemical Thermodynamics*, 77:179–189, 2014.
- [231] Moritz von Denffer, Thomas M. Klapötke, Gernot Kramer, Gunnar Spieß, Jan M. Welch, and Gerhard Heeb. Improved synthesis and x-ray structure of 5-aminotetrazolium nitrate. *Propellants, Explosives, Pyrotechnics*, 30(3):191–195, 2005.
- [232] Han Wang, Li Juan Yang, Yun qin Yang, Da-Wei Fang, and Shu liang Zang. Estimation physicochemical property of ionic liquid [smim][HSO₄] by semi-empirical method. *Fluid Phase Equilibria*, 360:7–9, 2013.
- [233] Junfeng Wang, Chunxi Li, Chong Shen, and Zihao Wang. Towards understanding the effect of electrostatic interactions on the density of ionic liquids. *Fluid Phase Equilibria*, 279(2):87–91, 2009.
- [234] Qiang Wang, Da wei Fang, Han Wang, Yu Liu, and Shu liang Zang. Property estimation of ionic Liquid N-pentylpyridine perchlorate. *Journal of Chemical & Engineering Data*, 56(4):1714–1717, 2011.

- [235] Zanxia Wang, Li Fu, Hui Xu, Ying Shang, Li Zhang, and Jianmin Zhang. Density, viscosity, and conductivity for the binary systems of water + dual amino-functionalized ionic liquids. *Journal of Chemical & Engineering Data*, 57(4):1057–1063, 2012.
- [236] Masaki Watanabe, Daisuke Kodama, Takashi Makino, and Mitsuhiro Kanakubo. CO₂ absorption properties of imidazolium based ionic liquids using a magnetic suspension balance. *Fluid Phase Equilibria*, 420:44–49, 2016.
- [237] Masaki Watanabe, Daisuke Kodama, Takashi Makino, and Mitsuhiro Kanakubo. Density, viscosity, and electrical conductivity of protic amidium bis(trifluoromethanesulfonyl)amide ionic liquids. *Journal of Chemical & Engineering Data*, 61(12):4215–4221, 2016.
- [238] Jie Wei, Chun Chang, Yingying Zhang, Shuyan Hou, Dawei Fang, and Wei Guan. Prediction of thermophysical properties of novel ionic liquids based on serine [c n mim][ser] (n = 3, 4) using semiempirical methods. *The Journal of Chemical Thermodynamics*, 90:310–316, 2015.
- [239] Ying Wei, Yi Jin, Zhi-Jing Wu, Yang Yang, Qing-Guo Zhang, and Zhen-Hui Kang. Synthesis and physicochemical properties of amino acid ionic liquid 1-butyl-3-methylimidazolium aspartate and binary mixture with methanol. *Journal of Chemical & Engineering Data*, 58(2):349–356, 2013.
- [240] Ying Wei, Qing-Guo Zhang, Yang Liu, Xiaorui Li, Suoyuan Lian, and Zhenhui Kang. Physicochemical property estimation of an ionic liquid based on glutamic acid-BMIGlu. *Journal of Chemical & Engineering Data*, 55(7):2616–2619, 2010.
- [241] Da wei Fang, Qiang Yan, Du Li, Li-Xin Xia, and Shu-Liang Zang. Estimation of physicochemical properties of 1-alkyl-3-methylimidazolium glutamate. *The Journal of Chemical Thermodynamics*, 79:12–18, 2014.
- [242] Michał Wlazło, Monika Karpińska, and Urszula Domańska. Thermodynamics and selectivity of separation based on activity coefficients at infinite dilution of various solutes in 1-allyl-3-methylimidazolium bis{(trifluoromethyl)sulfonyl}imide ionic liquid. *The Journal of Chemical Thermodynamics*, 102:39–47, 2016.
- [243] Michał Wlazło and Andrzej Marciniak. Ternary liquid-liquid equilibria of trifluorotris(perfluoroethyl)phosphate based ionic liquids+benzothiophene+heptane. *Fluid Phase Equilibria*, 361:54–59, 2014.
- [244] Michał Wlazło, Andrzej Marciniak, Maciej Zawadzki, and Barbara Dudkiewicz. Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid 4-(3-hydroxypropyl)-4-methylmorpholinium bis(trifluoromethylsulfonyl)-amide. *The Journal of Chemical Thermodynamics*, 86:154–161, 2015.

- [245] Tzi-Yi Wu, Yi-Hsuan Wang, Shyh-Gang Su, Yuan-Chung Lin, Chung-Wen Kuo, Jeng-Kuei Chang, and I-Wen Sun. Influence of LiTFSI addition on conductivity, diffusion coefficient, spin-lattice relaxation times, and chemical shift of one-dimensional NMR spectroscopy in LiTFSI-doped dual-functionalized imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 60(3):471–483, 2015.
- [246] Nannan Xing, Bing Dai, Xiaoxue Ma, Jie Wei, Yi Pan, and Wei Guan. The molar surface gibbs energy and prediction of surface tension of [c n py][DCA] (n = 3, 4, 5). *The Journal of Chemical Thermodynamics*, 95:21–25, 2016.
- [247] Airong Xu, Jianji Wang, Yajuan Zhang, and Qingtai Chen. Effect of alkyl chain length in anions on thermodynamic and surface properties of 1-butyl-3-methylimidazolium carboxylate ionic liquids. *Industrial & Engineering Chemistry Research*, 51(8):3458–3465, 2012.
- [248] Airong Xu, Yajuan Zhang, Zhiyong Li, and Jianji Wang. Effect of substituent groups in anions on some physicochemical properties of 1-butyl-3-methylimidazolium carboxylate ionic liquids. *Journal of Chemical & Engineering Data*, 58(9):2496–2501, 2013.
- [249] Airong Xu, Yajuan Zhang, Zhiyong Li, and Jianji Wang. Densities and conductivities of seven 1-allyl-3-methylimidazolium carboxylate ionic liquids. *Journal of Molecular Liquids*, 214:192–195, 2016.
- [250] Yingjie Xu. Volumetric, viscosity, and electrical conductivity properties of aqueous solutions of two n-butylammonium-based protic ionic liquids at several temperatures. *The Journal of Chemical Thermodynamics*, 64:126–133, 2013.
- [251] Yingjie Xu, Bin Chen, Wu Qian, and Haoran Li. Properties of pure n-butylammonium nitrate ionic liquid and its binary mixtures of with alcohols at t=(293.15 to 313.15)k. *The Journal of Chemical Thermodynamics*, 58:449–459, 2013.
- [252] H. Xue and J. M. Shreeve. Energetic ionic liquids from azido derivatives of 1,2,4-triazole. *Advanced Materials*, 17(17):2142–2146, 2005.
- [253] Hong Xue, Sean W. Arritt, Brendan Twamley, and Jean’ne M. Shreeve. Energetic salts from N-aminoazoles. *Inorganic Chemistry*, 43(25):7972–7977, 2004.
- [254] Hong Xue, Ye Gao, Brendan Twamley, and Jean’ne M. Shreeve. New energetic salts based on nitrogen-containing heterocycles. *Chemistry of Materials*, 17(1):191–198, 2005.
- [255] Lianjie Xue, Eshan Gurung, George Tamas, Yung P. Koh, Michael Shadeck, Sinee L. Simon, Mark Maroncelli, and Edward L. Quitevis. Effect of alkyl chain branching on physicochemical properties of

- imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 61(3):1078–1091, 2016.
- [256] Tomohiro Yasuda, Hiroshi Kinoshita, Muhammed Shah Miran, Seiji Tsuzuki, and Masayoshi Watanabe. Comparative study on physico-chemical properties of protic ionic liquids based on allylammonium and propylammonium cations. *Journal of Chemical & Engineering Data*, 58(10):2724–2732, 2013.
- [257] Jian ying Wang, Xiang jing Zhang, Yong qi Hu, Guo di Qi, and Li ya Liang. Properties of n-butylpyridinium nitrate ionic liquid and its binary mixtures with water. *The Journal of Chemical Thermodynamics*, 45(1):43–47, 2012.
- [258] A. Yokozeki, Mark B. Shiflett, Christopher P. Junk, Liane M. Grieco, and Thomas Foo. Physical and chemical absorptions of carbon dioxide in room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 112(51):16654–16663, 2008.
- [259] Brian Yoo, Waheed Afzal, and John M. Prausnitz. Henry’s constants and activity coefficients of some organic solutes in 1-butyl,3-methylimidazolium hydrogen sulfate and in 1-methyl,3-trimethylsilylmethylimidazolium chloride. *The Journal of Chemical Thermodynamics*, 57:178–181, 2013.
- [260] Zhichao Yu, Haiyan Gao, Haijun Wang, and Lianwei Chen. Densities, viscosities, and refractive properties of the binary mixtures of the amino acid ionic liquid [bmim][ala] with methanol or benzylalcohol at $T = (298.15 \text{ to } 313.15) \text{ K}$. *Journal of Chemical & Engineering Data*, 56(6):2877–2883, 2011.
- [261] Normawati M. Yunus, M.I. Abdul Mutalib, Zakaria Man, Mohamad Azmi Bustam, and T. Murugesan. Thermophysical properties of 1-alkylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquids. *The Journal of Chemical Thermodynamics*, 42(4):491–495, 2010.
- [262] Shu-Liang Zang, Qing-Guo Zhang, Ming Huang, Bin Wang, and Jia-Zhen Yang. Studies on the properties of ionic liquid EMInCl₄. *Fluid Phase Equilibria*, 230(1-2):192–196, 2005.
- [263] Ramzi Zarrougui, Nouredine Raouafi, and Daniel Lemordant. New series of green cyclic ammonium-based room temperature ionic liquids with alkylphosphite-containing anion: Synthesis and physicochemical characterization. *Journal of Chemical & Engineering Data*, 59(4):1193–1201, 2014.
- [264] Maciej Zawadzki and Urszula Domańska. Thermodynamic properties of the n-octylquinolinium bis{(trifluoromethyl)sulfonyl}imide. *The Journal of Chemical Thermodynamics*, 48:276–283, 2012.

- [265] Maciej Zawadzki, Marta Królikowska, and Paweł Lipiński. Physicochemical and thermodynamic characterization of *n*-alkyl-*n*-methylpyrrolidinium bromides and its aqueous solutions. *Thermochimica Acta*, 589:148–157, 2014.
- [266] Nebojša Zec, Marija Bešter-Rogač, Milan Vraneš, and Slobodan Gadžurić. Physicochemical properties of (1-butyl-1-methylpyrrolidinium dicyanamide + γ -butyrolactone) binary mixtures. *The Journal of Chemical Thermodynamics*, 91:327–335, 2015.
- [267] Li-Jun Zhang, Zhi-Cheng Tan, Jing-Tao Chen, and You-Ying Di. Crystal structures and thermochemical properties of *n*-nonylammonium dihydrogen phosphate $C_{9}H_{19}NH_3 \cdot H_2PO_4(s)$ and *n*-octylammonium dihydrogen phosphate $C_8H_{17}NH_3 \cdot H_2PO_4(s)$. *Journal of Chemical & Engineering Data*, 56(12):4491–4498, 2011.
- [268] Qingguo Zhang, Yalin Lan, Hongwei Liu, Xinyuan Zhang, Xuelei Zhang, and Ying Wei. Estimation and structural effect on physicochemical properties of alkylimidazolium-based ionic liquids with different anions. *Journal of Chemical & Engineering Data*, 61(6):2002–2012, 2016.
- [269] Qinghua Zhang, Zuopeng Li, Juan Zhang, Shiguo Zhang, Laiying Zhu, Jing Yang, Xiaoping Zhang, and Youquan Deng. Physicochemical properties of nitrile-functionalized ionic liquids. *The Journal of Physical Chemistry B*, 111(11):2864–2872, 2007.
- [270] Zhigang Zhang, Angran Hu, Tao Zhang, Qinqin Zhang, Zeqiang Yang, and Wenxiu Li. Isobaric vapor-liquid equilibrium for methyl acetate+methanol system containing different ionic liquids at 101.3kpa. *Fluid Phase Equilibria*, 408:20–26, 2016.
- [271] Yansong Zhao, Xiangping Zhang, Shaojuan Zeng, Qing Zhou, Haifeng Dong, Xiao Tian, and Suojiang Zhang. Density, viscosity, and performances of carbon dioxide capture in 16 absorbents of amine + ionic liquid + H_2O , ionic liquid + H_2O , and amine + H_2O systems. *Journal of Chemical & Engineering Data*, 55(9):3513–3519, 2010.
- [272] Qing Zhou, Yuting Song, Yinghao Yu, Hongyan He, and Suojiang Zhang. Density and excess molar volume for binary mixtures of naphthenic acid ionic liquids and ethanol. *Journal of Chemical & Engineering Data*, 55(3):1105–1108, 2010.
- [273] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: Aliphatic quaternary ammonium salts with perfluoroalkyltrifluoroborates. *Chemistry - A European Journal*, 11(2):752–766, 2005.

- [274] Abobakr K. Ziyada, M. Azmi Bustam, Cecilia D. Wilfred, and Thanapalan Murugesan. Densities, viscosities, and refractive indices of 1-hexyl-3-propanenitrile imidazolium ionic liquids incorporated with sulfonate-based anions. *Journal of Chemical & Engineering Data*, 56(5):2343–2348, 2011.
- [275] Abobakr K. Ziyada and Cecilia D. Wilfred. Effect of temperature and anion on densities, viscosities, and refractive indices of 1-octyl-3-propanenitrile imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 59(5):1385–1390, 2014.
- [276] Abobakr K. Ziyada, Cecilia D. Wilfred, M. Azmi Bustam, Zakaria Man, and Thanapalan Murugesan. Thermophysical properties of 1-propyronitrile-3-alkylimidazolium bromide ionic liquids at temperatures from (293.15 to 353.15) k. *Journal of Chemical & Engineering Data*, 55(9):3886–3890, 2010.
- [277] Abobakr K. Ziyada, Cecilia D. Wilfred, and Thanapalan Murugesan. Densities, viscosities and refractive indices of 1-alkyl-3-propanenitrile imidazolium chloride ionic liquids. *Physics and Chemistry of Liquids*, 50(2):152–160, 2012.
- [278] Abobakr Khidir Ziyada and Cecilia Devi Wilfred. Physical properties of ionic liquids consisting of 1-butyl-3-propanenitrile- and 1-decyl-3-propanenitrile imidazolium-based cations: Temperature dependence and influence of the anion. *Journal of Chemical & Engineering Data*, 59(4):1232–1239, 2014.
- [279] Amit D. Zodge, Petra Bombicz, Edit Székely, György Pokol, and János Madarász. Structural, analytical and DSC references to resolution of 2-methoxy-2-phenylacetic acid with chiral 1-cyclohexylethylamines through gas-antisolvent precipitation. *Thermochimica Acta*, 648:23–31, 2017.
- [280] Mohamed Zoubeik and Amr Henni. Experimental and thermodynamic study of CO₂ solubility in promising [TF₂n and DCN] ionic liquids. *Fluid Phase Equilibria*, 376:22–30, 2014.
- [281] Mohamed Zoubeik, Mohammed Mohamedali, and Amr Henni. Experimental solubility and thermodynamic modeling of CO₂ in four new imidazolium and pyridinium-based ionic liquids. *Fluid Phase Equilibria*, 419:67–74, 2016.
- [282] Melek Canbulat Özdemir and Beytiye Özgün. Phenyl/alkyl-substituted-3,5-dimethylpyrazolium ionic liquids. *Journal of Molecular Liquids*, 200:129–135, 2014.
- [283] Melek Canbulat Özdemir and Beytiye Özgün. Tunable aryl alkyl ionic liquids (TAAILs) based on 1-aryl-3,5-dimethyl-1h-pyrazoles. *Journal of Molecular Liquids*, 248:314–321, 2017.

Surface Tension

- [1] Hugo F. D. Almeida, Helena Passos, José A. Lopes da Silva, Ana M. Fernandes, Mara G. Freire, and João A. P. Coutinho. Thermophysical properties of five acetate-based ionic liquids. *Journal of Chemical & Engineering Data*, 57(11):3005–3013, 2012.
- [2] Hugo F.D. Almeida, Pedro J. Carvalho, Kiki A. Kurnia, José A. Lopes da Silva, João A.P. Coutinho, and Mara G. Freire. Surface tensions of ionic liquids: Non-regular trend along the number of cyano groups. *Fluid Phase Equilibria*, 409:458–465, 2016.
- [3] Hugo F.D. Almeida, José A. Lopes da Silva, Mara G. Freire, and João A.P. Coutinho. Surface tension and refractive index of pure and water-saturated tetradecyltriethylphosphonium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 57:372–379, 2013.
- [4] Hugo F.D. Almeida, Ana Rita R. Teles, José A. Lopes da Silva, Mara G. Freire, and João A.P. Coutinho. Influence of the anion on the surface tension of 1-ethyl-3-methylimidazolium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 54:49–54, 2012.
- [5] Mohammad S. AlTuwaim, Khaled H. A. E. Alkhalidi, Adel S. Al-Jimaz, and Abubaker A. Mohammad. Temperature dependence of physicochemical properties of imidazolium-, pyrrolidinium-, and phosphonium-based ionic liquids. *Journal of Chemical & Engineering Data*, 59(6):1955–1963, 2014.
- [6] Mérièm Anouti, Johan Jacquemin, and Daniel Lemordant. Volumetric properties, viscosities, and isobaric heat capacities of imidazolium octanoate protic ionic liquid in molecular solvents. *Journal of Chemical & Engineering Data*, 55(12):5719–5728, 2010.
- [7] Isabel Bandrés, Beatriz Giner, Héctor Artigas, Carlos Lafuente, and Félix M. Royo. Thermophysical properties of N-octyl-3-methylpyridinium tetrafluoroborate. *Journal of Chemical & Engineering Data*, 54(2):236–240, 2009.

- [8] Isabel Bandrés, Beatriz Giner, Héctor Artigas, Félix M. Royo, and Carlos Lafuente. Thermophysical comparative study of two isomeric pyridinium-based ionic liquids. *The Journal of Physical Chemistry B*, 112(10):3077–3084, 2008.
- [9] Isabel Bandrés, Beatriz Giner, Ignacio Gascón, Miguel Castro, and Carlos Lafuente. Physicochemical characterization of n-butyl-3-methylpyridinium dicyanamide ionic liquid. *The Journal of Physical Chemistry B*, 112(39):12461–12467, 2008.
- [10] Isabel Bandrés, M. Carmen López, Miguel Castro, Joaquín Barberá, and Carlos Lafuente. Thermophysical properties of 1-propylpyridinium tetrafluoroborate. *The Journal of Chemical Thermodynamics*, 44(1):148–153, 2012.
- [11] Isabel Bandrés, Gorca Pera, Santiago Martín, Miguel Castro, and Carlos Lafuente. Thermophysical study of 1-butyl-2-methylpyridinium tetrafluoroborate ionic liquid. *The Journal of Physical Chemistry B*, 113(35):11936–11942, 2009.
- [12] Isabel Bandrés, Félix M. Royo, Ignacio Gascón, Miguel Castro, and Carlos Lafuente. Anion influence on thermophysical properties of ionic liquids: 1-butylpyridinium tetrafluoroborate and 1-butylpyridinium triflate. *The Journal of Physical Chemistry B*, 114(10):3601–3607, 2010.
- [13] Javier Benito, Mónica García-Mardones, Víctor Pérez-Gregorio, Ignacio Gascón, and Carlos Lafuente. Physicochemical study of n-ethylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquid. *Journal of Solution Chemistry*, 43(4):696–710, 2014.
- [14] Arijit Bhattacharjee, Pedro J. Carvalho, and João A.P. Coutinho. The effect of the cation aromaticity upon the thermophysical properties of piperidinium- and pyridinium-based ionic liquids. *Fluid Phase Equilibria*, 375:80–88, 2014.
- [15] Arijit Bhattacharjee, José A. Lopes da Silva, Mara G. Freire, João A.P. Coutinho, and Pedro J. Carvalho. Thermophysical properties of phosphonium-based ionic liquids. *Fluid Phase Equilibria*, 400:103–113, 2015.
- [16] Arijit Bhattacharjee, Andreia Luís, João H. Santos, José A. Lopes da Silva, Mara G. Freire, Pedro J. Carvalho, and João A.P. Coutinho. Thermophysical properties of sulfonium- and ammonium-based ionic liquids. *Fluid Phase Equilibria*, 381:36 – 45, 2014.
- [17] Bożena Bittner, Rafal J. Wrobel, and Eugeniusz Milchert. Physical properties of pyridinium ionic liquids. *The Journal of Chemical Thermodynamics*, 55:159–165, 2012.

- [18] Gonçalo V. S. M. Carrera, Carlos A. M. Afonso, and Luis C. Branco. Interfacial properties, densities, and contact angles of task specific ionic liquids. *Journal of Chemical & Engineering Data*, 55(2):609–615, 2010.
- [19] Pedro J. Carvalho, Mara G. Freire, Isabel M. Marrucho, António J. Queimada, and João A. P. Coutinho. Surface tensions for the 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide ionic liquids. *Journal of Chemical & Engineering Data*, 53(6):1346–1350, 2008.
- [20] Pedro J. Carvalho, Catarina M. S. S. Neves, and João A. P. Coutinho. Surface tensions of bis(trifluoromethylsulfonyl)imide anion-based ionic liquids. *Journal of Chemical & Engineering Data*, 55(9):3807–3812, 2010.
- [21] María C. Castro, Héctor Rodríguez, Alberto Arce, and Ana Soto. Mixtures of ethanol and the ionic liquid 1-ethyl-3-methylimidazolium acetate for the fractionated solubility of biopolymers of lignocellulosic biomass. *Industrial & Engineering Chemistry Research*, 53(29):11850–11861, 2014.
- [22] Pratap K. Chhotaray and Ramesh L. Gardas. Structural dependence of protic ionic liquids on surface, optical, and transport properties. *Journal of Chemical & Engineering Data*, 60(6):1868–1877, 2015.
- [23] Carlos A. Nieto de Castro, Elisa Langa, Ana L. Morais, Manuel L. Matos Lopes, Maria J.V. Lourenço, Fernando J.V. Santos, M. Soledade C.S. Santos, José N. Canongia Lopes, Helena I.M. Veiga, Mafalda Macatrão, José M.S.S. Esperança, Carolina S. Marques, Luís P.N. Rebelo, and Carlos A.M. Afonso. Studies on the density, heat capacity, surface tension and infinite dilution diffusion with the ionic liquids [c4mim][NTf2], [c4mim][dca], [c2mim][EtOSO3] and [aliquat][dca]. *Fluid Phase Equilibria*, 294(1-2):157–179, 2010.
- [24] Urszula Domańska, Marek Królikowski, Maciej Zawadzki, and Agnieszka Wróblewska. Phase equilibrium investigation with ionic liquids and selectivity in separation of 2-phenylethanol from water. *The Journal of Chemical Thermodynamics*, 102:357–366, 2016.
- [25] Urszula Domańska, Katarzyna Skiba, Maciej Zawadzki, Kamil Padászyński, and Marek Królikowski. Synthesis, physical, and thermodynamic properties of 1-alkyl-cyanopyridinium bis{(trifluoromethyl)sulfonyl}imide ionic liquids. *The Journal of Chemical Thermodynamics*, 56:153–161, 2013.
- [26] Urszula Domańska, Maciej Zawadzki, and Anna Lewandrowska. Effect of temperature and composition on the density, viscosity, surface tension, and thermodynamic properties of binary mixtures of n-octylisoquinolinium bis{(trifluoromethyl)sulfonyl}imide with alcohols. *The Journal of Chemical Thermodynamics*, 48:101–111, 2012.

- [27] Sergei V. Dzyuba and Richard A. Bartsch. Influence of structural variations in 1-alkyl(aralkyl)-3-methylimidazolium hexafluorophosphates and bis(trifluoromethylsulfonyl)imides on physical properties of the ionic liquids. *ChemPhysChem*, 3(2):161–166, 2002.
- [28] Carlos E. Ferreira, Nieves M.C. Talavera-Prieto, Isabel M.A. Fonseca, António T.G. Portugal, and Abel G.M. Ferreira. Measurements of pVT, viscosity, and surface tension of trihexyltetradecylphosphonium tris(pentafluoroethyl)trifluorophosphate ionic liquid and modelling with equations of state. *The Journal of Chemical Thermodynamics*, 47:183–196, 2012.
- [29] S. Isobel Fletcher, Fiona B. Sillars, Nicholas E. Hudson, and Peter J. Hall. Physical properties of selected ionic liquids for use as electrolytes and other industrial applications. *Journal of Chemical & Engineering Data*, 55(2):778–782, 2010.
- [30] María García-Andreu, Miguel Castro, Ignacio Gascón, and Carlos Lafuente. Thermophysical characterization of 1-ethylpyridinium triflate and comparison with similar ionic liquids. *The Journal of Chemical Thermodynamics*, 103:395–402, 2016.
- [31] Mónica García-Mardones, Isabel Bandrés, M. Carmen López, Ignacio Gascón, and Carlos Lafuente. Experimental and theoretical study of two pyridinium-based ionic liquids. *Journal of Solution Chemistry*, 41(10):1836–1852, 2012.
- [32] Monika Geppert-Rybczyńska, Jochen K. Lehmann, and Andreas Heintz. Physicochemical properties of two 1-alkyl-1-methylpyrrolidinium bis[(trifluoromethyl)sulfonyl]imide ionic liquids and of binary mixtures of 1-butyl-1-methylpyrrolidinium bis[(trifluoromethyl)sulfonyl]imide with methanol or acetonitrile. *The Journal of Chemical Thermodynamics*, 71:171–181, 2014.
- [33] Ouahid Ben Ghanem, M.I. Abdul Mutalib, Jean-Marc Lévêque, Girma Gonfa, Chong Fai Kait, and Mohanad El-Harbawi. Studies on the physicochemical properties of ionic liquids based on 1-octyl-3-methylimidazolium amino acids. *Journal of Chemical & Engineering Data*, 60(6):1756–1763, 2015.
- [34] Mohammad Hadi Ghatee, Maryam Bahrami, and Neda Khanjari. Measurement and study of density, surface tension, and viscosity of quaternary ammonium-based ionic liquids ([n222(n)]tf2n). *The Journal of Chemical Thermodynamics*, 65:42–52, 2013.
- [35] Mohammad Hadi Ghatee and Amin Reza Zolghadr. Surface tension measurements of imidazolium-based ionic liquids at liquid-vapor equilibrium. *Fluid Phase Equilibria*, 263(2):168–175, 2008.

- [36] Tamar L. Greaves, Asoka Weerawardena, Celesta Fong, Irena Krodkiewska, and Calum J. Drummond. Protic ionic liquids: solvents with tunable phase behavior and physicochemical properties. *The Journal of Physical Chemistry B*, 110(45):22479–22487, 2006.
- [37] Wei Guan, Jing Tong, San-Ping Chen, Qing-Shan Liu, and Sheng-Li Gao. Density and surface tension of amino acid ionic liquid 1-alkyl-3-methylimidazolium glutamate. *Journal of Chemical & Engineering Data*, 55(9):4075–4079, 2010.
- [38] Benjamin Hasse, Julia Lehmann, Daniel Assenbaum, Peter Wasserscheid, Alfred Leipertz, and Andreas Paul Fröba. Viscosity, interfacial tension, density, and refractive index of ionic liquids [EMIM][MeSO₃], [EMIM][MeOHPO₂], [EMIM][OcSO₄], and [BBIM][NTf₂] in dependence on temperature at atmospheric pressure. *Journal of Chemical & Engineering Data*, 54(9):2576–2583, 2009.
- [39] Mei Hong, Ao Sun, Chun Liu, Wei Guan, Jing Tong, and Jia-Zhen Yang. Physico-chemical properties of 1-alkyl-3-methylimidazolium propionate ionic liquids {[cnmim][pro](n = 3, 4, 5, 6)} from 288.15 k to 328.15 k. *Industrial & Engineering Chemistry Research*, 52(44):15679–15683, 2013.
- [40] Mei Hong, Ao Sun, Qi Yang, Wei Guan, Jing Tong, and Jia-Zhen Yang. Studies on properties of ionic liquids 1-alkyl-3-methylimidazolium lactate at temperatures from (288.15 to 333.15)k. *The Journal of Chemical Thermodynamics*, 67:91–98, 2013.
- [41] M. Ismail Hossain, Moulay-Rachid Babaa, Mohanad El-Harbawi, Zakaria Man, Glenn Hefter, and Chun-Yang Yin. Synthesis, characterization, physical properties, and cytotoxicities of 1-(6-hydroxyhexyl)-3-alkylimidazolium chloride ionic liquids. *Journal of Chemical & Engineering Data*, 56(11):4188–4193, 2011.
- [42] Muna Hassan Ibrahim, Maan Hayyan, Mohd Ali Hashim, Adeeb Hayyan, and Mohamed K. Hadj-Kali. Physicochemical properties of piperidinium, ammonium, pyrrolidinium and morpholinium cations based ionic liquids paired with bis(trifluoromethylsulfonyl)imide anion. *Fluid Phase Equilibria*, 427:18–26, 2016.
- [43] Haichao Jiang, Jianying Wang, Fengyun Zhao, Guodi Qi, and Yongqi Hu. Volumetric and surface properties of pure ionic liquid n-octyl-pyridinium nitrate and its binary mixture with alcohol. *The Journal of Chemical Thermodynamics*, 47:203–208, 2012.
- [44] Haichao Jiang, Ying Zhao, Jianying Wang, Fengyun Zhao, Runjing Liu, and Yongqi Hu. Density and surface tension of pure ionic liquid 1-butyl-3-methyl-imidazolium l-lactate and its binary mixture with alcohol and water. *The Journal of Chemical Thermodynamics*, 64:1–13, 2013.

- [45] Hui Jin, Bernie O’Hare, Jing Dong, Sergei Arzhantsev, Gary A. Baker, James F. Wishart, Alan J. Benesi, and Mark Maroncelli. Physical properties of ionic liquids consisting of the 1-butyl-3-methylimidazolium cation with various anions and the bis(trifluoromethylsulfonyl)imide anion with various cations. *The Journal of Physical Chemistry B*, 112(1):81–92, 2008.
- [46] Zhu Jiqin, Chen Jian, Li Chengyue, and Fei Weiyang. Viscosities and interfacial properties of 1-methyl-3-butylimidazolium hexafluorophosphate and 1-isobutenyl-3-methylimidazolium tetrafluoroborate ionic liquids. *Journal of Chemical & Engineering Data*, 52(3):812–816, 2007.
- [47] Prem Kilaru, Gary A. Baker, and Paul Scovazzo. Density and surface tension measurements of imidazolium-, quaternary phosphonium-, and ammonium-based room-temperature ionic liquids: data and correlations. *Journal of Chemical & Engineering Data*, 52(6):2306–2314, 2007.
- [48] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. Surface tension measurements for four 1-alkyl-3-methylimidazolium-based ionic liquids with hexafluorophosphate anion. *Journal of Chemical & Engineering Data*, 54(4):1389–1394, 2009.
- [49] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. Surface tension measurements with validated accuracy for four 1-alkyl-3-methylimidazolium based ionic liquids. *The Journal of Chemical Thermodynamics*, 42(3):323–329, 2010.
- [50] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. Temperature dependence of the surface tension and density at 0.1 MPa for 1-ethyl- and 1-butyl-3-methylimidazolium dicyanamide. *Journal of Chemical & Engineering Data*, 56(8):3454–3462, 2011.
- [51] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. Low temperature densities from (218 to 364) K and up to 50 MPa in pressure and surface tension for trihexyl(tetradecyl)phosphonium bis(trifluoromethylsulfonyl)imide and dicyanamide and 1-hexyl-3-methylimidazolium hexafluorophosphate. *Journal of Chemical & Engineering Data*, 59(7):2263–2274, 2014.
- [52] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. Group contribution and parachor analysis of experimental data on densities and surface tension for six ionic liquids with the [PF₆] anion. *Fluid Phase Equilibria*, 385:62–71, 2015.
- [53] Jaroslav Klomfar, Monika Součková, and Jaroslav Pátek. Surface tension and density for members of four ionic liquid homologous series containing a pyridinium based-cation and the bis(trifluoromethylsulfonyl)imide anion. *Fluid Phase Equilibria*, 431:24–33, 2017.

- [54] Thomas M. Koller, Michael H. Rausch, Kaija Pohako-Esko, Peter Wasserscheid, and Andreas P. Fröba. Surface tension of tricyanomethanide- and tetracyanoborate-based imidazolium ionic liquids by using the pendant drop method. *Journal of Chemical & Engineering Data*, 60(9):2665–2673, 2015.
- [55] Marek Królikowski, Marta Królikowska, and Cezary Wiśniewski. Separation of aliphatic from aromatic hydrocarbons and sulphur compounds from fuel based on measurements of activity coefficients at infinite dilution for organic solutes and water in the ionic liquid *n*, *n*-diethyl-*n*-methyl-*n*-(2-methoxy-ethyl)ammonium bis(trifluoromethylsulfonyl)imide. *The Journal of Chemical Thermodynamics*, 103:115–124, 2016.
- [56] Anil Kumar. Experimental surface tensions and derived surface activities of the nitrobenzene-fused tetra-*n*-butyl ammonium picrate system from 364.1 to 393.1 k over full composition range. *Fluid Phase Equilibria*, 165(1):79–86, 1999.
- [57] Kiki A. Kurnia, M. I. Abdul Mutalib, and Bambang Ariwahjoedi. Estimation of physicochemical properties of ionic liquids [h2n-c2mim][BF4] and [h2n-c3mim][BF4]. *Journal of Chemical & Engineering Data*, 56(5):2557–2562, 2011.
- [58] Kiki A. Kurnia, M. I. Abdul Mutalib, Zakaria Man, and M. Azmi Bustam. Density and surface tension of ionic liquids [h2n-c2mim][PF6] and [h2n-c3mim][PF6]. *Journal of Chemical & Engineering Data*, 57(11):2923–2927, 2012.
- [59] Marcos Larriba, Silvia García, Julián García, José S. Torrecilla, and Francisco Rodríguez. Thermophysical properties of 1-ethyl-3-methylimidazolium 1,1,2,2-tetrafluoroethanesulfonate and 1-ethyl-3-methylimidazolium ethylsulfate ionic liquids as a function of temperature. *Journal of Chemical & Engineering Data*, 56(9):3589–3597, 2011.
- [60] George Law and Philip R. Watson. Surface tension measurements of *N*-alkylimidazolium ionic liquids. *Langmuir*, 17(20):6138–6141, 2001.
- [61] Kallidanthiyil Chellappan Lethesh, Syed Nasir Shah, and M. I. Abdul Mutalib. Synthesis, characterization, and thermophysical properties of 1,8-diazobicyclo[5.4.0]undec-7-ene based thiocyanate ionic liquids. *Journal of Chemical & Engineering Data*, 59(6):1788–1795, 2014.
- [62] Qing-Shan Liu, Zhuo Li, Urs Welz-Biermann, Chang-Ping Li, and Xiao-Xia Liu. Thermodynamic properties of a new hydrophobic amide-based task-specific ionic liquid [EimCH2conhbu][NTf2]. *Journal of Chemical & Engineering Data*, 58(1):93–98, 2012.
- [63] Qing-Shan Liu, Miao Yang, Pei-Fang Yan, Xiu-Mei Liu, Zhi-Cheng Tan, and Urs Welz-Biermann. Density and surface tension of ionic liquids

- [cnpy][NTf2] (n= 2, 4, 5). *Journal of Chemical & Engineering Data*, 55(11):4928–4930, 2010.
- [64] Xiao-Xue Ma, Jie Wei, Wei Guan, Yi Pan, Ling Zheng, Yang Wu, and Jia-Zhen Yang. Ionic parachor and its application to pyridinium-based ionic liquids of {[cnpy][DCA] (n=2,3,4,5,6)}. *The Journal of Chemical Thermodynamics*, 89:51–59, 2015.
- [65] Xiao-Xue Ma, Jie Wei, Qiu-Bo Zhang, Fang Tian, Ying-Ying Feng, and Wei Guan. Prediction of thermophysical properties of acetate-based ionic liquids using semiempirical methods. *Industrial & Engineering Chemistry Research*, 52(27):9490–9496, 2013.
- [66] Marina S. Manic, Eugénia A. Macedo, and Vesna Najdanovic-Visak. Trihexyl(tetradecyl)phosphonium bromide: Liquid density, surface tension and solubility of carbondioxide. *Fluid Phase Equilibria*, 324:8–12, 2012.
- [67] Łukasz Marcinkowski, Adam Kloskowski, and Jacek Namieśnik. Physical and thermophysical properties of 1-hexyl-1,4-diaza[2.2.2]bicyclooctanium bis(trifluoromethylsulfonyl)imide ionic liquid. *Journal of Chemical & Engineering Data*, 59(3):585–591, 2014.
- [68] W. Martino, J. Fernandez de la Mora, Y. Yoshida, G. Saito, and J. Wilkes. Surface tension measurements of highly conducting ionic liquids. *Green Chemistry*, 8(4):390, 2006.
- [69] Wytze (G.W.) Meindersma, Tim van Acker, and André B. de Haan. Physical properties of 3-methyl-n-butylpyridinium tricyanomethanide and ternary LLE data with an aromatic and an aliphatic hydrocarbon at t=(303.2 and 328.2)k and p=0.1mpa. *Fluid Phase Equilibria*, 307(1):30–38, 2011.
- [70] Nan nan Ren, Yin hui Gong, Ying zhou Lu, Hong Meng, and Chun xi Li. Surface tension measurements for seven imidazolium-based dialkylphosphate ionic liquids and their binary mixtures with water (methanol or ethanol) at 298.15 k and 1 atm. *Journal of Chemical & Engineering Data*, 59(2):189–196, 2014.
- [71] Pablo Navarro, Marcos Larriba, Julián García, and Francisco Rodríguez. Thermal stability, specific heats, and surface tensions of ([emim][DCA]+[4empy][tf2n]) ionic liquid mixtures. *The Journal of Chemical Thermodynamics*, 76:152–160, 2014.
- [72] Yi Pan, Ling Zheng, Nannan Xing, Hongxiang Ji, and Wei Guan. The molar surface gibbs free energy and estimate of polarity for a new ether-functionalized ionic liquid [c 2 2o1im][DCA]. *The Journal of Chemical Thermodynamics*, 112:213–219, 2017.

- [73] Sarwar Ahmad Pandit, Mudasir Ahmad Rather, Sajad Ahmad Bhat, Ghulam Mohd Rather, and Mohsin Ahmad Bhat. Influence of the anion on the equilibrium and transport properties of 1-butyl-3-methylimidazolium based room temperature ionic liquids. *Journal of Solution Chemistry*, 45(12):1641–1658, 2016.
- [74] José Restolho, José L. Mata, and Benilde Saramago. Choline based ionic liquids: Interfacial properties of RTILs with strong hydrogen bonding. *Fluid Phase Equilibria*, 322-323:142–147, 2012.
- [75] José Restolho, José L. Mata, and Benilde Saramago. Choline based ionic liquids: Interfacial properties of RTILs with strong hydrogen bonding. *Fluid Phase Equilibria*, 322-323:142–147, 2012.
- [76] José Restolho, Ana P. Serro, José L. Mata, and Benilde Saramago. Viscosity and surface tension of 1-ethanol-3-methylimidazolium tetrafluoroborate and 1-methyl-3-octylimidazolium tetrafluoroborate over a wide temperature range. *Journal of Chemical & Engineering Data*, 54(3):950–955, 2009.
- [77] E. Rilo, M. Domínguez-Pérez, J. Vila, L.M. Varela, and O. Cabeza. Surface tension of four binary systems containing (1-ethyl-3-methyl imidazolium alkyl sulphate ionic liquid+water or + ethanol). *The Journal of Chemical Thermodynamics*, 49:165–171, 2012.
- [78] Ana S.M.C. Rodrigues, Hugo F.D. Almeida, Mara G. Freire, José A. Lopes da Silva, João A.P. Coutinho, and Luís M.N.B.F. Santos. The effect of n vs. iso isomerization on the thermophysical properties of aromatic and non-aromatic ionic liquids. *Fluid Phase Equilibria*, 423:190–202, 2016.
- [79] Lara Galán Sánchez, Josep Ribé Espel, Ferdyn Onink, G. Wytze Meindersma, and André B. de Haan. Density, viscosity, and surface tension of synthesis grade imidazolium, pyridinium, and pyrrolidinium based room temperature ionic liquids. *Journal of Chemical & Engineering Data*, 54(10):2803–2812, 2009.
- [80] Luisa Segade, Manuel Cabanas, Montserrat Domínguez-Pérez, Esther Rilo, Sandra García-Garabal, Mireille Turmine, Luis M. Varela, Víctor Gómez-González, Borja Docampo-Alvarez, and Oscar Cabeza. Surface and bulk characterisation of mixtures containing alkylammonium nitrates and water or ethanol: Experimental and simulated properties at 298.15 K. *Journal of Molecular Liquids*, 222:663–670, 2016.
- [81] Syed Nasir Shah, Kallidanthiyil Chellappan Lethesh, M. I. Abdul Mutalib, and Rashidah Binti Mohd Pilus. Evaluation of thermophysical properties of imidazolium-based phenolate ionic liquids. *Industrial & Engineering Chemistry Research*, 54(14):3697–3705, 2015.

- [82] Mojtaba Shamsipur, Ali Akbar Miran Beigi, Mohammad Teymouri, Sayed Mahdi Pourmortazavi, and Mohsen Irandoust. Physical and electrochemical properties of ionic liquids 1-ethyl-3-methylimidazolium tetrafluoroborate, 1-butyl-3-methylimidazolium trifluoromethanesulfonate and 1-butyl-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide. *Journal of Molecular Liquids*, 157(1):43–50, 2010.
- [83] Hideaki Shirota, Toshihiko Mandai, Hiroki Fukazawa, and Tatsuya Kato. Comparison between dicationic and monocationic ionic liquids: Liquid density, thermal properties, surface tension, and shear viscosity. *Journal of Chemical & Engineering Data*, 56(5):2453–2459, 2011.
- [84] Manish Pratap Singh, Satish Kumar Mandal, Yogendra Lal Verma, Abhishek Kumar Gupta, Rajendra Kumar Singh, and Suresh Chandra. Viscoelastic, surface, and volumetric properties of ionic liquids [BMIM][O₂CSO₄], [BMIM][PF₆], and [EMIM][MeSO₃]. *Journal of Chemical & Engineering Data*, 59(8):2349–2359, 2014.
- [85] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Surface tension of 1-alkyl-3-methylimidazolium based ionic liquids with trifluoromethanesulfonate and tetrafluoroborate anion. *Fluid Phase Equilibria*, 303(2):184–190, 2011.
- [86] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Surface tension and 0.1mpa densities of imidazolium-, pyridinium-, pyrrolidinium-, and piperidinium-based tris(pentafluoroethyl)trifluorophosphate ionic liquids. *Fluid Phase Equilibria*, 333:38–46, 2012.
- [87] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Temperature dependence of the surface tension and 0.1mpa density for 1-cn-3-methylimidazolium tris(pentafluoroethyl)trifluorophosphate with n=2, 4, and 6. *The Journal of Chemical Thermodynamics*, 48:267–275, 2012.
- [88] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Surface tension and 0.1mpa density data for 1-cn-3-methylimidazolium iodides with n=3, 4, and 6, validated using a parachor and group contribution model. *The Journal of Chemical Thermodynamics*, 83:52 – 60, 2015.
- [89] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Surface tension and 0.1mpa density for members of homologous series of ionic liquids composed of imidazolium-, pyridinium-, and pyrrolidinium-based cations and of cyano-groups containing anions. *Fluid Phase Equilibria*, 406:181–193, 2015.
- [90] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Surface tension and 0.1mpa density of 1-alkyl-3-methylimidazolium tetrafluoroborates in a homologous series perspective. *The Journal of Chemical Thermodynamics*, 100:79–88, 2016.

- [91] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Group contribution and parachor analysis of experimental data on density and surface tension for members of the homologous series of 1-c -3-methylimidazolium chlorides. *Fluid Phase Equilibria*, 454:43–56, 2017.
- [92] Monika Součková, Jaroslav Klomfar, and Jaroslav Pátek. Group contribution and parachor analysis of experimental data on density and surface tension for members of the homologous series of 1-c -3-methylimidazolium chlorides. *Fluid Phase Equilibria*, 454:43–56, 2017.
- [93] Yimei Tang, Xiaoling Hu, Ping Guan, Tian Tian, and Shuangjie Wang. Investigation of surface properties and solubility of 1-vinyl-3-alkyl/esterimidazolium halide ionic liquids by density functional methods. *Journal of Chemical & Engineering Data*, 59(8):2464–2471, 2014.
- [94] Yimei Tang, Xiaoling Hu, Ping Guan, Tian Tian, and Shuangjie Wang. Investigation of surface properties and solubility of 1-vinyl-3-alkyl/esterimidazolium halide ionic liquids by density functional methods. *Journal of Chemical & Engineering Data*, 59(8):2464–2471, 2014.
- [95] Mohammad Tariq, Ana P. Serro, José L. Mata, Benilde Saramago, José M.S.S. Esperança, José N. Canongia Lopes, and Luís Paulo N. Rebelo. High-temperature surface tension and density measurements of 1-alkyl-3-methylimidazolium bistriflamide ionic liquids. *Fluid Phase Equilibria*, 294(1-2):131–138, 2010.
- [96] Jing Tong, Mei Hong, Wei Guan, Jing-Bin Li, and Jia-Zhen Yang. Studies on the thermodynamic properties of new ionic liquids: 1-methyl-3-pentylimidazolium salts containing metal of group III. *The Journal of Chemical Thermodynamics*, 38(11):1416–1421, 2006.
- [97] Jing Tong, Qing-Shan Liu, Yu-Xia Kong, Da-Wei Fang, Urs Welz-Biermann, and Jia-Zhen Yang. Physicochemical properties of an ionic liquid [c2mim][b(CN)4]. *Journal of Chemical & Engineering Data*, 55(9):3693–3696, 2010.
- [98] Jing Tong, Qing-Shan Liu, Pan-Pan Wang, Urs Welz-Biermann, and Jia-Zhen Yang. Surface tension and density of ionic liquid n-butylpyridinium heptachlorodialuminate. *Journal of Chemical & Engineering Data*, 56(10):3722–3724, 2011.
- [99] Jing Tong, Qing-Shan Liu, Peng Zhang, and Jia-Zhen Yang. Surface tension and density of 1-methyl-3-hexylimidazolium chloroindium. *Journal of Chemical & Engineering Data*, 52(4):1497–1500, 2007.
- [100] José S. Torrecilla, José Palomar, Julián García, and Francisco Rodríguez. Effect of cationic and anionic chain lengths on volumetric, transport, and surface properties of 1-alkyl-3-methylimidazolium alkylsulfate ionic liquids at (298.15 and 313.15) K. *Journal of Chemical & Engineering Data*, 54(4):1297–1301, 2009.

- [101] Zahoor Ullah, M. Azmi Bustam, Nawshad Muhammad, Zakaria Man, and Amir Sada Khan. Synthesis and thermophysical properties of hydrogensulfate based acidic ionic liquids. *Journal of Solution Chemistry*, 44(3-4):875–889, 2015.
- [102] N.S.M. Vieira, A. Luís, P.M. Reis, P.J. Carvalho, J.A. Lopes da Silva, J.M.S.S. Esperança, J.M.M. Araújo, L.P.N. Rebelo, M.G. Freire, and A.B. Pereiro. Fluorination effects on the thermodynamic, thermophysical and surface properties of ionic liquids. *The Journal of Chemical Thermodynamics*, 97:354–361, 2016.
- [103] Han Wang, Li Juan Yang, Yun qin Yang, Da-Wei Fang, and Shu liang Zang. Estimation physicochemical property of ionic liquid [smim][HSO₄] by semi-empirical method. *Fluid Phase Equilibria*, 360:7–9, 2013.
- [104] Jian-Ying Wang, Feng-Yun Zhao, Yu-Min Liu, Xiao-Ling Wang, and Yong-Qi Hu. Thermophysical properties of pure 1-ethyl-3-methylimidazolium methylsulphate and its binary mixtures with alcohols. *Fluid Phase Equilibria*, 305(2):114–120, 2011.
- [105] Jie Wei, Chun Chang, Yingying Zhang, Shuyan Hou, Dawei Fang, and Wei Guan. Prediction of thermophysical properties of novel ionic liquids based on serine [c n mim][ser] (n = 3, 4) using semiempirical methods. *The Journal of Chemical Thermodynamics*, 90:310–316, 2015.
- [106] Ying Wei, Yi Jin, Zhi-Jing Wu, Yang Yang, Qing-Guo Zhang, and Zhen-Hui Kang. Synthesis and physicochemical properties of amino acid ionic liquid 1-butyl-3-methylimidazolium aspartate and binary mixture with methanol. *Journal of Chemical & Engineering Data*, 58(2):349–356, 2013.
- [107] Ying Wei, Qing-Guo Zhang, Yang Liu, Xiaorui Li, Suoyuan Lian, and Zhenhui Kang. Physicochemical property estimation of an ionic liquid based on glutamic acid-BMIGlu. *Journal of Chemical & Engineering Data*, 55(7):2616–2619, 2010.
- [108] Da wei Fang, Qiang Yan, Du Li, Li-Xin Xia, and Shu-Liang Zang. Estimation of physicochemical properties of 1-alkyl-3-methylimidazolium glutamate. *The Journal of Chemical Thermodynamics*, 79:12–18, 2014.
- [109] Nan Nan Xing, Ben Han Fan, Xiao Xue Bu, Jie Wei, Yi Pan, and Wei Guan. Study on thermophysical properties for aqueous solutions of ionic liquid n-ethyl-pyridine dicyanamide [c 2 py][DCA]. *Journal of Molecular Liquids*, 219:390–395, 2016.
- [110] Nannan Xing, Bing Dai, Xiaoxue Ma, Jie Wei, Yi Pan, and Wei Guan. The molar surface gibbs energy and prediction of surface tension of [c n py][DCA] (n = 3, 4, 5). *The Journal of Chemical Thermodynamics*, 95:21–25, 2016.

- [111] Airong Xu, Jianji Wang, Yajuan Zhang, and Qingtai Chen. Effect of alkyl chain length in anions on thermodynamic and surface properties of 1-butyl-3-methylimidazolium carboxylate ionic liquids. *Industrial & Engineering Chemistry Research*, 51(8):3458–3465, 2012.
- [112] Airong Xu, Yajuan Zhang, Zhiyong Li, and Jianji Wang. Effect of substituent groups in anions on some physicochemical properties of 1-butyl-3-methylimidazolium carboxylate ionic liquids. *Journal of Chemical & Engineering Data*, 58(9):2496–2501, 2013.
- [113] Jian ying Wang, Hai chao Jiang, Yu min Liu, and Yong qi Hu. Density and surface tension of pure 1-ethyl-3-methylimidazolium l-lactate ionic liquid and its binary mixtures with water. *The Journal of Chemical Thermodynamics*, 43(5):800–804, 2011.
- [114] Jian ying Wang, Xiang jing Zhang, Yong qi Hu, Guo di Qi, and Li ya Liang. Properties of n-butylpyridinium nitrate ionic liquid and its binary mixtures with water. *The Journal of Chemical Thermodynamics*, 45(1):43–47, 2012.
- [115] Jian ying Wang, Feng-Yun Zhao, Run jing Liu, and Yong qi Hu. Thermophysical properties of 1-methyl-3-methylimidazolium dimethylphosphate and 1-ethyl-3-methylimidazolium diethylphosphate. *The Journal of Chemical Thermodynamics*, 43(1):47–50, 2011.
- [116] Shu-Liang Zang, Qing-Guo Zhang, Ming Huang, Bin Wang, and Jia-Zhen Yang. Studies on the properties of ionic liquid EMInCl₄. *Fluid Phase Equilibria*, 230(1-2):192–196, 2005.
- [117] Duo Zhang, Ye Qu, Yan-Yan Gong, Jing Tong, Da-Wei Fang, and Jian Tong. Physicochemical properties of [c n mim][thr] (n = 3, 5, 6) amino acid ionic liquids. *The Journal of Chemical Thermodynamics*, 115:47–51, 2017.
- [118] Qing-Guo Zhang, Ying Wei, Si-Si Sun, Chang Wang, Miao Yang, Qing-Shan Liu, and Yan-An Gao. Study on thermodynamic properties of ionic liquid n-butyl-3-methylpyridinium bis(trifluoromethylsulfonyl)imide. *Journal of Chemical & Engineering Data*, 57(8):2185–2190, 2012.
- [119] Qingguo Zhang, Yalin Lan, Hongwei Liu, Xinyuan Zhang, Xuelei Zhang, and Ying Wei. Estimation and structural effect on physicochemical properties of alkylimidazolium-based ionic liquids with different anions. *Journal of Chemical & Engineering Data*, 61(6):2002–2012, 2016.
- [120] Qinghua Zhang, Zuopeng Li, Juan Zhang, Shiguo Zhang, Laiying Zhu, Jing Yang, Xiaoping Zhang, and Youquan Deng. Physicochemical properties of nitrile-functionalized ionic liquids. *The Journal of Physical Chemistry B*, 111(11):2864–2872, 2007.

Heat Capacity

- [1] Martin Allen, D. Fennell Evans, and Rufus Lumry. Thermodynamic properties of the ethylammonium nitrate + water system: Partial molar volumes, heat capacities, and expansivities. *Journal of Solution Chemistry*, 14(8):549–560, 1985.
- [2] Mérièm Anouti, Magaly Caillon-Caravanier, Yosra Dridi, Johan Jacquemin, Christopher Hardacre, and Daniel Lemordant. Liquid densities, heat capacities, refractive index and excess quantities for protic ionic liquids+water binary system. *The Journal of Chemical Thermodynamics*, 41(6):799–808, 2009.
- [3] Mérièm Anouti, Johan Jacquemin, and Daniel Lemordant. Volumetric properties, viscosities, and isobaric heat capacities of imidazolium octanoate protic ionic liquid in molecular solvents. *Journal of Chemical & Engineering Data*, 55(12):5719–5728, 2010.
- [4] Santiago Aparicio, Rafael Alcalde, Begoña García, and José M. Leal. High-pressure study of the methylsulfate and tosylate imidazolium ionic liquids. *The Journal of Physical Chemistry B*, 113(16):5593–5606, 2009.
- [5] Isabel Bandrés, Beatriz Giner, Héctor Artigas, Carlos Lafuente, and Félix M. Royo. Thermophysical properties of N-octyl-3-methylpyridinium tetrafluoroborate[†]. *Journal of Chemical & Engineering Data*, 54(2):236–240, 2009.
- [6] Isabel Bandrés, Beatriz Giner, Héctor Artigas, Félix M. Royo, and Carlos Lafuente. Thermophysical comparative study of two isomeric pyridinium-based ionic liquids. *The Journal of Physical Chemistry B*, 112(10):3077–3084, 2008.
- [7] Isabel Bandrés, M. Carmen López, Miguel Castro, Joaquín Barberá, and Carlos Lafuente. Thermophysical properties of 1-propylpyridinium tetrafluoroborate. *The Journal of Chemical Thermodynamics*, 44(1):148–153, 2012.
- [8] Isabel Bandrés, Gorika Pera, Santiago Martín, Miguel Castro, and Carlos Lafuente. Thermophysical study of 1-butyl-2-methylpyridinium tetrafluoroborate ionic liquid. *The Journal of Physical Chemistry B*, 113(35):11936–11942, 2009.

- [9] Isabel Bandrés, Félix M. Royo, Ignacio Gascón, Miguel Castro, and Carlos Lafuente. Anion influence on thermophysical properties of ionic liquids: 1-butylpyridinium tetrafluoroborate and 1-butylpyridinium triflate. *The Journal of Physical Chemistry B*, 114(10):3601–3607, 2010.
- [10] Javier Benito, Mónica García-Mardones, Víctor Pérez-Gregorio, Ignacio Gascón, and Carlos Lafuente. Physicochemical study of n-ethylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquid. *Journal of Solution Chemistry*, 43(4):696–710, 2014.
- [11] Noelia Calvar, Elena Gómez, Eugénia A. Macedo, and Ángeles Domínguez. Thermal analysis and heat capacities of pyridinium and imidazolium ionic liquids. *Thermochimica Acta*, 565:178–182, 2013.
- [12] Gregory Chatel, Laurent Leclerc, Emmanuel Naffrechoux, Corine Bas, Nathalie Kardos, Catherine Goux-Henry, Bruno Andriolletti, and Micheline Draye. Ultrasonic properties of hydrophobic bis(trifluoromethylsulfonyl)imide-based ionic liquids. *Journal of Chemical & Engineering Data*, 57(12):3385–3390, 2012.
- [13] Jacob M. Crosthwaite, Mark J. Muldoon, JaNeille K. Dixon, Jessica L. Anderson, and Joan F. Brennecke. Phase transition and decomposition temperatures, heat capacities and viscosities of pyridinium ionic liquids. *The Journal of Chemical Thermodynamics*, 37(6):559–568, 2005.
- [14] M.M. Cruz, R.P. Borges, M. Godinho, C.S. Marques, E. Langa, A.P.C. Ribeiro, M.J.V. Lourenço, F.J.V. Santos, C.A. Nieto de Castro, M. Macatrão, M. Tariq, J.M.S.S. Esperança, J.N. Canongia Lopes, C.A.M. Afonso, and L.P.N. Rebelo. Thermophysical and magnetic studies of two paramagnetic liquid salts: [c4mim][FeCl4] and [p66614][FeCl4]. *Fluid Phase Equilibria*, 350:43–50, 2013.
- [15] María J. Dávila, Santiago Aparicio, Rafael Alcalde, Begoña García, and José M. Leal. On the properties of 1-butyl-3-methylimidazolium octylsulfate ionic liquid. *Green Chem.*, 9(3):221–232, 2007.
- [16] Anja Diedrichs and Jürgen Gmehling. Measurement of heat capacities of ionic liquids by differential scanning calorimetry. *Fluid Phase Equilibria*, 244(1):68–77, 2006.
- [17] Urszula Domańska and Rafał Bogel-Łukasik. Physicochemical properties and solubility of alkyl-(2-hydroxyethyl)-dimethylammonium bromide†. *The Journal of Physical Chemistry B*, 109(24):12124–12132, 2005.
- [18] Urszula Domańska, Katarzyna Skiba, Maciej Zawadzki, Kamil Paduszyński, and Marek Królikowski. Synthesis, physical, and thermodynamic properties of 1-alkyl-cyanopyridinium bis(trifluoromethyl)sulfonylimide ionic liquids. *The Journal of Chemical Thermodynamics*, 56:153–161, 2013.

- [19] Urszula Domańska, Maciej Zawadzki, and Magdalena Zwolińska. Thermophysical properties and phase equilibria study of the binary systems N-hexylquinolinium bis(trifluoromethylsulfonyl)imide+aromatic hydrocarbons, or an alcohol. *The Journal of Chemical Thermodynamics*, 43(5):775–781, 2011.
- [20] Vladimir N. Emel'yanenko, Sergey P. Verevkin, and Andreas Heintz. Pyridinium based ionic liquids. n-butyl-3-methyl-pyridinium dicyanoamide: Thermochemical measurement and first-principles calculations. *Thermochimica Acta*, 514(1-2):28–31, 2011.
- [21] Vladimir N. Emel'yanenko, Dzmitry H. Zaitsau, Sergey P. Verevkin, and Andreas Heintz. Imidazolium based ionic liquids. 1-ethanol-3-methyl-imidazolium dicyanoamide: Thermochemical measurement and first-principles calculations. *Thermochimica Acta*, 518(1-2):107–110, 2011.
- [22] Vladimir N. Emel'yanenko, Dzmitry H. Zaitsau, Sergey P. Verevkin, Andreas Heintz, Karsten Voß, and Axel Schulz. Vaporization and formation enthalpies of 1-alkyl-3-methylimidazolium tricyanomethanides. *The Journal of Physical Chemistry B*, 115(40):11712–11717, 2011.
- [23] A.G.M. Ferreira, P.N. Simões, A.F. Ferreira, M.A. Fonseca, M.S.A. Oliveira, and A.S.M. Trino. Transport and thermal properties of quaternary phosphonium ionic liquids and IoNanofluids. *The Journal of Chemical Thermodynamics*, 64:80–92, 2013.
- [24] André F. Ferreira, Pedro N. Simões, and Abel G.M. Ferreira. Quaternary phosphonium-based ionic liquids: Thermal stability and heat capacity of the liquid phase. *The Journal of Chemical Thermodynamics*, 45(1):16–27, 2012.
- [25] Lindsay E. Ficke, Robert R. Novak, and Joan F. Brennecke. Thermodynamic and thermophysical properties of ionic liquid + water systems. *Journal of Chemical & Engineering Data*, 55(11):4946–4950, 2010.
- [26] Lindsay E. Ficke, Héctor Rodríguez, and Joan F. Brennecke. Heat capacities and excess enthalpies of 1-ethyl-3-methylimidazolium-based ionic liquids and water. *Journal of Chemical & Engineering Data*, 53(9):2112–2119, 2008.
- [27] Mara G. Freire, Ana Rita R. Teles, Marisa A. A. Rocha, Bernd Schröder, Catarina M. S. S. Neves, Pedro J. Carvalho, Dmitry V. Evtuguin, Luís M. N. B. F. Santos, and João A. P. Coutinho. Thermophysical characterization of ionic liquids able to dissolve biomass. *Journal of Chemical & Engineering Data*, 56(12):4813–4822, 2011.
- [28] María García-Andreu, Miguel Castro, Ignacio Gascón, and Carlos Lafuente. Thermophysical characterization of 1-ethylpyridinium triflate and comparison with similar ionic liquids. *The Journal of Chemical Thermodynamics*, 103:395–402, 2016.

- [29] Mónica García-Mardones, Isabel Bandrés, M. Carmen López, Ignacio Gascón, and Carlos Lafuente. Experimental and theoretical study of two pyridinium-based ionic liquids. *Journal of Solution Chemistry*, 41(10):1836–1852, 2012.
- [30] Ramesh L. Gardas, Rile Ge, Peter Goodrich, Christopher Hardacre, Azlan Hussain, and David W. Rooney. Thermophysical properties of amino acid-based ionic liquids. *Journal of Chemical & Engineering Data*, 55(4):1505–1515, 2010.
- [31] Rile Ge, Christopher Hardacre, Johan Jacquemin, Paul Nancarrow, and David W. Rooney. Heat capacities of ionic liquids as a function of temperature at 0.1 MPa. measurement and prediction. *Journal of Chemical & Engineering Data*, 53(9):2148–2153, 2008.
- [32] Ouahid Ben Ghanem, M.I. Abdul Mutalib, Jean-Marc Lévêque, Girma Gonfa, Chong Fai Kait, and Mohanad El-Harbawi. Studies on the physicochemical properties of ionic liquids based on 1-octyl-3-methylimidazolium amino acids. *Journal of Chemical & Engineering Data*, 60(6):1756–1763, 2015.
- [33] Elena Gómez, Noelia Calvar, Ángeles Domínguez, and Eugénia A. Macedo. Thermal analysis and heat capacities of 1-alkyl-3-methylimidazolium ionic liquids with NTf₂⁻, TFO⁻, and DCA⁻ anions. *Industrial & Engineering Chemistry Research*, 52(5):2103–2110, 2013.
- [34] Begoña González and Emilio J. González. Physical properties of the pure 1-methyl-1-propylpyrrolidinium bis(trifluoromethylsulfonyl)imide ionic liquid and its binary mixtures with alcohols. *The Journal of Chemical Thermodynamics*, 68:109–116, 2014.
- [35] Emilio J. González, Ángeles Domínguez, and Eugenia A. Macedo. Physical and excess properties of eight binary mixtures containing water and ionic liquids. *Journal of Chemical & Engineering Data*, 57(8):2165–2176, 2012.
- [36] Emilio J. González, Begoña González, and Eugénia A. Macedo. Thermophysical properties of the pure ionic liquid 1-butyl-1-methylpyrrolidinium dicyanamide and its binary mixtures with alcohols. *Journal of Chemical & Engineering Data*, 58(6):1440–1448, 2013.
- [37] Zongbao He, Zongchang Zhao, Xiaodong Zhang, and Hao Feng. Thermodynamic properties of new heat pump working pairs: 1,3-dimethylimidazolium dimethylphosphate and water, ethanol and methanol. *Fluid Phase Equilibria*, 298(1):83–91, 2010.
- [38] Hui-Chun Hu, Allan N. Soriano, Rhoda B. Leron, and Meng-Hui Li. Molar heat capacity of four aqueous ionic liquid mixtures. *Thermochimica Acta*, 519(1-2):44–49, 2011.

- [39] Thomas J. Hughes, Tauqir Syed, Brendan F. Graham, Kenneth N. Marsh, and Eric F. May. Heat capacities and low temperature thermal transitions of 1-hexyl and 1-octyl-3-methylimidazolium bis(trifluoromethylsulfonyl)amide. *Journal of Chemical & Engineering Data*, 56(5):2153–2159, 2011.
- [40] Gennady J. Kabo, Andrey V. Blokhin, Yauheni U. Paulechka, Andrey G. Kabo, Marina P. Shymanovich, and Joseph W. Magee. Thermodynamic properties of 1-butyl-3-methylimidazolium hexafluorophosphate in the condensed state. *Journal of Chemical & Engineering Data*, 49(3):453–461, 2004.
- [41] Massoud Kermanioryani, M. Ibrahim A. Mutalib, Yue Dong, Kallidanthiyil Chellappan Lethesh, Ouahid Ben Omar Ben Ghanem, Kiki Adi Kurnia, Noor Fathanah Aminuddin, and Jean-Marc Leveque. Physicochemical properties of new imidazolium-based ionic liquids containing aromatic group. *Journal of Chemical & Engineering Data*, 61(6):2020–2026, 2016.
- [42] Marta Królikowska, Kamil Paduszyński, and Maciej Zawadzki. Measurements, correlations, and predictions of thermodynamic properties of n-octylisoquinolinium thiocyanate ionic liquid and its aqueous solutions. *Journal of Chemical & Engineering Data*, 58(2):285–293, 2013.
- [43] Marcos Larriba, Pablo Navarro, Jean-Baptiste Beigbeder, Julián García, and Francisco Rodríguez. Mixing and decomposition behavior of [4bmpy][Tf2N]+[emim][EtSO4] and [4bmpy][Tf2N]+[emim][TFES] ionic liquid mixtures. *The Journal of Chemical Thermodynamics*, 82:58–75, 2015.
- [44] José Laynez, Birgitta Ringnér, and Stig Sunner. On the accuracy of rotating-bomb combustion calorimetry for organic chlorine and bromine compounds. *The Journal of Chemical Thermodynamics*, 2(4):603–610, 1970.
- [45] Ji-Guang Li, Yu-Feng Hu, Shan Ling, and Jin-Zhu Zhang. Physicochemical properties of [c6mim][PF6] and [c6mim][(c2f5)3pf3] ionic liquids. *Journal of Chemical & Engineering Data*, 56(7):3068–3072, 2011.
- [46] Qing-Shan Liu, Zhi-Cheng Tan, Urs Welz-Biermann, and Xiao-Xia Liu. Molar heat capacity and thermodynamic properties of n-alkylpyridinium hexafluorophosphate salts, [cnpy][PF6] (n=2, 3, 5). *The Journal of Chemical Thermodynamics*, 68:82–89, 2014.
- [47] Qing-Shan Liu, Jun-Ning Zhao, Jing Tong, Li-Xian Sun, Zhi-Cheng Tan, and Urs Welz-Biermann. Thermodynamic properties of 1-propyl-3-methylimidazolium glutamic acid salt. *Journal of Chemical & Engineering Data*, 55(9):4036–4038, 2010.

- [48] Karolina Machanová, Zdeněk Wagner, Adéla Andresová, Jan Rotrekl, Aurélien Boisset, Johan Jacquemin, and Magdalena Bendová. Thermal properties of alkyl-triethylammonium bis(trifluoromethyl)sulfonyl imide ionic liquids. *Journal of Solution Chemistry*, 44(3-4):790–810, 2015.
- [49] Maria Mahrova, Miguel Vilas, Ángeles Domínguez, Elena Gómez, Noelia Calvar, and Emilia Tojo. Physicochemical characterization of new sulfonate and sulfate ammonium ionic liquids. *Journal of Chemical & Engineering Data*, 57(2):241–248, 2012.
- [50] Takashi Makino, Mitsuhiro Kanakubo, Yoshio Masuda, and Hiroshi Mukaiyama. Physical and CO₂-absorption properties of imidazolium ionic liquids with tetracyanoborate and bis(trifluoromethanesulfonyl)amide anions. *Journal of Solution Chemistry*, 43(9-10):1601–1613, 2014.
- [51] Kenneth N. Marsh, Joan F. Brennecke, Robert D. Chirico, Michael Frenkel, Andreas Heintz, Joseph W. Magee, Cor J. Peters, Luis Paulo N. Rebelo, and Kenneth R. Seddon. Thermodynamic and thermophysical properties of the reference ionic liquid: 1-hexyl-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]amide (including mixtures). part 1. experimental methods and results (IUPAC technical report). *Pure and Applied Chemistry*, 81(5):781–790, 2009.
- [52] G.W. Meindersma, Bart T.J. Simons, and André B. de Haan. Physical properties of 3-methyl-n-butylpyridinium tetracyanoborate and 1-butyl-1-methylpyrrolidinium tetracyanoborate and ternary LLE data of [3-mebupy]^b(CN)₄ with an aromatic and an aliphatic hydrocarbon at $t=303.2\text{k}$ and 328.2k and $p=0.1\text{mpa}$. *The Journal of Chemical Thermodynamics*, 43(11):1628–1640, 2011.
- [53] Wytze (G.W.) Meindersma, Tim van Acker, and André B. de Haan. Physical properties of 3-methyl-n-butylpyridinium tricyanomethanide and ternary LLE data with an aromatic and an aliphatic hydrocarbon at $t=(303.2\text{ and }328.2)\text{k}$ and $p=0.1\text{mpa}$. *Fluid Phase Equilibria*, 307(1):30–38, 2011.
- [54] Pablo Navarro, Marcos Larriba, Julián García, and Francisco Rodríguez. Thermal stability, specific heats, and surface tensions of ([emim][DCA]+[4empy][tf2n]) ionic liquid mixtures. *The Journal of Chemical Thermodynamics*, 76:152–160, 2014.
- [55] Pablo Navarro, Marcos Larriba, Ester Rojo, Julián García, and Francisco Rodríguez. Thermal properties of cyano-based ionic liquids. *Journal of Chemical & Engineering Data*, 58(8):2187–2193, 2013.
- [56] Patrycja Okuniewska, Deresh Ramjugernath, Paramespri Naidoo, and Urszula Domańska. Solubility of ionic liquids in 2-phenylethanol (PEA) and water. *Fluid Phase Equilibria*, 376:55–63, 2014.

- [57] Eugene Paulechka, Andrey V. Blokhin, Ana S.M.C. Rodrigues, Marisa A.A. Rocha, and Luís M.N.B.F. Santos. Thermodynamics of long-chain 1-alkyl-3-methylimidazolium bis(trifluoromethanesulfonyl)imide ionic liquids. *The Journal of Chemical Thermodynamics*, 97:331 – 340, 2016.
- [58] Yauheni U. Paulechka and Andrey V. Blokhin. Low-temperature heat capacity and derived thermodynamic properties for 1-methyl-3-propylimidazolium bromide and 1-butyl-3-methylimidazolium iodide. *The Journal of Chemical Thermodynamics*, 79:94–99, 2014.
- [59] Yauheni U. Paulechka, Andrey V. Blokhin, and Gennady J. Kabo. Evaluation of thermodynamic properties for non-crystallizable ionic liquids. *Thermochimica Acta*, 604:122–128, 2015.
- [60] Yauheni U. Paulechka, Andrey G. Kabo, Andrey V. Blokhin, Gennady J. Kabo, and Marina P. Shevelyova. Heat capacity of ionic liquids: Experimental determination and correlations with molar volume. *Journal of Chemical & Engineering Data*, 55(8):2719–2724, 2010.
- [61] Y.U. Paulechka, G.J. Kabo, A.V. Blokhin, A.S. Shaplov, E.I. Lozinskaya, and Ya.S. Vygodskii. Thermodynamic properties of 1-alkyl-3-methylimidazolium bromide ionic liquids. *The Journal of Chemical Thermodynamics*, 39(1):158–166, 2007.
- [62] Ch. Jagadeeswara Rao, R. Venkata Krishnan, K. A. Venkatesan, K. Nagarajan, and T. G. Srinivasan. Thermochemical properties of some bis(trifluoromethyl-sulfonyl)imide based room temperature ionic liquids. *Journal of Thermal Analysis and Calorimetry*, 97(3):937–943, 2009.
- [63] Marisa A.A. Rocha, Miguel Vilas, Ana S.M.C. Rodrigues, Emilia Tojo, and Luís M.N.B.F. Santos. Physicochemical properties of 2-alkyl-1-ethylpyridinium based ionic liquids. *Fluid Phase Equilibria*, 428:112–120, 2016.
- [64] Ana S.M.C. Rodrigues, Hugo F.D. Almeida, Mara G. Freire, José A. Lopes da Silva, João A.P. Coutinho, and Luís M.N.B.F. Santos. The effect of n vs. iso isomerization on the thermophysical properties of aromatic and non-aromatic ionic liquids. *Fluid Phase Equilibria*, 423:190–202, 2016.
- [65] Yolanda A. Sanmamed, Paloma Navia, Diego González-Salgado, Jacobo Troncoso, and Luis Romani. Pressure and temperature dependence of isobaric heat capacity for [emim][BF₄], [bmim][BF₄], [hmim][BF₄], and [omim][BF₄][†]. *Journal of Chemical & Engineering Data*, 55(2):600–604, 2010.
- [66] Paulo B.P. Serra, Filipe M.S. Ribeiro, Marisa A.A. Rocha, Michal Fulem, Květoslav Růžička, and Luís M.N.B.F. Santos. Phase behavior and heat capacities of the 1-benzyl-3-methylimidazolium ionic liquids. *The Journal of Chemical Thermodynamics*, 100:124–130, 2016.

- [67] Syed Nasir Shah, Kallidanthiyil Chellappan Lethesh, M. I. Abdul Mutalib, and Rashidah Binti Mohd Pilus. Evaluation of thermophysical properties of imidazolium-based phenolate ionic liquids. *Industrial & Engineering Chemistry Research*, 54(14):3697–3705, 2015.
- [68] Charles Shin, Ian Worsley, and C. M. Criss. Partial molal heat capacities of aqueous tetraalkylammonium bromides as functions of temperature. *Journal of Solution Chemistry*, 5(12):867–879, 1976.
- [69] A.A. Strechan, A.G. Kabo, Y.U. Paulechka, A.V. Blokhin, G.J. Kabo, A.S. Shaplov, and E.I. Lozinskaya. Thermochemical properties of 1-butyl-3-methylimidazolium nitrate. *Thermochimica Acta*, 474(1-2):25–31, 2008.
- [70] A.A. Strechan, Y.U. Paulechka, A.V. Blokhin, and G.J. Kabo. Low-temperature heat capacity of hydrophilic ionic liquids [BMIM][CF₃coo] and [BMIM][CH₃coo] and a correlation scheme for estimation of heat capacity of ionic liquids. *The Journal of Chemical Thermodynamics*, 40(4):632–639, 2008.
- [71] Aliaksei A. Strechan, Yauheni U. Paulechka, Andrey G. Kabo, Andrey V. Blokhin, and Gennady J. Kabo. 1-butyl-3-methylimidazolium tosylate ionic liquid: heat capacity, thermal stability, and phase equilibrium of its binary mixtures with water and caprolactam. *Journal of Chemical & Engineering Data*, 52(5):1791–1799, 2007.
- [72] Chao Su, Xiangyang Liu, Chenyang Zhu, and Maogang He. Isobaric molar heat capacities of 1-ethyl-3-methylimidazolium acetate and 1-hexyl-3-methylimidazolium acetate up to 16 MPa. *Fluid Phase Equilibria*, 427:187–193, 2016.
- [73] Xiao-Hong Sun, Yuan-Fa Liu, Zhi-Cheng Tan, You-Ying Di, Hui-Fang Wang, and Mei-Han Wang. Heat capacity and enthalpy of fusion of pyrimethanil laurate (c24h37n3o2). *The Journal of Chemical Thermodynamics*, 36(10):895–899, 2004.
- [74] Nieves M.C. Talavera-Prieto, Abel G.M. Ferreira, Pedro N. Simões, Pedro J. Carvalho, Silvana Mattedi, and João A.P. Coutinho. Thermophysical characterization of n-methyl-2-hydroxyethylammonium carboxylate ionic liquids. *The Journal of Chemical Thermodynamics*, 68:221–234, 2014.
- [75] Craig M. Tenney, Marjorie Massel, Jason M. Mayes, Mihir Sen, Joan F. Brennecke, and Edward J. Maginn. A computational and experimental study of the heat transfer properties of nine different ionic liquids. *Journal of Chemical & Engineering Data*, 59(2):391–399, 2014.
- [76] Bo Tong, Qing-Shan Liu, Zhi-Cheng Tan, and Urs Welz-Biermann. Thermochemistry of alkyl pyridinium bromide ionic liquids: Calorimetric measurements and calculations†. *The Journal of Physical Chemistry A*, 114(11):3782–3787, 2010.

- [77] Michael E. Van Valkenburg, Robert L. Vaughn, Margaret Williams, and John S. Wilkes. Thermochemistry of ionic liquid heat-transfer fluids. *Thermochimica Acta*, 425(1-2):181–188, 2005.
- [78] Michiel J. M. van Oort and Mary Anne White. Polymorphism in dialkylammonium chlorides. an adiabatic calorimetry study. *Berichte der Bunsengesellschaft für physikalische Chemie*, 92(2):168–176, 1988.
- [79] O. Yamamuro. Glass transitions and low-frequency dynamics of room-temperature ionic liquids. In *AIP Conference Proceedings*. AIP, 2006.
- [80] O Yamamuro and M Kofu. Calorimetric and neutron scattering studies on glass transitions and ionic diffusions in imidazolium-based ionic liquids. *IOP Conference Series: Materials Science and Engineering*, 196:012001, 2017.
- [81] Osamu Yamamuro, Yoko Minamimoto, Yasuhiro Inamura, Satoshi Hayashi, and Hiro o Hamaguchi. Heat capacity and glass transition of an ionic liquid 1-butyl-3-methylimidazolium chloride. *Chemical Physics Letters*, 423(4-6):371–375, 2006.
- [82] Osamu Yamamuro, Takeshi Yamada, Maiko Kofu, Masamichi Nakakoshi, and Michihiro Nagao. Hierarchical structure and dynamics of an ionic liquid 1-octyl-3-methylimidazolium chloride. *The Journal of Chemical Physics*, 135(5):054508, 2011.
- [83] Miao Yang, Jun-Ning Zhao, Qing-Shan Liu, Li-Xian Sun, Pei-Fang Yan, Zhi-Cheng Tan, and Urs Welz-Biermann. Low-temperature heat capacities of 1-alkyl-3-methylimidazolium bis(oxalato)borate ionic liquids and the influence of anion structural characteristics on thermodynamic properties. *Phys. Chem. Chem. Phys.*, 13(1):199–206, 2011.
- [84] Ya-Hung Yu, Allan N. Soriano, and Meng-Hui Li. Heat capacities and electrical conductivities of 1-ethyl-3-methylimidazolium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 41(1):103–108, 2009.
- [85] Ya-Hung Yu, Allan N. Soriano, and Meng-Hui Li. Heat capacities and electrical conductivities of 1-n-butyl-3-methylimidazolium-based ionic liquids. *Thermochimica Acta*, 482(1-2):42–48, 2009.
- [86] Qinghua Zhang, Zuopeng Li, Juan Zhang, Shiguo Zhang, Laiying Zhu, Jing Yang, Xiaoping Zhang, and Youquan Deng. Physicochemical properties of nitrile-functionalized ionic liquids. *The Journal of Physical Chemistry B*, 111(11):2864–2872, 2007.
- [87] Z. H. Zhang, L. X. Sun, Z. C. Tan, F. Xu, X. C. Lv, J. L. Zeng, and Y. Sawada. Thermodynamic investigation of room temperature ionic liquid. *Journal of Thermal Analysis and Calorimetry*, 89(1):289–294, 2007.

- [88] Zhi-Heng Zhang, Zhi-Cheng Tan, Li-Xian Sun, Yang Jia-Zhen, Xue-Chuan Lv, and Quan Shi. Thermodynamic investigation of room temperature ionic liquid: The heat capacity and standard enthalpy of formation of EMIES. *Thermochimica Acta*, 447(2):141–146, 2006.
- [89] Jiqin Zhu, Liguang Bai, Biaohua Chen, and Weiyang Fei. Thermodynamical properties of phase change materials based on ionic liquids. *Chemical Engineering Journal*, 147(1):58–62, 2009.

CO₂ Solubility

- [1] Waheed Afzal, Xiangyang Liu, and John M. Prausnitz. Solubilities of some gases in four imidazolium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 63:88–94, 2013.
- [2] Waheed Afzal, Xiangyang Liu, and John M. Prausnitz. High solubilities of carbon dioxide in tetraalkyl phosphonium-based ionic liquids and the effect of diluents on viscosity and solubility. *Journal of Chemical & Engineering Data*, 59(4):954–960, 2014.
- [3] Sudhir N. V. K. Aki, Berlyn R. Mellein, Eric M. Saurer, and Joan F. Brennecke. High-pressure phase behavior of carbon dioxide with imidazolium-based ionic liquids. *The Journal of Physical Chemistry B*, 108(52):20355–20365, 2004.
- [4] D. Almantariotis, A. S. Pensado, H. Q. N. Gunaratne, C. Hardacre, A. A. H. Pádua, J.-Y. Coxam, and M. F. Costa Gomes. Influence of fluorination on the solubilities of carbon dioxide, ethane, and nitrogen in 1-n-fluoro-alkyl-3-methylimidazolium bis(n-fluoroalkylsulfonyl)amide ionic liquids. *The Journal of Physical Chemistry B*, 121(2):426–436, 2017.
- [5] D. Almantariotis, S. Stevanovic, O. Fandiño, A. S. Pensado, A. A. H. Padua, J.-Y. Coxam, and M. F. Costa Gomes. Absorption of carbon dioxide, nitrous oxide, ethane and nitrogen by 1-alkyl-3-methylimidazolium (cnmim, n = 2,4,6) tris(pentafluoroethyl)trifluorophosphate ionic liquids (eFAP). *The Journal of Physical Chemistry B*, 116(26):7728–7738, 2012.
- [6] Mamoun Althuluth, Maria T. Mota-Martinez, Maaïke C. Kroon, and Cor J. Peters. Solubility of carbon dioxide in the ionic liquid 1-ethyl-3-methylimidazolium tris(pentafluoroethyl)trifluorophosphate. *Journal of Chemical & Engineering Data*, 57(12):3422–3425, 2012.
- [7] Jennifer L. Anthony, Jessica L. Anderson, Edward J. Maginn, and Joan F. Brennecke. Anion effects on gas solubility in ionic liquids. *The Journal of Physical Chemistry B*, 109(13):6366–6374, 2005.
- [8] Jennifer L. Anthony, Edward J. Maginn, and Joan F. Brennecke. Solubilities and thermodynamic properties of gases in the ionic liquid 1-n-

- butyl-3-methylimidazolium hexafluorophosphate. *The Journal of Physical Chemistry B*, 106(29):7315–7320, 2002.
- [9] Indra Bahadur, Khalid Osman, Christophe Coquelet, Paramespri Naidoo, and Deresh Ramjugernath. Solubilities of carbon dioxide and oxygen in the ionic liquids methyl trioctyl ammonium bis(trifluoromethylsulfonyl)imide, 1-butyl-3-methyl imidazolium bis(trifluoromethylsulfonyl)imide, and 1-butyl-3-methyl imidazolium methyl sulfate. *The Journal of Physical Chemistry B*, 119(4):1503–1514, 2015.
- [10] Eleanor D. Bates, Rebecca D. Mayton, Ioanna Ntai, and James H. Davis. CO₂ capture by a task-specific ionic liquid. *Journal of the American Chemical Society*, 124(6):926–927, 2002.
- [11] M. Dolores Bermejo, Marta Montero, Elisa Saez, Louw J. Florusse, Aleksandra J. Kotlewska, M. José Cocero, Fred van Rantwijk, and Cor J. Peters. Liquid-vapor equilibrium of the systems butylmethylimidazolium nitrate-co₂ and hydroxypropylmethylimidazolium nitrate-co₂ at high pressure: Influence of water on the phase behavior. *The Journal of Physical Chemistry B*, 112(43):13532–13541, 2008.
- [12] María Dolores Bermejo, Tobias M. Fieback, and Ángel Martín. Solubility of gases in 1-alkyl-3-methylimidazolium alkyl sulfate ionic liquids: Experimental determination and modeling. *The Journal of Chemical Thermodynamics*, 58:237–244, 2013.
- [13] Shubhankar Bhattacharyya and Faiz Ullah Shah. Ether functionalized choline tethered amino acid ionic liquids for enhanced CO₂ capture. *ACS Sustainable Chemistry & Engineering*, 4(10):5441–5449, 2016.
- [14] Lynnette A. Blanchard, Zhiyong Gu, and Joan F. Brennecke. High-pressure phase behavior of ionic liquid/CO₂ systems. *The Journal of Physical Chemistry B*, 105(12):2437–2444, 2001.
- [15] Rafał Bogel-Lukasik, Dobrochna Matkowska, Ewa Bogel-Lukasik, and Tadeusz Hofman. Isothermal vapour-liquid equilibria in the binary and ternary systems consisting of an ionic liquid, 1-propanol and CO₂. *Fluid Phase Equilibria*, 293(2):168–174, 2010.
- [16] Pedro J. Carvalho, Víctor H. Álvarez, José J.B. Machado, Jérôme Pauly, Jean-Luc Daridon, Isabel M. Marrucho, Martín Aznar, and João A.P. Coutinho. High pressure phase behavior of carbon dioxide in 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide ionic liquids. *The Journal of Supercritical Fluids*, 48(2):99–107, 2009.
- [17] Pedro J. Carvalho, Víctor H. Álvarez, Isabel M. Marrucho, Martín Aznar, and João A.P. Coutinho. High pressure phase behavior of carbon dioxide in 1-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide and 1-butyl-3-methylimidazolium dicyanamide ionic liquids. *The Journal of Supercritical Fluids*, 50(2):105–111, 2009.

- [18] Pedro J. Carvalho, Víctor H. Álvarez, Isabel M. Marrucho, Martín Aznar, and João A.P. Coutinho. High carbon dioxide solubilities in trihexyltetradecylphosphonium-based ionic liquids. *The Journal of Supercritical Fluids*, 52(3):258–265, 2010.
- [19] Pedro J. Carvalho, Víctor H. Álvarez, Bernd Schröder, Ana M. Gil, Isabel M. Marrucho, Martín Aznar, Luís M. N. B. F. Santos, and João A. P. Coutinho. Specific solvation interactions of CO₂ on acetate and trifluoroacetate imidazolium based ionic liquids at high pressures. *The Journal of Physical Chemistry B*, 113(19):6803–6812, 2009.
- [20] Yuhuan Chen, Suojiang Zhang, Xiaoliang Yuan, Yanqiang Zhang, Xianguang Zhang, Wenbin Dai, and Ryohei Mori. Solubility of CO₂ in imidazolium-based tetrafluoroborate ionic liquids. *Thermochimica Acta*, 441(1):42–44, 2006.
- [21] Yushu Chen, Fabrice Mutelet, and Jean-Noël Jaubert. Solubility of CO₂ in 1-butyl-3-methylimidazolium diethylene-glycolmonomethylethersulfate and trihexyl(tetradecyl)phosphonium dodecyl-benzenesulfonate. *Fluid Phase Equilibria*, 354:191–198, 2013.
- [22] Hang-Kyu Cho, Ji Eun Kim, and Jong Sung Lim. The effect of cyano groups on the solubility of carbon dioxide in ionic liquids containing cyano groups in anion. *Korean Journal of Chemical Engineering*, 34(5):1475–1482, 2017.
- [23] Marco Costantini, Vincent A. Toussaint, Alireza Shariati, Cor J. Peters, and Ireneo Kikic. High-pressure phase behavior of systems with ionic liquids: part IV. binary system carbon dioxide + 1-hexyl-3-methylimidazolium tetrafluoroborate. *Journal of Chemical & Engineering Data*, 50(1):52–55, 2005.
- [24] Manuel Nunes da Ponte and Małgorzata E. Zakrzewska. Volumetric and phase behaviour of mixtures of fluoroalkylphosphate-based ionic liquids with high pressure carbon dioxide. *The Journal of Supercritical Fluids*, 113:61–65, 2016.
- [25] M. F. Costa Gomes. Low-pressure solubility and thermodynamics of solvation of carbon dioxide, ethane, and hydrogen in 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)amide between temperatures of 283 K and 343 K. *Journal of Chemical & Engineering Data*, 52(2):472–475, 2007.
- [26] Maria Gonzalez-Miquel, Jorge Bedia, Jose Palomar, and Francisco Rodriguez. Solubility and diffusivity of CO₂ in [hxmim][NTf₂], [omim][NTf₂], and [dcmim][NTf₂] at $t = (298.15, 308.15, \text{ and } 323.15)$ K and pressures up to 20 bar. *Journal of Chemical & Engineering Data*, 59(2):212–217, 2014.

- [27] Brett F. Goodrich, Juan C. de la Fuente, Burcu E. Gurkan, Zulema K. Lopez, Erica A. Price, Yong Huang, and Joan F. Brennecke. Effect of water and temperature on absorption of CO₂ by amine-functionalized anion-tethered ionic liquids. *The Journal of Physical Chemistry B*, 115(29):9140–9150, 2011.
- [28] Brett F. Goodrich, Juan C. de la Fuente, Burcu E. Gurkan, David J. Zadi-gian, Erica A. Price, Yong Huang, and Joan F. Brennecke. Experimental measurements of amine-functionalized anion-tethered ionic liquids with carbon dioxide. *Industrial & Engineering Chemistry Research*, 50(1):111–118, 2011.
- [29] B. Gurkan, B. F. Goodrich, E. M. Mindrup, L. E. Ficke, M. Massel, S. Seo, T. P. Senftle, H. Wu, M. F. Glaser, J. K. Shah, E. J. Maginn, J. F. Brennecke, and W. F. Schneider. Molecular design of high capacity, low viscosity, chemically tunable ionic liquids for CO₂ capture. *The Journal of Physical Chemistry Letters*, 1(24):3494–3499, 2010.
- [30] Burcu E. Gurkan, Juan C. de la Fuente, Elaine M. Mindrup, Lindsay E. Ficke, Brett F. Goodrich, Erica A. Price, William F. Schneider, and Joan F. Brennecke. Equimolar CO₂ absorption by anion-functionalized ionic liquids. *Journal of the American Chemical Society*, 132(7):2116–2117, 2010.
- [31] K.I. Gutkowski, A. Shariati, and C.J. Peters. High-pressure phase behavior of the binary ionic liquid system 1-octyl-3-methylimidazolium tetrafluoroborate+carbon dioxide. *The Journal of Supercritical Fluids*, 39(2):187–191, 2006.
- [32] G. Hong, J. Jacquemin, M. Deetlefs, C. Hardacre, P. Husson, and M.F. Costa Gomes. Solubility of carbon dioxide and ethane in three ionic liquids based on the bis{(trifluoromethyl)sulfonyl}imide anion. *Fluid Phase Equilibria*, 257(1):27–34, 2007.
- [33] G. Hong, J. Jacquemin, P. Husson, M. F. Costa Gomes, M. Deetlefs, M. Nieuwenhuyzen, O. Sheppard, and C. Hardacre. Effect of acetonitrile on the solubility of carbon dioxide in 1-ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl)amide. *Industrial & Engineering Chemistry Research*, 45(24):8180–8188, 2006.
- [34] Soon Kang Hong and YoonKook Park. Measurement and correlation of vapor-liquid equilibria for a binary system containing 1-butyl-3-methylimidazolium tridecafluorohexylsulfonate and carbon dioxide. *Korean Journal of Chemical Engineering*, 33(1):260–264, 2015.
- [35] Pascale Husson-Borg, Vladimir Majer, and Margarida F. Costa Gomes. Solubilities of oxygen and carbon dioxide in butyl methyl imidazolium

tetrafluoroborate as a function of temperature and at pressures close to atmospheric pressure. *Journal of Chemical & Engineering Data*, 48(3):480–485, 2003.

- [36] Johan Jacquemin, Margarida F. Costa Gomes, Pascale Husson, and Vladimir Majer. Solubility of carbon dioxide, ethane, methane, oxygen, nitrogen, hydrogen, argon, and carbon monoxide in 1-butyl-3-methylimidazolium tetrafluoroborate between temperatures 283k and 343k and at pressures close to atmospheric. *The Journal of Chemical Thermodynamics*, 38(4):490–502, 2006.
- [37] Johan Jacquemin, Pascale Husson, Vladimir Majer, and Margarida F. Costa Gomes. Low-pressure solubilities and thermodynamics of solvation of eight gases in 1-butyl-3-methylimidazolium hexafluorophosphate. *Fluid Phase Equilibria*, 240(1):87–95, 2006.
- [38] Johan Jacquemin, Pascale Husson, Vladimir Majer, and Margarida F. Costa Gomes. Influence of the cation on the solubility of co₂ and h₂ in ionic liquids based on the bis(trifluoromethylsulfonyl)imide anion. *Journal of Solution Chemistry*, 36(8):967–979, 2007.
- [39] Amir Hossein Jalili, Ali Mehdizadeh, Mohammad Shokouhi, Amir Naser Ahmadi, Masih Hosseini-Jenab, and Fakhrolsadat Fateminassab. Solubility and diffusion of co₂ and h₂s in the ionic liquid 1-ethyl-3-methylimidazolium ethylsulfate. *The Journal of Chemical Thermodynamics*, 42(10):1298–1303, 2010.
- [40] Amir Hossein Jalili, Ali Mehdizadeh, Mohammad Shokouhi, Hossein Sakhaeina, and Vahid Taghikhani. Solubility of co₂ in 1-(2-hydroxyethyl)-3-methylimidazolium ionic liquids with different anions. *The Journal of Chemical Thermodynamics*, 42(6):787–791, 2010.
- [41] Amir Hossein Jalili, Mohammadali Safavi, Cyrus Ghotbi, Ali Mehdizadeh, Masih Hosseini-Jenab, and Vahid Taghikhani. Solubility of co₂, h₂s, and their mixture in the ionic liquid 1-octyl-3-methylimidazolium bis(trifluoromethyl)sulfonylimide. *The Journal of Physical Chemistry B*, 116(9):2758–2774, 2012.
- [42] Sunghyun Jang, Dong-Woo Cho, Taehyun Im, and Hwayong Kim. High-pressure phase behavior of co₂+1-butyl-3-methylimidazolium chloride system. *Fluid Phase Equilibria*, 299(2):216–221, 2010.
- [43] Yun-Ho Jung, Jun-Young Jung, Yu-Ran Jin, Byung-Chul Lee, Il-Hyun Baek, and Sung-Hyun Kim. Solubility of carbon dioxide in imidazolium-based ionic liquids with a methanesulfonate anion. *Journal of Chemical & Engineering Data*, 57(12):3321–3329, 2012.
- [44] Álvaro Pérez-Salado Kamps, Dirk Tuma, Jianzhong Xia, and Gerd Maurer. Solubility of co₂ in the ionic liquid [bmim][PF₆]. *Journal of Chemical & Engineering Data*, 48(3):746–749, 2003.

- [45] Ferdi Karadas, Banu Kz, Johan Jacquemin, Erhan Deniz, David Rooney, Jillian Thompson, Cafer T. Yavuz, Majeda Khraisheh, Santiago Aparicio, and Mert Atihan. High pressure co₂ absorption studies on imidazolium-based ionic liquids: Experimental and simulation approaches. *Fluid Phase Equilibria*, 351:74–86, 2013.
- [46] Ji Eun Kim, Jeong Won Kang, and Jong Sung Lim. Measurement of co₂ solubility in cyanide anion based ionic liquids; [c4mim][SCN], [c4mim][n(CN)₂], [c4mim][c(CN)₃]. *Korean Journal of Chemical Engineering*, 32(8):1678–1687, 2015.
- [47] Ji Eun Kim, Hak Joo Kim, and Jong Sung Lim. Solubility of co₂ in ionic liquids containing cyanide anions: [c2mim][SCN], [c2mim][n(CN)₂], [c2mim][c(CN)₃]. *Fluid Phase Equilibria*, 367:151–158, 2014.
- [48] Ji Eun Kim, Jong Sung Lim, and Jeong Won Kang. Measurement and correlation of solubility of carbon dioxide in 1-alkyl-3-methylimidazolium hexafluorophosphate ionic liquids. *Fluid Phase Equilibria*, 306(2):251–255, 2011.
- [49] Seol A Kim, Joon-Hyuk Yim, and Jong Sung Lim. High-pressure phase behavior of binary mixtures containing methylpyrrolidinium derivative ionic liquids and carbon dioxide. *Fluid Phase Equilibria*, 332:28–34, 2012.
- [50] Y.S. Kim, W.Y. Choi, J.H. Jang, K.-P. Yoo, and C.S. Lee. Solubility measurement and prediction of carbon dioxide in ionic liquids. *Fluid Phase Equilibria*, 228-229:439–445, 2005.
- [51] Y.S. Kim, J.H. Jang, B.D. Lim, J.W. Kang, and C.S. Lee. Solubility of mixed gases containing carbon dioxide in ionic liquids: Measurements and predictions. *Fluid Phase Equilibria*, 256(1-2):70–74, 2007.
- [52] Daisuke Kodama, Mitsuhiro Kanakubo, Masaki Kokubo, Takeshi Ono, Hajime Kawanami, Toshiro Yokoyama, Hiroshi Nanjo, and Masahiro Kato. Co₂ absorption properties of brnsted acid-base ionic liquid composed of n,n-dimethylformamide and bis(trifluoromethanesulfonyl)amide. *The Journal of Supercritical Fluids*, 52(2):189–192, 2010.
- [53] Maaike C. Kroon, Alireza Shariati, Marco Costantini, Jaap van Spronsen, Geert-Jan Witkamp, Roger A. Sheldon, and Cor J. Peters. High-pressure phase behavior of systems with ionic liquids: part v. the binary system carbon dioxide + 1-butyl-3-methylimidazolium tetrafluoroborate. *Journal of Chemical & Engineering Data*, 50(1):173–176, 2005.
- [54] Jacek Kumelan, lvvaro Prez-Salado Kamps, Dirk Tuma, and Gerd Maurer. Solubility of co₂ in the ionic liquid [hmim][tf₂n]. *The Journal of Chemical Thermodynamics*, 38(11):1396–1401, 2006.

- [55] Jacek Kumelan, Álvaro Pérez-Salado Kamps, Dirk Tuma, and Gerd Maurer. Solubility of CO_2 in the ionic liquids [bmim][CH₃SO₄] and [bmim][PF₆]. *Journal of Chemical & Engineering Data*, 51(5):1802–1807, 2006.
- [56] Jacek Kumelan, Dirk Tuma, Álvaro Pérez-Salado Kamps, and Gerd Maurer. Solubility of the single gases carbon dioxide and hydrogen in the ionic liquid [bmpy][tf₂n]. *Journal of Chemical & Engineering Data*, 55(1):165–172, 2010.
- [57] K.A. Kurnia, F. Harris, C.D. Wilfred, M.I. Abdul Mutalib, and T. Murgesan. Thermodynamic properties of CO_2 absorption in hydroxyl ammonium ionic liquids at pressures of (100–1600)kPa. *The Journal of Chemical Thermodynamics*, 41(10):1069–1073, 2009.
- [58] Jacob V. Langham, Richard A. O’Brien, James H. Davis, and Kevin N. West. Solubility of CO_2 and N_2O in an imidazolium-based lipidic ionic liquid. *The Journal of Physical Chemistry B*, 120(40):10524–10530, 2016.
- [59] Byung-Chul Lee and Stephanie L. Outcalt. Solubilities of gases in the ionic liquid 1-n-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide. *Journal of Chemical & Engineering Data*, 51(3):892–897, 2006.
- [60] Tae Bum Lee, Seungmin Oh, Thomas R. Gohndrone, Oscar Morales-Collazo, Samuel Seo, Joan F. Brennecke, and William F. Schneider. CO_2 chemistry of phenolate-based ionic liquids. *The Journal of Physical Chemistry B*, 120(8):1509–1517, 2015.
- [61] Zhigang Lei, Jingli Han, Benfeng Zhang, Qunsheng Li, Jiqin Zhu, and Biaohua Chen. Solubility of CO_2 in binary mixtures of room-temperature ionic liquids at high pressures. *Journal of Chemical & Engineering Data*, 57(8):2153–2159, 2012.
- [62] Zhigang Lei, Xiaoxi Qi, Jiqin Zhu, Qunsheng Li, and Biaohua Chen. Solubility of CO_2 in acetone, 1-butyl-3-methylimidazolium tetrafluoroborate, and their mixtures. *Journal of Chemical & Engineering Data*, 57(12):3458–3466, 2012.
- [63] Zhigang Lei, Juan Yuan, and Jiqin Zhu. Solubility of CO_2 in propanone, 1-ethyl-3-methylimidazolium tetrafluoroborate, and their mixtures. *Journal of Chemical & Engineering Data*, 55(10):4190–4194, 2010.
- [64] Zhigang LEI, Benfeng ZHANG, Jiqin ZHU, Wanfu GONG, Jianning LÜ, and Yansheng LI. Solubility of CO_2 in methanol, 1-octyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide, and their mixtures. *Chinese Journal of Chemical Engineering*, 21(3):310–317, 2013.
- [65] Xiaoyong Li, Minqiang Hou, Zhaofu Zhang, Buxing Han, Guanying Yang, Xiaoling Wang, and Lizhuang Zou. Absorption of CO_2 by ionic liquid/polyethylene glycol mixture and the thermodynamic parameters. *Green Chemistry*, 10(8):879, 2008.

- [66] Xiangyang Liu, Maogang He, Nan Lv, Houda Xu, and Lihang Bai. Selective absorption of CO₂ from H₂, O₂ and N₂ by 1-hexyl-3-methylimidazolium tris(pentafluoroethyl)trifluorophosphate. *The Journal of Chemical Thermodynamics*, 97:48–54, 2016.
- [67] Bihong Lv, Yinfeng Xia, Yun Shi, Nan Liu, Wei Li, and Sujing Li. A novel hydrophilic amino acid ionic liquid [c2ohmim][gly] as aqueous sorbent for CO₂ capture. *International Journal of Greenhouse Gas Control*, 46:1–6, 2016.
- [68] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, and Akira Suzuki. CO₂ solubility and physical properties of n-(2-hydroxyethyl)pyridinium bis(trifluoromethanesulfonyl)amide. *Fluid Phase Equilibria*, 357:64–70, 2013.
- [69] Marina S. Manic, António J. Queimada, Eugénia A. Macedo, and Vesna Najdanovic-Visak. High-pressure solubilities of carbon dioxide in ionic liquids based on bis(trifluoromethylsulfonyl)imide and chloride. *The Journal of Supercritical Fluids*, 65:1–10, 2012.
- [70] Silvana Mattedi, Pedro J. Carvalho, João A.P. Coutinho, Víctor H. Alvarez, and Miguel Iglesias. High pressure CO₂ solubility in n-methyl-2-hydroxyethylammonium protic ionic liquids. *The Journal of Supercritical Fluids*, 56(3):224–230, 2011.
- [71] Berlyn R. Mellein and Joan F. Brennecke. Characterization of the ability of CO₂ to act as an antisolvent for ionic liquid/organic mixtures. *The Journal of Physical Chemistry B*, 111(18):4837–4843, 2007.
- [72] Maria T. Mota-Martinez, Mamoun Althuluth, Maaïke C. Kroon, and Cor J. Peters. Solubility of carbon dioxide in the low-viscosity ionic liquid 1-hexyl-3-methylimidazolium tetracyanoborate. *Fluid Phase Equilibria*, 332:35–39, 2012.
- [73] Mark J. Muldoon, Sudhir N. V. K. Aki, Jessica L. Anderson, JaNeille K. Dixon, and Joan F. Brennecke. Improving carbon dioxide solubility in ionic liquids. *The Journal of Physical Chemistry B*, 111(30):9001–9009, 2007.
- [74] Sylvia O. Nwosu, Jay C. Schleicher, and Aaron M. Scurto. High-pressure phase equilibria for the synthesis of ionic liquids in compressed CO₂ for 1-hexyl-3-methylimidazolium bromide with 1-bromohexane and 1-methylimidazole. *The Journal of Supercritical Fluids*, 51(1):1–9, 2009.
- [75] Jelliarko Palgunadi, Je Eun Kang, Dinh Quan Nguyen, Jin Hyung Kim, Byoung Koun Min, Sang Deuk Lee, Honggon Kim, and Hoon Sik Kim. Solubility of CO₂ in dialkylimidazolium dialkylphosphate ionic liquids. *Thermochimica Acta*, 494(1-2):94–98, 2009.

- [76] S. Raeissi, L. Florusse, and C.J. Peters. Scott-van konynenburg phase diagram of carbon dioxide+alkylimidazolium-based ionic liquids. *The Journal of Supercritical Fluids*, 55(2):825–832, 2010.
- [77] Sona Raeissi and Cor J. Peters. Carbon dioxide solubility in the homologous 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide family. *Journal of Chemical & Engineering Data*, 54(2):382–386, 2009.
- [78] Mahinder Ramdin, Teresa Zuzuarregui Olasagasti, Thijs J.H. Vlught, and Theo W. de Loos. High pressure solubility of co2 in non-fluorinated phosphonium-based ionic liquids. *The Journal of Supercritical Fluids*, 82:41–49, 2013.
- [79] Mahinder Ramdin, Thijs J. H. Vlught, and Theo W. de Loos. Solubility of co2 in the ionic liquids [TBMN][MeSO4] and [TBMP][MeSO4]. *Journal of Chemical & Engineering Data*, 57(8):2275–2280, 2012.
- [80] Shantini Ravichandar, Cecilia Devi Wilfred, Fai Kait Chong, and Zhung Gia Ng. Synthesis, characterization and application of 1-(2-cyanoethyl)-3-(3-methoxypropane)imidazolium bromide for co2 capture. *MATEC Web of Conferences*, 111:03003, 2017.
- [81] Wei Ren, Brent Sensenich, and Aaron M. Scurto. High-pressure phase equilibria of {carbon dioxide (co2)+n-alkyl-imidazolium bis(trifluoromethylsulfonyl)amide} ionic liquids. *The Journal of Chemical Thermodynamics*, 42(3):305–311, 2010.
- [82] Anne-Laure Revelli, Fabrice Mutelet, and Jean-Noël Jaubert. High carbon dioxide solubilities in imidazolium-based ionic liquids and in poly(ethylene glycol) dimethyl ether. *The Journal of Physical Chemistry B*, 114(40):12908–12913, 2010.
- [83] Javid Safarov, Rena Hamidova, Martin Stephan, Ismail Kul, Astan Shahverdiyev, and Egon Hassel. Carbon dioxide solubility in 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide in a wide range of temperatures and pressures. *The Journal of Physical Chemistry B*, 118(24):6829–6838, 2014.
- [84] Mohammadali Safavi, Cyrus Ghotbi, Vahid Taghikhani, Amir Hossein Jalili, and Ali Mehdizadeh. Study of the solubility of co2, h2s and their mixture in the ionic liquid 1-octyl-3-methylimidazolium hexafluorophosphate: Experimental and modelling. *The Journal of Chemical Thermodynamics*, 65:220–232, 2013.
- [85] Astrid M. Schilderman, Sona Raeissi, and Cor J. Peters. Solubility of carbon dioxide in the ionic liquid 1-ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide. *Fluid Phase Equilibria*, 260(1):19–22, 2007.

- [86] Samuel Seo, M. Aruni DeSilva, and Joan F. Brennecke. Physical properties and CO_2 reaction pathway of 1-ethyl-3-methylimidazolium ionic liquids with aprotic heterocyclic anions. *The Journal of Physical Chemistry B*, 118(51):14870–14879, 2014.
- [87] Samuel Seo, M. Aruni DeSilva, Han Xia, and Joan F. Brennecke. Effect of cation on physical properties and CO_2 solubility for phosphonium-based ionic liquids with 2-cyanopyrrolide anions. *The Journal of Physical Chemistry B*, 119(35):11807–11814, 2015.
- [88] Samuel Seo, Mauricio Quiroz-Guzman, M. Aruni DeSilva, Tae Bum Lee, Yong Huang, Brett F. Goodrich, William F. Schneider, and Joan F. Brennecke. Chemically tunable ionic liquids with aprotic heterocyclic anion (AHA) for CO_2 capture. *The Journal of Physical Chemistry B*, 118(21):5740–5751, 2014.
- [89] Samuel Seo, Luke D. Simoni, Mengting Ma, M. Aruni DeSilva, Yong Huang, Mark A. Stadtherr, and Joan F. Brennecke. Phase-change ionic liquids for postcombustion CO_2 capture. *Energy & Fuels*, 28(9):5968–5977, 2014.
- [90] A Shariati and C.J Peters. High-pressure phase behavior of systems with ionic liquids: II. the binary system carbon dioxide+1-ethyl-3-methylimidazolium hexafluorophosphate. *The Journal of Supercritical Fluids*, 29(1-2):43–48, 2004.
- [91] Alireza Shariati, Karin Gutkowski, and Cor J. Peters. Comparison of the phase behavior of some selected binary systems with ionic liquids. *AIChE Journal*, 51(5):1532–1540, 2005.
- [92] Alireza Shariati and Cor J. Peters. High-pressure phase behavior of systems with ionic liquids. *The Journal of Supercritical Fluids*, 30(2):139–144, 2004.
- [93] Pankaj Sharma, Soo-Hyun Choi, Sang-Do Park, Il-Hyun Baek, and Gil-Sun Lee. Selective chemical separation of carbon dioxide by ether functionalized imidazolium cation based ionic liquids. *Chemical Engineering Journal*, 181-182:834–841, 2012.
- [94] Mark B. Shiflett, Daniel J. Kasprzak, Christopher P. Junk, and A. Yokozeki. Phase behavior of {carbon dioxide+[bmim][ac]} mixtures. *The Journal of Chemical Thermodynamics*, 40(1):25–31, 2008.
- [95] Mark B. Shiflett and A. Yokozeki. Solubilities and diffusivities of carbon dioxide in ionic liquids: [bmim][PF₆] and [bmim][BF₄]. *Industrial & Engineering Chemistry Research*, 44(12):4453–4464, 2005.
- [96] Mark B. Shiflett and A. Yokozeki. Solubility of CO_2 in room temperature ionic liquid [hmim][tf₂n]. *The Journal of Physical Chemistry B*, 111(8):2070–2074, 2007.

- [97] Mark B. Shiflett and A. Yokozeki. Phase behavior of carbon dioxide in ionic liquids: [emim][acetate], [emim][trifluoroacetate], and [emim][acetate] + [emim][trifluoroacetate] mixtures. *Journal of Chemical & Engineering Data*, 54(1):108–114, 2009.
- [98] Eun-Kyoung Shin and Byung-Chul Lee. High-pressure phase behavior of carbon dioxide with ionic liquids: 1-alkyl-3-methylimidazolium trifluoromethanesulfonate. *Journal of Chemical & Engineering Data*, 53(12):2728–2734, 2008.
- [99] Eun-Kyoung Shin, Byung-Chul Lee, and Jong Sung Lim. High-pressure solubilities of carbon dioxide in ionic liquids: 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide. *The Journal of Supercritical Fluids*, 45(3):282–292, 2008.
- [100] Mohammad Shokouhi, Mina Adibi, Amir Hossein Jalili, Masih Hosseini-Jenab, and Ali Mehdizadeh. Solubility and diffusion of h₂s and co₂ in the ionic liquid 1-(2-hydroxyethyl)-3-methylimidazolium tetrafluoroborate. *Journal of Chemical & Engineering Data*, 55(4):1663–1668, 2010.
- [101] Ha Na Song, Byung-Chul Lee, and Jong Sung Lim. Measurement of co₂solubility in ionic liquids: [BMP][TfO] and [p14,6,6,6][tf₂n] by measuring bubble-point pressure. *Journal of Chemical & Engineering Data*, 55(2):891–896, 2010.
- [102] Allan N. Soriano, Bonifacio T. Doma, and Meng-Hui Li. Solubility of carbon dioxide in 1-ethyl-3-methylimidazolium 2-(2-methoxyethoxy) ethylsulfate. *The Journal of Chemical Thermodynamics*, 40(12):1654–1660, 2008.
- [103] Allan N. Soriano, Bonifacio T. Doma, and Meng-Hui Li. Solubility of carbon dioxide in 1-ethyl-3-methylimidazolium tetrafluoroborate. *Journal of Chemical & Engineering Data*, 53(11):2550–2555, 2008.
- [104] Allan N. Soriano, Bonifacio T. Doma, and Meng-Hui Li. Carbon dioxide solubility in 1-ethyl-3-methylimidazolium trifluoromethanesulfonate. *The Journal of Chemical Thermodynamics*, 41(4):525–529, 2009.
- [105] Allan N. Soriano, Bonifacio T. Doma, and Meng-Hui Li. Carbon dioxide solubility in some ionic liquids at moderate pressures. *Journal of the Taiwan Institute of Chemical Engineers*, 40(4):387–393, 2009.
- [106] S. Stevanovic and M.F. Costa Gomes. Solubility of carbon dioxide, nitrous oxide, ethane, and nitrogen in 1-butyl-1-methylpyrrolidinium and trihexyl(tetradecyl)phosphonium tris(pentafluoroethyl)trifluorophosphate (eFAP) ionic liquids. *The Journal of Chemical Thermodynamics*, 59:65–71, 2013.

- [107] S. Stevanovic, A. Podgorsek, L. Moura, C.C. Santini, A.A.H. Padua, and M.F. Costa Gomes. Absorption of carbon dioxide by ionic liquids with carboxylate anions. *International Journal of Greenhouse Gas Control*, 17:78–88, 2013.
- [108] Ali Tagiuri, Kazi Z. Sumon, and Amr Henni. Solubility of carbon dioxide in three [tf2n] ionic liquids. *Fluid Phase Equilibria*, 380:39–47, 2014.
- [109] Shidong Tian, Yucui Hou, Weize Wu, Shuhang Ren, and Kun Pang. Physical properties of 1-butyl-3-methylimidazolium tetrafluoroborate/*n*-methyl-2-pyrrolidone mixtures and the solubility of co2 in the system at elevated pressures. *Journal of Chemical & Engineering Data*, 57(3):756–763, 2012.
- [110] Congmin Wang, Huimin Luo, De en Jiang, Haoran Li, and Sheng Dai. Carbon dioxide capture by superbase-derived protic ionic liquids. *Angewandte Chemie International Edition*, 49(34):5978–5981, 2010.
- [111] Guannan Wang, Wenlong Hou, Feng Xiao, Jiao Geng, Youting Wu, and Zhibing Zhang. Low-viscosity triethylbutylammonium acetate as a task-specific ionic liquid for reversible co2absorption. *Journal of Chemical & Engineering Data*, 56(4):1125–1133, 2011.
- [112] Joon-Hyuk Yim and Jong Sung Lim. Co2 solubility measurement in 1-hexyl-3-methylimidazolium ([HMIM]) cation based ionic liquids. *Fluid Phase Equilibria*, 352:67–74, 2013.
- [113] Joon-Hyuk Yim, Ha Na Song, Byung-Chul Lee, and Jong Sung Lim. High-pressure phase behavior of binary mixtures containing ionic liquid [HMP][tf2n], [OMP][tf2n] and carbon dioxide. *Fluid Phase Equilibria*, 308(1-2):147–152, 2011.
- [114] Joon-Hyuk Yim, Ha Na Song, Ki-Pung Yoo, and Jong Sung Lim. Measurement of co2solubility in ionic liquids: [BMP][tf2n] and [BMP][MeSO4] by measuring bubble-point pressure. *Journal of Chemical & Engineering Data*, 56(4):1197–1203, 2011.
- [115] A. Yokozeki, Mark B. Shiflett, Christopher P. Junk, Liane M. Grieco, and Thomas Foo. Physical and chemical absorptions of carbon dioxide in room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 112(51):16654–16663, 2008.
- [116] Xiaoliang Yuan, Suojiang Zhang, Jun Liu, and Xingmei Lu. Solubilities of co2 in hydroxyl ammonium ionic liquids at elevated pressures. *Fluid Phase Equilibria*, 257(2):195–200, 2007.
- [117] Małgorzata E. Zakrzewska and Manuel Nunes da Ponte. Volumetric and phase behaviour of mixtures of tetracyanoborate-based ionic liquids with high pressure carbon dioxide. *The Journal of Supercritical Fluids*, 113:31–38, 2016.

- [118] Shaojuan Zeng, Jian Wang, Lu Bai, Binqi Wang, Hongshuai Gao, Dawei Shang, Xiangping Zhang, and Suojiang Zhang. Highly selective capture of CO_2 by ether-functionalized pyridinium ionic liquids with low viscosity. *Energy & Fuels*, 29(9):6039–6048, 2015.
- [119] Jinzhi Zhang, Cai Jia, Haifeng Dong, Jinquan Wang, Xiangping Zhang, and Suojiang Zhang. A novel dual amino-functionalized cation-tethered ionic liquid for CO_2 capture. *Industrial & Engineering Chemistry Research*, 52(17):5835–5841, 2013.
- [120] Suojiang Zhang, Yuhuan Chen, Rex X.-F. Ren, Yanqiang Zhang, Jianmin Zhang, and Xiangping Zhang. Solubility of CO_2 in sulfonate ionic liquids at high pressure. *Journal of Chemical & Engineering Data*, 50(1):230–233, 2005.
- [121] Suojiang Zhang, Xiaoliang Yuan, Yuhuan Chen, and Xiangping Zhang. Solubilities of CO_2 in 1-butyl-3-methylimidazolium hexafluorophosphate and 1,1,3,3-tetramethylguanidium lactate at elevated pressures. *Journal of Chemical & Engineering Data*, 50(5):1582–1585, 2005.
- [122] Xiao-Min Zhang, Kuan Huang, Shuang Xia, Yong-Le Chen, You-Ting Wu, and Xing-Bang Hu. Low-viscous fluorine-substituted phenolic ionic liquids with high performance for capture of CO_2 . *Chemical Engineering Journal*, 274:30–38, 2015.
- [123] Xiaochun Zhang, Zhiping Liu, and Wenchuan Wang. Screening of ionic liquids to capture CO_2 by COSMO-RS and experiments. *AIChE Journal*, 54(10):2717–2728, 2008.
- [124] Yanqiang Zhang, Suojiang Zhang, Xingmei Lu, Qing Zhou, Wei Fan, and Xiangping Zhang. Dual amino-functionalised phosphonium ionic liquids for CO_2 capture. *Chemistry - A European Journal*, 15(12):3003–3011, 2009.
- [125] Yansong Zhao, Xiangping Zhang, Haifeng Dong, Yingpeng Zhen, Guihua Li, Shaojuan Zeng, and Suojiang Zhang. Solubilities of gases in novel alcamines ionic liquid 2-[2-hydroxyethyl (methyl) amino] ethanol chloride. *Fluid Phase Equilibria*, 302(1-2):60–64, 2011.
- [126] Lingyun Zhou, Jing Fan, Xiaomin Shang, and Jianji Wang. Solubilities of CO_2 , H_2 , N_2 and O_2 in ionic liquid 1-n-butyl-3-methylimidazolium heptafluorobutyrate. *The Journal of Chemical Thermodynamics*, 59:28–34, 2013.
- [127] Mohamed Zoubek, Mohammed Mohamedali, and Amr Henni. Experimental solubility and thermodynamic modeling of CO_2 in four new imidazolium and pyridinium-based ionic liquids. *Fluid Phase Equilibria*, 419:67–74, 2016.

- [128] Lawien F. Zubeir, George E. Romanos, Wilko M. A. Weggemans, Boyan Iliev, Thomas J. S. Schubert, and Maaïke C. Kroon. Solubility and diffusivity of CO_2 in the ionic liquid 1-butyl-3-methylimidazolium tricyanomethanide within a large pressure range (0.01 MPa to 10 MPa). *Journal of Chemical & Engineering Data*, 60(6):1544–1562, 2015.

Refractive Index

- [1] Majid Majeed Akbar, Fareeda Chemat, Appusamy Arunagiri, and Thanabalan Murugesan. Density and excess properties of n-methyldiethanolamine (MDEA) with 1-hexyl-3-methylimidazolium tris(pentafluoroethyl)trifluorophosphate [hmim][FAP]. *Journal of Thermal Analysis and Calorimetry*, 123(1):785–791, 2015.
- [2] Hugo F. D. Almeida, Helena Passos, José A. Lopes da Silva, Ana M. Fernandes, Mara G. Freire, and João A. P. Coutinho. Thermophysical properties of five acetate-based ionic liquids. *Journal of Chemical & Engineering Data*, 57(11):3005–3013, 2012.
- [3] Hugo F.D. Almeida, José A. Lopes da Silva, Mara G. Freire, and João A.P. Coutinho. Surface tension and refractive index of pure and water-saturated tetradecyltriethylphosphonium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 57:372–379, 2013.
- [4] Mohammad S. AlTuwaim, Khaled H. A. E. Alkhalidi, Adel S. Al-Jimaz, and Abubaker A. Mohammad. Temperature dependence of physicochemical properties of imidazolium-, pyrrolidinium-, and phosphonium-based ionic liquids. *Journal of Chemical & Engineering Data*, 59(6):1955–1963, 2014.
- [5] V. H. Alvarez, S. Mattedi, and M. Aznar. Density, refraction index, and vapor–liquid equilibria of n-methyl-2-hydroxyethylammonium hexanoate plus (methyl acetate, ethyl acetate, or propyl acetate) at several temperatures. *Industrial & Engineering Chemistry Research*, 51(44):14543–14554, 2012.
- [6] Víctor H. Álvarez, Noelia Dosil, Rebeca Gonzalez-Cabaleiro, Silvana Mattedi, Manuel Martin-Pastor, Miguel Iglesias, and José M. Navaza. Brønsted ionic liquids for sustainable processes: Synthesis and physical properties. *Journal of Chemical & Engineering Data*, 55(2):625–632, 2010.
- [7] Mérièm Anouti, Magaly Caillon-Caravanier, Yosra Dridi, Johan Jacquemin, Christopher Hardacre, and Daniel Lemordant. Liquid densities, heat capacities, refractive index and excess quantities for protic ionic

- liquids+water binary system. *The Journal of Chemical Thermodynamics*, 41(6):799–808, 2009.
- [8] Mérièm Anouti, Magaly Caillon-Caravanier, Corinne Le Floch, and Daniel Lemordant. Alkylammonium-based protic ionic liquids part i: Preparation and physicochemical characterization. *The Journal of Physical Chemistry B*, 112(31):9406–9411, 2008.
- [9] Mérièm Anouti, Annie Vigeant, Johan Jacquemin, Catherine Brigouleix, and Daniel Lemordant. Volumetric properties, viscosity and refractive index of the protic ionic liquid, pyrrolidinium octanoate, in molecular solvents. *The Journal of Chemical Thermodynamics*, 42(7):834–845, 2010.
- [10] Nuria M. Aranda and Begoña González. Cation effect of ammonium imide based ionic liquids in alcohols extraction from alcohol-alkane azeotropic mixtures. *The Journal of Chemical Thermodynamics*, 68:32–39, 2014.
- [11] Alberto Arce, María Francisco, and Ana Soto. Evaluation of the poly-substituted pyridinium ionic liquid [hmmpy][ntf2] as a suitable solvent for desulfurization: Phase equilibria. *The Journal of Chemical Thermodynamics*, 42(6):712–718, 2010.
- [12] Alberto Arce, Ana Soto, Juan Ortega, and Gisela Sabater. Viscosities and volumetric properties of binary and ternary mixtures of tris(2-hydroxyethyl) methylammonium methylsulfate + water + ethanol at 298.15 k. *Journal of Chemical & Engineering Data*, 53(3):770–775, 2008.
- [13] Yago Arosa, Carlos Damián Rodríguez Fernández, Elena López Lago, Alfredo Amigo, Luis Miguel Varela, Oscar Cabeza, and Raúl de la Fuente. Refractive index measurement of imidazolium based ionic liquids in the vis-NIR. *Optical Materials*, 73:647–657, 2017.
- [14] Alessandro Bagno, Craig Butts, Cinzia Chiappe, Fabio D’Amico, Jason C. D. Lord, Daniela Pieraccini, and Federico Rastrelli. The effect of the anion on the physical properties of trihalide-based n,n-dialkylimidazolium ionic liquids. *Organic & Biomolecular Chemistry*, 3(9):1624, 2005.
- [15] Indra Bahadur, Byron Bradley Govender, Khalid Osman, Mark D. Williams-Wynn, Wayne Michael Nelson, Paramespri Naidoo, and Deresh Ramjugernath. Measurement of activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium 2-(2-methoxyethoxy) ethylsulfate at t=(308.15, 313.15, 323.15 and 333.15)k using gas+liquid chromatography. *The Journal of Chemical Thermodynamics*, 70:245–252, 2014.
- [16] Indra Bahadur, Muven Naidoo, Prathieka Naidoo, Samir Ramdath, Deresh Ramjugernath, and Eno E. Ebenso. Screening of environmental friendly ionic liquid as a solvent for the different types of separations

problem: Insight from activity coefficients at infinite dilution measurement using (gas + liquid) chromatography technique. *The Journal of Chemical Thermodynamics*, 92:35–42, 2016.

- [17] Indra Bahadur, Khalid Osman, Christophe Coquelet, Paramespri Naidoo, and Deresh Ramjugernath. Solubilities of carbon dioxide and oxygen in the ionic liquids methyl trioctyl ammonium bis(trifluoromethylsulfonyl)imide, 1-butyl-3-methyl imidazolium bis(trifluoromethylsulfonyl)imide, and 1-butyl-3-methyl imidazolium methyl sulfate. *The Journal of Physical Chemistry B*, 119(4):1503–1514, 2015.
- [18] Isabel Bandrés, Beatriz Giner, Héctor Artigas, Félix M. Royo, and Carlos Lafuente. Thermophysical comparative study of two isomeric pyridinium-based ionic liquids. *The Journal of Physical Chemistry B*, 112(10):3077–3084, 2008.
- [19] Isabel Bandrés, Beatriz Giner, Ignacio Gascón, Miguel Castro, and Carlos Lafuente. Physicochemical characterization of n-butyl-3-methylpyridinium dicyanamide ionic liquid. *The Journal of Physical Chemistry B*, 112(39):12461–12467, 2008.
- [20] Isabel Bandrés, M. Carmen López, Miguel Castro, Joaquín Barberá, and Carlos Lafuente. Thermophysical properties of 1-propylpyridinium tetrafluoroborate. *The Journal of Chemical Thermodynamics*, 44(1):148–153, 2012.
- [21] Isabel Bandrés, Gorika Pera, Santiago Martín, Miguel Castro, and Carlos Lafuente. Thermophysical study of 1-butyl-2-methylpyridinium tetrafluoroborate ionic liquid. *The Journal of Physical Chemistry B*, 113(35):11936–11942, 2009.
- [22] Isabel Bandrés, Félix M. Royo, Ignacio Gascón, Miguel Castro, and Carlos Lafuente. Anion influence on thermophysical properties of ionic liquids: 1-butylpyridinium tetrafluoroborate and 1-butylpyridinium triflate. *The Journal of Physical Chemistry B*, 114(10):3601–3607, 2010.
- [23] Ali Akbar Miran Beigi, Majid Abdouss, Maryam Yousefi, Seied Mahdi Pourmortazavi, and Amir Vahid. Investigation on physical and electrochemical properties of three imidazolium based ionic liquids (1-hexyl-3-methylimidazolium tetrafluoroborate, 1-ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl) imide and 1-butyl-3-methylimidazolium methylsulfate). *Journal of Molecular Liquids*, 177:361–368, 2013.
- [24] Javier Benito, Mónica García-Mardones, Víctor Pérez-Gregorio, Ignacio Gascón, and Carlos Lafuente. Physicochemical study of n-ethylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquid. *Journal of Solution Chemistry*, 43(4):696–710, 2014.

- [25] A. Berthod, M.J. Ruiz-ángel, and S. Carda-Broch. Ionic liquids in separation techniques. *Journal of Chromatography A*, 1184(1-2):6–18, 2008.
- [26] Arijit Bhattacharjee, Pedro J. Carvalho, and João A.P. Coutinho. The effect of the cation aromaticity upon the thermophysical properties of piperidinium- and pyridinium-based ionic liquids. *Fluid Phase Equilibria*, 375:80–88, 2014.
- [27] Arijit Bhattacharjee, José A. Lopes da Silva, Mara G. Freire, João A.P. Coutinho, and Pedro J. Carvalho. Thermophysical properties of phosphonium-based ionic liquids. *Fluid Phase Equilibria*, 400:103–113, 2015.
- [28] Arijit Bhattacharjee, José A. Lopes da Silva, Mara G. Freire, João A.P. Coutinho, and Pedro J. Carvalho. Thermophysical properties of phosphonium-based ionic liquids. *Fluid Phase Equilibria*, 400:103–113, 2015.
- [29] Arijit Bhattacharjee, Andreia Luís, João H. Santos, José A. Lopes da Silva, Mara G. Freire, Pedro J. Carvalho, and João A.P. Coutinho. Thermophysical properties of sulfonium- and ammonium-based ionic liquids. *Fluid Phase Equilibria*, 381:36 – 45, 2014.
- [30] Pierre Bonhôte, Ana-Paula Dias, Nicholas Papageorgiou, Kuppuswamy Kalyanasundaram, and Michael Grätzel. Hydrophobic, highly conductive ambient-temperature molten salts. *Inorganic Chemistry*, 35(5):1168–1178, 1996.
- [31] Zachary S. Breitbach and Daniel W. Armstrong. Characterization of phosphonium ionic liquids through a linear solvation energy relationship and their use as GLC stationary phases. *Analytical and Bioanalytical Chemistry*, 390(6):1605–1617, 2008.
- [32] Ganga Ram Chaudhary, Shafila Bansal, S.K. Mehta, and A.S. Ahluwalia. Structural and interactional behaviour of aqueous mixture of room temperature ionic liquid; 2-hydroxyethyl-trimethylammonium l-lactate. *The Journal of Chemical Thermodynamics*, 76:134–144, 2014.
- [33] Jiayi Chen, Lingxiao Chen, Yueqing Lu, and Yingjie Xu. Physicochemical properties of aqueous solution of 1-methylimidazolium acetate ionic liquid at several temperatures. *Journal of Molecular Liquids*, 197:374–380, 2014.
- [34] Zhengjian Chen, Shimin Liu, Zuopeng Li, Qinghua Zhang, and Youquan Deng. Dialkoxy functionalized quaternary ammonium ionic liquids as potential electrolytes and cellulose solvents. *New Journal of Chemistry*, 35(8):1596, 2011.
- [35] Pratap K. Chhotaray and Ramesh L. Gardas. Structural dependence of protic ionic liquids on surface, optical, and transport properties. *Journal of Chemical & Engineering Data*, 60(6):1868–1877, 2015.

- [36] Martha Claros, Héctor R. Galleguillos, Iván Brito, and Teófilo A. Graber. Thermophysical properties of a new dicationic ionic liquid. *Journal of Chemical & Engineering Data*, 57(8):2147–2152, 2012.
- [37] Leonardo Hadlich de Oliveira and Martín Aznar. Liquid-liquid equilibrium data in ionic liquid + 4-methyldibenzothiophene + n-dodecane systems. *Industrial & Engineering Chemistry Research*, 49(19):9462–9468, 2010.
- [38] Nirmala Deenadayalu, Khulekani C. Ngcongco, Trevor M. Letcher, and Deresh Ramjugernath. Liquid-liquid equilibria for ternary mixtures (an ionic liquid + benzene + heptane or hexadecane) at T= 298.2 k and atmospheric pressure. *Journal of Chemical & Engineering Data*, 51(3):988–991, 2006.
- [39] Francisco J. Deive, Miguel A. Rivas, and Ana Rodríguez. Thermophysical properties of two ionic liquids based on benzyl imidazolium cation. *The Journal of Chemical Thermodynamics*, 43(3):487–491, 2011.
- [40] Francisco J. Deive, Miguel A. Rivas, and Ana Rodríguez. Study of thermodynamic and transport properties of phosphonium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 62:98–103, 2013.
- [41] Fernando Espiau, Juan Ortega, Luís Fernández, and Jaime Wisniak. Liquid-liquid equilibria in binary solutions formed by [pyridinium-derived][f4b] ionic liquids and alkanols: New experimental data and validation of a multiparametric model for correlating LLE data. *Industrial & Engineering Chemistry Research*, 50(21):12259–12270, 2011.
- [42] Mara G. Freire, Ana Rita R. Teles, Marisa A. A. Rocha, Bernd Schröder, Catarina M. S. S. Neves, Pedro J. Carvalho, Dmitry V. Evtuguin, Luís M. N. B. F. Santos, and João A. P. Coutinho. Thermophysical characterization of ionic liquids able to dissolve biomass. *Journal of Chemical & Engineering Data*, 56(12):4813–4822, 2011.
- [43] Mara G. Freire, Ana Rita R. Teles, Marisa A. A. Rocha, Bernd Schröder, Catarina M. S. S. Neves, Pedro J. Carvalho, Dmitry V. Evtuguin, Luís M. N. B. F. Santos, and João A. P. Coutinho. Thermophysical characterization of ionic liquids able to dissolve biomass. *Journal of Chemical & Engineering Data*, 56(12):4813–4822, 2011.
- [44] María García-Andreu, Miguel Castro, Ignacio Gascón, and Carlos Lafuente. Thermophysical characterization of 1-ethylpyridinium triflate and comparison with similar ionic liquids. *The Journal of Chemical Thermodynamics*, 103:395–402, 2016.
- [45] Mónica García-Mardones, Isabel Bandrés, M. Carmen López, Ignacio Gascón, and Carlos Lafuente. Experimental and theoretical study of two pyridinium-based ionic liquids. *Journal of Solution Chemistry*, 41(10):1836–1852, 2012.

- [46] Elena Gómez, Noelia Calvar, ángeles Domínguez, and Eugénia A. Macedo. Synthesis and temperature dependence of physical properties of four pyridinium-based ionic liquids: Influence of the size of the cation. *The Journal of Chemical Thermodynamics*, 42(11):1324–1329, 2010.
- [47] Elena Gómez, Noelia Calvar, Eugénia A. Macedo, and ángeles Domínguez. Effect of the temperature on the physical properties of pure 1-propyl 3-methylimidazolium bis(trifluoromethylsulfonyl)imide and characterization of its binary mixtures with alcohols. *The Journal of Chemical Thermodynamics*, 45(1):9–15, 2012.
- [48] Elena Gómez, Begoña González, ángeles Domínguez, Emilia Tojo, and José Tojo. Dynamic viscosities of a series of 1-alkyl-3-methylimidazolium chloride ionic liquids and their binary mixtures with water at several temperatures. *Journal of Chemical & Engineering Data*, 51(2):696–701, 2006.
- [49] Begoña González, Noelia Calvar, Elena Gómez, Irene Domínguez, and Ángeles Domínguez. Synthesis and physical properties of 1-ethylpyridinium ethylsulfate and its binary mixtures with ethanol and 1-propanol at several temperatures. *Journal of Chemical & Engineering Data*, 54(4):1353–1358, 2009.
- [50] Begoña González, Noelia Calvar, Elena Gómez, Eugénia A. Macedo, and Ángeles Domínguez. Synthesis and physical properties of 1-ethyl 3-methylpyridinium ethylsulfate and its binary mixtures with ethanol and water at several temperatures. *Journal of Chemical & Engineering Data*, 53(8):1824–1828, 2008.
- [51] Begoña González, Sandra Corderí, and Alberto G. Santamaría. Application of 1-alkyl-3-methylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquids for the ethanol removal from its mixtures with alkanes. *The Journal of Chemical Thermodynamics*, 60:9–14, 2013.
- [52] Begoña González, Elena Gómez, Ángeles Domínguez, Miguel Vilas, and Emilia Tojo. Physicochemical characterization of new sulfate ionic liquids. *Journal of Chemical & Engineering Data*, 56(1):14–20, 2011.
- [53] Begoña González, Elena Gómez, Ángeles Domínguez, Miguel Vilas, and Emilia Tojo. Physicochemical characterization of new sulfate ionic liquids. *Journal of Chemical & Engineering Data*, 56(1):14–20, 2011.
- [54] Emilio J. González, ángeles Domínguez, and Eugenia A. Macedo. Physical and excess properties of eight binary mixtures containing water and ionic liquids. *Journal of Chemical & Engineering Data*, 57(8):2165–2176, 2012.
- [55] Emilio J. González, Begoña González, and Eugénia A. Macedo. Thermophysical properties of the pure ionic liquid 1-butyl-1-methylpyrrolidinium dicyanamide and its binary mixtures with alcohols. *Journal of Chemical & Engineering Data*, 58(6):1440–1448, 2013.

- [56] Emilio J. González, Begoña González, and Eugénia A. Macedo. Effect of the relative humidity and isomeric structure on the physical properties of pyridinium based-ionic liquids. *The Journal of Chemical Thermodynamics*, 86:96–105, 2015.
- [57] B. Gorska, L. Timperman, M. Anouti, J. Pernak, and F. Béguin. Physicochemical and electrochemical properties of a new series of protic ionic liquids with n-chloroalkyl functionalized cations. *RSC Advances*, 6(60):55144–55158, 2016.
- [58] Andreia S. L. Gouveia, Liliana C. Tomé, and Isabel M. Marrucho. Density, viscosity, and refractive index of ionic liquid mixtures containing cyano and amino acid-based anions. *Journal of Chemical & Engineering Data*, 61(1):83–93, 2015.
- [59] Tamar L. Greaves, Asoka Weerawardena, Celesta Fong, Irena Krodkiewska, and Calum J. Drummond. Protic ionic liquids: solvents with tunable phase behavior and physicochemical properties. *The Journal of Physical Chemistry B*, 110(45):22479–22487, 2006.
- [60] Benjamin Hasse, Julia Lehmann, Daniel Assenbaum, Peter Wasserscheid, Alfred Leipertz, and Andreas Paul Fro?ba. Viscosity, interfacial tension, density, and refractive index of ionic liquids [EMIM][MeSO₃], [EMIM][MeOHPO₂], [EMIM][OcSO₄], and [BBIM][NTf₂] in dependence on temperature at atmospheric pressure. *Journal of Chemical & Engineering Data*, 54(9):2576–2583, 2009.
- [61] Benjamin Hasse, Julia Lehmann, Daniel Assenbaum, Peter Wasserscheid, Alfred Leipertz, and Andreas Paul Fro?ba. Viscosity, interfacial tension, density, and refractive index of ionic liquids [EMIM][MeSO₃], [EMIM][MeOHPO₂], [EMIM][OcSO₄], and [BBIM][NTf₂] in dependence on temperature at atmospheric pressure. *Journal of Chemical & Engineering Data*, 54(9):2576–2583, 2009.
- [62] Nastaran Hazrati, Majid Abdouss, Ali Akbar Miran Beigi, Ali Asghar Pasban, and Mahmoud Rezaei. Physicochemical properties of long chain alkylated imidazolium based chloride and bis(trifluoromethanesulfonyl)imide ionic liquids. *Journal of Chemical & Engineering Data*, 62(10):3084–3094, 2017.
- [63] Xiaodong He, Qunfeng Shao, Weijie Kong, Long Yu, Xiaoping Zhang, and Youquan Deng. A simple method for estimating mutual diffusion coefficients of ionic liquids-water based on an optofluidic chip. *Fluid Phase Equilibria*, 366:9–15, 2014.
- [64] Francisco J. Hernández-Fernández, Antonia P. de los Ríos, Demetrio Gómez, Manuel Rubio, Francisca Tomás-Alonso, and Gloria Villora.

Ternary liquid–liquid equilibria for mixtures of an ionic liquid+n-hexane+an organic compound involved in the kinetic resolution of rac-1-phenyl ethanol (rac-1-phenyl ethanol, vinyl propionate, rac-1-phenylethyl propionate or propionic acid) at 298.2k and atmospheric pressure. *Fluid Phase Equilibria*, 263(2):190–198, 2008.

- [65] Mei Hong, Ao Sun, Chun Liu, Wei Guan, Jing Tong, and Jia-Zhen Yang. Physico-chemical properties of 1-alkyl-3-methylimidazolium propionate ionic liquids [Cnmim][Pro](n = 3, 4, 5, 6) from 288.15 k to 328.15 k. *Industrial & Engineering Chemistry Research*, 52(44):15679–15683, 2013.
- [66] Mei Hong, Ao Sun, Chun Liu, Wei Guan, Jing Tong, and Jia-Zhen Yang. Physico-chemical properties of 1-alkyl-3-methylimidazolium propionate ionic liquids [Cnmim][Pro](n = 3, 4, 5, 6) from 288.15 k to 328.15 k. *Industrial & Engineering Chemistry Research*, 52(44):15679–15683, 2013.
- [67] Mei Hong, Ao Sun, Qi Yang, Wei Guan, Jing Tong, and Jia-Zhen Yang. Studies on properties of ionic liquids 1-alkyl-3-methylimidazolium lactate at temperatures from (288.15 to 333.15)k. *The Journal of Chemical Thermodynamics*, 67:91–98, 2013.
- [68] M. Ismail Hossain, Moulay-Rachid Babaa, Mohanad El-Harbawi, Zakaria Man, Glenn Hefter, and Chun-Yang Yin. Synthesis, characterization, physical properties, and cytotoxicities of 1-(6-hydroxyhexyl)-3-alkylimidazolium chloride ionic liquids. *Journal of Chemical & Engineering Data*, 56(11):4188–4193, 2011.
- [69] Mengyin Hou, Yingjie Xu, Yajuan Han, Bin Chen, Wenxia Zhang, Qinghua Ye, and Jinzhi Sun. Thermodynamic properties of aqueous solutions of two ammonium-based protic ionic liquids at 298.15k. *Journal of Molecular Liquids*, 178:149–155, 2013.
- [70] In-Chan Hwang, Rak-Hyun Kwon, and So-Jin Park. Azeotrope breaking for the system ethyl tert-butyl ether (ETBE)+ethanol at 313.15k and excess properties at 298.15k for mixtures of ETBE and ethanol with phosphonium-based ionic liquids. *Fluid Phase Equilibria*, 344:32–37, 2013.
- [71] Hui Jin, Bernie O’Hare, Jing Dong, Sergei Arzhantsev, Gary A. Baker, James F. Wishart, Alan J. Benesi, and Mark Maroncelli. Physical properties of ionic liquids consisting of the 1-butyl-3-methylimidazolium cation with various anions and the bis(trifluoromethylsulfonyl)imide anion with various cations. *The Journal of Physical Chemistry B*, 112(1):81–92, 2008.
- [72] Ghassan M J Al Kaisy, M. Ibrahim A Mutalib, J M Leveque, and T V V L N Rao. Novel low viscosity ammonium-based ionic liquids with carboxylate anions: Synthesis, characterization, and thermophysical properties. *Journal of Molecular Liquids*, 230:565–573, 2017.

- [73] Yoko Kayama, Takahiro Ichikawa, and Hiroyuki Ohno. Transparent and colourless room temperature ionic liquids having high refractive index over 1.60. *Chem. Commun.*, 50(94):14790–14792, 2014.
- [74] Ki-Sub Kim. Physical and electrochemical properties of lithium-doped 1-butyl-3-methylimidazolium salts. *Korean Journal of Chemical Engineering*, 26(3):770–774, 2009.
- [75] Ki-Sub Kim, Bae-Kun Shin, and Huen Lee. Physical and electrochemical properties of 1-butyl-3-methylimidazolium bromide, 1-butyl-3-methylimidazolium iodide, and 1-butyl-3-methylimidazolium tetrafluoroborate. *Korean Journal of Chemical Engineering*, 21(5):1010–1014, 2004.
- [76] Ki-Sub Kim, Bae-Kun Shin, Huen Lee, and Felix Ziegler. Refractive index and heat capacity of 1-butyl-3-methylimidazolium bromide and 1-butyl-3-methylimidazolium tetrafluoroborate, and vapor pressure of binary systems for 1-butyl-3-methylimidazolium bromide + trifluoroethanol and 1-butyl-3-methylimidazolium tetrafluoroborate + trifluoroethanol. *Fluid Phase Equilibria*, 218(2):215–220, 2004.
- [77] Thomas M. Koller, Stefan R. Schmid, Svetlana J. Sachnov, Michael H. Rausch, Peter Wasserscheid, and Andreas P. Fröba. Measurement and prediction of the thermal conductivity of tricyanomethanide- and tetracyanoborate-based imidazolium ionic liquids. *International Journal of Thermophysics*, 35(2):195–217, 2014.
- [78] Roksana Kordala-Markiewicz, Hubert Rodak, Bartosz Markiewicz, Filip Walkiewicz, Agata Sznajdrowska, Katarzyna Materna, Katarzyna Marcinkowska, Tadeusz Praczyk, and Juliusz Pernak. Phenoxy herbicidal ammonium ionic liquids. *Tetrahedron*, 70(32):4784–4789, 2014.
- [79] K.A. Kurnia, C.D. Wilfred, and T. Murugesan. Thermophysical properties of hydroxyl ammonium ionic liquids. *The Journal of Chemical Thermodynamics*, 41(4):517–521, 2009.
- [80] Marcos Larriba, Silvia García, Julián García, José S. Torrecilla, and Francisco Rodríguez. Thermophysical properties of 1-ethyl-3-methylimidazolium 1,1,2,2-tetrafluoroethanesulfonate and 1-ethyl-3-methylimidazolium ethylsulfate ionic liquids as a function of temperature. *Journal of Chemical & Engineering Data*, 56(9):3589–3597, 2011.
- [81] Marcos Larriba, Silvia García, Pablo Navarro, Julián García, and Francisco Rodríguez. Physical characterization of an aromatic extraction solvent formed by [bpy][BF₄] and [4bmpy][tf₂n] mixed ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1496–1504, 2013.
- [82] Sze Ying Lee, Filipa A. Vicente, João A. P. Coutinho, Ianatul Khoiroh, Pau Loke Show, and Sónia P. M. Ventura. Densities, viscosities, and refractive indexes of good’s buffer ionic liquids. *Journal of Chemical & Engineering Data*, 61(7):2260–2268, 2016.

- [83] Sze Ying Lee, Filipa A. Vicente, João A. P. Coutinho, Ianatul Khoiroh, Pau Loke Show, and Sónia P. M. Ventura. Densities, viscosities, and refractive indexes of good's buffer ionic liquids. *Journal of Chemical & Engineering Data*, 61(7):2260–2268, 2016.
- [84] Venkatramana Losetty, Bharath Kumar Chennuri, and Ramesh L. Gardas. Synthesis, spectroscopic characterization and acoustic, volumetric, transport and thermal properties of hydroxyl ammonium based ionic liquids. *The Journal of Chemical Thermodynamics*, 92:175–181, 2016.
- [85] Xiao-Xue Ma, Jie Wei, Qiu-Bo Zhang, Fang Tian, Ying-Ying Feng, and Wei Guan. Prediction of thermophysical properties of acetate-based ionic liquids using semiempirical methods. *Industrial & Engineering Chemistry Research*, 52(27):9490–9496, 2013.
- [86] Karolina Machanová, Aurélien Boisset, Zuzana Sedláková, Mérièm Anouti, Magdalena Bendová, and Johan Jacquemin. Thermophysical properties of ammonium-based bis(trifluoromethyl)sulfonylimide ionic liquids: Volumetric and transport properties. *Journal of Chemical & Engineering Data*, 57(8):2227–2235, 2012.
- [87] Karolina Machanová, Jacobo Troncoso, Johan Jacquemin, and Magdalena Bendová. Excess molar volumes and excess molar enthalpies in binary systems n-alkyl-triethylammonium bis(trifluoromethylsulfonyl)imide+methanol. *Fluid Phase Equilibria*, 363:156–166, 2014.
- [88] Maria Mahrova, Miguel Vilas, ángeles Domínguez, Elena Gómez, Noelia Calvar, and Emilia Tojo. Physicochemical characterization of new sulfonate and sulfate ammonium ionic liquids. *Journal of Chemical & Engineering Data*, 57(2):241–248, 2012.
- [89] Naved I Malek, Archana Singh, Roshani Surati, and Sushma P. Ijardar. Study on thermo physical and excess molar properties of binary systems of ionic liquids. i: [cnmim][PF6] (n=6, 8) and alkyl acetates. *The Journal of Chemical Thermodynamics*, 74:103–118, 2014.
- [90] Ibrahim Bou Malham and Mireille Turmine. Viscosities and refractive indices of binary mixtures of 1-butyl-3-methylimidazolium tetrafluoroborate and 1-butyl-2,3-dimethylimidazolium tetrafluoroborate with water at 298 k. *The Journal of Chemical Thermodynamics*, 40(4):718–723, 2008.
- [91] Łukasz Marcinkowski, Adam Kloskowski, and Jacek Namieśnik. Physical and thermophysical properties of 1-hexyl-1,4-diaza[2.2.2]bicyclooctanium bis(trifluoromethylsulfonyl)imide ionic liquid. *Journal of Chemical & Engineering Data*, 59(3):585–591, 2014.
- [92] Yali Meng, Jiamei Liu, Zhen Li, and Huanmei Wei. Synthesis and physicochemical properties of two SO₃h-functionalized ionic liquids with hydrogen

- sulfate anion. *Journal of Chemical & Engineering Data*, 59(7):2186–2195, 2014.
- [93] Babak Mokhtarani, Mohammad Majid Mojtahedi, Hamid Reza Mortaheb, Morteza Mafi, Farshad Yazdani, and Fatemeh Sadeghian. Densities, refractive indices, and viscosities of the ionic liquids 1-methyl-3-octylimidazolium tetrafluoroborate and 1-methyl-3-butylimidazolium perchlorate and their binary mixtures with ethanol at several temperatures. *Journal of Chemical & Engineering Data*, 53(3):677–682, 2008.
- [94] M. G. Montalbán, C. L. Bolívar, F. Guillermo Díaz Baños, and G. Vil-lora. Effect of temperature, anion, and alkyl chain length on the density and refractive index of 1-alkyl-3-methylimidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 60(7):1986–1996, 2015.
- [95] Nawshad Muhammad, M. Ismail Hossain, Zakaria Man, Mohanad El-Harbawi, M. Azmi Bustam, Yousef Abdulhadi Noaman, Noorjahan Banu Mohamed Alitheen, Mei Kee Ng, Glenn Hefter, and Chun-Yang Yin. Synthesis and physical properties of choline carboxylate ionic liquids. *Journal of Chemical & Engineering Data*, 57(8):2191–2196, 2012.
- [96] Nawshad Muhammad, Zakaria Man, Abobakr K. Ziyada, M. Azmi Bustam, M. I. Abdul Mutalib, Cecilia D. Wilfred, Sikander Rafiq, and Isa Mohd Tan. Thermophysical properties of dual functionalized imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 57(3):737–743, 2012.
- [97] Samuel M. Murray, T. Kyle Zimlich, Arsalan Mirjafari, Richard A. O’Brien, James H. Davis, and Kevin N. West. Thermophysical properties of imidazolium-based lipidic ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1516–1522, 2013.
- [98] Andreas Nazet, Sophia Sokolov, Thomas Sonnleitner, Sergej Friesen, and Richard Buchner. Densities, refractive indices, viscosities, and conductivities of non-imidazolium ionic liquids [et3s][TFSI], [et2mes][TFSI], [BuPy][TFSI], [n8881][TFA], and [p14][DCA]. *Journal of Chemical & Engineering Data*, 62(9):2549–2561, 2017.
- [99] Catarina M. S. S. Neves, Kiki Adi Kurnia, João A. P. Coutinho, Isabel M. Marrucho, José N. Canongia Lopes, Mara G. Freire, and Luís Paulo N. Rebelo. Systematic study of the thermophysical properties of imidazolium-based ionic liquids with cyano-functionalized anions. *The Journal of Physical Chemistry B*, 117(35):10271–10283, 2013.
- [100] Michał Niemczak, Łukasz Chrzanowski, Tadeusz Praczyk, and Juliusz Pernak. Biodegradable herbicidal ionic liquids based on synthetic auxins and analogues of betaine. *New Journal of Chemistry*, 41(16):8066–8077, 2017.

- [101] Peter Nockemann, Michael Pellens, Kristof Van Hecke, Luc Van Meervelt, Johan Wouters, Ben Thijs, Evert Vanecht, Tatjana N. Parac-Vogt, Hasan Mehdi, Stijn Schaltin, Jan Fransaer, Stefan Zahn, Barbara Kirchner, and Koen Binnemans. Cobalt(II) complexes of nitrile-functionalized ionic liquids. *Chemistry - A European Journal*, 16(6):1849–1858, 2010.
- [102] Melek Canbulat özdemir and Beytiye özgün. Phenyl/alkyl-substituted-3,5-dimethylpyrazolium ionic liquids. *Journal of Molecular Liquids*, 200:129–135, 2014.
- [103] Nicolas Papaiconomou, Julien Estager, Youssef Traore, Pierre Bauduin, Corine Bas, Sophie Legeai, Sylvie Viboud, and Micheline Draye. Synthesis, physicochemical properties, and toxicity data of new hydrophobic ionic liquids containing dimethylpyridinium and trimethylpyridinium cations. *Journal of Chemical & Engineering Data*, 55(5):1971–1979, 2010.
- [104] Heta Patel, Zuber S. Vaid, Utkarsh U. More, Sushma P. Ijardar, and Naved I. Malek. Thermophysical, acoustic and optical properties of binary mixtures of imidazolium based ionic liquids + polyethylene glycol. *The Journal of Chemical Thermodynamics*, 99:40–53, 2016.
- [105] Ana B. Pereiro, Jose L. Legido, and Ana Rodríguez. Physical properties of ionic liquids based on 1-alkyl-3-methylimidazolium cation and hexafluorophosphate as anion and temperature dependence. *The Journal of Chemical Thermodynamics*, 39(8):1168–1175, 2007.
- [106] Ana B. Pereiro, Francisco Santamarta, Emilia Tojo, Ana Rodríguez, and José Tojo. Temperature dependence of physical properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate. *Journal of Chemical & Engineering Data*, 51(3):952–954, 2006.
- [107] Ana B. Pereiro, Helena I.M. Veiga, José M.S.S. Esperança, and Ana Rodríguez. Effect of temperature on the physical properties of two ionic liquids. *The Journal of Chemical Thermodynamics*, 41(12):1419–1423, 2009.
- [108] Ana B. Pereiro, Pedro Verdía, Emilia Tojo, and Ana Rodríguez. Physical properties of 1-butyl-3-methylimidazolium methyl sulfate as a function of temperature. *Journal of Chemical & Engineering Data*, 52(2):377–380, 2007.
- [109] Juliusz Pernak, Michał Niemczak, Łukasz Chrzanowski, Łukasz Ławniczak, Przemysław Fochtman, Katarzyna Marcinkowska, and Tadeusz Praczyk. Betaine and carnitine derivatives as herbicidal ionic liquids. *Chemistry - A European Journal*, 22(34):12012–12021, 2016.
- [110] Juliusz Pernak, Michał Niemczak, Katarzyna Materna, Krzysztof Żelechowski, Katarzyna Marcinkowska, and Tadeusz Praczyk. Synthesis, properties and evaluation of biological activity of herbicidal ionic liquids with

4-(4-chloro-2-methylphenoxy)butanoate anion. *RSC Advances*, 6(9):7330–7338, 2016.

- [111] Kazimierz Przybysz, Ewa Drzewińska, Anna Stanisławska, Agnieszka Wysocka-Robak, Anna Cieniecka-Rosłonkiewicz, Joanna Foksowicz-Flaczyk, and Juliusz Pernak. Ionic liquids and paper. *Industrial & Engineering Chemistry Research*, 44(13):4599–4604, 2005.
- [112] M. Srinivasa Reddy, Sk. Md Nayeem, K. T. S. S. Raju, and B. Hari Babu. The study of solute–solvent interactions in 1-ethyl-3-methylimidazolium tetrafluoroborate + 2-ethoxyethanol from density, speed of sound, and refractive index measurements. *Journal of Thermal Analysis and Calorimetry*, 124(2):959–971, 2016.
- [113] Patricia F. Requejo, Emilio J. González, Eugénia A. Macedo, and Ángeles Domínguez. Effect of the temperature on the physical properties of the pure ionic liquid 1-ethyl-3-methylimidazolium methylsulfate and characterization of its binary mixtures with alcohols. *The Journal of Chemical Thermodynamics*, 74:193–200, 2014.
- [114] Marisa A.A. Rocha, Filipe M.S. Ribeiro, Ana I.M.C. Lobo Ferreira, João A.P. Coutinho, and Luís M.N.B.F. Santos. Thermophysical properties of [CN-1c1im][PF6] ionic liquids. *Journal of Molecular Liquids*, 188:196–202, 2013.
- [115] Ana S.M.C. Rodrigues, Hugo F.D. Almeida, Mara G. Freire, José A. Lopes da Silva, João A.P. Coutinho, and Luís M.N.B.F. Santos. The effect of n vs. iso isomerization on the thermophysical properties of aromatic and non-aromatic ionic liquids. *Fluid Phase Equilibria*, 423:190–202, 2016.
- [116] Ana S.M.C. Rodrigues, Hugo F.D. Almeida, Mara G. Freire, José A. Lopes da Silva, João A.P. Coutinho, and Luís M.N.B.F. Santos. The effect of n vs. iso isomerization on the thermophysical properties of aromatic and non-aromatic ionic liquids. *Fluid Phase Equilibria*, 423:190–202, 2016.
- [117] Borja Rodríguez-Cabo, María Francisco, Ana Soto, and Alberto Arce. Hexyl dimethylpyridinium ionic liquids for desulfurization of fuels. effect of the position of the alkyl side chains. *Fluid Phase Equilibria*, 314:107–112, 2012.
- [118] Luisa Segade, Manuel Cabanas, Montserrat Domínguez-Pérez, Esther Rilo, Sandra García-Garabal, Mireille Turmine, Luis M. Varela, Víctor Gómez-González, Borja Docampo-Alvarez, and Oscar Cabeza. Surface and bulk characterisation of mixtures containing alkylammonium nitrates and water or ethanol: Experimental and simulated properties at 298.15 k. *Journal of Molecular Liquids*, 222:663–670, 2016.
- [119] Shiro Seki, Seiji Tsuzuki, Kikuko Hayamizu, Nobuyuki Serizawa, Shimpei Ono, Katsuhito Takei, Hiroyuki Doi, and Yasuhiro Umebayashi.

Static and transport properties of alkyltrimethylammonium cation-based room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 118(17):4590–4599, 2014.

- [120] Shiro Seki, Seiji Tsuzuki, Kikuko Hayamizu, Yasuhiro Umebayashi, Nobuyuki Serizawa, Katsuhito Takei, and Hajime Miyashiro. Comprehensive refractive index property for room-temperature ionic liquids. *Journal of Chemical & Engineering Data*, 57(8):2211–2216, 2012.
- [121] Raquel G. Seoane, Sandra Corderí, Elena Gómez, Noelia Calvar, Emilio J. González, Eugenia A. Macedo, and ángeles Domínguez. Temperature dependence and structural influence on the thermophysical properties of eleven commercial ionic liquids. *Industrial & Engineering Chemistry Research*, 51(5):2492–2504, 2012.
- [122] Syed Nasir Shah, Kallidanthiyil Chellappan Lethesh, M. I. Abdul Mutalib, and Rashidah Binti Mohd Pilus. Evaluation of thermophysical properties of imidazolium-based phenolate ionic liquids. *Industrial & Engineering Chemistry Research*, 54(14):3697–3705, 2015.
- [123] Hemayat Shekaari and Elnaz Armanfar. Physical properties of aqueous solutions of ionic liquid, 1-propyl-3-methylimidazolium methyl sulfate, at $T = (298.15 \text{ to } 328.15) \text{ K}$. *Journal of Chemical & Engineering Data*, 55(2):765–772, 2010.
- [124] Hemayat Shekaari and Elnaz Armanfar. Apparent molar volumes and expansivities of aqueous solutions of ionic liquids, 1-alkyl-3-methylimidazolium alkyl sulfate at $t = (298.15\text{--}328.15)\text{K}$. *Fluid Phase Equilibria*, 303(2):120–125, 2011.
- [125] Hemayat Shekaari, Mohammed Taghi Zafarani-Moattar, and Seyyedeh Narjes Mirheydari. Effect of 1-butyl-3-methylimidazolium ibuprofenate as an active pharmaceutical ingredient ionic liquid (API-IL) on the thermodynamic properties of glycine and l-alanine in aqueous solutions at different temperatures. *Journal of Solution Chemistry*, 45(4):624–663, 2016.
- [126] Hemayat Shekaari, Mohammed Taghi Zafarani-Moattar, and Mehrdad Niknam. Thermodynamic evaluation of imidazolium based ionic liquids with thiocyanate anion as effective solvent to thiophene extraction. *Journal of Molecular Liquids*, 219:975–984, 2016.
- [127] Dharmendra Singh, Gyanendra Sharma, and Ramesh L. Gardas. Better than the best polar solvent: Tuning the polarity of 1,2,4- triazolium-based ionic liquids. *ChemistrySelect*, 2(13):3943–3947, 2017.
- [128] Tejwant Singh and Arvind Kumar. Temperature dependence of physical properties of imidazolium based ionic liquids: Internal pressure and molar refraction. *Journal of Solution Chemistry*, 38(8):1043–1053, 2009.

- [129] Duan-Jian Tao, Zheng Cheng, Feng-Feng Chen, Zhang-Min Li, Na Hu, and Xiang-Shu Chen. Synthesis and thermophysical properties of biocompatible cholinium-based amino acid ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1542–1548, 2013.
- [130] Duan-Jian Tao, Wen-Jing Hu, Feng-Feng Chen, Xiang-Shu Chen, Xiao-Liang Zhang, and Yan Zhou. Low-viscosity tetramethylguanidinium-based ionic liquids with different phenolate anions: Synthesis, characterization, and physical properties. *Journal of Chemical & Engineering Data*, 59(12):4031–4038, 2014.
- [131] M. Tariq, P.A.S. Forte, M.F. Costa Gomes, J.N. Canongia Lopes, and L.P.N. Rebelo. Densities and refractive indices of imidazolium- and phosphonium-based ionic liquids: Effect of temperature, alkyl chain length, and anion. *The Journal of Chemical Thermodynamics*, 41(6):790–798, 2009.
- [132] Tushar J. Trivedi, Pankaj Bharmoria, Tejwant Singh, and Arvind Kumar. Temperature dependence of physical properties of amino acid ionic liquid surfactants. *Journal of Chemical & Engineering Data*, 57(2):317–323, 2012.
- [133] Tushar J. Trivedi, Pankaj Bharmoria, Tejwant Singh, and Arvind Kumar. Temperature dependence of physical properties of amino acid ionic liquid surfactants. *Journal of Chemical & Engineering Data*, 57(2):317–323, 2012.
- [134] Zahoor Ullah, M. Azmi Bustam, Nawshad Muhammad, Zakaria Man, and Amir Sada Khan. Synthesis and thermophysical properties of hydrogensulfate based acidic ionic liquids. *Journal of Solution Chemistry*, 44(3-4):875–889, 2015.
- [135] Reddicherla Umapathi, Pankaj Attri, and Pannuru Venkatesu. Thermophysical properties of aqueous solution of ammonium-based ionic liquids. *The Journal of Physical Chemistry B*, 118(22):5971–5982, 2014.
- [136] Gholamreza Vakili-Nezhaad, Mostafa Vatani, Morteza Asghari, and Ibrahim Ashour. Effect of temperature on the physical properties of 1-butyl-3-methylimidazolium based ionic liquids with thiocyanate and tetrafluoroborate anions, and 1-hexyl-3-methylimidazolium with tetrafluoroborate and hexafluorophosphate anions. *The Journal of Chemical Thermodynamics*, 54:148–154, 2012.
- [137] Ernesto Vercher, Francisco J. Llopis, Vicenta González-Alfaro, Pablo J. Miguel, and Antoni Martínez-Andreu. Refractive indices and deviations in refractive indices of trifluoromethanesulfonate-based ionic liquids in water. *Journal of Chemical & Engineering Data*, 56(12):4499–4504, 2011.

- [138] Pedro Verdía, Marta Hernaiz, Emilio J. González, Eugénia A. Macedo, Josefa Salgado, and Emilia Tojo. Effect of the number, position and length of alkyl chains on the physical properties of polysubstituted pyridinium ionic liquids. *The Journal of Chemical Thermodynamics*, 69:19–26, 2014.
- [139] N.S.M. Vieira, A. Luís, P.M. Reis, P.J. Carvalho, J.A. Lopes da Silva, J.M.S.S. Esperança, J.M.M. Araújo, L.P.N. Rebelo, M.G. Freire, and A.B. Pereiro. Fluorination effects on the thermodynamic, thermophysical and surface properties of ionic liquids. *The Journal of Chemical Thermodynamics*, 97:354–361, 2016.
- [140] Jürgen Vitz, Natalia P. Yevlampieva, Evgeny Rjuntsev, and Ulrich S. Schubert. Cellulose molecular properties in 1-alkyl-3-methylimidazolium-based ionic liquid mixtures with pyridine. *Carbohydrate Polymers*, 82(4):1046–1053, 2010.
- [141] Jie Wei, Chun Chang, Yingying Zhang, Shuyan Hou, Dawei Fang, and Wei Guan. Prediction of thermophysical properties of novel ionic liquids based on serine [c n mim][ser] (n = 3, 4) using semiempirical methods. *The Journal of Chemical Thermodynamics*, 90:310–316, 2015.
- [142] Da wei Fang, Qiang Yan, Du Li, Li-Xin Xia, and Shu-Liang Zang. Estimation of physicochemical properties of 1-alkyl-3-methylimidazolium glutamate. *The Journal of Chemical Thermodynamics*, 79:12–18, 2014.
- [143] Nannan Xing, Bing Dai, Xiaoxue Ma, Jie Wei, Yi Pan, and Wei Guan. The molar surface gibbs energy and prediction of surface tension of [c n py][DCA] (n = 3, 4, 5). *The Journal of Chemical Thermodynamics*, 95:21–25, 2016.
- [144] Wei-Guo Xu, Long Li, Xiao-Xue Ma, Jie Wei, Wen-Bin Duan, Wei Guan, and Jia-Zhen Yang. Density, surface tension, and refractive index of ionic liquids homologue of 1-alkyl-3-methylimidazolium tetrafluoroborate [cn-mim][BF₄] (n = 2,3,4,5,6). *Journal of Chemical & Engineering Data*, 57(8):2177–2184, 2012.
- [145] Xiao-Jing Yan, Shu-Ni Li, Quan-Guo Zhai, Yu-Cheng Jiang, and Man-Cheng Hu. Physicochemical properties for the binary systems of ionic liquids [cnmim]cl + n,n-dimethylformamide. *Journal of Chemical & Engineering Data*, 59(5):1411–1422, 2014.
- [146] Fangfang Ye, Jiahong Zhu, Keke Yu, Ruyun Zhu, Yingjie Xu, Jiayi Chen, and Lingxiao Chen. Physicochemical properties of binary mixtures of 1,1,3,3-tetramethylguanidine imidazolide ionic liquid with water and alcohols. *The Journal of Chemical Thermodynamics*, 97:39–47, 2016.
- [147] Zhichao Yu, Haiyan Gao, Haijun Wang, and Lianwei Chen. Densities, excess molar volumes, and refractive properties of the binary mixtures of the amino acid ionic liquid [bmim][gly] with 1-butanol or isopropanol

- at $T = (298.15 \text{ to } 313.15) \text{ K}$. *Journal of Chemical & Engineering Data*, 56(12):4295–4300, 2011.
- [148] Zhichao Yu, Haiyan Gao, Haijun Wang, and Lianwei Chen. Densities, viscosities, and refractive properties of the binary mixtures of the amino acid ionic liquid [bmim][ala] with methanol or benzylalcohol at $T = (298.15 \text{ to } 313.15) \text{ K}$. *Journal of Chemical & Engineering Data*, 56(6):2877–2883, 2011.
- [149] Zhichao Yu, Haiyan Gao, Haijun Wang, and Lianwei Chen. Thermodynamic properties of binary mixtures of the amino acid ionic liquids [bmim][glu] or [bmim][gly] with methanol at $t = 298.15 \text{ to } 313.15 \text{ K}$. *Journal of Solution Chemistry*, 41(1):173–186, 2012.
- [150] Normawati M. Yunus, M.I. Abdul Mutalib, Zakaria Man, Mohamad Azmi Bustam, and T. Murugesan. Thermophysical properties of 1-alkylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquids. *The Journal of Chemical Thermodynamics*, 42(4):491–495, 2010.
- [151] Hao Zhang, Jin Wu, Jun Zhang, and Jiasong He. 1-allyl-3-methylimidazolium chloride room temperature ionic liquid: a new and powerful nonderivatizing solvent for cellulose. *Macromolecules*, 38(20):8272–8277, 2005.
- [152] Qinghua Zhang, Zuopeng Li, Juan Zhang, Shiguo Zhang, Laiying Zhu, Jing Yang, Xiaoping Zhang, and Youquan Deng. Physicochemical properties of nitrile-functionalized ionic liquids. *The Journal of Physical Chemistry B*, 111(11):2864–2872, 2007.
- [153] Qinghua Zhang, Xiangyuan Ma, Shimin Liu, Benqun Yang, Liujin Lu, Yude He, and Youquan Deng. Hydrophobic 1-allyl-3-alkylimidazolium dicyanamide ionic liquids with low densities. *Journal of Materials Chemistry*, 21(19):6864, 2011.
- [154] Shiguo Zhang, Xiaodong Hu, Chao Qu, Qinghua Zhang, Xiangyuan Ma, Liujin Lu, Xueli Li, Xiaoping Zhang, and Youquan Deng. Enhanced and reversible contact angle modulation of ionic liquids in oil and under AC electric field. *ChemPhysChem*, 11(11):2327–2331, 2010.
- [155] Abobakr K. Ziyada, M. Azmi Bustam, Cecilia D. Wilfred, and Thanapalan Murugesan. Densities, viscosities, and refractive indices of 1-hexyl-3-propanenitrile imidazolium ionic liquids incorporated with sulfonate-based anions. *Journal of Chemical & Engineering Data*, 56(5):2343–2348, 2011.
- [156] Abobakr K. Ziyada and Cecilia D. Wilfred. Effect of temperature and anion on densities, viscosities, and refractive indices of 1-octyl-3-propanenitrile imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 59(5):1385–1390, 2014.

- [157] Abobakr K. Ziyada, Cecilia D. Wilfred, M. Azmi Bustam, Zakaria Man, and Thanapalan Murugesan. Thermophysical properties of 1-propyronitrile-3-alkylimidazolium bromide ionic liquids at temperatures from (293.15 to 353.15) k. *Journal of Chemical & Engineering Data*, 55(9):3886–3890, 2010.
- [158] Abobakr K. Ziyada, Cecilia D. Wilfred, and Thanapalan Murugesan. Densities, viscosities and refractive indices of 1-alkyl-3-propanenitrile imidazolium chloride ionic liquids. *Physics and Chemistry of Liquids*, 50(2):152–160, 2012.
- [159] Abobakr Khidir Ziyada, Mohamad Azmi Bustam, Thanapalan Murugesan, and Cecilia Devi Wilfred. Effect of sulfonate-based anions on the physicochemical properties of 1-alkyl-3-propanenitrile imidazolium ionic liquids. *New Journal of Chemistry*, 35(5):1111, 2011.
- [160] Abobakr Khidir Ziyada and Cecilia Devi Wilfred. Physical properties of ionic liquids consisting of 1-butyl-3-propanenitrile- and 1-decyl-3-propanenitrile imidazolium-based cations: Temperature dependence and influence of the anion. *Journal of Chemical & Engineering Data*, 59(4):1232–1239, 2014.

Electrical Conductivity

- [1] A. Andresova, J. Storch, M. Traïkia, Z. Wagner, M. Bendova, and P. Husson. Branched and cyclic alkyl groups in imidazolium-based ionic liquids: Molecular organization and physico-chemical properties. *Fluid Phase Equilibria*, 371:41–49, jun 2014.
- [2] Yuriy O. Andriyko, Wolfgang Reischl, and Gerhard E. Nauer. Trialkyl-substituted imidazolium-based ionic liquids for electrochemical applications: Basic physicochemical properties. *Journal of Chemical & Engineering Data*, 54(3):855–860, mar 2009.
- [3] Meriem Anouti, Johan Jacquemin, and Daniel Lemordant. Transport properties of protic ionic liquids, pure and in aqueous solutions: Effects of the anion and cation structure. *Fluid Phase Equilibria*, 297(1):13–22, oct 2010.
- [4] Santiago Aparicio, Rafael Alcalde, Begoña García, and José M. Leal. High-pressure study of the methylsulfate and tosylate imidazolium ionic liquids. *The Journal of Physical Chemistry B*, 113(16):5593–5606, apr 2009.
- [5] J.M.M. Araújo, A.B. Pereira, F. Alves, I.M. Marrucho, and L.P.N. Rebelo. Nucleic acid bases in 1-alkyl-3-methylimidazolium acetate ionic liquids: A thermophysical and ionic conductivity analysis. *The Journal of Chemical Thermodynamics*, 57:1–8, feb 2013.
- [6] Isabel Bandrés, M. Carmen López, Miguel Castro, Joaquín Barberá, and Carlos Lafuente. Thermophysical properties of 1-propylpyridinium tetrafluoroborate. *The Journal of Chemical Thermodynamics*, 44(1):148–153, jan 2012.
- [7] Isabel Bandrés, Diego F. Montañó, Ignacio Gascón, Pilar Cea, and Carlos Lafuente. Study of the conductivity behavior of pyridinium-based ionic liquids. *Electrochimica Acta*, 55(7):2252–2257, feb 2010.
- [8] Javier Benito, Mónica García-Mardones, Víctor Pérez-Gregorio, Ignacio Gascón, and Carlos Lafuente. Physicochemical study of n-ethylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquid. *Journal of Solution Chemistry*, 43(4):696–710, apr 2014.

- [9] Ulises G. Brauer, Andrea T. De La Hoz, and Kevin M. Miller. The effect of counteranion on the physicochemical and thermal properties of 4-methyl-1-propyl-1,2,4-triazolium ionic liquids. *Journal of Molecular Liquids*, 210:286–292, oct 2015.
- [10] O. Cabeza, J. Vila, E. Rilo, M. Domínguez-Pérez, L. Otero-Cernadas, E. López-Lago, T. Méndez-Morales, and L.M. Varela. Physical properties of aqueous mixtures of the ionic 1-ethyl-3-methyl imidazolium octyl sulfate: A new ionic rigid gel. *The Journal of Chemical Thermodynamics*, 75:52–57, aug 2014.
- [11] Ganga Ram Chaudhary, Shafila Bansal, S.K. Mehta, and A.S. Ahluwalia. Structural and interactional behaviour of aqueous mixture of room temperature ionic liquid; 2-hydroxyethyl-trimethylammonium l-lactate. *The Journal of Chemical Thermodynamics*, 76:134–144, sep 2014.
- [12] Pratap K. Chhotaray and Ramesh L. Gardas. Structural dependence of protic ionic liquids on surface, optical, and transport properties. *Journal of Chemical & Engineering Data*, 60(6):1868–1877, may 2015.
- [13] Sanja Dožić, Nebojša Zec, Aleksandar Tot, Snežana Papović, Ksenija Pavlović, Slobodan Gadžurić, and Milan Vraneš. Does the variation of the alkyl chain length on n1 and n3 of imidazole ring affect physicochemical features of ionic liquids in the same way? *The Journal of Chemical Thermodynamics*, 93:52–59, feb 2016.
- [14] Volkan Eyupoglu and Emrah Polat. Evaluation of cd(II) transport with imidazolium bromides bearing butyl and isobutyl groups as extractants from acidic iodide solutions by liquid-liquid solvent extraction. *Fluid Phase Equilibria*, 394:46–60, may 2015.
- [15] Brian D. Fitchett, Travis N. Knepp, and John C. Conboy. 1-alkyl-3-methylimidazolium bis(perfluoroalkylsulfonyl)imide water-immiscible ionic liquids. *Journal of The Electrochemical Society*, 151(7):E219, 2004.
- [16] Kenta Fukumoto, Masahiro Yoshizawa, and Hiroyuki Ohno. Room temperature ionic liquids from 20 natural amino acids. *Journal of the American Chemical Society*, 127(8):2398–2399, mar 2005.
- [17] Batchimeg Ganbold, Gang Zheng, Scott A. Willis, Gary R. Dennis, and William S. Price. The transport and conductivity properties of the ionic liquid EMIMTCM. *Journal of Molecular Liquids*, 201:96–101, jan 2015.
- [18] Haixiang Gao, Buxing Han, Junchun Li, Tao Jiang, Zhimin Liu, Weize Wu, Yanhong Chang, and Jianmin Zhang. Preparation of room-temperature ionic liquids by neutralization of 1,1,3,3-tetramethylguanidine with acids and their use as media for mannich reaction. *Synthetic Communications*, 34(17):3083–3089, jan 2004.

- [19] Alejandro García, Luis C. Torres-González, Karinjilottu P. Padmasree, Maria G. Benavides-Garcia, and Eduardo M. Sánchez. Conductivity and viscosity properties of associated ionic liquids phosphonium orthoborates. *Journal of Molecular Liquids*, 178:57–62, feb 2013.
- [20] Mónica García-Mardones, Isabel Bandrés, M. Carmen López, Ignacio Gascón, and Carlos Lafuente. Experimental and theoretical study of two pyridinium-based ionic liquids. *Journal of Solution Chemistry*, 41(10):1836–1852, oct 2012.
- [21] Tamar L. Greaves, Asoka Weerawardena, Celesta Fong, Irena Krodkiewska, and Calum J. Drummond. Protic ionic liquids: solvents with tunable phase behavior and physicochemical properties. *The Journal of Physical Chemistry B*, 110(45):22479–22487, nov 2006.
- [22] E.P. Grishina, L.M. Ramenskaya, M.S. Gruzdev, and O.V. Kraeva. Water effect on physicochemical properties of 1-butyl-3-methylimidazolium based ionic liquids with inorganic anions. *Journal of Molecular Liquids*, 177:267–272, jan 2013.
- [23] Kenneth R. Harris and Mitsuhiro Kanakubo. Self-diffusion coefficients and related transport properties for a number of fragile ionic liquids. *Journal of Chemical & Engineering Data*, 61(7):2399–2411, jun 2016.
- [24] Kenneth R. Harris, Mitsuhiro Kanakubo, Noriaki Tsuchihashi, Kazuyasu Ibuki, and Masakatsu Ueno. Effect of pressure on the transport properties of ionic liquids: 1-alkyl-3-methylimidazolium salts. *The Journal of Physical Chemistry B*, 112(32):9830–9840, aug 2008.
- [25] Kikuko Hayamizu, Seiji Tsuzuki, and Shiro Seki. Transport and electrochemical properties of three quaternary ammonium ionic liquids and lithium salts doping effects studied by NMR spectroscopy. *Journal of Chemical & Engineering Data*, 59(6):1944–1954, jun 2014.
- [26] Kikuko Hayamizu, Seiji Tsuzuki, and Shiro Seki. Transport and electrochemical properties of three quaternary ammonium ionic liquids and lithium salts doping effects studied by NMR spectroscopy. *Journal of Chemical & Engineering Data*, 59(6):1944–1954, jun 2014.
- [27] Michael Hog, Marius Schneider, and Ingo Krossing. Synthesis and characterization of bromoaluminate ionic liquids. *Chemistry - A European Journal*, 23(41):9821–9830, jun 2017.
- [28] Mengyin Hou, Yingjie Xu, Yajuan Han, Bin Chen, Wenxia Zhang, Qinghua Ye, and Jinzhi Sun. Thermodynamic properties of aqueous solutions of two ammonium-based protic ionic liquids at 298.15k. *Journal of Molecular Liquids*, 178:149–155, feb 2013.

- [29] Muna Hassan Ibrahim, Maan Hayyan, Mohd Ali Hashim, Adeeb Hayyan, and Mohamed K. Hadj-Kali. Physicochemical properties of piperidinium, ammonium, pyrrolidinium and morpholinium cations based ionic liquids paired with bis(trifluoromethylsulfonyl)imide anion. *Fluid Phase Equilibria*, 427:18–26, nov 2016.
- [30] Ekaterina I. Izgorodina, Radha Maganti, Vanessa Armel, Pamela M. Dean, Jennifer M. Pringle, Kenneth R. Seddon, and Douglas R. MacFarlane. Understanding the effect of the c2 proton in promoting low viscosities and high conductivities in imidazolium-based ionic liquids: Part i. weakly coordinating anions. *The Journal of Physical Chemistry B*, 115(49):14688–14697, dec 2011.
- [31] Hui Jin, Bernie O’Hare, Jing Dong, Sergei Arzhantsev, Gary A. Baker, James F. Wishart, Alan J. Benesi, and Mark Maroncelli. Physical properties of ionic liquids consisting of the 1-butyl-3-methylimidazolium cation with various anions and the bis(trifluoromethylsulfonyl)imide anion with various cations. *The Journal of Physical Chemistry B*, 112(1):81–92, jan 2008.
- [32] Mitsuhiro Kanakubo, Kenneth R. Harris, Noriaki Tsuchihashi, Kazuyasu Ibuki, and Masakatsu Ueno. Effect of pressure on transport properties of the ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate. *The Journal of Physical Chemistry B*, 111(8):2062–2069, mar 2007.
- [33] Mitsuhiro Kanakubo, Kenneth R. Harris, Noriaki Tsuchihashi, Kazuyasu Ibuki, and Masakatsu Ueno. Temperature and pressure dependence of the electrical conductivity of the ionic liquids 1-methyl-3-octylimidazolium hexafluorophosphate and 1-methyl-3-octylimidazolium tetrafluoroborate. *Fluid Phase Equilibria*, 261(1-2):414–420, dec 2007.
- [34] Mitsuhiro Kanakubo, Kenneth R. Harris, Noriaki Tsuchihashi, Kazuyasu Ibuki, and Masakatsu Ueno. Temperature and pressure dependence of the electrical conductivity of 1-butyl-3-methylimidazolium bis(trifluoromethanesulfonyl)amide. *Journal of Chemical & Engineering Data*, 60(5):1495–1503, apr 2015.
- [35] Ki-Sub Kim, Bae-Kun Shin, and Huen Lee. Physical and electrochemical properties of 1-butyl-3-methylimidazolium bromide, 1-butyl-3-methylimidazolium iodide, and 1-butyl-3-methylimidazolium tetrafluoroborate. *Korean Journal of Chemical Engineering*, 21(5):1010–1014, sep 2004.
- [36] Ji-Guang Li, Yu-Feng Hu, Chuan-Wei Jin, Hong-Da Chu, Xiao-Ming Peng, and Ying-Guo Liang. Study on the conductivities of pure and aqueous bromide-based ionic liquids at different temperatures. *Journal of Solution Chemistry*, 39(12):1877–1887, aug 2010.

- [37] Ji-Guang Li, Yu-Feng Hu, Shan Ling, and Jin-Zhu Zhang. Physicochemical properties of [c6mim][PF6] and [c6mim][(c2f5)3pf3] ionic liquids. *Journal of Chemical & Engineering Data*, 56(7):3068–3072, jul 2011.
- [38] Yousra Litaïem and Mahmoud Dhahbi. Measurements and correlations of viscosity, conductivity and density of an hydrophobic ionic liquid (aliquat 336) mixtures with a non-associated dipolar aprotic solvent (DMC). *Journal of Molecular Liquids*, 169:54–62, may 2012.
- [39] Qing-Shan Liu, Pei-Pei Li, Urs Welz-Biermann, Jian Chen, and Xiao-Xia Liu. Density, dynamic viscosity, and electrical conductivity of pyridinium-based hydrophobic ionic liquids. *The Journal of Chemical Thermodynamics*, 66:88–94, nov 2013.
- [40] Qing-Shan Liu, Pei-Pei Li, Urs Welz-Biermann, Xiao-Xia Liu, and Jian Chen. Density, electrical conductivity, and dynamic viscosity of n-alkyl-4-methylpyridinium bis(trifluoromethylsulfonyl)imide. *Journal of Chemical & Engineering Data*, 57(11):2999–3004, oct 2012.
- [41] Qing-Shan Liu, Jing Liu, Xiao-Xia Liu, and Shi-Tao Zhang. Density, dynamic viscosity, and electrical conductivity of two hydrophobic functionalized ionic liquids. *The Journal of Chemical Thermodynamics*, 90:39–45, nov 2015.
- [42] Qing-Shan Liu, Miao Yang, Pei-Pei Li, Si-Si Sun, Urs Welz-Biermann, Zhi-Cheng Tan, and Qing-Guo Zhang. Physicochemical properties of ionic liquids [c3py][NTf2] and [c6py][NTf2]. *Journal of Chemical & Engineering Data*, 56(11):4094–4101, nov 2011.
- [43] Karolina Machanová, Aurélien Boisset, Zuzana Sedláková, Mérièm Anouti, Magdalena Bendová, and Johan Jacquemin. Thermophysical properties of ammonium-based bis{(trifluoromethyl)sulfonyl}imide ionic liquids: Volumetric and transport properties. *Journal of Chemical & Engineering Data*, 57(8):2227–2235, jul 2012.
- [44] Karolina Machanová, Aurélien Boisset, Zuzana Sedláková, Mérièm Anouti, Magdalena Bendová, and Johan Jacquemin. Thermophysical properties of ammonium-based bis{(trifluoromethyl)sulfonyl}imide ionic liquids: Volumetric and transport properties. *Journal of Chemical & Engineering Data*, 57(8):2227–2235, jul 2012.
- [45] Takashi Makino, Mitsuhiro Kanakubo, Yoshio Masuda, and Hiroshi Mukaiyama. Physical and CO₂-absorption properties of imidazolium ionic liquids with tetracyanoborate and bis(trifluoromethanesulfonyl)amide anions. *Journal of Solution Chemistry*, 43(9-10):1601–1613, sep 2014.
- [46] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Matsuki, Eiji Kamio, Hiromitsu Takaba, and Hideto Matsuyama. High pressure CO₂ solubility and physical properties of tetrabutylphosphonium-proline. *Fluid Phase Equilibria*, 420:89–96, jul 2016.

- [47] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, and Akira Suzuki. CO₂ solubility and physical properties of n-(2-hydroxyethyl)pyridinium bis(trifluoromethanesulfonyl)amide. *Fluid Phase Equilibria*, 357:64–70, nov 2013.
- [48] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, and Akira Suzuki. Electrical conductivities, viscosities, and densities of n-acetoxyethyl-n,n-dimethyl-n-ethylammonium and n,n-dimethyl-n-ethyl-n-methoxyethoxyethylammonium bis(trifluoromethanesulfonyl)amide and their nonfunctionalized analogues. *Journal of Chemical & Engineering Data*, 58(2):370–376, jan 2013.
- [49] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, Akira Suzuki, Tetsuo Nishida, and Jun Takano. Electrical conductivities, viscosities, and densities of n-methoxymethyl- and n-butyl-n-methylpyrrolidinium ionic liquids with the bis(fluorosulfonyl)amide anion. *Journal of Chemical & Engineering Data*, 57(3):751–755, feb 2012.
- [50] Takashi Makino, Mitsuhiro Kanakubo, Tatsuya Umecky, Akira Suzuki, Tetsuo Nishida, and Jun Takano. Pressure-volume-temperature-composition relations for carbon dioxide + pyrrolidinium-based ionic liquid binary systems. *Fluid Phase Equilibria*, 360:253–259, dec 2013.
- [51] Andreas Nazet, Sophia Sokolov, Thomas Sonnleitner, Sergej Friesen, and Richard Buchner. Densities, refractive indices, viscosities, and conductivities of non-imidazolium ionic liquids [et3s][TFSI], [et2mes][TFSI], [BuPy][TFSI], [n8881][TFA], and [p14][DCA]. *Journal of Chemical & Engineering Data*, 62(9):2549–2561, apr 2017.
- [52] Andreas Nazet, Sophia Sokolov, Thomas Sonnleitner, Takashi Makino, Mitsuhiro Kanakubo, and Richard Buchner. Densities, viscosities, and conductivities of the imidazolium ionic liquids [emim][ac], [emim][FAP], [bmim][BETI], [bmim][FSI], [hmim][TFSI], and [omim][TFSI]. *Journal of Chemical & Engineering Data*, 60(8):2400–2411, jul 2015.
- [53] Hui Ning, MinQiang Hou, QingQing Mei, YuanHui Liu, DeZhong Yang, and BuXing Han. The physicochemical properties of some imidazolium-based ionic liquids and their binary mixtures. *Science China Chemistry*, 55(8):1509–1518, jun 2012.
- [54] Tetsuo Nishida, Yasutaka Tashiro, and Masashi Yamamoto. Physical and electrochemical properties of 1-alkyl-3-methylimidazolium tetrafluoroborate for electrolyte. *Journal of Fluorine Chemistry*, 120(2):135–141, apr 2003.
- [55] A. Oleinikova and M. Bonetti. Critical behavior of the electrical conductivity of concentrated electrolytes: Ethylammonium nitrate in n-octanol binary mixture. *Journal of Solution Chemistry*, 31(5):397–413, 2002.

- [56] Snežana Papović, Milan Vraneš, and Slobodan Gadžurić. A comprehensive study of $\{\gamma$ -butyrolactone + 1-methyl-3-propylimidazolium bis(trifluoromethylsulfonyl)imide $\}$ binary mixtures. *The Journal of Chemical Thermodynamics*, 91:360–368, dec 2015.
- [57] Julie Pires, Laure Timperman, Johan Jacquemin, Andrea Balducci, and Mérièm Anouti. Density, conductivity, viscosity, and excess properties of (pyrrolidinium nitrate-based protic ionic liquid + propylene carbonate) binary mixture. *The Journal of Chemical Thermodynamics*, 59:10–19, apr 2013.
- [58] Ren Ren, Yong Zuo, Qing Zhou, Hailang Zhang, and Suojiang Zhang. Density, excess molar volume and conductivity of binary mixtures of the ionic liquid 1,2-dimethyl-3-hexylimidazolium bis(trifluoromethylsulfonyl)imide and dimethyl carbonate. *Journal of Chemical & Engineering Data*, 56(1):27–30, jan 2011.
- [59] Christian Schreiner, Sandra Zugmann, Robert Hartl, and Heiner J. Gores. Fractional walden rule for ionic liquids: Examples from recent measurements and a critique of the so-called ideal KCl line for the walden plot. *Journal of Chemical & Engineering Data*, 55(5):1784–1788, may 2010.
- [60] Shiro Seki, Seiji Tsuzuki, Kikuko Hayamizu, Nobuyuki Serizawa, Shimpei Ono, Katsuhito Takei, Hiroyuki Doi, and Yasuhiro Umebayashi. Static and transport properties of alkyltrimethylammonium cation-based room-temperature ionic liquids. *The Journal of Physical Chemistry B*, 118(17):4590–4599, apr 2014.
- [61] Ying Shang, Hongping Li, Suojiang Zhang, Hui Xu, Zanzia Wang, Li Zhang, and Jianmin Zhang. Guanidinium-based ionic liquids for sulfur dioxide sorption. *Chemical Engineering Journal*, oct 2011.
- [62] H. Srour, W. Darwich, F. Lindl, P. Husson, H. Rouault, and C. Santini. New route to carbonate-functionalized imidazolium and pyrrolidinium-based ionic liquids. *New Journal of Chemistry*, 41(20):11915–11920, 2017.
- [63] Hassan Srour, Mounir Traïkia, Bernard Fenet, Hélène Rouault, Margarida F. Costa Gomes, Catherine C. Santini, and Pascale Husson. Effect of nitrile-functionalization of imidazolium-based ionic liquids on their transport properties, both pure and mixed with lithium salts. *Journal of Solution Chemistry*, 44(3-4):495–510, dec 2014.
- [64] Annegret Stark, Anthony W. Zidell, Joseph W. Russo, and Markus M. Hoffmann. Composition dependent physicochemical property data for the binary system water and the ionic liquid 1-butyl-3-methylimidazolium methanesulfonate ([c4mim][MeSO₃]). *Journal of Chemical & Engineering Data*, 57(12):3330–3339, nov 2012.

- [65] Alexander Stoppa, Oliver Zech, Werner Kunz, and Richard Buchner. The conductivity of imidazolium-based ionic liquids from (-35 to 195) °C. a. variation of cation's alkyl chain. *Journal of Chemical & Engineering Data*, 55(5):1768–1773, may 2010.
- [66] J. Sun, M. Forsyth, and D. R. MacFarlane. Room-temperature molten salts based on the quaternary ammonium ion. *The Journal of Physical Chemistry B*, 102(44):8858–8864, oct 1998.
- [67] Duan-Jian Tao, Zheng Cheng, Feng-Feng Chen, Zhang-Min Li, Na Hu, and Xiang-Shu Chen. Synthesis and thermophysical properties of bio-compatible cholinium-based amino acid ionic liquids. *Journal of Chemical & Engineering Data*, 58(6):1542–1548, may 2013.
- [68] Deepti Tikariha, Kallol K. Ghosh, Pierluigi Quagliotto, and Soumen Ghosh. Mixed micellization properties of cationic monomeric and gemini surfactants. *Journal of Chemical & Engineering Data*, 55(10):4162–4167, oct 2010.
- [69] Hiroyuki Tokuda, Seiji Tsuzuki, Md. Abu Bin Hasan Susan, Kikuko Hayamizu, and Masayoshi Watanabe. How ionic are room-temperature ionic liquids? an indicator of the physicochemical properties. *The Journal of Physical Chemistry B*, 110(39):19593–19600, oct 2006.
- [70] Aleksandar Tot, Stevan Armačević, Sanja Armačević, Slobodan Gadžurić, and Milan Vraneš. Kosmotropism of newly synthesized 1-butyl-3-methylimidazolium taurate ionic liquid: Experimental and computational study. *The Journal of Chemical Thermodynamics*, 94:85–95, mar 2016.
- [71] B. E. Mbono Tsamba, S. Sarraute, M. Traïkia, and P. Husson. Transport properties and ionic association in pure imidazolium-based ionic liquids as a function of temperature. *Journal of Chemical & Engineering Data*, 59(6):1747–1754, may 2014.
- [72] N.S.M. Vieira, A. Luís, P.M. Reis, P.J. Carvalho, J.A. Lopes da Silva, J.M.S.S. Esperança, J.M.M. Araújo, L.P.N. Rebelo, M.G. Freire, and A.B. Pereiro. Fluorination effects on the thermodynamic, thermophysical and surface properties of ionic liquids. *The Journal of Chemical Thermodynamics*, 97:354–361, jun 2016.
- [73] J. Vila, B. Fernández-Castro, E. Rilo, J. Carrete, M. Domínguez-Pérez, J.R. Rodríguez, M. García, L.M. Varela, and O. Cabeza. Liquid-solid-liquid phase transition hysteresis loops in the ionic conductivity of ten imidazolium-based ionic liquids. *Fluid Phase Equilibria*, 320:1–10, apr 2012.
- [74] J. Vila, P. Ginés, J.M. Pico, C. Franjo, E. Jiménez, L.M. Varela, and O. Cabeza. Temperature dependence of the electrical conductivity in EMIM-based ionic liquids. *Fluid Phase Equilibria*, 242(2):141–146, apr 2006.

- [75] Milan Vraneš, Stevan Armaković, Aleksandar Tot, Snežana Papović, Nebojša Zec, Sanja Armaković, Nemanja Banić, Biljana Abramović, and Slobodan Gadžurić. Structuring of water in the new generation ionic liquid - comparative experimental and theoretical study. *The Journal of Chemical Thermodynamics*, 93:164–171, feb 2016.
- [76] Milan Vranes, Sanja Dozic, Vesna Djeric, and Slobodan Gadzuric. Physicochemical characterization of 1-butyl-3-methylimidazolium and 1-butyl-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide. *Journal of Chemical & Engineering Data*, 57(4):1072–1077, mar 2012.
- [77] Guojun Wang, Shaohua Fang, Yi Liu, Dong Luo, Li Yang, and Shin ichi Hirano. Physicochemical properties of functionalized 1,3-dialkylimidazolium ionic liquids based on the bis(fluorosulfonyl)imide anion. *RSC Advances*, 6(71):66650–66657, 2016.
- [78] Zanzia Wang, Li Fu, Hui Xu, Ying Shang, Li Zhang, and Jianmin Zhang. Density, viscosity, and conductivity for the binary systems of water + dual amino-functionalized ionic liquids. *Journal of Chemical & Engineering Data*, 57(4):1057–1063, mar 2012.
- [79] Masaki Watanabe, Daisuke Kodama, Takashi Makino, and Mitsuhiro Kanakubo. Density, viscosity, and electrical conductivity of protic amidium bis(trifluoromethanesulfonyl)amide ionic liquids. *Journal of Chemical & Engineering Data*, 61(12):4215–4221, nov 2016.
- [80] Masaki Watanabe, Daisuke Kodama, Takashi Makino, and Mitsuhiro Kanakubo. Density, viscosity, and electrical conductivity of protic amidium bis(trifluoromethanesulfonyl)amide ionic liquids. *Journal of Chemical & Engineering Data*, 61(12):4215–4221, nov 2016.
- [81] Ying Wei, Yi Jin, Zhi-Jing Wu, Yang Yang, Qing-Guo Zhang, and Zhen-Hui Kang. Synthesis and physicochemical properties of amino acid ionic liquid 1-butyl-3-methylimidazolium aspartate and binary mixture with methanol. *Journal of Chemical & Engineering Data*, 58(2):349–356, jan 2013.
- [82] Di Wu, Bo Wu, Yu M. Zhang, and Hua P. Wang. Density, viscosity, refractive index and conductivity of 1-allyl-3-methylimidazolium chloride + water mixture. *Journal of Chemical & Engineering Data*, 55(2):621–624, feb 2010.
- [83] Tzi-Yi Wu, Yi-Hsuan Wang, Shyh-Gang Su, Yuan-Chung Lin, Chung-Wen Kuo, Jeng-Kuei Chang, and I-Wen Sun. Influence of LiTFSI addition on conductivity, diffusion coefficient, spin-lattice relaxation times, and chemical shift of one-dimensional NMR spectroscopy in LiTFSI-doped dual-functionalized imidazolium-based ionic liquids. *Journal of Chemical & Engineering Data*, 60(3):471–483, jan 2015.

- [84] Airong Xu, Yajuan Zhang, Zhiyong Li, and Jianji Wang. Viscosities and conductivities of 1-butyl-3-methylimidazolium carboxylates ionic liquids at different temperatures. *Journal of Chemical & Engineering Data*, 57(11):3102–3108, oct 2012.
- [85] Airong Xu, Yajuan Zhang, Zhiyong Li, and Jianji Wang. Densities and conductivities of seven 1-allyl-3-methylimidazolium carboxylate ionic liquids. *Journal of Molecular Liquids*, 214:192–195, feb 2016.
- [86] Airong Xu, Yibo Zhang, Weiwei Lu, Kaisheng Yao, and Jianji Wang. Transport properties of some 1-butyl-3-methylimidazolium carboxylate ionic liquids. *Journal of Chemical & Engineering Data*, 60(3):580–585, feb 2015.
- [87] Yingjie Xu. Volumetric, viscosity, and electrical conductivity properties of aqueous solutions of two n-butylammonium-based protic ionic liquids at several temperatures. *The Journal of Chemical Thermodynamics*, 64:126–133, sep 2013.
- [88] Tomohiro Yasuda, Hiroshi Kinoshita, Muhammed Shah Miran, Seiji Tsuzuki, and Masayoshi Watanabe. Comparative study on physicochemical properties of protic ionic liquids based on allylammonium and propylammonium cations. *Journal of Chemical & Engineering Data*, 58(10):2724–2732, aug 2013.
- [89] Fangfang Ye, Jiahong Zhu, Keke Yu, Ruyi Zhu, Yingjie Xu, Jiayi Chen, and Lingxiao Chen. Physicochemical properties of binary mixtures of 1,1,3,3-tetramethylguanidine imidazolide ionic liquid with water and alcohols. *The Journal of Chemical Thermodynamics*, 97:39–47, jun 2016.
- [90] Ya-Hung Yu, Allan N. Soriano, and Meng-Hui Li. Heat capacities and electrical conductivities of 1-ethyl-3-methylimidazolium-based ionic liquids. *The Journal of Chemical Thermodynamics*, 41(1):103–108, jan 2009.
- [91] Ya-Hung Yu, Allan N. Soriano, and Meng-Hui Li. Heat capacities and electrical conductivities of 1-n-butyl-3-methylimidazolium-based ionic liquids. *Thermochimica Acta*, 482(1-2):42–48, jan 2009.
- [92] Yinghao Yu, Xingmei Lu, Qing Zhou, Kun Dong, Hongwei Yao, and Suojiang Zhang. Biodegradable naphthenic acid ionic liquids: Synthesis, characterization, and quantitative structure-biodegradation relationship. *Chemistry - A European Journal*, 14(35):11174–11182, dec 2008.
- [93] Ramzi Zarrougui, Nouredine Raouafi, and Daniel Lemordant. New series of green cyclic ammonium-based room temperature ionic liquids with alkylphosphite-containing anion: Synthesis and physicochemical characterization. *Journal of Chemical & Engineering Data*, 59(4):1193–1201, mar 2014.

- [94] Oliver Zech, Alexander Stoppa, Richard Buchner, and Werner Kunz. The conductivity of imidazolium-based ionic liquids from (248 to 468) k. b. variation of the anion. *Journal of Chemical & Engineering Data*, 55(5):1774–1778, may 2010.
- [95] Jianhao Zhang, Shaohua Fang, Long Qu, Yide Jin, Li Yang, and Shin ichi Hirano. Synthesis, characterization, and properties of ether-functionalized 1,3-dialkylimidazolium ionic liquids. *Industrial & Engineering Chemistry Research*, 53(43):16633–16643, oct 2014.
- [96] Qing-Guo Zhang, Ying Wei, Si-Si Sun, Chang Wang, Miao Yang, Qing-Shan Liu, and Yan-An Gao. Study on thermodynamic properties of ionic liquid n-butyl-3-methylpyridinium bis(trifluoromethylsulfonyl)imide. *Journal of Chemical & Engineering Data*, 57(8):2185–2190, jul 2012.
- [97] Qingguo Zhang, Yalin Lan, Hongwei Liu, Xinyuan Zhang, Xuelei Zhang, and Ying Wei. Estimation and structural effect on physicochemical properties of alkylimidazolium-based ionic liquids with different anions. *Journal of Chemical & Engineering Data*, 61(6):2002–2012, may 2016.
- [98] Qingguo Zhang, Yalin Lan, Hongwei Liu, Xinyuan Zhang, Xuelei Zhang, and Ying Wei. Estimation and structural effect on physicochemical properties of alkylimidazolium-based ionic liquids with different anions. *Journal of Chemical & Engineering Data*, 61(6):2002–2012, may 2016.
- [99] Qinghua Zhang, Zuopeng Li, Juan Zhang, Shiguo Zhang, Laiying Zhu, Jing Yang, Xiaoping Zhang, and Youquan Deng. Physicochemical properties of nitrile-functionalized ionic liquids. *The Journal of Physical Chemistry B*, 111(11):2864–2872, mar 2007.
- [100] Zhi-Bin Zhou, Hajime Matsumoto, and Kuniaki Tatsumi. Low-melting, low-viscous, hydrophobic ionic liquids: Aliphatic quaternary ammonium salts with perfluoroalkyltrifluoroborates. *Chemistry - A European Journal*, 11(2):752–766, jan 2005.
- [101] Xiao Zhu, Mengling Song, and Yingjie Xu. DBU-based protic ionic liquids for CO₂ capture. *ACS Sustainable Chemistry & Engineering*, 5(9):8192–8198, aug 2017.
- [102] Lawien F. Zubeir, George E. Romanos, Wilko M. A. Weggemans, Boyan Iliev, Thomas J. S. Schubert, and Maaïke C. Kroon. Solubility and diffusivity of CO₂ in the ionic liquid 1-butyl-3-methylimidazolium tricyanomethanide within a large pressure range (0.01 MPa to 10 MPa). *Journal of Chemical & Engineering Data*, 60(6):1544–1562, may 2015.

Thermal Conductivity

- [1] Wei Chen, Lin Qiu, Shiqiang Liang, Xinghua Zheng, and Dawei Tang. Measurement of thermal conductivities of [mmim]DMP/CH₃oh and [mmim]DMP/h₂o by freestanding sensor-based 3ω technique. *Thermochimica Acta*, 560:1–6, may 2013.
- [2] C. A. Nieto de Castro, M. J. V. Lourenço, A. P. C. Ribeiro, E. Langa, S. I. C. Vieira, P. Goodrich, and C. Hardacre. Thermal properties of ionic liquids and IoNanofluids of imidazolium and pyrrolidinium liquids†. *Journal of Chemical & Engineering Data*, 55(2):653–661, feb 2010.
- [3] A.G.M. Ferreira, P.N. Simões, A.F. Ferreira, M.A. Fonseca, M.S.A. Oliveira, and A.S.M. Trino. Transport and thermal properties of quaternary phosphonium ionic liquids and IoNanofluids. *The Journal of Chemical Thermodynamics*, 64:80–92, sep 2013.
- [4] Elise B. Fox, Ann E. Visser, Nicholas J. Bridges, and Jake W. Amoroso. Thermophysical properties of nanoparticle-enhanced ionic liquids (NEILs) heat-transfer fluids. *Energy & Fuels*, 27(6):3385–3393, may 2013.
- [5] J.M.P. França, F. Reis, S.I.C. Vieira, M.J.V. Lourenço, F.J.V. Santos, C.A. Nieto de Castro, and A.A.H. Pádua. Thermophysical properties of ionic liquid dicyanamide (DCA) nanosystems. *The Journal of Chemical Thermodynamics*, 79:248–257, dec 2014.
- [6] João M. P. França, Maria José V. Lourenço, S. M. Sohel Murshed, Agílio A. H. Pádua, and Carlos A. Nieto de Castro. Thermal conductivity of ionic liquids and IoNanofluids and their feasibility as heat transfer fluids. *Industrial & Engineering Chemistry Research*, 57(18):6516–6529, apr 2018.
- [7] A. P. Fröba, M. H. Rausch, K. Krzeminski, D. Assenbaum, P. Wasserscheid, and A. Leipertz. Thermal conductivity of ionic liquids: Measurement and prediction. *International Journal of Thermophysics*, 31(11-12):2059–2077, dec 2010.
- [8] Ramesh L. Gardas, Rile Ge, Peter Goodrich, Christopher Hardacre, Azlan Hussain, and David W. Rooney. Thermophysical properties of amino acid-based ionic liquids. *Journal of Chemical & Engineering Data*, 55(4):1505–1515, apr 2010.

- [9] Rile Ge, Christopher Hardacre, Paul Nancarrow, and David W. Rooney. Thermal conductivities of ionic liquids over the temperature range from 293 k to 353 k. *Journal of Chemical & Engineering Data*, 52(5):1819–1823, sep 2007.
- [10] Thomas M. Koller, Stefan R. Schmid, Svetlana J. Sachnov, Michael H. Rausch, Peter Wasserscheid, and Andreas P. Fröba. Measurement and prediction of the thermal conductivity of tricyanomethanide- and tetracyanoborate-based imidazolium ionic liquids. *International Journal of Thermophysics*, 35(2):195–217, feb 2014.
- [11] Chang Li, Zongchang Zhao, Xiaodong Zhang, and Tianyu Li. Simulation and experimental study on thermal conductivity of [emim][dep] + h₂o + swcnts nanofluids as a new working pairs. *International Journal of Thermophysics*, 39(3), jan 2018.
- [12] Hongjun Liu, Edward Maginn, Ann E. Visser, Nicholas J. Bridges, and Elise B. Fox. Thermal and transport properties of six ionic liquids: An experimental and molecular dynamics study. *Industrial & Engineering Chemistry Research*, 51(21):7242–7254, may 2012.
- [13] Eva Rodil, Alberto Arce, Alberto Arce, and Ana Soto. Measurements of the density, refractive index, electrical conductivity, thermal conductivity and dynamic viscosity for tributylmethylphosphonium and methylsulfate based ionic liquids. *Thermochimica Acta*, 664:81–90, jun 2018.
- [14] Craig M. Tenney, Marjorie Massel, Jason M. Mayes, Mihir Sen, Joan F. Brennecke, and Edward J. Maginn. A computational and experimental study of the heat transfer properties of nine different ionic liquids. *Journal of Chemical & Engineering Data*, 59(2):391–399, jan 2014.
- [15] D. Tomida, S. Kenmochi, T. Tsukada, K. Qiao, and C. Yokoyama. Thermal conductivities of [bmim][PF₆], [hmim][PF₆], and [omim][PF₆] from 294 to 335 k at pressures up to 20 MPa. *International Journal of Thermophysics*, 28(4):1147–1160, sep 2007.
- [16] Daisuke Tomida, Satoshi Kenmochi, Kun Qiao, Takao Tsukada, and Chiaki Yokoyama. Densities and thermal conductivities of n-alkylpyridinium tetrafluoroborates at high pressure. *Fluid Phase Equilibria*, 340:31–36, feb 2013.
- [17] Daisuke Tomida, Satoshi Kenmochi, Takao Tsukada, Kun Qiao, Quanxi Bao, and Chiaki Yokoyama. Viscosity and thermal conductivity of 1-hexyl-3-methylimidazolium tetrafluoroborate and 1-octyl-3-methylimidazolium tetrafluoroborate at pressures up to 20 MPa. *International Journal of Thermophysics*, 33(6):959–969, jun 2012.
- [18] Daisuke Tomida, Satoshi Kenmochi, Takao Tsukada, and Chiaki Yokoyama. Measurements of thermal conductivity of 1-butyl-3-methylimidazolium tetrafluoroborate at high pressure. *Netsu Bussei*, 20(4):173–178, 2006.

- [19] Michael E. Van Valkenburg, Robert L. Vaughn, Margaret Williams, and John S. Wilkes. Thermochemistry of ionic liquid heat-transfer fluids. *Thermochimica Acta*, 425(1-2):181–188, jan 2005.