

Can Robots Impact Human *Comfortability* During a Live Interview?

Maria Elena Lechuga Redondo
University of Genoa
RBCS, IIT
maria.lechuga@iit.it

Alessandra Sciutti
CONTACT, IIT
alessandra.sciutti@iit.it

Sara Incao
University of Genoa
CONTACT, IIT
sara.incao@iit.it

Francesco Rea
RBCS, IIT
francesco.rea@iit.it

Radoslaw Niewiadomski
University of Trento
CONTACT, IIT
r.niewiadomski@unitn.it

ABSTRACT

Interaction among humans does not always proceed without errors; situations might happen in which a wrong word or attitude can cause the partner to feel uneasy. However, humans are often very sensitive to these interaction failures and may be able to fix them. Our research aims to endow robots with the same skill. Thus the first step, presented in this short paper, investigates to which extent a humanoid robot can impact someone's *Comfortability* [11] in a realistic setting. To capture natural reactions, a set of real interviews performed by the humanoid robot iCub (acting as the interviewer) were organized. The interviews were designed in collaboration with a journalist from the press office of our institution and are meant to appear on the official institutional online magazine. The dialogue along with fluent human-like robotic actions were chosen not only to gather information about the participants' personal interests and professional career, necessary for the magazine column, but also to influence their *Comfortability*. Once the experiment is completed, the participants' self-report and spontaneous reactions (physical and physiological cues) will be explored to tackle the way people's *Comfortability* may be manifested through non-verbal cues and impacted by the humanoid robot.

CCS CONCEPTS

• **Human-centered computing** → Empirical studies in HCI.

KEYWORDS

Comfortability, Human-Robot Social Interaction, Affective Computing, Humanoid Robot

ACM Reference Format:

Maria Elena Lechuga Redondo, Alessandra Sciutti, Sara Incao, Francesco Rea, and Radoslaw Niewiadomski. 2021. Can Robots Impact Human *Comfortability* During a Live Interview?. In *Companion of the 2021 ACM/IEEE International Conference on Human-Robot Interaction (HRI '21 Companion)*,

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

HRI '21 Companion, March 8–11, 2021, Boulder, CO, USA

© 2021 Copyright held by the owner/author(s). Publication rights licensed to ACM.

ACM ISBN 978-1-4503-8290-8/21/03...\$15.00

<https://doi.org/10.1145/3434074.3447156>

March 8–11, 2021, Boulder, CO, USA. ACM, New York, NY, USA, 4 pages.
<https://doi.org/10.1145/3434074.3447156>

1 INTRODUCTION

Discovering the capabilities that are key to pleasantly interact with people, might be the initial step to enhance current humanoid robots as social partners. Identifying others' emotional and affective states is fundamental to maintain natural and effective interactions [5]. However, modelling all possible individual emotions is still a challenge; from the way they might be manifested [2], to the way they should be interpreted by artificial intelligent systems [10].

For this reason we decided to explore *Comfortability*, which was previously introduced in [11] as a single representation of people's feelings during an interaction. It is placed in a *Extremely Uncomfortable* to *Extremely Comfortable* uni-dimensional scale, and defined as "(disapproving of or approving of) the situation that arises as a result of an interaction which influences one's own desire of maintaining or withdrawing from it". Redondo, et al. [11] explored already the impact of a humanoid robot on someone's *Comfortability*. Concretely, they exposed participants with prerecorded videos of the humanoid robot iCub [9] acting as an interviewer in a virtual and imaginary interaction. The participants reported that their *Comfortability* would have been affected by robotic actions, had they been part of such situation.

Given the previous study missed an in-presence interaction, this paper proposes an experiment which involves participants in a live interaction with the robot (based on the same scenario). Hence, in collaboration with the press office, a set of real interviews between iCub (acting as the interviewer) and researchers from our institution (being the interviewees) were designed. Of course, the interviews are real as the recorded materials will be used by the journalist to present the interviewees' research on the online institutional magazine. Considering the ecological setting, we intend to collect natural and spontaneous reactions to discover: 1) to what extent a humanoid robot can impact human *Comfortability*, and 2) which are the physical and physiological cues manifested when experiencing specific *Comfortability* levels.

2 STATE OF THE ART

Although *Comfortability* is constantly present in our lives, we barely found any research focused on this concept. Conversely, stress [12], awkwardness [8] and similar feelings have been deeply addressed.

Nevertheless, these internal states do not provide the same information as *Comfortability* does. For example, two persons might be playing a competitive game and feel highly stressed and/or nervous as their aim is to perform well and win; but at the same time, they might be comfortable (with a high positive *Comfortability* level) because they want to keep with the ongoing interaction and they are enjoying the current moment.

2.1 Previous HRI studies on *Comfortability*

Even though people might feel uncomfortable in certain interactions, it is not clear to what extent humanoid robots are able to provoke similar feelings when interacting with them. The field of Human-Robot Interaction (HRI) has approached the concept of *Comfortability*, although it is often referred to under the name *Comfort*.

Koay et al. [7] developed a handheld "*Comfort Level Device*" and made participants report their own *Comfort* while performing a task in a simulated living room scenario in the presence of the PeopleBot robot. The subject had to search some books and write their titles on a whiteboard while the robot was moving around. They found that the situations in which the robot was moving behind the subjects, blocking them or colliding with their path were the ones reported as more *uncomfortable*. Also, Ball et al. [1] studied people's *Comfort* regarding an approaching robot. Specifically, two persons engaged in a collaborative task (solving a jigsaw puzzle) were approached by the Adept Pioneer 3DX robot from 8 different angles. They found that the approaches from all front directions were reported as more *comfortable* than those by the shared rear direction. Sicat et al. [13] were interested on discovering if social robots should be programmed to obey humans or act as their leaders. To answer this question, they implemented the "Mirror game" including a human and the Baxter robot. In the first stage, the human started by leading the movement which the robot should imitate, until the experimenter decided to change to the next phase (the robot leading). To make that decision, the experimenter applied their own judgement assessing whether the participant was *comfortable* enough; this clearly highlights the necessity of comprehending *Comfortability* in all interactive agents. Recently, Chatterji et al. [4] studied people's likeability, understandability and *comfortability* when interacting with a robot. They created some video clips where different robots (*Atlas*, *Cozmo*, *Roomba*, *Fetch*, *Jaco*, *Jibo*, *Kuri*, *Moxi*, *Nao*, *Pepper* and *Sawyer*) were presented in three conditions: 'emitting sound', 'voice' or a 'mix of both'. They discovered that as the robot became more anthropomorphic and/or social, 'voice' only was preferred for all the attributes under study.

2.2 Motivation

Considering the mentioned papers, it can be seen that *Comfortability* is present in HRI, however most of the time a definition and formalization is clearly demanded. That is to say, when the researchers and/or participants were addressing it, no definition was provided, nor the subsequent reactions were studied. For this reasons, our goal after completing the data collection of this experiment is to provide a deep analysis of this internal state, build a database with the associated reactions, and code an artificial intelligence (AI) capable of identifying people's *Comfortability*.

3 METHODS

3.1 Cover Story

As mentioned in the Introduction, this paper builds upon the study by Redondo et al. [11] where participants were requested (through an online questionnaire) to imagine being interviewed by a reporter while specific actions were presented to them. Depending on the experimental condition, the actions were shown through sentences (*Narrative Context*) or videos of the robot iCub (*Visual Context*).

The robotic actions used in the current real-life experiment were inspired by those proposed in the *Visual Context* condition [11]. To maximize the immersion, participants were recruited by the institutional press office **IIT OpenTalk department** and informed that their interview will be published on the online institutional magazine **IO IIT OpenTalk magazine** (<https://opentalk.iit.it>).

The first part of the interview was meant to maximize the participants' **positive** *Comfortability* level (i.e., complimenting them), and the second part sought to maximize their **negative** *Comfortability* level (i.e., interrupting, ignoring and misunderstanding them). After receiving advice from the journalists involved in this project, actions meant to shape the flow of the interview were included (e.g., waiting for the proper time to introduce a new topic to let the interviewee assimilate the situation). Additionally, it was decided to not let the topic itself influence the participants' *Comfortability*, but to focus on the effect of iCub's behavior. Hence, questions related to sensitive topics were avoided by asking them about their hobbies, up-to-date news, and professional career instead. Given the line of questions, only researchers unrelated to HRI were recruited.

3.2 Experimental Set-up

Figure 1 shows some of the multimedia devices involved, as well as the interviewer's (iCub) and interviewee's (human) position; who were the only ones present in the room. The experiment followed a Wizard of Oz technique (WoZ); i.e., the experimenter controlled the robot from an adjacent room (monitoring the situation through an USB camera and ambient microphone). Additionally, 2 HD and 2 USB cameras (two pointing at the interviewer and the other two at the interviewee), a condenser microphone, and the *Shimmer* sensor were also included to monitor physical and physiological features.



Figure 1: The robot iCub interviewing a participant for the IO IIT OpenTalk magazine

As introduced before, one of the goals of the experiment is to collect data to analyze *Comfortability* linking it to expressive (i.e., *facial and/or corporal expressions*) and/or physiological (i.e., *heart rate, galvanic skin response, temperature*, etc) signals. Thus, all these devices along its mutual synchronization are needed.

3.3 Comfortability Measurement

To assess if iCub is capable of impacting the interviewees' *Comfortability*, two self-reports were collected: 1) during the interview, iCub asked the interviewees four questions regarding their feelings (see the orange bars of Figure 2); and 2) after the interview, the interviewees were asked to fill a questionnaire to report their *Comfortability* (following a 7-point Likert scale) regarding specific robotic actions recalled to them in random order (see Figure 2).

Additionally, the data recorded during the interview will be annotated by external observers matching specific reactions to concise *Comfortability* values. Up to this point, even the data has not been labeled yet, the naturalness and differences among reactions have been confirmed.

3.4 Procedure

As we suspect that *Comfortability* might be related to people's personality and attitude towards robots, participants were asked to complete the TIPI [6] and RoSAS [3] questionnaires some days in advance.

The day of the interview and once they signed the consent form approved by the *Comitato Etico Regione Liguria* (the assigned Ethical committee), the participant was accompanied to the interview room. As soon as the door was opened, iCub was facing them in "alive mode" (i.e., breathing, blinking and able to follow their face). Then, the participant was accommodated in the chair in front of iCub, fitted with the *Shimmer* sensor (on their hand), and informed that the interview would be recorded in one shot and they had to remove their mask (security measure regarding the *SARS-Cov-2* pandemic) after the experimenter had left.

From another room, the experimenter controlled the robot's behaviour by pressing specific keyboard's keys. After a key was pressed, an action (dialogue plus movement) was executed. The movements were created by specifying joints' positions (iCub owns 53 degrees of freedom) in time with the dialogue, trying to mimic human natural expressions. The whole interview was entirely scripted, thus experimenters controlled only the actions' timing of execution. In addition to the basic actions (executed for all the participants), special actions, included to make the interaction more realistic and fluent conveying the impression of an intelligent robot behavior, could also be triggered. For example, if the participant did not understand iCub's speech, the experimenter was able to repeat that part. To make it more natural, before repeating the same action, the experimenter could include a sentence like "As I was mentioning" or "Again". Also, in case the participant asked any question or their answer was shorter than expected, the robot was capable of intervening (i.e., informing them they were not allow to do so, and asking them "Could you elaborate more?", respectively).

Once the interview finished and the participant filled the *Comfortability* self-report, the experimenter debriefed the aim of the study justifying iCub's strange behaviour.

4 PRELIMINARY RESULTS

At the moment, three researchers of different departments of the same institution (plus two internal researchers for the pilot study) have been interviewed (~20 min each). They were unaware of the experimental goals of their participation, thus they came prepared to disseminate their research achievements.

4.1 Self-reports

Figure 2 illustrates the *Comfortability* levels reported by the researchers through the post-questionnaire self-report. Each bar represents a question associated to an interview's key-point (an specific *action* performed by iCub). Basically, **Q1-Q12** comprehend the first part of the interview (meant to trigger **positive** *Comfortability*), and **Q13-24** the second part (meant to trigger **negative** *Comfortability*). It is interesting to notice that even with such a small sample, the interviewees' *Comfortability* levels vary along the interview and get closer to the expected values.

In fact, **Q1** ("How did you feel when iCub said 'Hello, thank you very much for participating! I am very happy that you are here!'") and **Q10** ("How did you feel when iCub said 'I am really enjoying talking with you! could I get a selfie with you at the end of the interview?'") were the questions closer to an Intensity = 7 (which means being *Extremely Comfortable*); and **Q18** ("How did you feel when iCub didn't understand your point and made you repeat it four times?") and **Q20** ("How did you feel when iCub remained in silence for some seconds, and then said 'Buffalo buffalo Buffalo buffalo buffalo buffalo Buffalo buffalo?'") were the ones closer to an Intensity = 1 (which means being *Extremely Uncomfortable*).

Moreover, the bars highlighted in orange show the actions in which iCub asked: "How are you feeling about talking to me?" (**Q11**), "Are you comfortable?" (**Q12**), "How are you feeling about this interview?" (**Q23**), and "Would you like to keep talking with me?" (**Q24**). The reported values are in line with the participants' qualitative answers during the interview (e.g., Q11 vs. Q23: "It is fun/a strange experience"; Q12 vs. Q24: "Yeah, sure/why not?"). It seems that when someone is asked directly about their current *Comfortability*, rarely a negative comment is reported, independently of the real *Comfortability* level. This underlines the importance of using other alternative measures, such as analyzing their reactions (e.g., facial expressions or body movements) through videos.




Figure 2: *Comfortability* obtained through the self-reports

