Review Article

DIVERSITY AND DISTRIBUTION OF CRAB SPIDERS (THOMISIDAE: ARANEOMORPHAE: ARANEAE: ARACHNIDA) IN INDIA

Rajendra Singh^{1*} and Garima Singh²

¹ Department of Zoology, Deendayal Upadhyay University of Gorakhpur, U.P., India

² Department of Zoology, University of Rajasthan, Jaipur, Rajasthan, India

Article History: Received 19th May 2021; Accepted 20th June 2021; Published 30th 2021

ABSTRACT

The article deals with the faunal diversity of the crab spiders (Thomisidae: Araneomorphae: Araneae: Arachnida) in different states of India and the union territories. A total of 210 species belonging to 44 genera of Thomisidae was recorded in all states and the union territories of India except for Nagaland and Dadra & Nagar Haveli and Daman & Diu, out of which 143 species (68.4%) were strictly endemic. However, among them, 6 species seem to be the case of erroneous report or misidentification. Two genera of crab spiders are highly speciose, e.g. *Thomisus* Walckenaer, 1805 (53 species) and *Xysticus* C.L. Koch, 1835 (25 species). A maximum of 74 species of these crab spiders was recorded from Maharashtra followed by 55 species from Madhya Pradesh, 52 species from West Bengal, 40 species from Kerala, 34 species each from Gujarat and Tamil Nadu, 33 species from Karnataka, 32 species from Chhattisgarh and Uttarakhand, 23 species from Meghalaya, 21 species each from Jammu & Kashmir and Uttar Pradesh, 17 species from Assam, 14 species from Rajasthan, 12 species each from Andaman & Nicobar Islands, Goa and Manipur, 11 species from Odisha and less than 10 species were recorded from other states. Seven species are considerably widely distributed, viz. *Camaricus formosus* Thorell, 1887 (17 states, 2 union territories), *Indoxysticus minutus* (Tikader, 1960) (16 states), *Runcinia insecta* (L. Koch, 1875) (15 states, 2 union territories), *Thomisus projectus* Tikader, 1960 (14 states, 1 union territories), *Thomisus pugilis* Stoliczka, 1869 (13 states, 2 union territories), *Amyciaea forticeps* (O. Pickard-Cambridge, 1873) (12 states, 1 union territory) and *Thomisus lobosus* Tikader, 1965 (12 states, 1 union territories). Several species of Thomisidae reported from India are recorded only from one state or from the type locality. Hence, intensive and extensive faunistic surveys for these spiders are required throughout the country.

Keywords: Thomisidae, Checklist, Faunal distribution, Crab spiders, India.

INTRODUCTION

The spiders (Araneae: Arthropoda: Chelicerata: Arachnida) are among the most frequent and abundant predators in the terrestrial ecosystem throughout the world. They not only devour lots of prey, mostly insects, but also serve as a food source for many carnivore animals (Nyffeler & Birkhofer, 2017) and are very important component of the ecosystem. Their biodiversity ranks seventh in global diversity (49,483 species, 4,217 genera, 129 families, WSC, 2021) after Coleoptera, Lepidoptera, Hymenoptera, Diptera, Hemiptera and Acari (Singh *et al.*, 2021). Except for few species, most of the spiders are not harmful to human beings; still, public opinion is not to their favour. Even the diversity studies are limited only in few localities. Despite recent researches on

the faunistic biodiversity surveys of Indian spiders, their number is meagre and only 1867 species belonging to 475 genera are listed by Caleb & Sankaran (2021) despite having very rich biodiversity and a tropical climate with biodiversity hotspots. Recently, the species distribution and checklist of 65 families of spiders have been updated in India (Akhilesh Sharma *et al.*, 2020; Sharma *et al.*, 2020; Singh *et al.*, 2021; Singh, 2021; Singh, & Singh, 2021; Rajendra Singh *et al.*, 2020; Singh *et al.*, 2020a, 2020b; Singh *et al.*, 2021; Tiwari *et al.*, 2021; Tiwari & Singh, 2021; Tiwari *et al.*, 2021).

Thomisidae Sundevall, 1833 is an araneomorph, entelegyne (females have a genital plate), and stout cribellate (spin sticky seizure silk) spider family which is

*Corresponding Author: Dr. Rajendra Singh, Professor, Department of Zoology, Deendayal Upadhyay University of Gorakhpur-273009, U.P., India, Email: rsinghgpu@gmail.com

distributed throughout the world. These spiders are commonly known as the crab spiders, flower spiders or flower crab spiders because of crab-like appearance. Presently, the family is the seventh largest family with 2155 known species in 170 genera after Salticidae (6346 species, 658 genera), Linyphiidae (4706 species, 620 genera) and Araneidae (3066 species, 177 genera), Gnaphosidae (2580 species, 163 genera), Theridiidae (2531 species, 124 genera) and Lycosidae (2431 species, 125 genera) (WSC, 2021). However, this diversity is only a fraction of its true diversity (Benjamin, 2011). The crab spiders have larger and stronger front legs than the other six and are held sideways and hold on to prey while paralysing it with a venomous bite. Like crabs, it can move sideways. They are cryptically coloured and usually 4-10 mm in length. The cephalothorax and abdomen of crab spiders are usually short and broad. Eight homogeneously coloured eyes are arranged in two transverse rows of four each, however, in life, the anterior median eyes appear lighter than the others. Other distinguishing characters are free chelicerae, bear two dentate tarsal claws on each laterigrade leg, one pair of book lungs and absence of cribellum and calamistrum (Tikader, 1971). The crab spiders also mimic ants of taxonomically diverse groups. Few species of crab spiders are social and mothers take care of spiderlings (Benjamin, Dimitrov, Gillespie, & Hormiga, 2008). Most of the species are found on vegetation but some occur on dead bark, on the ground, or in leaf detritus. These spiders do not build web, rather capture the prey by ambushing and sometimes by active pursuit. The crab spiders are not active hunters but are sit-and-wait predators that hunt in flowers, foliage, or leaf litter. They remain impassive until the prey arrives and catches it. Few crab spiders with flattened bodies either hunt in the crevices of tree trunks or under loose bark, or shelter under such crevices by day and come out at night to hunt (Tikader, 1971). Most of the species of Thomisidae are sexually dimorphic, males are sometimes much smaller than females. The females usually look after their egg sacs which are fastened to the vegetation until the spiderlings hatch. Benjamin (2011) studied the phylogeny of Thomisidae genera using morphological characters, the monophyly of internal groupings and subfamilies and explored the evolution of colour change behaviour and the eye arrangement patterns of the median ocular quadrangle in light of the preferred phylogenetic hypothesis.

The spiders play an important role in most terrestrial foodwebs and may be very abundant in several habitats. Moreover, despite the ecological significance of spiders in terrestrial ecosystems, they have received very little attention as far as their conservation is concerned, particularly for thomisid spiders. Among the thomisid spiders, only 2 species are listed as critically endangered in IUCN Red List of Threatened Animals: *Bonapruvincia sanctaehelenae* Benoit, 1977 (White *et al.*, 2019) and *Bassaniodes grohi* (Wunderlich, 1992) (Cardoso *et al.*, 2018) found only in St. Helena (territory of UK) and Madeira (an autonomous region of Portugal), respectively; and one species *Firmicus insularis* (Blackwall, 1877) found only in Seychelles is listed as endangered (Gerlach, 2014).

Information regarding the Indian Thomisidae is insufficient and highly incoherent primarily due to the unexplored diversity of these spiders in several parts of the country like other families of spiders (Singh, 2021a-e). There are several species of these spiders yet to be described and several species recorded from India have also been misidentified as they are said to be identified by using existing old literature without a re-examination of the corresponding type materials and without consulting any spider taxonomist. Hence, these reports need re-examination. At present the faunal survey results of crab spiders are all scattered in the literature and so far no updated consolidated account is available regarding their distribution pattern across the country. Therefore, this present work was carried out to make available an up-to-date checklist of Indian Thomisidae like other families (Singh, 2021a-d; Singh & Singh, 2021a, b; Tiwari *et al.*, 2021a, b) in different states and the union territories of India.

MATERIALS AND METHODS

The present checklist is based on the published literature on spiders from India in recent past books, book chapters, journals, proceedings, records of Zoological Survey of India, Kolkata, few authentic theses, websites, and World Species Catalog (WSC, 2021) up to May 20, 2021. Some references to the faunistic surveys by Indian authors were omitted because of the repetition of the location. In most of the literature published earlier, several errors crept in the scientific names of the spiders even in the recent ones. This occurred because such information as soon becomes obsolete and, due to their perceived understanding, readers occasionally do not take into account new sources of data.

The researches on spider taxonomy like other taxa are continued with the description of new taxa, their modified status, and the publication of other nomenclatural decisions and clarifications (WSC, 2021; Singh, 2021a-e). If a spider species is identified only up to a generic level, it was considered as species if no other species of that genus is reported within that state. In the present checklist, attempts have been made to correct the errors in the scientific names of the spiders following WSC (2021). Only those synonymies were given that were reported in India, for other synonymies, WSC (2021) should be consulted. Only those species were considered endemic that were exclusively found only in India and such species are marked with (*). If the spider species is not endemic, its elsewhere distribution is also given following the WSC (2021) and other sources of literature. Seemingly, misidentified and erroneous records are marked with (†). The checklist includes species in alphabetical order. For each species, authority, year and distribution details of species in different states and union territories along with relevant references are given.

RESULTS AND DISCUSSION

In India, most probably Stoliczka (1869) was first to describe three species of crab spiders, *Thomisus elongatus*

and *Thomisus pugilis* from West Bengal, and *Phrynarachne peeli* from Assam. Thereafter, O. Pickard-Cambridge (1885) described three species, *Tmarus dejectus* and *Xysticus mundulus* from Jammu & Kashmir; and *Xysticus breviceps* from Ladakh. In the same year, Simon (1885a, b) described *Diaea pougneti* (Simon, 1885b) and *Ozyptila theobaldi* (Simon, 1885b) from Tamil Nadu, and *Stiphropus duriusculus* (Simon, 1885a) from Karnataka. Later on, Thorell (1891) described *Runcinia kinbergi* and *Thomisus armillatus* from Andaman & Nicobar Islands; Simon (1895a, b) described four species from Tamil Nadu (*Dietopsa castaneifrons*, *Dietopsa parnassia*, *Holopelus malati*, *Lycopus trabeatus* and *Lysiteles catulus*) and one species from Sikkim (*Runcinia bifrons*).

At the beginning of the 20th century, Pocock (1901) described one species of crab spider, *Angaeus pentagonalis* from Tamil Nadu; and Leardi in Airaghi (1901a, b) recorded three species of crab spiders, one species from Uttarakhand, *Thomisus dentiger* (Thorell, 1887) and two species from Puducherry, *Thomisus spectabilis* Doleschall, 1859 and *Xysticus cristatus* (Clerck, 1757). Within five years, Simon (1906) described six species, three from Tamil Nadu (*Oxytate chlorion*, *Thomisus leucaspis*, *Thomisus rigoratus*); and one each from Puducherry (*Tmarus fasciolatus*), Kerala (*Tmarus soricinus*) and Himalayan plateaus (*Loxobates castetsi*). After a decade, Sherriffs (1929) recorded nine species of crab spiders from Andaman & Nicobar Islands (1 species), Karnataka (1 species), Tamil Nadu (6 species) and West Bengal (1 species). After about three decades, Reimoser (1934) described *Runcinia escheri* from Tamil Nadu and Caporiacco (1935) described and recorded few species of crab spiders from Jammu & Kashmir. Among the Indian authors, Tikader (1960) was the first to describe six species of crab spiders, two species each from Assam (*Indoxysticus minutes*, *Thomisus projectus*) and Gujarat (*Thomisus bulani*, *Thomisus dhakuriensis*) and one species each from Chhattisgarh (*Synema decoratum*) and Meghalaya (*Ozyptila khasi*). Later, several authors (Tikader, 1961, 1962, 1963, 1964, 1965, 1966a, b, 1968, 1970, 1971, 1980; Basu, 1963, 1964a, b, 1965a, b, 1979; Sen, 1963, 1964; Sen & Basu, 1963; Tikader & Biswas, 1974, 1979; Biswas, 1977; Biswas & Mazumder, 1981; Gajbe & Rane, 1992; Reddy & Patel, 1992; Kumari & Mittal, 1994, 1997, 1999; Gajbe & Gajbe, 1999a, b, 2000a, b) have described and recorded about one hundred species of crab spiders from several parts of India. Long back, Tikader (1971, 1980) had nicely illustrated and documented the Thomisidae of India. In the present century, several workers have described 41 species of crab spiders from India, 25 species from Madhya Pradesh (Bhandari & Gajbe, 2001; Gajbe, 2004a, 2004d, 2005, 2008a, b); 8 species from West Bengal (Saha & Raychaudhuri, 2004, 2007a, b; Sen *et al.*, 2010b, 2012); 3 species from Kerala (Patel, 2003a; Biswas & Roy, 2005a, b); 2 species from Tamil Nadu (Benjamin, 2017); and one species each from Andhra Pradesh (Rao *et al.*, 2006), Maharashtra (Bastawade, 2002) and Telangana (Pravalikha & Srinivasulu, 2015). In addition, in the present century, several workers have recorded many species of Thomisidae across India in survey programmes.

At present, 210 species belonging to 44 genera were described or recorded from India during the last 153 years (1869-2021), out of which, 143 species (68.1%) were strictly endemic, i.e. described and recorded only in India while few more species were described from India but were also later recorded in neighbouring countries. However, the Indian record is only 9.7% of the world Thomisidae fauna (2154 species placed in 169 genera (WSC, 2021). All these spiders were distributed in all the Indian states except Nagaland and Dadra and Nagar Haveli and Daman and Diu (Figure 1). Six species marked with (†) seem to be erroneous report or the case of misidentification. One species, *Misumena oblonga* O. Pickard-Cambridge, 1885 was collected by its author from Murree (Pakistan) to Sind Valley (Jammu & Kashmir), however, its distribution is mentioned in Yarkand (China) by WSC (2021). Similarly, *Runcinia spinulosa* O. Pickard-Cambridge (1885) was recorded only from Murree (Pakistan) but it is included in the checklists of Indian spiders (Siliwal *et al.*, 2005; Keswani *et al.*, 2012; Caleb & Sankaran, 2021; WSC, 2021). This species is excluded from this checklist. Surprisingly, one species of crab spider, *Misumena chrysanthemi* Sebastian & Peter, 2009 which is an invalid species (Zschokke & Logunov, 2010; WSC, 2021), still it was identified and recorded by several workers in different states (Assam-Singh *et al.*, 2012; Pandit, 2019; Bihar-Priyadarshini *et al.*, 2015; Kerala-Asima *et al.*, 2020; Maharashtra-Nerlekar *et al.*, 2016). Caleb & Sankaran (2021) recently enlisted only 181 species of Thomisidae described under 40 genera and the rest of the species recorded in India are either overlooked by them or are cases of misidentification and erroneous reports.

Two genera of crab spiders are highly speciose, e.g. *Thomisus* Walckenaer, 1805 (53 species) and *Xysticus* C.L. Koch, 1835 (25 species). A maximum of 74 species of these crab spiders was recorded from Maharashtra followed by 55 species from Madhya Pradesh, 52 species from West Bengal, 40 species from Kerala, 34 species each from Gujarat and Tamil Nadu, 33 species from Karnataka, 32 species from Chhattisgarh and Uttarakhand, 23 species from Meghalaya, 21 species each from Jammu & Kashmir and Uttar Pradesh, 17 species from Assam, 14 species from Rajasthan, 12 species each from Andaman & Nicobar Islands, Goa and Manipur, 11 species from Odisha and less than 10 species were recorded from other states (Figure 1). No species of crab spider is recorded from Nagaland and Dadra and Nagar Haveli and Daman and Diu. Surprisingly, a very poor record of these spiders was in Andhra Pradesh, Bihar, Himachal Pradesh, Jharkhand, and Telangana. Indeed, no survey was conducted in these regions and hence, it requires an intensive and extensive faunistic survey in these areas. Most of the surveys were conducted in Madhya Pradesh, Gujarat, Maharashtra, Kerala, Tamil Nadu and West Bengal. Out of 210 species of Thomisidae recorded from India, 7 species are considerably widely distributed, viz. *Camaricus formosus* Thorell, 1887 (17 states, 2 union territories), *Indoxysticus minutus* (Tikader, 1960) (16 states), *Runcinia insecta* (L. Koch, 1875) (15 states, 2 union territories), *Thomisus projectus* Tikader, 1960 (14 states, 1 union territories), *Thomisus pugilis*

Stoliczka, 1869 (13 states, 2 union territories), *Amyciaea forticeps* (Opickard-Cambridge, 1873) (12 states, 1 union territory) and *Thomisus lobosus* Tikader, 1965 (12 states, 1 union territories). Several species of Thomisidae reported from India are recorded only from one state or from the type locality. Endemism in thomisid spiders in India is high at the species level (143 species out of 210 species recorded), and these species are threatened with the loss and fragmentation of habitats. Though none of the species of thomisid spider is listed in IUCN Red List of Threatened Animals as endangered or vulnerable in India, still like others, they are also threatened due to habitat loss and fragmentation and other anthropogenic activities hampering

ecosystem. Therefore, conservation efforts are immediately needed for their conservation practices. Results demonstrated that most of the surveys conducted in India have remained restricted to a few states and union territories particularly, in the Western Ghats, Eastern Ghats and north and northeast India, and most areas in the country still remain virgin. Hence, a systematic faunistic surveys for these crab spiders are essential for the entire country to find an overall representation of thomisid spiders in the country. Following is the detailed list of these spiders arranged alphabetically which are distributed in Indian states and union territories.

Figure 1. Number of species of the spider family Thomisidae in Indian states and union territories.

I. Checklist of Crab Spiders (Thomisidae) in Indian States and Union Territories

1. *Amyciaea albomaculata* (O. Pickard-Cambridge, 1874)†

- Kerala (Sumesh & Sudhikumar, 2020)

Elsewhere: Australia, New Guinea

2. *Amyciaea forticeps* (O. Pickard-Cambridge, 1873)

- Assam (Chetia & Kalita, 2012; Gupta *et al.*, 2015)
- Chhattisgarh (Gajbe & Sharma, 1994)
- Goa (Pandit & Dharwadkar, 2020)

- Gujarat (Patel, 2003b; Siliwal *et al.*, 2003a; Solanki *et al.*, 2020)
- Karnataka (Nalini Bai & Ravindranatha, 2012; Mubeen & Basavarajappa, 2018)
- Kerala (Sebastian *et al.*, 2005a; Sunil Jose *et al.*, 2003; Rajeevan *et al.*, 2019; Sumesh & Sudhikumar, 2020)
- Maharashtra (Tikader, 1971, 1980; Gajbe, 1995b; Rithe, 2012; More & Sawant, 2013)
- Manipur (Kananbala *et al.*, 2018)
- Meghalaya (Bhattacharya *et al.*, 2017)
- Odisha (Choudhury *et al.*, 2019)
- Puducherry (Simon, 1906)
- Tamil Nadu (Kadam & Rajkumar, 2020)
- Uttarakhand (Gupta & Siliwal, 2012)
- West Bengal (Bhattacharya, 1934; Biswas & Biswas, 1992; Sen *et al.*, 2015)

Elsewhere: China, Malaysia

3. *Amyciaea lineatipes* O. Pickard-Cambridge, 1901

- Tripura (Dey *et al.*, 2013)

Elsewhere: Indonesia, Singapore

4. *Amyciaea* sp.

- Karnataka (Prashanthakumara & Venkateshwarlu, 2017)
- Odisha (Choudhury *et al.*, 2019)

5. *Angaeus pentagonalis* Pocock, 1901*

Syn. *Misumenoides kripalani* Tikader, 1963

- Andaman & Nicobar Islands (Tikader, 1977, 1980)
- Karnataka (Tikader, 1963, 1971, 1977a, 1980)
- Maharashtra (Tikader, 1977)
- Tamil Nadu (Pocock, 1901; Karthikeyani *et al.*, 2017)

6. *Angaeus* sp.

- Goa (Pandit & Dharwadkar, 2020)
- Karnataka (Abhijith, 2019)

7. *Bomis bengalensis* Tikader, 1962*

- West Bengal (Tikader, 1962, 1971, 1980; Tikader & Biswas, 1981; Biswas & Biswas, 1992)

8. *Bomis calcuttaensis* Biswas & Mazumder, 1981*

- West Bengal (Biswas & Mazumder, 1981; Biswas & Biswas, 1992; Majumder, 2005)

9. *Bomis khajurjai* Tikader, 1980*

- Madhya Pradesh (Tikader, 1980; Sen *et al.*, 2010b)
- Tamil Nadu (Caleb, 2020a)

10. *Bomis* sp.

- Karnataka (Abhijith, 2019)
- Odisha (Panda *et al.*, 2011; Mohapatra *et al.*, 2014)
- Rajasthan (Kashmeera *et al.*, 2020)
- Uttarakhand (Gupta & Siliwal, 2012)

11. *Borboropactus bituberculatus* Simon, 1884

- Andaman & Nicobar Islands (Dash & Sivaperuman, 2021a)

Elsewhere: China, Indonesia, Papua New Guinea

12. *Borboropactus elephantus* (Tikader, 1966)*

Syn. *Regillus elephantus* Tikader, 1966

- Assam (Tikader, 1966a)
- Maharashtra (Tikader, 1980)
- Meghalaya (Tikader, 1971, 1980; Biswas & Majumder, 1995)

13. *Camaricus bipunctatus* Bastawade, 2002*

- Andhra Pradesh (Bastawade & Khandal, 2006)
- Arunachal Pradesh (Bastawade, 2002; Bastawade & Khandal, 2006)
- Maharashtra (Bastawade, 2002; Bastawade & Khandal, 2006; More & Sawant, 2013; More, 2015a)

14. *Camaricus formosus* Thorell, 1887

Syn. *Camaricus fornicatus* Thorell, 1890

- Andaman & Nicobar Islands (Tikader, 1977, 1980; Tikader & Biswas, 1981; Majumder, 2004, 2005)
- Arunachal Pradesh (Biswas & Biswas, 2006)
- Assam (Chetia & Kalita, 2012; Singh *et al.*, 2012; Gupta *et al.*, 2015; Ahmed, 2018)
- Delhi (Malik *et al.*, 2015)
- Goa (Bastawade & Borkar, 2008; Pandit & Dharwadkar, 2020)
- Gujarat (Chandra *et al.*, 2021)
- Karnataka (Tikader & Biswas, 1981; Majumder, 2004, 2005)
- Kerala (Ambily & Antony, 2016; Jose *et al.*, 2018; Rajeevan *et al.*, 2019)
- Madhya Pradesh (Sen *et al.*, 2010b)
- Maharashtra (Tikader & Biswas, 1981; Majumder, 2004; More & Sawant, 2013)
- Manipur (Biswas & Biswas, 2004; Kananbala *et al.*, 2018)
- Meghalaya (Bhattacharya *et al.*, 2017)
- Mizoram (Biswas & Biswas, 2007)
- Odisha (Majumder, 2005; Panda *et al.*, 2011; Mohapatra *et al.*, 2014; De & Palita, 2018)
- Tamil Nadu (Bastawade & Borkar, 2008; Karthikeyani, 2013)
- Tripura (Dey *et al.*, 2013)
- Uttar Pradesh (Singh & Singh, 2014; Sharma & Singh, 2018a, b)
- Uttarakhand (Gupta & Siliwal, 2012)
- West Bengal (Tikader, 1980; Tikader & Biswas, 1981; Biswas & Biswas, 1992; Majumder, 2004, 2005; Saha & Raychaudhuri, 2007a; Sen *et al.*, 2015; Saha *et al.*, 2016)

Elsewhere: Bangladesh, China, Indonesia, Malaysia, Myanmar, Philippines

15. *Camaricus khandalaensis* Tikader, 1980*

- Gujarat (Siliwal *et al.*, 2003a; Yadav *et al.*, 2017a)

- Kerala (Sudhikumar *et al.*, 2005; Sunil Jose *et al.*, 2008; Joseph *et al.*, 2017)
- Maharashtra (Tikader, 1980; Pande *et al.*, 2013)
- Odisha (Choudhury *et al.*, 2019)
- West Bengal (Saha & Raychaudhuri, 2007a)
- 16. *Camaricus maugi* (Walckenaer, 1837)**
- Tripura (Dey *et al.*, 2013)
- Elsewhere: Indonesia, Myanmar, Vietnam
- 17. *Camaricus rinkae* Biswas & Roy, 2005***
- Kerala (Biswas & Roy, 2005b)
- 18. *Camaricus siltorsus* Saha & Raychaudhuri, 2007***
- West Bengal (Saha & Raychaudhuri, 2007a; Sen *et al.*, 2015)
- 19. *Camaricus* sp.**
- Andhra Pradesh (Palem *et al.*, 2016)
- Karnataka (Bhat *et al.*, 2013)
- Odisha (Mohapatra *et al.*, 2014)
- Tamil Nadu (Kadam & Rajkumar, 2020)
- Uttarakhand (Uniyal *et al.*, 2011)
- 20. *Demogenes andamanensis* (Tikader, 1980)***
- Syn. *Misumenops andamanensis* Tikader, 1980)
- Andaman & Nicobar Islands (Tikader, 1980)
- Kerala (Sudhikumar *et al.*, 2005; Sunil Jose *et al.*, 2008; Joseph *et al.*, 2017)
- 21. *Diaea bengalensis* Biswas & Mazumder, 1981***
- Maharashtra (Rithe, 2012; More & Sawant, 2013)
- Manipur (Biswas & Biswas, 2004; Kananbala *et al.*, 2018)
- West Bengal (Biswas & Mazumder, 1981; Biswas & Biswas, 1992; Majumder, 2005).
- 22. *Diaea dorsata* (Fabricius, 1777)**
- Manipur (Kananbala *et al.*, 2018)
- Elsewhere: Caucasus, Europe, Iran, Japan, Russia, Turkey
- 23. *Diaea pogneti* Simon, 1885***
- Tamil Nadu (Simon, 1885b; Karthikeyani *et al.*, 2017; Caleb & Karthikeyani, 2020)
- 24. *Diaea* sp.**
- Gujarat (Parmar, 2018)
- Uttarakhand (Uniyal *et al.*, 2011)
- 25. *Diaea subdola* Pickard-Cambridge, 1885**
- Syn. *Misumena horai* Tikader, 1968
- Jammu & Kashmir (Caporiacco, 1935)
- Meghalaya (Tikader, 1968, 1971, 1980; Biswas & Majumder, 1995)
- Uttar Pradesh (Hore & Uniyal, 2008a, b; Uniyal & Hore, 2009)
- Elsewhere: China, Formosa, Japan, Korea, Russia
- 26. *Dietopsa castaneifrons* (Simon, 1895)***
- Syn. *Dietopsis castaneifrons* Simon, 1895
- Tamil Nadu (Simon, 1895b)
- 27. *Dietopsa parnassia* (Simon, 1895)***
- Syn. *Dietopsis parnassia* Simon, 1895)
- Tamil Nadu (Simon, 1895a, 1906; Karthikeyani *et al.*, 2017; Caleb & Karthikeyani, 2020)
- 28. *Ebrechtella concinna* (Thorell, 1877)**
- Syn. *Diaea subargentata* O. Pickard-Cambridge, 1885; *Misumena silveryi* Tikader, 1965; *Misumenops maygitgitus* Barrion & Litsinger, 1995)
- Gujarat (Parmar, 2013; Parmar & Acharya, 2015)
- Jammu & Kashmir (Caporiacco, 1935)
- Kerala (Sunil Jose *et al.*, 2008; Mathew *et al.*, 2014)
- Maharashtra (Tikader, 1965, 1971, 1980)
- Mizoram (Chowdhury *et al.*, 2017)
- Elsewhere: Indonesia, New Guinea, Pakistan, Philippines
- 29. *Ebrechtella* sp.**
- Kerala (Joseph *et al.*, 2017; Sumesh & Sudhikumar, 2020)
- 30. *Ebrechtella sufflava* (O. Pickard-Cambridge, 1885)**
- Syn. *Diaea sufflava* Pickard-Cambridge, 1885; *Misumena expallidata* Pickard-Cambridge, 1885
- Jammu & Kashmir (Caporiacco, 1935)
- Elsewhere: Pakistan
- 31. *Ebrechtella tricuspidata* (Fabricius, 1775)**
- Syn. *Misumena tricuspidata* (Fabricius, 1775)
- Jammu & Kashmir (Caporiacco, 1935)
- Maharashtra (Chapke, 2012)
- Elsewhere: Caucasus, Central Asia, China, Europe, Iran, Japan, Kazakhstan, Korea, Pakistan, Russia, Turkey
- 32. *Epidius armatus* (Thorell, 1895)**
- Syn. *Platythomismus bazarus* Tikader, 1970; *Epidius bazarus* (Tikader, 1970)
- Kerala (Joseph *et al.*, 2017)
- Sikkim (Tikader, 1970, 1971, 1980)
- Tamil Nadu (Benjamin, 2017)
- West Bengal (Tang *et al.*, 2009)
- Elsewhere: China, Laos, Myanmar
- 33. *Epidius longimanus* Benjamin, 2017***
- Tamil Nadu (Benjamin, 2017)
- 34. *Epidius longipalpis* Thorell, 1877**
- Kerala (Joseph *et al.*, 2017)
- Elsewhere: Indonesia, Sri Lanka
- 35. *Epidius mahavira* Benjamin, 2017***
- Tamil Nadu (Benjamin, 2017)
- 36. *Epidius parvati* Benjamin, 2000**
- Kerala (Joseph *et al.*, 2017; Malamel & Sudhikumar, 2017, 2020)
- 37. *Henriksenia hilaris* (Thorell, 1877)**
- Syn. *Misumenoides deccanes* Tikader, 1965; *Misumenoides shulli* Tikader, 1965; *Diaea jaintious* Tikader, 1966;

Misumena decorata Tikader, 1980; *Misumena braminica* Simon, 1906

- Assam (Tikader, 1966a)
- Kerala (Sudhikumar *et al.*, 2005; Sunil Jose *et al.*, 2008; Adarsh & Nameer, 2016)
- Maharashtra (Tikader, 1965, 1980; Meshram, 2011; Pande *et al.*, 2013)
- Meghalaya (Tikader, 1971, 1980; Biswas & Majumder, 1995)
- Puducherry (Simon, 1906)
- Tamil Nadu (Simon, 1906; Karthikeyani *et al.*, 2017; Caleb & Karthikeyani, 2020; Caleb, 2020a)
- Uttarakhand (Tikader, 1965, 1971, 1980; Biswas & Biswas, 2010; Uniyal *et al.*, 2011)
- West Bengal (Ghosh *et al.*, 2018)

Elsewhere: Bangladesh, China, Indonesia, Malaysia, New Guinea, Philippines.

38. *Heriaeus horridus* Tyschchenko, 1965

Syn. *Misumenops kumaonensis* Tikader, 1980

- Maharashtra (Bastawade & Khandal, 2006; Warghat *et al.*, 2011)
- Uttarakhand (Tikader, 1980)

Elsewhere: Central Asia, Russia, Ukraine

39. *Holopelus malati* Simon, 1895 *

- Tamil Nadu (Simon, 1895b)

40. *Indosmodicinus bengalensis* Sen *et al.*, 2010

- West Bengal (Sen *et al.*, 2010a, 2015)

Elsewhere: China

41. *Indoxysticus lumbricus* Tang Li, 2010†

- Gujarat (Yadav, 2019)

Elsewhere: China

42. *Indoxysticus minutus* (Tikader, 1960)

Syn. *Xysticus minutus* Tikader, 1960

- Assam (Chetia & Kalita, 2012; Das *et al.*, 2015)
- Bihar (Priyadarshini *et al.*, 2015, 2018)
- Chhattisgarh (Gajbe & Sharma, 1994)
- Gujarat (Tikader, 1971, 1980; Tikader & Biswas, 1981; Siliwal *et al.*, 2003a, b; Gajbe, 2004d; Majumder, 2005; Parmar, 2013; Parmar & Acharya, 2015; Yadav *et al.*, 2017a)
- Karnataka (Bhat *et al.*, 2013; Vaibhav *et al.*, 2017; Nijagal *et al.*, 2020)
- Kerala (Jose *et al.*, 2018; Asima *et al.*, 2020; Sumesh & Sudhikumar, 2020)
- Madhya Pradesh (Gajbe, 2003a, b, 2004d, 2007; Chetia & Kalita, 2012)
- Maharashtra (Tikader, 1971; Tikader & Biswas, 1981; Gajbe, 2004d, 2007; Majumder, 2005; Meshram, 2011; Vairale & Wagh, 2021)
- Meghalaya (Tikader, 1968, 1971, 1980; Tikader & Biswas, 1981; Gajbe, 2004d; Majumder, 2005)

- Odisha (Choudhury *et al.*, 2019)
- Punjab (Kumari, 1983)
- Rajasthan (Chauhan *et al.*, 2009; Lawania & Trigunayat, 2015; Kumari *et al.*, 2017)
- Tamil Nadu (Caleb, 2020a)
- Uttar Pradesh (Lawania & Mathur, 2014a; Kumar *et al.*, 2017a; Kadam & Rajkumar, 2020)
- Uttarakhand (Uniyal *et al.*, 2011; Gupta & Siliwal, 2012)
- West Bengal (Tikader, 1960, 1971, 1980; Tikader & Biswas, 1981; Biswas & Biswas, 1992; Gajbe, 2004d; Majumder, 2005; Sen *et al.*, 2015)

Elsewhere: Sri Lanka

43. *Indoxysticus* sp.

- Odisha (Choudhury *et al.*, 2019)

44. *Loxobates castetsi* (Simon, 1906)*

Syn. *Oxylate castetsi* Simon, 1906

- Himalayan plateaus (Simon, 1906)
- Karnataka (Bhat *et al.*, 2013)

45. *Loxobates kapuri* (Tikader, 1980)*

Syn. *Dieta kapuri* Tikader, 1980

- Maharashtra (Tikader, 1980)

46. *Loxobates* sp.

- Karnataka (Bhat *et al.*, 2013)

47. Simon, 1895*

- Tamil Nadu (Simon, 1895b, 1906; Karthikeyani *et al.*, 2017)

48. *Lysiteles brunettii* (Tikader, 1962)*

Syn. *Synaema brunettii* Tikader, 1962

- Madhya Pradesh (Gajbe, 2003b, 2007)
- Uttarakhand (Uniyal *et al.*, 2011)
- West Bengal (Tikader, 1962, 1971, 1980; Biswas & Biswas, 1992; Gajbe, 2007)

49. *Lysiteles catulus* Simon, 1895*

- Tamil Nadu (Simon, 1895b, 1906)

50. *Lysiteles excultus* (O. Pickard-Cambridge, 1885)

Syn. *Synema exculta* O. Pickard-Cambridge, 1885

- Jammu & Kashmir (Caporiacco, 1935)

Elsewhere: Pakistan

51. *Lysiteles mandali* (Tikader, 1966)

Syn. *Xysticus mandali* Tikader, 1966

- Assam (Tikader, 1966a)
- Meghalaya (Tikader, 1968, 1971, 1980; Biswas & Majumder, 1995)

Elsewhere: China

52. *Lysiteles niger* Ono, 1979

- Uttarakhand (Uniyal *et al.*, 2011)

Elsewhere: Bhutan, China, Nepal

53. *Lysiteles* sp.

- Uttar Pradesh (Kumar *et al.*, 2017a)

- Uttarakhand (Quasin & Uniyal, 2010; Uniyal *et al.*, 2011)
- 54. *Massuria roonwali* (Basu, 1964)***
Syn. *Pistius roonwali* Basu, 1964.
- Uttar Pradesh (Sen *et al.*, 2015)
- Uttarakhand (Basu, 1964a; Tikader, 1971, 1980; Gupta & Siliwal, 2012)
- West Bengal (Saha & Raychaudhuri, 2007a; Sen *et al.*, 2015)
- 55. *Massuria* sp.**
• Goa (Pandit & Dharwadkar, 2020)
- 56. *Massuria sreepanchamii* (Tikader, 1962)***
Syn. *Pistius sreepanchamii* Tikader, 1962
- Manipur (Kananbala *et al.*, 2018)
- Meghalaya (Tikader, 1962, 1971, 1980; Biswas & Majumder, 1995)
- West Bengal (Saha & Raychaudhuri, 2007a)
- 57. *Massuria uthoracica* Sen *et al.*, 2012***
• West Bengal (Sen *et al.*, 2012, 2015)
- 58. *Mastira menoka* (Tikader, 1963)***
Syn. *Misumena menoka* Tikader, 1963
- Gujarat (Yadav *et al.*, 2017a)
- Karnataka (Tikader, 1963, 1980)
- Kerala (Lehtinen, 2004)
- Maharashtra (Meshram, 2011)
- Uttar Pradesh (Sharma & Singh, 2018a, b)
- Uttarakhand (Uniyal *et al.*, 2011; Pooja *et al.*, 2019)
- 59. *Mastira nicobarensis* (Tikader, 1980)***
Syn. *Mesumena nicobarensis* Tikader, 1980
- Andaman & Nicobar Islands (Tikader, 1980)
- West Bengal (Saha & Raychaudhuri, 2007a; Sen *et al.*, 2015)
- 60. *Mecaphesa celer* (Hentz, 1847)†**
Syn. *Misumenops celer* (Hentz, 1847)
- Rajasthan (Lawania & Mathur, 2017)
- Elsewhere: Canada, Mexico, USA
- 61. *Misumena annapurna* Tikader, 1963***
• Karnataka (Tikader, 1963, 1971, 1980)
- Maharashtra (Tikader, 1971, 1980; Rithe, 2012)
- 62. *Misumena ganpatii* Kumari & Mittal, 1994***
• Punjab (Kumari & Mittal, 1994)
- 63. *Misumena greenae* Tikader, 1965***
• Maharashtra (Tikader, 1965, 1971, 1980; More & Sawant, 2013)
- 64. *Misumena indra* Tikader, 1963***
• Karnataka (Tikader, 1963, 1971, 1980)
- Maharashtra (More & Sawant, 2013; More, 2015a)
- Uttar Pradesh (Hore & Uniyal, 2008a, b; Uniyal & Hore, 2009)
- 65. *Misumena mickeyi* Sen, Saha & Raychaudhuri, 2012***
• West Bengal (Sen *et al.*, 2012, 2015)
- 66. *Misumena mridulai* Tikader, 1962***
• Kerala (Sunil Jose & Sebastian, 2001)
- Maharashtra (Meshram, 2011; Warghat *et al.*, 2011)
- Meghalaya (Tikader, 1962, 1971, 1980; Biswas & Majumder, 1995)
- Uttar Pradesh (Hore & Uniyal, 2008a, b; Uniyal & Hore, 2009)
- Uttarakhand (Uniyal *et al.*, 2011)
- 67. *Misumena oblonga* O. Pickard-Cambridge, 1885**
• Jammu & Kashmir (Pickard-Cambridge, 1885; Caporiacco, 1935)
- 68. *Misumena ritujae* Gajbe, 2008***
• Madhya Pradesh (Gajbe, 2008a)
- Maharashtra (Rithe, 2012)
- 69. *Misumena* sp.**
• Assam (Das *et al.*, 2015; Saha *et al.*, 2015a)
- Gujarat (Parasharya & Pathan, 2013; Parmar *et al.*, 2015)
- Kerala (Patel, 2003a; Sunil Jose *et al.*, 2008; Sebastian *et al.*, 2011)
- Ladakh (Uniyal, 2006)
- Maharashtra (Lanka *et al.*, 2017)
- Manipur (Kananbala *et al.*, 2018)
- Punjab (Kumari, 1983)
- Uttarakhand (Uniyal *et al.*, 2011; Gupta & Siliwal, 2012)
- 70. *Misumena vatia* (Clerck, 1757)**
• Assam (Chetia & Kalita, 2012)
- Goa (Halarnkar & Pai, 2018)
- Karnataka (Mubeen & Basavarajappa, 2018; Nijagal *et al.*, 2020)
- Meghalaya (Bhattacharya *et al.*, 2017)
- Uttar Pradesh (Kumar *et al.*, 2017a, b)
- Elsewhere: Caucasus, Central Asia, China, Europe, Iran, Japan, Kazakhstan, Korea, North America, Russia, Turkey
- 71. *Misumenoides gwarighatensis* Gajbe, 2004***
• Chhattisgarh (Kujur & Ekka, 2012; Ekka & Kujur, 2015).
- Madhya Pradesh (Gajbe, 2004d; Patil, 2012)
- Maharashtra (Rithe, 2012)
- 72. *Misumenoides naginae* Biswas & Roy, 2008***
• Uttarakhand (Biswas & Roy, 2008)
- 73. *Misumenoides* sp.**
• Chhattisgarh (Kujur & Ekka, 2016)
- Gujarat (Parasharya & Pathan, 2013)
- Karnataka (Prashanthakumara & Venkateshwarlu, 2017)
- Madhya Pradesh (Gajbe, 2003a, b)
- 74. *Misumenops khandalaensis* Tikader, 1965***

- Maharashtra (Tikader, 1965, 1971, 1980; Bastawade & Khandal, 2006; Meshram, 2011; More & Sawant, 2013)

75. *Misumenops rubrodecoratus* Millot, 1942†

- Karnataka (Shraddha & Chaturved, 2019)

Elsewhere: Africa

76. *Misumenops* sp.

- Karnataka (Abhijith, 2019)
- Kerala (Sunil Jose *et al.*, 2008)
- Uttarakhand (Uniyal *et al.*, 2011)

77. *Misumessus oblongus* (Keyserling, 1880)†

- Karnataka (Tabasum *et al.*, 2018)

Elsewhere: Canada, USA

78. *Monaeses jabalpurensis* Gajbe & Rane, 1992*

- Chhattisgarh (Kujur & Ekka, 2012; Ekka & Kujur, 2015)
- Madhya Pradesh (Gajbe & Rane, 1992; Gajbe, 2003a, b, 2004d, 2007; Patil, 2012)

79. *Monaeses mukundi* Tikader, 1980*

- Gujarat (Patel, 2003b; Yadav *et al.*, 2017a)
- Maharashtra (Tikader, 1980; Pande *et al.*, 2013)

80. *Monaeses pachpediensis* (Tikader, 1980)*

Syn. *Tmarus pachpediensis* Tikader, 1980

- Madhya Pradesh (Tikader, 1980; Gajbe, 2003b)
- Maharashtra (Warghat *et al.*, 2014; Vairale & Wagh, 2021)

81. *Monaeses parvati* Tikader, 1963*

- Delhi (Malik *et al.*, 2015)
- Gujarat (Siliwal *et al.*, 2003b; Yadav *et al.*, 2017a)
- Maharashtra (Tikader, 1963, 1971, 1980)
- Punjab (Tikader, 1971)

82. *Monaeses* sp.

- Chhattisgarh (Kujur & Ekka, 2016).
- Gujarat (Parasharya & Pathan, 2013)
- Uttarakhand (Gupta & Siliwal, 2012)

83. *Oxytate chlorion* (Simon, 1906)*

Syn. *Dieta chlorion* Simon, 1906

- Tamil Nadu (Simon, 1906; Leardi in Airaghi, 1901b; Karthikeyani *et al.*, 2017)

84. *Oxytate elongata* (Tikader, 1980)*

Syn. *Dieta elongata* Tikader, 1980

- Assam (Das *et al.*, 2015)
- Chhattisgarh (Kujur & Ekka, 2012; Ekka & Kujur, 2015)
- Delhi (Malik *et al.*, 2015)
- Gujarat (Patel, 2003b; Siliwal *et al.*, 2003a; Yadav *et al.*, 2017a)
- Madhya Pradesh (Gajbe, 2003b, 2004d, 2005; Patil, 2012)
- Maharashtra (Tikader, 1980; Gajbe, 2004d, Gajbe, 2005; Bastawade & Khandal, 2006; Rithe, 2012; More & Sawant, 2013; More, 2015a)

- Manipur (Kananbala *et al.*, 2018)

- Uttarakhand (Gupta & Siliwal, 2012)

85. *Oxytate greenae* (Tikader, 1980)*

Syn. *Dieta greenae* Tikader, 1980

- Andaman & Nicobar Islands (Tikader, 1980)
- Kerala (Dhali *et al.*, 2019; Sumesh & Sudhikumar, 2020)
- West Bengal (Sen *et al.*, 2015)

86. *Oxytate kanishkai* (Gajbe, 2008)*

Syn. *Dieta kanishkai* Gajbe, 2008

- Madhya Pradesh (Gajbe, 2008b)

Recently, this species was inadvertently placed in Philodromidae (its earlier placement) by Singh & Singh (2021).

87. *Oxytate virens* (Thorell, 1891)

- Assam (Chetia & Kalita, 2012; Das *et al.*, 2015; Ahmed, 2018)
- Gujarat (Parmar, 2013; Parmar *et al.*, 2015)
- Karnataka (Bhat *et al.*, 2013)
- Kerala (Mathew *et al.*, 2014; Ambily & Antony, 2016; Jose *et al.*, 2018; Rajeevan *et al.*, 2019)
- Maharashtra (Nerlekar *et al.*, 2016; Lanka *et al.*, 2017)
- Manipur (Kananbala *et al.*, 2018)
- Mizoram (Chowdhury *et al.*, 2017)
- Tamil Nadu (Karthikeyani *et al.*, 2017; Kadam & Rajkumar, 2020)

Elsewhere: Singapore, Vietnam.

88. *Oxytate* sp.

- Assam (Chetia & Kalita, 2012; Pandit, 2019)
- Goa (Pandit & Dharwadkar, 2020)
- Gujarat (Parmar & Patel, 2017)
- Odisha (Choudhury *et al.*, 2019)

89. *Oxyptila amkhasensis* Tikader, 1980*

Syn. *Oxyptila amkhasensis* Tikader, 1980

- Chhattisgarh (Kujur & Ekka, 2016)
- Madhya Pradesh (Tikader, 1980; Gajbe, 2003b, 2004d; Patil, 2012)

90. *Oxyptila brevipes* (Hahn, 1826)

- Rajasthan (Kashmeera *et al.*, 2020)

Elsewhere: Europe, Russia

91. *Oxyptila chandosiensis* Tikader, 1980*

Syn. *Oxyptila chandosiensis* Tikader, 1980

- Maharashtra (More & Sawant, 2013; More, 2015a)
- Rajasthan (Sivaperuman & Rathore, 2004)
- Uttar Pradesh (Tikader, 1980)

92. *Oxyptila jabalpurensis* Bhandari & Gajbe, 2001*

Syn. *Oxyptila jabalpurensis* Bhandari & Gajbe, 2001

- Chhattisgarh (Kujur & Ekka, 2012; Ekka & Kujur, 2015)
- Madhya Pradesh (Bhandari & Gajbe, 2001; Gajbe, 2003b, 2004a; Patil, 2012)

93. *Oxyptila khasi* Tikader, 1960*Syn. *Oxyptila khasi* Tikader, 1960

- Meghalaya (Tikader, 1961, 1971, 1980; Biswas & Majumder, 1995;)
- West Bengal (Sen *et al.*, 2015; Raychaudhuri *et al.*, 2016; Saha *et al.*, 2016)

94. *Oxyptila manii* Tikader, 1961*Syn. *Oxyptila manii* Tikader, 1961

- Assam [Saha *et al.*, 2015a]
- Uttar Pradesh (Hore & Uniyal, 2008a, b; Uniyal & Hore, 2009)
- West Bengal (Tikader, 1961, 1971, 1980; Biswas & Biswas, 1992)

95. *Oxyptila maratha* Tikader, 1971*Syn. *Oxyptila maratha* Tikader, 1971; *Oxyptila gertschi* Tikader, 1964)

- Gujarat (Patel & Pillai, 1988; Yadav *et al.*, 2017a)
- Madhya Pradesh (Tikader, 1980)
- Maharashtra (Tikader, 1964, 1971, 1980; Meshram, 2011; Rithe, 2012; More, 2015a).

96. *Oxyptila reena* Basu, 1964*Syn. *Oxyptila reena* Basu, 1964

- Rajasthan (Kashmeera *et al.*, 2020)
- West Bengal (Basu, 1964b; Tikader, 1971, 1980; Biswas & Biswas, 1992)

97. *Oxyptila theobaldi* Simon, 1885*Syn. *Oxyptila theobaldi* Simon, 1885

- Tamil Nadu (Simon, 1885b, 1906; Karthikeyani *et al.*, 2017)

98. *Oxyptila trux* (Blackwall, 1846)†

- Jammu & Kashmir (Punjoo & Bhat, 2015)

Elsewhere: Canada, Caucasus, Europe, Japan, Russia

99. *Oxyptila* sp.

- Gujarat (Parasharya & Pathan, 2013)
- Kerala (Sudhikumar *et al.*, 2005; Sunil Jose *et al.*, 2008)
- Maharashtra (Lanka *et al.*, 2017)
- Mizoram (Chowdhury *et al.*, 2017)
- Uttar Pradesh (Hore & Uniyal, 2008a, b; Uniyal & Hore, 2009)
- Uttarakhand (Uniyal *et al.*, 2011)

100. *Pagida salticiformis* (Pickard-Cambridge, 1883)

- Tamil Nadu (Caleb, 2020a)

Elsewhere: Sri Lanka

101. *Pasias marathas* Tikader, 1965*

- Maharashtra (Tikader, 1965, 1971, 1980; Pande *et al.*, 2013)

102. *Pasias puspagiri* Tikader, 1963*

- Karnataka (Tikader, 1963, 1971, 1980)

103. *Pharta indica* Sen, Saha & Raychaudhuri, 2012*

- West Bengal (Sen *et al.*, 2012, 2015)

104. *Phrynarachne ceylonica* (O. Pickard-Cambridge, 1884)

- Andaman & Nicobar Islands (Dash & Sivaperuman, 2021b)

- Assam (Das *et al.*, 2019)

Elsewhere: China, Japan, Sri Lanka, Taiwan

105. *Phrynarachne peeliana* (Stoliczka, 1869)*Syn. *Thomisus peelianus* Stoliczka, 1869

- Assam (Stoliczka, 1869)
- West Bengal (Roy *et al.*, 2010)

106. *Phrynarachne tuberosa* (Blackwall, 1864)*Syn. *Thomisus tuberosus* Blackwall, 1864.

- West Bengal (Roy *et al.*, 2010)

107. *Phrynarachne* sp.

- Assam (Das *et al.*, 2015; Pandit, 2019)

108. *Pistius barchensis* Basu, 1965*

- Uttarakhand (Basu, 1965a; Tikader, 1971, 1980)
- West Bengal (Saha & Raychaudhuri, 2007a)

109. *Pistius bhadurii* Basu, 1965*

- Uttar Pradesh (Basu, 1965a; Tikader, 1971)
- Uttarakhand (Gupta & Siliwal, 2012)

110. *Pistius gangulyi* Basu, 1965

- Uttarakhand (Basu, 1965a; Tikader, 1971, 1980)
- West Bengal (Saha & Raychaudhuri, 2007a)

Elsewhere: China

111. *Pistius kalimpus* Tikader, 1970*

- Maharashtra (Warghat *et al.*, 2014)
- Sikkim (Tikader, 1970)
- West Bengal (Tikader, 1970, 1971, 1980; Saha & Raychaudhuri, 2007a)

112. *Pistius kanikae* Basu, 1964*

- Uttarakhand (Basu, 1964a; Tikader, 1971, 1980)

113. *Pistius robustus* Basu, 1965*

- Maharashtra (Meshram, 2011)
- Uttarakhand (Basu, 1965a; Tikader, 1971, 1980)

114. *Pistius tikaderi* Kumari & Mittal, 1999*

- Punjab (Kumari & Mittal, 1999)

115. *Pistius* sp.

- Kerala (Sudhikumar *et al.*, 2005; Sunil Jose *et al.*, 2008)

116. *Platythomisus sudeepi* Biswas, 1977

- Goa (Bastawade & Borkar, 2008)
- Karnataka (Biswas, 1977; Tikader, 1980; Yadav *et al.*, 2017a)

- Kerala (Siliwal & Molur, 2005)

- Maharashtra (Yadav *et al.*, 2017b)

Elsewhere: Sri Lanka

117. *Platythomisus xiandao* Lin & Li, 2019Syn. *Platythomisus octomaculatus* (C. L. Koch, 1845)

- Assam (Yadav *et al.*, 2017b)

Elsewhere: China

118. *Psammitis minor* (Charitonov, 1946)

Syn. *Xysticus minor* Charitonov, 1946).

- Kerala (Sumesh & Sudhikumar, 2020)

Elsewhere: Central Asia, Iran, Kazakhstan

119. *Psammitis setiger* (O. Pickard-Cambridge, 1885)

Syn. *Xysticus setiger* O. Pickard-Cambridge, 1885

- Jammu & Kashmir (Caporiacco, 1935)

Elsewhere: Pakistan

120. *Psammitis xysticiformis* (Caporiacco, 1935)

Syn. *Oxyptila xysticiformis* Caporiacco, 1935)

- Jammu & Kashmir (Caporiacco, 1935)

Elsewhere: Central Asia, China, Pakistan

121. *Runcinia acuminata* (Thorell, 1881)

- Karnataka (Nalini Bai & Ravindranatha, 2012)
- Maharashtra (Chapke, 2012)
- Manipur (Kananbala *et al.*, 2018)

Elsewhere: Australia, Bangladesh, Japan, New Guinea

122. *Runcinia bifrons* (Simon, 1895)

Syn. *Runciniopsis bifrons* Simon, 1895

- Sikkim (Simon, 1895b)

Elsewhere: Sri Lanka, Vietnam

123. *Runcinia escheri* Reimoser, 1934*

- Andhra Pradesh (Tikader, 1971, 1980; Gajbe, 2007)
- Madhya Pradesh (Gajbe, 2003b, 2005)
- Tamil Nadu (Reimoser, 1934; Karthikeyani *et al.*, 2017)

124. *Runcinia ghorpadei* Tikader, 1980*

- Gujarat (Siliwal *et al.*, 2003a; Yadav *et al.*, 2017a).
- Karnataka (Tikader, 1980).
- Maharashtra (More & Sawant, 2013).

125. *Runcinia insecta* (L. Koch, 1875)

Syn. *Runcinia affinis* Simon, 1897; *Runcinia albostrigata* Bösenberg & Strand, 1906; *Runcinia chauhani* Sen & Basu, 1973; *Thomisus cherapunjeus* Tikader, 1966.

- Andaman & Nicobar Islands (Tikader, 1977).
- Arunachal Pradesh (Biswas & Biswas, 2006).
- Assam (Tikader, 1966a; Tikader & Biswas, 1981).
- Chhattisgarh (Gajbe, 2003b; Gajbe & Sharma, 1994; Kujur & Ekka, 2016).
- Gujarat (Patel & Pillai, 1988; Siliwal *et al.*, 2003a; Parasharya & Pathan, 2013; Chandra *et al.*, 2021).
- Haryana (Malik & Goyal, 2017).
- Jammu & Kashmir (Khan, 2009).
- Karnataka (Kokilamani *et al.*, 2019; Sharma & Ramakrishna, 2021).
- Kerala (Jose *et al.*, 2018)
- Madhya Pradesh (Gajbe, 1995a, b, , 2003B, 2007)
- Maharashtra (Maheshwari *et al.*, 2018)
- Manipur (Kananbala *et al.*, 2018)

- Meghalaya (Tikader, 1966a, 1971, 1980; Tikader & Biswas, 1981; Biswas & Majumder, 1995; Majumder, 2005; ; Gajbe, 2007; Chapke, 2012)

- Tamil Nadu (Ganesh Kumar & Velusamy, 1996; Karthikeyani *et al.*, 2017; Caleb & Karthikeyani, 2020; Caleb, 2020a)

- Uttar Pradesh (Hore & Uniyal, 2008a, b; Uniyal & Hore, 2009)

- Uttarakhand (Gupta & Siliwal, 2012)

- West Bengal (Tikader, 1977; Tikader & Biswas, 1981; Biswas & Biswas, 1992; Majumder, 2005; Saha *et al.*, 2020)

Elsewhere: Africa, Asia, Australia

126. *Runcinia khandari* Gajbe, 2004*

- Chhattisgarh (Ekka & Kujur, 2015; Kujur & Ekka, 2016)
- Madhya Pradesh (Gajbe, 2004d; Patil, 2012)
- Maharashtra (Rithe, 2012; More & Sawant, 2013; Warghat *et al.*, 2014)

127. *Runcinia kinbergi* Thorell, 1891

- Andaman & Nicobar Islands (Thorell, 1891)

Elsewhere: Indonesia, Myanmar

128. *Runcinia roonwali* Tikader, 1965*

- Assam (Tikader, 1968)
- Gujarat (Yadav *et al.*, 2017a).
- Haryana (Malik & Goyal, 2017).
- Karnataka (Deshpande & Paul, 2016).
- Kerala (Joseph & Premila, 2016; Adarsh & Nameer, 2016; Jose *et al.*, 2018; Sumesh & Sudhikumar, 2020).
- Maharashtra (Tikader, 1965, 1971, 1980).
- Meghalaya (Tikader, 1971, 1980; Biswas & Majumder, 1995).

- Uttar Pradesh (Uniyal & Hore, 2009).

129. *Runcinia sitadongri* Gajbe, 2004*

- Madhya Pradesh (Gajbe, 2004a).

130. *Runcinia yogeshi* Gajbe & Gajbe, 2001*

- Chhattisgarh (Ekka & Kujur, 2015; Kujur & Ekka, 2016).
- Madhya Pradesh (Gajbe & Gajbe, 2000a; Gajbe, 2003a, b; Patil, 2012).
- Maharashtra (More & Sawant, 2013).

131. *Runcinia* sp.

- Gujarat (Parmar *et al.*, 2015)
- Jammu & Kashmir (Khan, 2009)
- Karnataka (Mubeen & Basavarajappa, 2018)
- Kerala (Mathew *et al.*, 2014)
- Madhya Pradesh (Gajbe, 2004c)
- Maharashtra (Nerlekar *et al.*, 2016; Lanka *et al.*, 2017)
- Odisha (Mohapatra *et al.*, 2014)
- Tamil Nadu (Kapoor, 2008)
- Uttar Pradesh (Hore & Uniyal, 2008a, b)
- Uttarakhand (Uniyal & Hore, 2006; Uniyal *et al.*, 2011)

132. *Stiphropus duriusculus* (Simon, 1885)*Syn. *Apsectromerus duriusculus* Simon, 1885)

- Karnataka (Simon, 1885a)

133. *Stiphropus sangayus* Barrion & Litsinger, 1995

- Madhya Pradesh (Sen *et al.*, 2010b)

Elsewhere: Philippines

134. *Stiphropus soureni* Sen, 1964

- West Bengal (Sen, 1964)

Elsewhere: Bhutan

135. *Stiphropus* sp.

- Goa (Pandit & Dharwadkar, 2020)

136. *Strigoplus bilobus* Saha & Raychaudhuri, 2004*

- West Bengal (Saha & Raychaudhuri, 2004)

137. *Strigoplus moluri* Patel, 2003*

- Kerala (Patel, 2003a)
- Maharashtra (More & Sawant, 2013)

138. *Strigoplus netravati* Tikader, 1963*

- Goa (Bastawade & Borkar, 2008; Pandit & Dharwadkar, 2020)
- Karnataka (Tikader, 1963, 1971, 1980)
- Kerala (Sunil Jose *et al.*, 2008; Asima *et al.*, 2020; Sumesh & Sudhikumar, 2020; Smitha & Sudhikumar, 2020)
- Maharashtra (Bastawade & Sharma, 2002)

139. *Strigoplus* sp.

- Goa (Pandit & Pai, 2017)
- Karnataka (Murali *et al.*, 2017)
- Kerala (Joseph & Premila, 2016)
- Maharashtra (Warghat *et al.*, 2011)

140. *Synema decoratum* Tikader, 1960.Syn. *Synaema decorata* Tikader, 1960

- Chhattisgarh (Gajbe, 2003b, 2004d, 2005; Kujur & Ekka, 2016)
- Gujarat (Parmar, 2013; Parmar & Acharya, 2015; Parmar & Patel, 2017; Parmar *et al.*, 2015; Yadav *et al.*, 2017a)
- Karnataka (Tikader, 1971, 1980; Tikader & Biswas, 1981; Gajbe, 2004d, 2007; Majumder, 2005)
- Kerala (Adarsh & Nameer, 2016)
- Madhya Pradesh (Gajbe, 2003a, b, 2004d, 2005, 2007; Patil, 2012)
- Maharashtra (Tikader, 1971, 1980; Gajbe, 2004d, 2007; Majumder, 2005; Majumder, 2005; Vairale & Wagh, 2021)
- Tamil Nadu (Caleb, 2020a)
- Uttarakhand (Uniyal *et al.*, 2011)
- West Bengal (Tikader, 1960, 1971, 1980; Tikader & Biswas, 1981; Biswas & Biswas, 1992; Gajbe, 2004d, 2007)

Elsewhere: China

141. *Synema mysorensis* Tikader, 1980*Syn. *Synaema mysorensis* Tikader, 1980

- Chhattisgarh (Kujur & Ekka, 2016)
- Karnataka (Tikader, 1980; Gajbe, 2007)
- Madhya Pradesh (Gajbe, 2003b, 2007)

142. *Synema revolutum* Tang & Li, 2010

- Goa (Pandit & Dharwadkar, 2020)
- West Bengal (Sen *et al.*, 2012, 2015)

Elsewhere: China

143. *Synema* sp.

- Goa (Pandit & Pai, 2017)
- Rajasthan (Sivaperuman & Rathore, 2004)

144. *Talaus opportunus* (Pickard-Cambridge, 1873)

- Kerala (Adarsh & Nameer, 2016)
- Tamil Nadu (Simon, 1906)

Elsewhere: Sri Lanka

145. *Tharpyna himachalensis* Tikader & Biswas, 1979*

- Himachal Pradesh (Tikader & Biswas, 1979)

146. *Tharpyna indica* Tikader & Biswas, 1979*

- West Bengal (Tikader & Biswas, 1979, 1981)

147. *Tharpyna* sp.

- Jharkhand (Agrawal & Ghosh, 1995)

148. *Tharrhalea evanida* (L. Koch, 1867).Syn. *Diaea evanida* L. Koch, 1867

- Haryana (Malik & Goyal, 2017)
- Maharashtra (Warghat *et al.*, 2011)

Elsewhere: Australia, New Guinea

149. *Thomisus andamanensis* Tikader, 1980*

- Andaman & Nicobar Islands (Tikader, 1980)
- Delhi (Malik *et al.*, 2015)
- Gujarat (Trivedi, 2009)
- Karnataka (Nautiyal *et al.*, 2017)
- Kerala (Sebastian *et al.*, 2005b, 2011; Jose *et al.*, 2007; Dhali *et al.*, 2019)
- Maharashtra (Warghat *et al.*, 2011, 2014)
- Meghalaya (Roy *et al.*, 2017)
- Rajasthan (Sen *et al.*, 2009; Saha *et al.*, 2015b)
- West Bengal (Sen *et al.*, 2015; Raychaudhuri *et al.*, 2016; Saha *et al.*, 2016; Chandra *et al.*, 2021)

150. *Thomisus armillatus* (Thorell, 1891)*Syn. *Daradius armillatus* Thorell, 1891

- Andaman & Nicobar Islands (Thorell, 1891; Leardi in Airaghi, 1901b).

151. *Thomisus ashishi* Gajbe, 2005*

- Madhya Pradesh (Gajbe, 2005).
- Maharashtra (Rithe, 2012).

152. *Thomisus baghdeoi* Gajbe, 2004*

- Madhya Pradesh (Gajbe, 2004a)

153. *Thomisus bargi* Gajbe, 2004*

- Chhattisgarh (Ekka & Kujur, 2015; Kujur & Ekka, 2016)
- Madhya Pradesh (Gajbe, 2004d; Patil, 2012).
- 154. *Thomisus beautifularis* Basu, 1965***
 - Maharashtra (Deshmukh & Tekade, 2019; Vairale & Wagh, 2021).
 - Tamil Nadu (Ganesh Kumar & Velusamy, 1996; Sugimaran *et al.*, 2007).
 - West Bengal (Basu, 1965b; Biswas & Biswas, 1992; Majumder, 2005).
- 155. *Thomisus bulani* Tikader, 1960***
 - Gujarat (Siliwal *et al.*, 2003b; Patel, 2003b)
 - West Bengal (Tikader, 1960, 1971, 1980; Tikader & Biswas, 1981; Biswas & Biswas, 1992; Majumder, 2005; Saha & Raychaudhuri, 2007a).
- 156. *Thomisus danieli* Gajbe, 2004***
 - Chhattisgarh (Ekka & Kujur, 2015; Kujur & Ekka, 2016).
 - Madhya Pradesh (Gajbe, 2004d; Patil, 2012)
 - Maharashtra (Warghat *et al.*, 2014)
- 157. *Thomisus daradioides* Simon, 1890**
 - India (Bonnet, 1959)

Elsewhere: Pakistan, South Africa, Sudan, Yemen
- 158. *Thomisus dentiger* (Thorell, 1887)**

Syn. *Daradius dentiger* Thorell, 1887)

 - Uttarakhand (Leardi in Airaghi, 1901a)

Elsewhere: Myanmar
- 159. *Thomisus dhakuriensis* Tikader, 1960***
 - Gujarat (Kumar & Shivakumar, 2006; Yadav, 2019)
 - West Bengal (Tikader, 1960, 1971, 1980; Tikader & Biswas, 1981; Biswas & Biswas, 1992; Majumder, 2005)
- 160. *Thomisus dhananjayi* Gajbe, 2005***
 - Madhya Pradesh (Gajbe, 2005)
- 161. *Thomisus dyali* Kumari & Mittal, 1997***
 - Punjab (Kumari & Mittal, 1997)
- 162. *Thomisus elongatus* Stoliczka, 1869***
 - Chhattisgarh (Gajbe, 2003b).
 - Gujarat (Patel & Pillai, 1988; Siliwal *et al.*, 2003a).
 - Jammu & Kashmir (Khan, 2006).
 - Madhya Pradesh (Gajbe, 2007).
 - Maharashtra (Meshram, 2011; Vairale & Wagh, 2021).
 - West Bengal (Stoliczka, 1869; Tikader, 1971, 1980; Tikader & Biswas, 1981; Biswas & Biswas, 1992; Majumder, 2005; Gajbe, 2007).
- 163. *Thomisus godavariae* Reddy & Patel, 1992***
 - Andhra Pradesh (Reddy & Patel, 1992)
- 164. *Thomisus granulifrons* Simon, 1906.**
 - Maharashtra (More & Sawant, 2013; More, 2015a).
 - Puducherry (Simon, 1906).
 - Tamil Nadu (Simon, 1906; Karthikeyani *et al.*, 2017).

Elsewhere: Sri Lanka
- 165. *Thomisus italongus* Barrion & Litsinger, 1995**
 - Rajasthan (Sen *et al.*, 2009; Saha *et al.*, 2015b)

Elsewhere: Philippines.
- 166. *Thomisus katrajghatus* Tikader, 1963***
 - Madhya Pradesh (Tikader, 1971; Gajbe, 2003b, 2007)
 - Maharashtra (Tikader, 1963, 1980; Tikader & Biswas, 1981; Gajbe, 2007; Pande *et al.*, 2013).
 - West Bengal (Tikader & Biswas, 1981; Biswas & Biswas, 1992; Majumder, 2005)
- 167. *Thomisus keralae* Biswas & Roy, 2005***
 - Kerala (Biswas & Roy, 2005a)
- 168. *Thomisus kokiwada* Gajbe, 2004***
 - Madhya Pradesh (Gajbe, 2004a)
- 169. *Thomisus krishnae* Reddy & Patel, 1992***
 - Andhra Pradesh (Reddy & Patel, 1992)
 - Gujarat (Patel, 2003b; Siliwal *et al.*, 2003b; Kumar & Yashkamal, 2011)
- 170. *Thomisus laglaizei* Simon, 1877**
 - Tamil Nadu (Leardi in Airaghi, 1901b)

Elsewhere: Indonesia, Myanmar, Philippines
- 171. *Thomisus leucaspis* Simon, 1906**
 - Tamil Nadu (Simon, 1906; Karthikeyani *et al.*, 2017)

Elsewhere: New Caledonia
- 172. *Thomisus lobosus* Tikader, 1965***
 - Assam (Chetia & Kalita, 2012; Basumatary & Brahma, 2017)
 - Chhattisgarh (Gajbe, 2003b, 2005; Kujur & Ekka, 2016)
 - Gujarat (Parmar, 2013; Parmar & Patel, 2017; Parmar *et al.*, 2015)
 - Jammu & Kashmir (Chandra *et al.*, 2021)
 - Karnataka (Nalini Bai & Ravindranatha, 2012; Bhat *et al.*, 2013; Vaibhav *et al.*, 2017)
 - Kerala (Sunil Jose & Sebastian, 2001; Sebastian *et al.*, 2005a; Sebastian *et al.*, 2011; Jose *et al.*, 2018; Rajeevan *et al.*, 2019)
 - Madhya Pradesh (Gajbe, 2007)
 - Maharashtra (Tikader, 1965, 1980; Gajbe, 2005, 2007; Lanka *et al.*, 2017)
 - Odisha (Mohapatra *et al.*, 2014)
 - Rajasthan (Kaur *et al.*, 2014; Lawania & Trigunayat, 2015; Kashmeera *et al.*, 2020)
 - Tamil Nadu (Karthikeyani *et al.*, 2017; Kadam & Rajkumar, 2020)
 - Uttar Pradesh (Lawania & Mathur, 2014a, b, c, d)
 - Uttarakhand (Gupta & Siliwal, 2012; Pooja *et al.*, 2019)
- 173. *Thomisus ludhianaensis* Kumari & Mittal, 1997***
 - Punjab (Kumari & Mittal, 1997)
- 174. *Thomisus manishae* Gajbe, 2005***
 - Chhattisgarh (Kujur & Ekka, 2012; Ekka & Kujur, 2015)
 - Madhya Pradesh (Gajbe, 2005)

175. *Thomisus manjuae* Gajbe, 2005*

- Madhya Pradesh (Gajbe, 2005)

176. *Thomisus meenae* Gajbe, 2005*

- Madhya Pradesh (Gajbe, 2005)

177. *Thomisus mimae* Sen & Basu, 1963*

- Maharashtra (Vairale & Wagh, 2021)
- West Bengal (Sen & Basu, 1963; Tikader, 1971, 1980; Biswas & Biswas, 1992; Majumder, 2005)

178. *Thomisus nirmali* Saha & Raychaudhuri, 2007*

- Jammu & Kashmir (Punjoo & Bhat, 2015)
- West Bengal (Saha & Raychaudhuri, 2007b)

179. *Thomisus okinawensis* Strand, 1907

- Madhya Pradesh (Keswani, 2014)
- Maharashtra (Maheshwari *et al.*, 2018)

Elsewhere: Indonesia, Japan, Philippines, Thailand

180. *Thomisus onustus* Walckenaer, 1805

Syn. *Thomisus diadema* Hahn, 1832

- Andaman & Nicobar Islands (Thorell, 1891)
- Uttarakhand (Uniyal *et al.*, 2011)

Elsewhere: Africa, Belgium, Britain, Caucasus, China, Europe, France, Germany, Iran, Israel, Japan, Korea, Mediterranean, North Africa, Palestine, Poland, Russia, Selvagens Is., Sweden, Turkey, Yemen

181. *Thomisus pateli* Gajbe, 2004*

- Chhattisgarh (Kujur & Ekka, 2012; Ekka & Kujur, 2015)
- Madhya Pradesh (Gajbe, 2004d; Patil, 2012)
- Maharashtra (Warghat *et al.*, 2014)

182. *Thomisus pathaki* Gajbe, 2004 *

- Maharashtra (More & Sawant, 2013; More, 2015a, b)
- Chhattisgarh (Ekka & Kujur, 2015)
- Madhya Pradesh (Gajbe, 2004d; Patil, 2012;)

183. *Thomisus pooneus* Tikader, 1965*

- Haryana (Malik & Goyal, 2017)
- Madhya Pradesh (Patil *et al.*, 2013)
- Maharashtra (Tikader, 1965, 1980; More & Sawant, 2013; Pande *et al.*, 2013; Vairale & Wagh, 2021)
- Uttar Pradesh (Chandra *et al.*, 2021)

184. *Thomisus pritiae* Gajbe, 2005*

- Gujarat (Parmar & Patel, 2017)
- Madhya Pradesh (Gajbe, 2005)

185. *Thomisus projectus* Tikader, 1960*

- Assam (Chetia & Kalita, 2012)
- Chhattisgarh (Gajbe, 2003b; Gajbe & Sharma, 1994; Kujur & Ekka, 2016)
- Gujarat (Patel, 2003b; Trivedi, 2009; Parmar, 2013; Parasharya & Pathan, 2013; Parmar *et al.*, 2015; Yadav *et al.*, 2017a)
- Haryana (Malik & Goyal, 2017)
- Jammu & Kashmir (Chandra *et al.*, 2021)

- Karnataka (Murali *et al.*, 2017)

- Kerala (Sebastian *et al.*, 2011; Ambily & Antony, 2016; Jose *et al.*, 2018; Rajeevan *et al.*, 2019; Sumesh & Sudhikumar, 2020)

- Madhya Pradesh (Tikader, 1971; Gajbe, 1995b, 2003B, 2007)

- Maharashtra (Warghat *et al.*, 2011; Vairale & Wagh, 2021)

- Manipur (Biswas & Biswas, 2004)

- Odisha (Panda *et al.*, 2011)

- Rajasthan (Chauhan *et al.*, 2009; Lawania & Trigunayat, 2015; Kumari *et al.*, 2017)

- Telangana (Pravalikha & Srinivasulu, 2015)

- Uttar Pradesh (Lawania & Mathur, 2014b, c, d)

- West Bengal (Tikader, 1960, 1980; Tikader & Biswas, 1981; Biswas & Biswas, 1992; Majumder, 2005; Gajbe, 2007)

186. *Thomisus pugilis* Stoliczka, 1869*

- Assam (Gupta *et al.*, 2015)

- Gujarat (Patel & Pillai, 1988; Siliwal *et al.*, 2003a; Prajapati *et al.*, 2016)

- Jammu & Kashmir (Khan, 2006)

- Karnataka (Nalini Bai & Ravindranatha, 2012; Nautiyal *et al.*, 2017; Kokilamani *et al.*, 2019)

- Kerala (Sebastian *et al.*, 2005a; Mathew *et al.*, 2014; Asima *et al.*, 2020; Smitha & Sudhikumar, 2020)

- Lakshadweep (Pocock, 1904)

- Madhya Pradesh (Tikader, 1971; Gajbe, 1995a, 2003b; Patil, 2012)

- Maharashtra (Lanka *et al.*, 2017; Vairale & Wagh, 2021)

- Mizoram (Chowdhury *et al.*, 2017)

- Odisha (Panda *et al.*, 2011)

- Punjab (Tikader, 1971, 1980; Tikader & Biswas, 1981; Majumder, 2005; Caleb, 2020a)

- Rajasthan (Kaur *et al.*, 2014)

- Tamil Nadu (Leardi in Airaghi, 1901b; Tikader, 1971, 1980; Tikader & Biswas, 1981; Ganesh Kumar & Velusamy, 1996; Majumder, 2005; Gajbe, 2005; Karthikeyani *et al.*, 2017; Caleb, 2020a)

- Uttar Pradesh (Hore & Uniyal, 2008a, b; Uniyal & Hore, 2009)

- West Bengal (Stoliczka, 1869; Leardi in Airaghi, 1901b; Tikader, 1980; Tikader & Biswas, 1981; Biswas & Biswas, 1992; Majumder, 2005; Caleb, 2020a)

187. *Thomisus rajani* Bhandari & Gajbe, 2001*

- Chhattisgarh (Kujur & Ekka, 2012; Ekka & Kujur, 2015; Kujur & Ekka, 2016)

- Madhya Pradesh (Bhandari & Gajbe, 2001; Gajbe, 2003a, b, 2004d; Patil, 2012)

- Maharashtra (Rithe, 2012)

188. *Thomisus rigoratus* Simon, 1906*

- Tamil Nadu (Simon, 1906; Leardi in Airaghi, 1901b; Karthikeyani *et al.*, 2017)

189. *Thomisus rishus* Tikader, 1970*

- Sikkim (Tikader, 1970, 1971, 1980)

190. *Thomisus shillongensis* Sen, 1963*

- Meghalaya (Sen, 1963; Tikader, 1968, 1971, 1980; Biswas & Majumder, 1995)

191. *Thomisus shivajiensis* Tikader, 1965*

- Gujarat (Siliwal *et al.*, 2003b; Solanki & Kumar, 2014)
- Haryana (Malik & Goyal, 2017)
- Maharashtra (Tikader, 1965, 1971, 1980; Meshram, 2011)
- Punjab (Kumari, 1983)

192. *Thomisus sikkimensis* Tikader, 1962*

- Odisha (Chetry & Moran, 2019)
- Sikkim (Tikader, 1962, 1970, 1980)
- West Bengal (Saha *et al.*, 2020)

193. *Thomisus simoni* Gajbe, 2004*

- Madhya Pradesh (Gajbe, 2004d; Patil, 2012)
- Chhattisgarh (Ekka & Kujur, 2015; Kujur & Ekka, 2016)

194. *Thomisus sorajaii* Basu, 1963*

- Maharashtra (Bastawade, 2008).
- Uttar Pradesh (Chandra *et al.*, 2021).
- West Bengal (Basu, 1963; Tikader, 1971, 1980; Biswas & Biswas, 1992; Majumder, 2005).

195. *Thomisus spectabilis* Doleschall, 1859

Syn. *Daradius annulipes* Thorell, 1877.

- Goa (Pandit & Pai, 2017).
- Gujarat (ICAR-NBAIR, 2019).
- Karnataka (Shraddha & Chaturved, 2019, 2020).
- Kerala (Vineetha & George, 2021).
- Maharashtra (Warghat *et al.*, 2011)
- Puducherry (Leardi in Airaghi, 1901b)
- Tamil Nadu (Reimoser, 1934)
- West Bengal (Ghosh *et al.*, 2018)

Elsewhere: Australia, Indonesia, Malaysia, Micronesia, New Guinea,

196. *Thomisus stoliczkai* (Thorell, 1887)

- Karnataka (Leardi in Airaghi, 1901b)

Elsewhere: Myanmar

197. *Thomisus sundari* Gajbe & Gajbe, 2000*

- Chhattisgarh (Kujur & Ekka, 2016)
- Madhya Pradesh (Gajbe & Gajbe, 2000b; Gajbe, 2003a, b; Patil, 2012)

198. *Thomisus telanganaensis* Pravalikha & Srinivasulu, 2015*

- Kerala (Rajeevan *et al.*, 2019)
- Telangana (Pravalikha & Srinivasulu, 2015)

199. *Thomisus unidentatus* Dippenaar-Schoeman & van Harten, 2007

- Delhi (Diksha *et al.*, 2018)
- Uttar Pradesh (Diksha *et al.*, 2018)

Elsewhere: Iran, Iraq, Yemen

200. *Thomisus viveki* Gajbe, 2004*

- Chhattisgarh (Kujur & Ekka, 2012; Ekka & Kujur, 2015)
- Madhya Pradesh (Gajbe, 2004d; Patil, 2012)
- Maharashtra (Rithe, 2012; More & Sawant, 2013; Warghat *et al.*, 2014)

201. *Thomisus whitakeri* Gajbe, 2004*

- Chhattisgarh (Ekka & Kujur, 2015)
- Madhya Pradesh (Gajbe, 2004d; Patil, 2012)
- Maharashtra (Meshram, 2011; Vairale & Wagh, 2021)

202. *Thomisus* sp.

- Andhra Pradesh (Palem *et al.*, 2016)
- Assam (Das *et al.*, 2015; Pandit, 2019)
- Bihar (Yadav *et al.*, 2016)
- Chhattisgarh (Ekka & Kujur, 2015)
- Goa (Pandit & Dharwadkar, 2020).
- Gujarat (Siliwal *et al.*, 2003a; Yadav *et al.*, 2017a).
- Jammu & Kashmir (Khan, 2009; Khan & Rather, 2012).
- Kerala (Sebastian *et al.*, 2005b).
- Madhya Pradesh (Gajbe, 2004b; Sen *et al.*, 2010b).
- Maharashtra (Nerlekar *et al.*, 2016)
- Odisha (Choudhury *et al.*, 2019)
- Tamil Nadu (Kapoor, 2008; Caleb, 2020b)
- Uttar Pradesh (Khan & Mishra, 2003; Chandra *et al.*, 2021)
- Uttarakhand (Uniyal & Hore, 2006; Pooja *et al.*, 2019)

203. *Tmarus dejectus* (O. Pickard-Cambridge, 1885)*

Syn. *Monastes dejectus* O. Pickard-Cambridge, 1885

- Jammu & Kashmir (Pickard-Cambridge, 1885; Caporiacco, 1935)

Elsewhere: Pakistan

204. *Tmarus fasciolatus* Simon, 1906*

- Puducherry (Simon, 1906)
- Tamil Nadu (Simon, 1906; Leardi in Airaghi, 1901b; Karthikeyani *et al.*, 2017)

205. *Tmarus jabalpurensis* Gajbe & Gajbe, 1999*

- Chhattisgarh (Kujur & Ekka, 2012; Ekka & Kujur, 2015)
- Madhya Pradesh (Gajbe & Gajbe, 1999a; Gajbe, 2003a, b, 2004d; Patil, 2012)
- Maharashtra (Rithe, 2012; More & Sawant, 2013; More, 2015a)

206. *Tmarus kotigeharus* Tikader, 1963*

- Assam (Tikader, 1968)
- Gujarat (Patel, 2003b; Yadav *et al.*, 2017a)
- Karnataka (Tikader, 1963, 1971, 1980)

- Kerala (Sumesh & Sudhikumar, 2020)
- Maharashtra (Tikader, 1971; Bastawade & Khandal, 2006; More & Sawant, 2013; More, 2015a)
- Meghalaya (Tikader, 1971)
- Punjab (Kumari, 1983)
- Rajasthan (Kashmeera *et al.*, 2020)
- West Bengal (Sen *et al.*, 2015)
- 207. *Tmarus soricinus* Simon, 1906***
 - Kerala (Joseph *et al.*, 2017)
 - Tamil Nadu (Simon, 1906; Leardi in Airaghi, 1901b; Karthikeyani *et al.*, 2017)
- 208. *Tmarus srisailamensis* Rao *et al.*, 2006***
 - Andhra Pradesh (Rao *et al.*, 2006)
- 209. *Tmarus stellio* Simon, 1875**
 - Jammu & Kashmir (Caporiacco, 1935)

Elsewhere: Caucasus, Europe, Iran, Turkey.
- 210. *Tmarus* sp.**
 - Assam (Basumatary & Brahma, 2017)
 - Gujarat (Siliwal *et al.*, 2003a)
 - Madhya Pradesh (Gajbe, 2004b)
 - Manipur (Kananbala *et al.*, 2018)
 - Rajasthan (Chauhan *et al.*, 2009; Kumari *et al.*, 2017; Lawania & Mathur, 2017)
 - Tamil Nadu (Kapoor, 2008; Kadam & Rajkumar, 2020)
- 211. *Xysticus audax* (Schränk, 1803)**

Syn. *Xysticus pini* (Hahn, 1931)

 - Jammu & Kashmir (Caporiacco, 1935)
 - Kerala (Sumesh & Sudhikumar, 2020)

Elsewhere: Caucasus, Europe, Iran, Japan, Kazakhstan, Korea, Russia, Turkey
- 212. *Xysticus bengalensis* Tikader & Biswas, 1974***
 - Madhya Pradesh (Gajbe, 2003a, b, 2004d, 2007; Patil, 2012)
 - Rajasthan (Malhotra *et al.*, 2019)
 - West Bengal (Tikader & Biswas, 1974; Tikader, 1980; Biswas & Biswas, 1992; Majumder, 2005)
- 213. *Xysticus bengdakus* Saha & Raychaudhuri, 2007***
 - West Bengal (Saha & Raychaudhuri, 2007a)
- 214. *Xysticus bharratae* Gajbe & Gajbe, 1999***
 - Chhattisgarh (Ekka & Kujur, 2015)
 - Madhya Pradesh (Gajbe & Gajbe, 1999b; Gajbe, 2003a, b, 2004d; Patil, 2012)
 - Maharashtra (Rithe, 2012; More, 2015a, b)
- 215. *Xysticus breviceps* O. Pickard-Cambridge, 1885***
 - Gujarat (Parmar, 2013; Parmar *et al.*, 2015)
 - Kerala (Adarsh & Nameer, 2016; Joseph *et al.*, 2017; Asima *et al.*, 2020)
 - Ladakh (Pickard-Cambridge, 1885)
 - Maharashtra (Rithe, 2012; More & Sawant, 2013; More, 2015a).

216. *Xysticus cristatus* (Clerck, 1757) .

Syn. *Daradius cristatus* (Clerck, 1757).

- Jammu & Kashmir (Caporiacco, 1935; Punjoo & Bhat, 2015).

- Kerala (Sumesh & Sudhikumar, 2020).

- Puducherry (Leardi in Airaghi, 1901b).

Elsewhere: Canada, Caucasus, Central Asia, China, Europe, Iran, Japan, Kazakhstan, Korea, Russia, Turkey, USA.

217. *Xysticus croceus* Fox, 1937

Syn. *Xysticus sujatai* Tikader, 1962)

- Arunachal Pradesh (Tikader, 1971; Biswas & Biswas, 2006)

- Gujarat (Patel & Pillai, 1988)

- Meghalaya (Tikader, 1962, 1971, 1980; Biswas & Majumder, 1995)

- Mizoram (Biswas & Biswas, 2007)

- Uttarakhand (Quasin & Uniyal, 2010; Uniyal *et al.*, 2011)

- West Bengal (Biswas & Biswas, 2006)

Elsewhere: Bhutan, China, Japan, Korea, Nepal, Taiwan, Vietnam

218. *Xysticus himalayaensis* Tikader & Biswas, 1974*

- Kerala (Sudhikumar *et al.*, 2005; Sunil Jose *et al.*, 2008)

- West Bengal (Tikader & Biswas, 1974; Tikader, 1980; Biswas & Biswas, 1992)

219. *Xysticus hindusthanicus* Basu, 1965*

- West Bengal (Basu, 1965b; Tikader, 1971, 1980; Biswas & Biswas, 1992; Majumder, 2005)

220. *Xysticus jabalpurensis* Gajbe & Gajbe, 1999*

- Chhattisgarh (Ekka & Kujur, 2015; Kujur & Ekka, 2016)

- Madhya Pradesh (Gajbe & Gajbe, 1999b; Gajbe, 2003a, b, 2004d; Patil, 2012)

- Maharashtra (Rithe, 2012)

221. *Xysticus jaharai* Basu, 1979*

- Uttarakhand (Basu, 1979)

222. *Xysticus joyantius* Tikader, 1966*

Syn. *Xysticus jayantius* Tikader, 1966)

- Chhattisgarh (Gajbe, 2003b; Ekka & Kujur, 2015; Kujur & Ekka, 2016)

- Gujarat (Parmar, 2013)

- Madhya Pradesh (Gajbe, 2003b, 2007)

- Maharashtra (Meshram, 2011; Vairale & Wagh, 2021)

- Meghalaya (Tikader, 1966b, 1968, 1971, 1980; Biswas & Majumder, 1995; Gajbe, 2007).

- Uttarakhand (Uniyal *et al.*, 2011).

223. *Xysticus kali* Tikader & Biswas, 1974*

- Chhattisgarh (Ekka & Kujur, 2015; Kujur & Ekka, 2016)

- Madhya Pradesh (Gajbe, 2003b, 2005, 2007).

- Maharashtra (Meshram, 2011).

- Uttarakhand (Uniyal *et al.*, 2011)

- West Bengal (Tikader & Biswas, 1974; Tikader, 1980; Biswas & Biswas, 1992; Gajbe, 2005)

224. *Xysticus kamakhya* Tikader, 1962*

- Meghalaya (Tikader, 1962, 1971, 1980; Biswas & Majumder, 1995)

225. *Xysticus kashidi* Tikader, 1963*

- Karnataka (Tikader, 1963, 1971, 1980)

226. *Xysticus khasiensis* Tikader, 1980*

- Chhattisgarh (Gajbe & Sharma, 1994)
- Maharashtra (More & Sawant, 2013; More, 2015a)
- Meghalaya (Tikader, 1980; Biswas & Majumder, 1995)

227. *Xysticus maculiger* Roewer, 1951

Syn. *Xysticus maculosus* Pickard-Cambridge, 1885)

- Jammu & Kashmir (Caporiacco, 1935)

Elsewhere: China

228. *Xysticus mundulus* O. Pickard-Cambridge, 1885*

- Jammu & Kashmir (O. Pickard-Cambridge, 1885; Caporiacco, 1935)

229. *Xysticus pynurus* Tikader, 1966*

- Meghalaya (Tikader, 1966b, 1968, 1971, 1980; Biswas & Majumder, 1995)

230. *Xysticus roonwali* Tikader, 1964

- Sikkim (Tikader, 1971, 1980)

Elsewhere: Nepal

231. *Xysticus shillongensis* Tikader, 1962*

- Meghalaya (Tikader, 1962, 1971, 1980; Biswas & Majumder, 1995)

232. *Xysticus shyamrupus* Tikader, 1966*

- Madhya Pradesh (Gajbe, 2003b, 2007).
- Meghalaya (Tikader, 1966a, 1971, 1980; Biswas & Majumder, 1995; Gajbe, 2007).
- Uttarakhand (Biswas & Biswas, 2010).

233. *Xysticus sikkimus* Tikader, 1970

- Sikkim (Tikader, 1970, 1971, 1980)

Elsewhere: China

234. *Xysticus tikaderi* Bhandari & Gajbe, 2001*

- Chhattisgarh (Kujur & Ekka, 2012; Ekka & Kujur, 2015)
- Karnataka (Bhat *et al.*, 2013)
- Madhya Pradesh (Bhandari & Gajbe, 2001; Gajbe, 2003a, b, 2004a; Patil, 2012)
- Maharashtra (More & Sawant, 2013; More, 2015a, b).

235. *Xysticus viveki* Gajbe, 2005*

- Madhya Pradesh (Gajbe, 2005)

236. *Xysticus yogeshi* Gajbe, 2005*

- Madhya Pradesh (Gajbe, 2005)

237. *Xysticus* sp.

- Assam (Pandit, 2019)
- Goa (Pandit & Dharwadkar, 2020)
- Gujarat (Solanki & Kumar, 2014; Parmar *et al.*, 2015)

- Jammu & Kashmir (Khan, 2009; Punjoo & Bhat, 2015)
- Karnataka (Bhat *et al.*, 2013; Nautiyal *et al.*, 2017)
- Kerala (Sebastian *et al.*, 2005a; Sunil Jose *et al.*, 2008)
- Ladakh (Uniyal, 2006)
- Madhya Pradesh (Sen *et al.*, 2010b)
- Maharashtra (Lanka *et al.*, 2017)
- Rajasthan (Malhotra *et al.*, 2019)
- Tamil Nadu (Caleb, 2020b)
- Uttar Pradesh (Anjali & Prakash, 2012; Kumar *et al.*, 2017a)
- Uttarakhand (Uniyal *et al.*, 2011; Gupta & Siliwal, 2012).

II. Checklist of Crab Spiders (Thomisidae) in Indian States

1. Andhra Pradesh: *Camaricus bipunctatus*, *Runcinia escheri*, *Thomisus godavariae*, *Thomisus krishnae*, *Tmarus srisailamensis*

2. Arunachal Pradesh: *Camaricus bipunctatus*, *Camaricus formosus*, *Runcinia insecta*, *Xysticus croceus*

3. Assam: *Amyciaea forticeps*, *Borboropactus elephantus*, *Camaricus formosus*, *Henriksenia hilaris*, *Indoxysticus minutus*, *Lysiteles mandali*, *Misumena vatia*, *Oxytate elongata*, *Oxytate virens*, *Ozyptila manii*, *Phrynarachne ceylonica*, *Phrynarachne peeliana*, *Platythomisus xiandao*, *Runcinia insecta*, *Runcinia roonwali*, *Thomisus lobosus*, *Thomisus projectus*, *Thomisus pugilis*, *Tmarus kotigeharus*

4. Bihar: *Indoxysticus minutus*, *Thomisus* sp.

5. Chhattisgarh: *Amyciaea forticeps*, *Indoxysticus minutus*, *Misumenoides gwarighatensis*, *Monaeses jabalpurensis*, *Oxytate elongata*, *Ozyptila amkhasensis*, *Ozyptila jabalpurensis*, *Runcinia insecta*, *Runcinia khandari*, *Runcinia yogeshi*, *Synema decoratum*, *Synema mysorensis*, *Thomisus bargi*, *Thomisus danieli*, *Thomisus elongatus*, *Thomisus lobosus*, *Thomisus manishae*, *Thomisus pateli*, *Thomisus pathaki*, *Thomisus projectus*, *Thomisus rajani*, *Thomisus stoliczkai*, *Thomisus sundari*, *Thomisus viveki*, *Thomisus whitakeri*, *Tmarus jabalpurensis*, *Xysticus bharratae*, *Xysticus jabalpurensis*, *Xysticus joyanti*, *Xysticus kali*, *Xysticus khasiensis*, *Xysticus tikaderi*

6. Goa: *Amyciaea forticeps*, *Angaeus* sp., *Camaricus formosus*, *Massuria* sp., *Misumena vatia*, *Oxytate* sp., *Platythomisus sudeepi*, *Stiphropus* sp., *Strigoplus netravati*, *Synema revolutum*, *Thomisus spectabilis*, *Xysticus* sp.

7. Gujarat: *Amyciaea forticeps*, *Camaricus formosus*, *Camaricus khandalaensis*, *Diaea* sp., *Ebrechtella concinna*, *Indoxysticus lumbricus*, *Indoxysticus minutus*, *Mastira menoka*, *Misumena* sp., *Misumenoides* sp., *Monaeses mukundi*, *Monaeses parvati*, *Oxytate elongata*, *Oxytate virens*, *Ozyptila maratha*, *Runcinia ghorpadei*, *Runcinia insecta*, *Runcinia roonwali*, *Synema decoratum*, *Thomisus andamanensis*, *Thomisus bulani*, *Thomisus dhakuriensis*, *Thomisus elongatus*, *Thomisus krishnae*, *Thomisus lobosus*, *Thomisus pritiae*, *Thomisus projectus*,

Thomisus pugilis, *Thomisus shivajiensis*, *Thomisus spectabilis*, *Tmarus kotigeharus*, *Xysticus breviceps*, *Xysticus croceus*, *Xysticus joyantius*

8. Haryana: *Runcinia insecta*, *Runcinia roonwali*, *Tharrhalea evanida*, *Thomisus pooneus*, *Thomisus projectus*, *Thomisus shivajiensis*

9. Himachal Pradesh: *Tharpyna himachalensis*

10. Jharkhand: *Tharpyna* sp.

11. Karnataka: *Amyciaea forticeps*, *Angaeus pentagonalis*, *Bomis* sp., *Camaricus formosus*, *Indoxysticus minutus*, *Loxobates castetsi*, *Mastira menoka*, *Misumena annapurna*, *Misumena indra*, *Misumena vatia*, *Misumenoides* sp., *Misumenops rubrodecoratus*, *Misumessus oblongus*, *Oxytate virens*, *Pasias puspagiri*, *Platythomisus sudeepi*, *Runcinia acuminata*, *Runcinia ghorpadei*, *Runcinia insecta*, *Runcinia roonwali*, *Stiphropus duriusculus*, *Strigoplus netravigi*, *Synema decoratum*, *Synema mysorensis*, *Thomisus andamanensis*, *Thomisus lobosus*, *Thomisus projectus*, *Thomisus pugilis*, *Thomisus spectabilis*, *Thomisus stoliczkai*, *Tmarus kotigeharus*, *Xysticus kashidi*, *Xysticus tikaderi*

12. Kerala: *Amyciaea albomaculata*, *Amyciaea forticeps*, *Camaricus formosus*, *Camaricus khandalaensis*, *Camaricus rinkae*, *Demogenes andamanensis*, *Ebrechtella concinna*, *Epidius armatus*, *Epidius longipalpis*, *Epidius parvati*, *Henriksenia hilaris*, *Indoxysticus minutus*, *Mastira menoka*, *Misumena mridulai*, *Misumenops* sp., *Oxytate greenae*, *Oxytate virens*, *Ozyptila* sp., *Pistius* sp., *Platythomisus sudeepi*, *Psammitis minor*, *Runcinia insecta*, *Runcinia roonwali*, *Strigoplus moluri*, *Strigoplus netravigi*, *Synema decoratum*, *Talaus opportunus*, *Thomisus andamanensis*, *Thomisus keralae*, *Thomisus lobosus*, *Thomisus projectus*, *Thomisus pugilis*, *Thomisus spectabilis*, *Thomisus telanganaensis*, *Tmarus kotigeharus*, *Tmarus soricinus*, *Xysticus audax*, *Xysticus breviceps*, *Xysticus cristatus*, *Xysticus himalayaensis*

13. Madhya Pradesh: *Bomis khajurjai*, *Camaricus formosus*, *Indoxysticus minutus*, *Lysiteles brunettii*, *Misumena ritujae*, *Misumenoides gwarighatensis*, *Monaeses jabalpurensis*, *Monaeses pachpediensis*, *Oxytate elongata*, *Oxytate kanishkai*, *Ozyptila amkhasensis*, *Ozyptila jabalpurensis*, *Ozyptila maratha*, *Runcinia escheri*, *Runcinia insecta*, *Runcinia khandari*, *Runcinia sitadongri*, *Runcinia yogeshi*, *Stiphropus sangayus*, *Synema decoratum*, *Synema mysorensis*, *Thomisus ashishi*, *Thomisus baghdeoi*, *Thomisus bargi*, *Thomisus danieli*, *Thomisus dhananjayi*, *Thomisus elongatus*, *Thomisus katrajghatus*, *Thomisus kokiwadai*, *Thomisus lobosus*, *Thomisus manishae*, *Thomisus manjuae*, *Thomisus meenae*, *Thomisus okinawensis*, *Thomisus pateli*, *Thomisus pathaki*, *Thomisus pooneus*, *Thomisus pritiae*, *Thomisus projectus*, *Thomisus pugilis*, *Thomisus rajani*, *Thomisus stoliczkai*, *Thomisus sundari*, *Thomisus viveki*, *Thomisus whitakeri*, *Tmarus jabalpurensis*, *Xysticus bengalensis*, *Xysticus bhadatae*, *Xysticus jabalpurensis*, *Xysticus joyantius*, *Xysticus kali*, *Xysticus shyamrupus*, *Xysticus tikaderi*, *Xysticus viveki*, *Xysticus yogeshi*

14. Maharashtra: *Amyciaea forticeps*, *Amyciaea forticeps*, *Angaeus pentagonalis*, *Borboropactus elephantus*, *Camaricus bipunctatus*, *Camaricus formosus*, *Camaricus khandalaensis*, *Camaricus siltorsus*, *Diaea bengalensis*, *Ebrechtella concinna*, *Ebrechtella tricuspidata*, *Henriksenia hilaris*, *Heriaeus horridus*, *Indoxysticus minutus*, *Loxobates kapuri*, *Mastira menoka*, *Misumena annapurna*, *Misumena greenae*, *Misumena indra*, *Misumena mridulai*, *Misumena ritujae*, *Misumenoides gwarighatensis*, *Misumenops khandalaensis*, *Monaeses mukundi*, *Monaeses pachpediensis*, *Monaeses parvati*, *Oxytate elongata*, *Oxytate virens*, *Ozyptila chandosiensis*, *Ozyptila maratha*, *Pasias marathas*, *Pistius kalimpus*, *Pistius robustus*, *Platythomisus sudeepi*, *Runcinia acuminata*, *Runcinia ghorpadei*, *Runcinia insecta*, *Runcinia khandari*, *Runcinia roonwali*, *Runcinia yogeshi*, *Strigoplus moluri*, *Strigoplus netravigi*, *Synema decoratum*, *Tharrhalea evanida*, *Thomisus andamanensis*, *Thomisus ashishi*, *Thomisus beautifularis*, *Thomisus danieli*, *Thomisus elongatus*, *Thomisus granulifrons*, *Thomisus katrajghatus*, *Thomisus lobosus*, *Thomisus mimae*, *Thomisus okinawensis*, *Thomisus pateli*, *Thomisus pathaki*, *Thomisus pooneus*, *Thomisus projectus*, *Thomisus pugilis*, *Thomisus rajani*, *Thomisus shivajiensis*, *Thomisus sorajaii*, *Thomisus spectabilis*, *Thomisus viveki*, *Thomisus whitakeri*, *Tmarus jabalpurensis*, *Tmarus kotigeharus*, *Xysticus bhadatae*, *Xysticus breviceps*, *Xysticus jabalpurensis*, *Xysticus joyantius*, *Xysticus kali*, *Xysticus khasiensis*, *Xysticus tikaderi*

15. Manipur: *Amyciaea forticeps*, *Camaricus formosus*, *Diaea bengalensis*, *Diaea dorsata*, *Massuria sreepanchamii*, *Misumena* sp., *Oxytate elongata*, *Oxytate virens*, *Runcinia acuminata*, *Runcinia insecta*, *Thomisus projectus*, *Tmarus* sp.

16. Meghalaya: *Amyciaea forticeps*, *Borboropactus elephantus*, *Camaricus formosus*, *Diaea subdola*, *Henriksenia hilaris*, *Indoxysticus minutus*, *Lysiteles mandali*, *Massuria sreepanchamii*, *Misumena mridulai*, *Misumena vatia*, *Ozyptila khasi*, *Runcinia insecta*, *Runcinia roonwali*, *Thomisus andamanensis*, *Thomisus shillongensis*, *Tmarus kotigeharus*, *Xysticus croceus*, *Xysticus joyantius*, *Xysticus kamakhyai*, *Xysticus khasiensis*, *Xysticus pynurus*, *Xysticus shillongensis*, *Xysticus shyamrupus*

17. Mizoram: *Camaricus formosus*, *Ebrechtella concinna*, *Oxytate virens*, *Ozyptila* sp., *Thomisus pugilis*, *Xysticus croceus*

18. Odisha: *Amyciaea forticeps*, *Bomis* sp., *Camaricus formosus*, *Camaricus khandalaensis*, *Indoxysticus minutus*, *Oxytate* sp., *Runcinia* sp., *Thomisus lobosus*, *Thomisus projectus*, *Thomisus pugilis*, *Thomisus sikkimensis*

19. Punjab: *Indoxysticus minutus*, *Misumena ganpatii*, *Monaeses parvati*, *Pistius tikaderi*, *Thomisus dyali*, *Thomisus ludhianaensis*, *Thomisus pugilis*, *Thomisus shivajiensis*, *Tmarus kotigeharus*

20. Rajasthan: *Bomis* sp., *Indoxysticus minutus*, *Mecaphesa celer*, *Ozyptila brevipes*, *Ozyptila chandosiensis*, *Ozyptila reeneae*, *Synema* sp., *Thomisus*

andamanensis, *Thomisus italongus*, *Thomisus lobosus*, *Thomisus projectus*, *Thomisus pugilis*, *Tmarus kotigeharus*, *Xysticus bengalensis*

21. Sikkim: *Epidius armatus*, *Pistius kalimpus*, *Runcinia bifrons*, *Thomisus rishus*, *Thomisus sikkimensis*, *Xysticus roonwali*, *Xysticus sikkimus*

22. Tamil Nadu: *Amyciaea forticeps*, *Angaeus pentagonalis*, *Bomis khajurjai*, *Camaricus formosus*, *Diaea pogneti*, *Dietopsa castaneifrons*, *Dietopsa parnassia*, *Epidius armatus*, *Epidius longimanus*, *Epidius mahavira*, *Henriksenia hilaris*, *Holopelus malati*, *Indoxysticus minutus*, *Lycopus trabeatus*, *Lysiteles catulus*, *Oxytate chlorion*, *Oxytate virens*, *Ozyptila theobaldi*, *Pagida salticiformis*, *Runcinia escheri*, *Runcinia insecta*, *Synema decoratum*, *Talaus opportunus*, *Thomisus beautifularis*, *Thomisus granulifrons*, *Thomisus laglaizei*, *Thomisus leucaspis*, *Thomisus lobosus*, *Thomisus pugilis*, *Thomisus rigoratus*, *Thomisus spectabilis*, *Tmarus fasciolatus*, *Tmarus soricinus*, *Xysticus* sp.

23. Telangana: *Thomisus projectus*, *Thomisus telanganaensis*

24. Tripura: *Amyciaea lineatipes*, *Camaricus formosus*, *Camaricus maugi*

25. Uttar Pradesh: *Camaricus formosus*, *Diaea subdola*, *Indoxysticus minutus*, *Lysiteles* sp., *Massuria roonwali*, *Mastira menoka*, *Misumena indra*, *Misumena mridulai*, *Misumena vatia*, *Ozyptila chandosiensis*, *Ozyptila manii*, *Pistius bhadurii*, *Runcinia insecta*, *Runcinia roonwali*, *Thomisus lobosus*, *Thomisus pooneus*, *Thomisus projectus*, *Thomisus pugilis*, *Thomisus sorajaii*, *Thomisus unidentatus*, *Xysticus* sp.

26. Uttarakhand: *Amyciaea forticeps*, *Bomis* sp., *Camaricus formosus*, *Diaea* sp., *Henriksenia hilaris*, *Heriaeus horridus*, *Indoxysticus minutus*, *Lysiteles brunettii*, *Lysiteles niger*, *Massuria roonwali*, *Mastira menoka*, *Misumena mridulai*, *Misumenoides naginae*, *Misumenops* sp., *Monaeses* sp., *Oxytate elongata*, *Ozyptila* sp., *Pistius barchensis*, *Pistius bhadurii*, *Pistius gangulyi*, *Pistius kanikae*, *Pistius robustus*, *Runcinia insecta*, *Synema decoratum*, *Thomisus dentiger*, *Thomisus lobosus*, *Thomisus onustus*, *Xysticus croceus*, *Xysticus jaharai*, *Xysticus joyantius*, *Xysticus kali*, *Xysticus shyamrupus*

27. West Bengal: *Amyciaea forticeps*, *Bomis bengalensis*, *Bomis calcuttaensis*, *Camaricus formosus*, *Camaricus khandalaensis*, *Camaricus siltorsus*, *Diaea bengalensis*, *Epidius armatus*, *Henriksenia hilaris*, *Indosmodicus bengalensis*, *Indoxysticus minutus*, *Lysiteles brunettii*, *Massuria roonwali*, *Massuria sreepanchamii*, *Massuria uthoracica*, *Mastira nicobarensis*, *Misumena mickeyi*, *Oxytate greenae*, *Ozyptila khasi*, *Ozyptila manii*, *Ozyptila renae*, *Pharta indica*, *Phrynarachne peeliana*, *Phrynarachne tuberosa*, *Pistius barchensis*, *Pistius gangulyi*, *Pistius kalimpus*, *Runcinia insecta*, *Stiphropus soureni*, *Strigoplus bilobus*, *Synema decoratum*, *Synema revolutum*, *Tharpya indica*, *Thomisus andamanensis*, *Thomisus beautifularis*, *Thomisus bulani*, *Thomisus dhakuriensis*, *Thomisus elongatus*, *Thomisus katrajghatus*,

Thomisus mimae, *Thomisus nirmali*, *Thomisus projectus*, *Thomisus pugilis*, *Thomisus sikkimensis*, *Thomisus sorajaii*, *Thomisus spectabilis*, *Xysticus bengalensis*, *Xysticus bengdakus*, *Xysticus croceus*, *Xysticus himalayaensis*, *Xysticus hindusthanicus*, *Xysticus kali*

III. Checklist of Crab Spiders (Thomisidae) in Union Territories of India

1. Andaman & Nicobar Islands: *Demogenes andamanensis*, *Angaeus pentagonalis*, *Borboropactus bituberculatus*, *Camaricus formosus*, *Mastira nicobarensis*, *Oxytate greenae*, *Phrynarachne ceylonica*, *Runcinia insecta*, *Runcinia kinbergi*, *Thomisus andamanensis*, *Thomisus armillatus*, *Thomisus onustus*

2. Delhi: *Camaricus formosus*, *Monaeses parvati*, *Oxytate elongata*, *Thomisus andamanensis*, *Thomisus unidentatus*

3. Jammu & Kashmir: *Diaea subdola*, *Ebrechtella concinna*, *Ebrechtella sufflava*, *Ebrechtella tricuspidata*, *Lysiteles excultus*, *Misumena oblonga*, *Ozyptila trux*, *Psammitis setiger*, *Psammitis xysticiformis*, *Runcinia insecta*, *Thomisus elongatus*, *Thomisus lobosus*, *Thomisus nirmali*, *Thomisus projectus*, *Thomisus pugilis*, *Tmarus dejectus*, *Tmarus stellio*, *Xysticus audax*, *Xysticus cristatus*, *Xysticus maculiger*, *Xysticus mundulus*

4. Ladakh: *Misumena* sp., *Xysticus breviceps*

5. Lakshadweep: *Thomisus pugilis*

6. Puducherry: *Amyciaea forticeps*, *Henriksenia hilaris*, *Thomisus granulifrons*, *Thomisus spectabilis*, *Tmarus fasciolatus*, *Xysticus cristatus*

CONCLUSION

The diversity of Thomisidae, commonly called crab spiders are listed in Indian states and union territories. More than two hundred species are recorded in almost all states and union territories in India except Nagaland and Dadra & Nagar Haveli and Daman & Diu. Out of 210 species recorded, 143 species are strictly endemic to India. Despite spiders being the most diverse group of predators and crucial to the health of terrestrial ecosystems, none of the species recorded in India is listed in IUCN Red List. An extensive survey for these spiders is urgently required.

ACKNOWLEDGMENT

We thank Dr. Theo Blick, Hummeltal, Denmark, and an editorial member of World Spider Catalog, for many suggestions regarding the distribution of crab spiders in India.

REFERENCES

- Abhijith, APC. <https://www.mysorenature.org/mysorenature/Spiders-of-Mysore-Area>, as on 15/10/2019.
- Abhilash, R., & Kumar, A.S. (2018). A survey of spider diversity on the bank of River Pampa at Poovathoor,

- Pathanamthitta District, Kerala. *Trends Biosciences*, 11(7), 1025-1028.
- Adarsh, C.K., & Nameer, P.O. (2016). A preliminary checklist of spiders (Araneae, Arachnida) in Chinnar Wildlife Sanctuary, Western Ghats, India. *Journal of Threatened Taxa*, 8(4), 8703-8713.
- Agrawal, V.C., & Ghose, R.K. (1995). Fauna of Conservation Areas, *Fauna of Palamau Tiger Reserve*, Zoological Survey of India, 8, 83-103.
- Ahmed, A.F. (2018). A preliminary study on spider diversity in Matia, Goalpara District, Assam, India. *International Journal of Zoology and Applied Biosciences*, 3(4), 369-374.
- Ambily, C.B., & Antony, A. (2016). Diversity and distribution of spiders in agro ecosystem of Ernakulum, District, Kerala. *The Journal of Zoology Studies*, 3(5), 73-77.
- Anjali & Prakash, S. (2012). Diversity of spiders (Araneae) from semi arid habitat of Agra (India). *Indian Journal of Arachnology*, 1(2), 66-72.
- Asima, A., Prasad, G. and Sudhikumar, A.V. (2020). Spider diversity of Kerala University Campus, Thiruvananthapuram, Kerala, India. *Entomon*, 45(3), 209-218.
- Bastawade, D.B. (2002). Three new species from the spider families Amaurobiidae, Thomisidae and Salticidae (Araneae, Arachnida) from India. *Journal of the Bombay Natural History Society*, 99(2), 274-281.
- Bastawade, D.B. (2008). Arachnida, Scorpionida, Araneae and Opiliones. In, *Fauna of Lonar Wildlife Sanctuary*. Conservation area Series, Zoological Survey of India, Kolkata, 37, 133-153.
- Bastawade, D.B., & Borkar, M. (2008). Arachnida (orders Scorpiones, Uropygi, Amblypygi, Araneae and Phalangida). In, *Fauna of Goa, State Fauna Series*, Zoological Survey of India, Kolkata, 16, 211-242.
- Bastawade, D.B., & Khandal, D. (2006). Arachnida, Araneae (spiders). In, *Fauna of Sanjay Gandhi National Park (Invertebrates) Borivali, Mumbai (Maharashtra)*, Conservation Area Series, Zoological Survey of India, Kolkata, 26, 139-184.
- Bastawade, D.B., & Sharma, R.M. (2002). New record of spider *Strigoplus netravati* from Maharashtra with additional morphological descriptions (Araneae, Thomisidae). *Bionotes*, 4(4), 91.
- Basu, B.D. (1963). A new spider of the family Thomisidae (Araneae) from India. *Science and Culture*, 29, 606-607.
- Basu, B.D. (1964a). Diagnosis of two new species of *Pistius* (Thomisidae, Araneae, Arachnida) from India. *Journal of the Bengal Natural History Society*, 32, 104-109.
- Basu, B.D. (1964b). Morphology of an Indian spider of the family Thomisidae (Araneae, Arachnida). *Science and Culture*, 30, 154-155.
- Basu, B.D. (1965a). Four new species of the spider genus *Pistius* Simon (Arachnida, Araneae, Thomisidae) from India. *Proceedings of the Zoological Society, Calcutta*, 18, 71-77.
- Basu, B.D. (1965b). On the description of two new spiders of the family Thomisidae (Arachnida, Araneae) from India. *Journal of the Asiatic Society of Bengal*, 5, 23-26.
- Basu, K.C. (1979). On a new spider of the genus *Xysticus* Koch, 1835 (Thomisidae, Arachnida) from Nainital, India. *Journal of the Zoological Society of India*, 28, 149-150.
- Basumatary, P., & Brahma, D. (2017). Checklist of spiders from Chakrashila Wildlife Sanctuary, Assam. *International Journal of Zoology Studies*, 2(5), 22-26.
- Benjamin, S.P. (2011). Phylogenetics and comparative morphology of crab spiders (Araneae, Dionycha, Thomisidae). *Zootaxa*, 3080(1), 1-108.
- Benjamin, S.P. (2017). Distributional and taxonomic notes on the crab spider genus *Epidius* with descriptions of five new species (Araneae, Thomisidae). *Journal of Natural History*, 51(9-10), 469-485.
- Benjamin, S.P., Dimitrov, D., Hormiga, G., & Gillespie, R.G. (2008). Family ties, molecular phylogeny of crab spiders (Araneae, Thomisidae). *Cladistics*, 24, 708-722.
- Bhandari, R., & Gajbe, P. (2001). Description of three new species of spiders of the genera *Thomisus* Walckenaer, *Oxyptila* Simon and *Xysticus* Koch (Araneae, Thomisidae) from Madhya Pradesh, India. *Records of the Zoological Survey of India*, 99, 81-85.
- Bhat, P.S., Srikumar, K.K., Raviprasad, T.N. (2013). Seasonal diversity and status of spiders (Arachnida, Araneae) in cashew ecosystem. *World Applied Sciences Journal*, 22(6), 763-770.
- Bhattacharya, A., Chetri, M., & Sarkar, P. (2017). Spider diversity in different habitats at Jaintia Hills of Meghalaya. *International Journal of Life Sciences*, 5(4), 613-619.
- Bhattacharya, G.C. (1934). Notes on observation of some peculiar habits of an antmimicking spider *Amyciaea forticeps* (Cambridge). *Journal of the Bombay Natural History Society*, 37(1), 233.
- Biswas, A.T. (1977). A new species of spider of the genus *Platythomisus* Simon (family, Thomisidae) from Coorg, Karnataka, India. *Journal of the Bombay Natural History Society*, 74, 332-334.
- Biswas, B., & Biswas, K. (1992). Araneae, Spiders. In, *State Fauna Series. Fauna of West Bengal*, Zoological Survey of India, Kolkata, 3, 357-500.

- Biswas, B.K., & Biswas, K. (2004). Araneae, Spiders. In, *Fauna of Manipur, State Fauna Series. Zoological Survey of India, Kolkata*, 10(2), 25-46.
- Biswas, B., & Biswas, K. (2006). Araneae, Spiders. In, *Fauna of Arunachal Pradesh, State Fauna Series, Zoological Survey of India, Kolkata*, 13(2), 491-518.
- Biswas, B., & Biswas, K. (2007). Araneae, Spiders. In, *Fauna of Mizoram, State Fauna Series. Zoological Survey of India, Kolkata*, 14, 455-475.
- Biswas, B., & Biswas, K. (2010). Araneae, Spiders. In, *Fauna of Uttarakhand, State Fauna Series, Zoological Survey of India, Kolkata*, 18(3), 243-282.
- Biswas, B., & Majumder, S.C. (1995). Araneae, Spider. In, *Fauna of Meghalaya, State Fauna Serie, Zoological Survey of India, Kolkata*, 4(2), 93-128.
- Biswas, B., & Mazumder, S.C. (1981). Description of two new species of crab-spiders of the genera *Diaea* and *Bomis* (Family, Thomisidae) from India. *Bulletin of Zoological Survey of India*, 4, 271-275.
- Biswas, B., & Roy, R. (2005a). Description of three new species of the genera *Thomisus* Walckenaer, *Cheiracanthium* Koch, C.L., & *Tinus* Cambridge of the families Thomisidae, Clubionidae and Pisauridae from India. *Records of the Zoological Survey of India*, 105(3-4), 37-42.
- Biswas, B., & Roy, R. (2005b). Description of a new species of spider genus *Camaricus* (Thomisidae, Araneae) from India. *Records of the Zoological Survey of India*, 105(1-2), 165-167.
- Biswas, B., & Roy, R. (2008). Description of six new species of spiders of the genera *Lathys* (Family, Dictynidae), *Marpissa* (Family, Salticidae), *Misumenoides* (Family, Thomisidae), *Agroeca* (Family, Clubionidae), *Gnaphosa* (Family, Gnaphosidae) and *Flanona* (Family, Lycosidae) from India. *Records of the Zoological Survey of India*, 108, 43-57.
- Bonnet, P. (1959). Bibliographia araneorum. Analyse méthodique de toute la littérature aranéologique jusqu'en 1939. Tome II. Systématique des araignées (Étude par ordre alphabétique) (5me partie, T-Z). Douladoure, Toulouse, pp. 4231-5058.
- Caleb, J.T.D. (2020a). Spider (Arachnida, Araneae) fauna of the scrub jungle in the Madras Christian College campus, Chennai, India. *Journal of Threatened Taxa*, 12(7), 15711-15766.
- Caleb, J.T.D. (2020b). Spiders (Arachnida, Araneae) from the vicinity of Araabath Lake, Chennai, India. *Journal of Threatened Taxa*, 12(1), 15186-15193.
- Caleb, J.T.D., & Karthikeyani, R. (2020). JoTT Checklist of the spiders of Tamil Nadu (v1.0), 10 February 2020.
- Caleb, J.T.D., & Sankaran, P.M. (2021). Araneae of India, version 2021. <https://indianspiders.in/> retrieved on 20 May, 2021.
- Caporiacco, L.di (1935). Aracnidi dell'Himalaia e del Karakoram, raccolti dalla Missione italiana al Karakoram (1929-VII). *Mem. Soc. Ent. Italiana, Genova*, 13, 161-263.
- Cardoso, P., Crespo, L.C., Silva, I., Borges, P., & Boieiro, M. (2018). *Xysticus grohi*. *The IUCN Red List of Threatened Species* 2018: e.T58053533A58061357.
- Chandra, K., Bharti, D., Kumar, S., Raghunathan, C., Gupta, D., Alfred, J.R.B. and Chowdhury, B.R. (2021). *Faunal Diversity in Ramsar Wetlands of India*. Zoological Survey of India, Kolkata, pp. 1-292.
- Chapke, S.P. (2012). Spider diversity of agroecosystem in Washim district (MS) India. *Indian Journal of Research*, 1(7), 73-76.
- Chauhan, R., Sihag, V., & Singh, N.P. (2009). Distribution and biocontrol potential of chosen spiders. *Journal of Biopesticides*, 2(2), 151-155.
- Chetia, P., & Kalita, D.K. (2012). Diversity and distribution of spiders from Gibbon Wildlife Sanctuary, Assam, India. *Indian Journal of Arachnology*, 1(1), 130-142.
- Chetry, A., & Moran, J. (2019). Diversity of Namsai District, Arunachal Pradesh, India. *International Journal of Basic and Applied Research*, 9(7), 343-351.
- Choudhury, S.R., Siliwal, M., & Das, S.K. (2019). Spiders of Odisha, a preliminary checklist. *Journal of Threatened Taxa*, 11(9), 14144-14157.
- Chowdhury, S., Boopathi Bhattacharjee, T.B., Dey, J.K., & Bhattacharjee, J. (2017). Diversity of predatory spider and their species composition in rice ecosystem in Kolasib district of Mizoram. *Innovative Farming*, 2(1), 12-18.
- Das, S., Kalita, J., & Mahanta, N. (2019). New report of *Phrynarachne ceylonica* (O. Pickard-Cambridge, 1884) (Araneae, Thomisidae) from Assam, India. *International Journal of Scientific Research and Reviews*, 8(2), 985-990.
- Das, S., Bhattacharjee, R., & Saikia, P.K. (2015). Comprehensive checklist of diurnal spider diversity in Guwahati metropolitan area, Kamrup, Assam. *Tropical Zoology*, 5, 121-131.
- Dash, M., & Sivaperuman, C. (2021a). New distributional report of *Borboropactus bituberculatus* Simon 1884 from Nicobar Islands, India. *World News of Natural Sciences*, 36, 1-8.
- Dash, M., & Sivaperuman, C. (2021b). Notes on the presence of *Phrynarachne ceylonica* (O. Pickard-Cambridge, 1884) from the Andaman and Nicobar Islands. *World News of Natural Sciences*, 35, 48-55.

- De, K., & Palita, S.K. (2018). A checklist of spiders from six sacred groves in Southern Odisha, India. *Serket*, 16(1), 30-40.
- Deshmukh, U.S., & Tekade, A.P. (2019). A report on the diversity of spider fauna from Charghad river basin of Morshi, Amravati India. *Bioscience Biotechnology Research Communications*, 12(3), 809-813.
- Deshpande, A., & Paul, R. (2016). Preliminary study on spiders of Gulbarga, Karnataka State. *International Journal of Environment, Agriculture and Biotechnology*, 1(4), 680-686.
- Dey, A., Debnath, S., Debbarma, B., Chaudhuri, P.S. (2013). A preliminary study on spider diversity from a house hold garden (artificial mixed plantation) in West Tripura, India. *Journal of Research in Biology*, 3:1009-1017
- Dhali, D.C., Sunil Jose, K., & Sureshan, P.M. (2019). Arachnida, Araneae (Spiders). In, *Fauna of Malabar Wildlife Sanctuary, Kozhikode, Kerala, Conservation Area Series, Zoological Survey of India, Kolkata*, 62, 155-189.
- Diksha, Khan, R.A., Sultana, A., & Das, S.K. (2018). A new spider record of genus *Thomisus* Walckenaer, 1805 (Araneae, Thomisidae) from India. *Serket*, 16(2), 96-99.
- Ekka, A., & Kujur, R. (2015). Spider diversity of Ram Jharna, Raigarh district, Chhattisgarh, India. *Research Journal of Pharmacy & Technology*, 8(7), 813-819.
- Gajbe, P. (2003a). A checklist of spiders (Arachnida, Araneae) of Jabalpur, Madhya Pradesh, India. *Records of the Zoological Survey of India*, 101(3-4), 43-47.
- Gajbe, P. (2003b). Checklist of spiders (Arachnida, Araneae) of Madhya Pradesh and Chhattisgarh. *Zoos' Print Journal*, 18(10), 1223-1226.
- Gajbe, P. (2004a). Description of three new species of crab spiders (Araneae, Thomisidae) from Madhya Pradesh, India. *Records of the Zoological Survey of India*, 103(1-2), 123-130.
- Gajbe, P. (2004b). Fauna of protected areas-11. Spiders of Pench Tiger Reserve, Madhya Pradesh. *Zoos' Print Journal*, 19(9), 16-24.
- Gajbe, P. (2004c). A preliminary list of spider fauna of Pachmarhi Biosphere Reserve, Madhya Pradesh. *Zoos' Print Journal*, 19(3), 1414-1415.
- Gajbe, P.U. (2004d). Spiders of Jabalpur, Madhya Pradesh (Arachnida, Araneae). *Records of the Zoological Survey of India, Kolkata, Occasional Paper*, 227, 1-154.
- Gajbe, U.A. (1995a). Arachnida, Spiders. In, *Fauna of Conservation Areas No.7, Fauna of Kanha Tiger Reserve, Madhya Pradesh*. Zoological Survey of India, Kolkata, pp. 27-30.
- Gajbe, U.A. (1995b). Arachnida, Spiders. In, *Fauna of conservation area No.6. Fauna of Indravati Tiger Reserve (Arachnida, spiders)*. Zoological Survey of India, Kolkata, pp. 53-56.
- Gajbe, U.A. (2005). Studies on some spiders of the family Thomisidae (Araneae, Arachnida) from Madhya Pradesh, India. *Records of the Zoological Survey of India*, 105(3-4), 57-80.
- Gajbe, U.A. (2007). Araneae, Arachnida. In, *Fauna of Madhya Pradesh (including Chhattisgarh), State Fauna Series*. Zoological Survey of India, Kolkata, 15(1), 419-540.
- Gajbe, U.A. (2008a). A new species of *Misumena* spider (Araneae, Thomisidae) from Jabalpur, Madhya Pradesh, India. *Records of the Zoological Survey of India*, 108(1), 63-65.
- Gajbe, U.A. (2008b). A new species of *Dieta* spider (Araneae, Philodromidae) from Jabalpur, Madhya Pradesh, India. *Records of the Zoological Survey of India*, 108(1), 59-61.
- Gajbe, U.A., & Gajbe, P. (1999a). A new species of spider of the genus *Tmarus* Simon (Araneae, Thomisidae) from Madhya Pradesh, India. *Records of the Zoological Survey of India*, 97(3), 141-143.
- Gajbe, U.A., & Gajbe, P. (1999b). On two new species of spiders of the genus *Xysticus* Koch (Araneae, Thomisidae) from Madhya Pradesh, India. *Records of the Zoological Survey of India*, 97(3), 145-148.
- Gajbe, U.A., & Gajbe, P. (2000a). A new species of the genus *Runcinia* Simon (Araneae, Thomisidae) from Madhya Pradesh, India. *Records of the Zoological Survey of India*, 98, 155-157.
- Gajbe, U.A., & Gajbe, P. (2000b). A new species of spider of the genus *Thomisus* Walckenaer (Araneae, Thomisidae) from Madhya Pradesh, India. *Records of the Zoological Survey of India*, 98, 55-57.
- Gajbe, U.A., & Rane, P.D. (1992). A new *Monaeses* spider from Madhya Pradesh, India (Araneae, Thomisidae). *Records of the Zoological Survey of India*, 91, 395-397.
- Gajbe, U.A., & Sharma, H.S. (1994). On some spiders (Araneae, Arachnida) from Bastar district (Madhya Pradesh) India. *Records of the Zoological Survey of India*, 94 (2-4), 233-245
- Ganesh Kumar, M., & Velusamy, R. (1996). Composition of spider in rice ecosystem of Tamil Nadu. *Madras Agricultural Journal*, 83(7), 448-451.
- Gerlach, J. (2014). *Firmicus insularis*. *The IUCN Red List of Threatened Species* 2014: e.T196510A2458889.
- Ghosh, N., Biswas, R., & Mitra, A. (2018). Species diversity, abundance and habitat association of spiders with relation to their guild composition in different habitats of North Bengal Wild Animals Park (Bengal

- Safari). *International Journal of Life Sciences*, 6(4), 911-918.
- Gupta, N., & Siliwal, M. (2012). A checklist of spiders (Arachnida, Araneae) of Wildlife Institute of India campus, Dehradun, Uttarakhand, India. *Indian Journal of Arachnology*, 1(2), 73-91.
- Gupta, R., Devi, O.S., & Islam, M. (Eds.) (2015). Common spiders from select protected areas of upper Assam. Assam State Biodiversity Board Rehabari, Guwahati, pp.186.
- Halarankar, M.M., & Pai, I.K. (2018). Distribution, diversity and ecology of spider species at two different habitats. *International Journal of Environmental Sciences & Natural Resources*, 8(5), 162-167.
- Hore, U., & Uniyal, V.P. (2008a). Effect of prescribed fire on spider assemblage in Terai grasslands, India. *Turkish Journal of Arachnology*, 1(1), 15-36.
- Hore, U., & Uniyal, V.P. (2008b). Diversity and composition of spider assemblages in five vegetation types of the Terai Conservation Area, India. *Journal of Arachnology*, 36(2), 251-258.
- ICAR-NBAIR (2019). Annual report 2018-2019. ICAR-National Bureau of Insect Resources, Bengaluru, India, pp. 122.
- Jose, A.C., Sudhin, P.P., Prasad, P.M., Sreejith, K.A. (2018). Spider diversity in Kavvayi river basin, Kerala, Southern India. *Current World Environment*, 13(1), 100-112.
- Jose, J., Ramachandran, K.K., & Nair, P.V. (2007). A preliminary overview and checklist of the spider fauna of Myristica swamp forests of southern Kerala, India. *Newsletter of the British Arachnological Society*, 109, 12-14.
- Joseph, A.R and Premila, K.S. (2016). A study on the richness of spider fauna in rice ecosystem. *Journal of Entomology and Zoology Studies*, 4(2), 425-430.
- Joseph, M.M., Paul, J., Sankaran, P.M., & Sebastian, P.A. (2017). Preliminary results on the spider fauna (Arachnida, Araneae) of the high altitude Shola ecosystem in the Western Ghats. *Proceedings of the National Conference on Ecology Sustainable Development and Wildlife Conservation*, pp. 41-49.
- Kadam, G., & Rajkumar, M. (2020). Exploring the "tigers of microhabitat" in SACON campus. *SACON News*, 17(4), 6-10.
- Kananbala, A., Bhubaneshwari, M., & Siliwal, M. (2018). A checklist of spiders (Arachnida, Araneae) of Manipur, India with some first records and a new species *Conothele khunthokhanbi* (Family, Ctenizidae). *Journal of Entomology and Zoology Studies*, 6(5), 2209-2214.
- Kapoor, V. (2008). Effects of rainforest fragmentation and shade-coffee plantations on spider communities in the Western Ghats, India. *Journal of Insect Conservation*, 12, 53-68.
- Karthikeyani, R. (2013). Biodiversity of spiders (Araneae) in Kumbakarai Falls, Periyakulam Taluk, Theni District, Tamil Nadu, South India. Ph. D. thesis, Madurai Kamaraj University, Madurai, pp. 288.
- Karthikeyani, R., Caleb, J.T.D., Gajbe, U.A., & Muthuchelian, K. (2017). Checklist of spiders (Arachnida, Araneae) of the State of Tamil Nadu, India. *Munis Entomology & Zoology*, 12(1), 180-193.
- Kashmeera, N.A., Drisya-Mohan, O.M., & Sudhikumar, A.V. (2020). Spiders of rocky desert in Kailana, Rajasthan, India. *Serket*, 17(3), 201-206.
- Kaur, M., Das, S.K., Anoop, K.R., & Siliwal, M. (2014). Preliminary checklist of spiders of Keoladeo National Park, Bharatpur, Rajasthan with first record of *Ptocasius strupifer* Simon, 1901 (Araneae, Salticidae) from India. *Munis Entomology & Zoology*, 9(1), 501-509.
- Keswani, S. (2014). Diversity, population and microhabitat used by spiders in citrus agroecosystem. *Indian Journal of Arachnology*, 3(2), 90-101.
- Keswani, S., Hadole, P., & Rajoria, A. (2012). Checklist of spiders (Arachnida, Araneae) from India. *Indian Journal of Arachnology*, 1(1), 1-129.
- Khan, A.A. (2006). Relative abundance of spider fauna of rice ecosystem. *SAARC Journal of Agriculture*, 4, 159-166.
- Khan, A.A. (2009). Biodiversity of spider fauna (Arachnida, Araneae) in horticultural ecosystem of Kashmir. *Indian Journal of Ecology*, 36(1), 59-64.
- Khan, A.A., & Misra, D.S. (2003). Studies on qualitative and quantitative composition of spider fauna in rice ecosystem of eastern Uttar Pradesh. *Plant Protection Bulletin*, 55(1-2), 35-41.
- Khan, A.A., & Rather, A.Q. (2012). Diversity and foraging behaviour of spiders (Arachnida, Araneae) in the temperate maize ecosystem of Kashmir. *Journal of Biological Control*, 26(2), 179-189.
- Kokilamani A.L., Lokeshkumar, P., Rakesh, B.O., Sahana, R., Geetha, H.C. (2019). A preliminary study on diversity of spiders from Tumkur University Campus, Tumakuru, India. *International Journal of Advanced Scientific Research and Management*, 4(2), 84-87.
- Kujur, R., & Ekka, A. (2012). Inventorization of Spider fauna of IndraVihar Park, Raigarh, Chhattisgarh, India. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, 1(2), 20-26.
- Kujur, R., & Ekka, A. (2016). Exploring the spider fauna of Gomarda Wildlife Sanctuary, Chhattisgarh, India. *International Research Journal of Biological Sciences*, 5(6), 31-36.

- Kumar, A., Kanaujia, A., Kumar, A., Kumar, V., & Mishra, H. (2017a). Diversity of spiders in Kukrail Reserve Forest, Lucknow, Uttar Pradesh, India. *Journal of Environmental Science and Technology*, 4(5), 42-45.
- Kumar, A., Kanaujia, A., Kumar, A., Kumar, V., & Mishra, H. (2017b). Araneofauna of Nawabganj bird sanctuary, Unnao, Uttar Pradesh, India. *Journal of Entomology and Zoology Studies*, 5(4), 1952-1955
- Kumar, D., & Shivakumar, M.S. (2006). Seasonal abundance of spiders in pigeonpea agroecosystem. *Indian Journal of Environmental Science*, 10(1), 43-46.
- Kumar, D., & Yashkamal, K. (2011). Study of prey spectrum of social spider *Stegodyphus sarasinorum* (Karsch) (Araneae, Eresidae) and its potential as biological control agent. *Proceeding of the National Academy of Science, India, Section B*, 81(2), 171-179.
- Kumari, K. (1983). Taxonomy of spiders (Arachnida, Araneae) from northern India. M. Phil. Thesis, Punjabi University, Patiala, Punjab.
- Kumari, M., & Mittal, O.P. (1994). A new species of crab spiders of the genus *Misumena* (Family, Thomisidae) from India. *Bionature*, 14, 29-31.
- Kumari, M., & Mittal, O.P. (1997). Two new species of crab spiders of the genus *Thomisus* (family, Thomisidae) from India. *Bionature* 17, 31-33.
- Kumari, M., & Mittal, O.P. (1999). A new species of crab spiders of the genus *Pistius* (Araneae, Thomisidae) from India. *Research Bulletin of the Panjab University*, 48, 17-19.
- Kumari, V., Saini, K.C., & Singh, N.P. (2017). Diversity and distribution of spider fauna in arid and semi-arid region of Rajasthan. *Journal of Biopesticides*, 10(1):17-24.
- Lanka, L.P., Kamble, S.S., & Bodkhe, A.K. (2017). An Addition to spider fauna from the vicinity of Radhanagari Wildlife Sanctuary of Kolhapur District. *International Journal of Scientific Engineering and Research*, 5(7), 280-283.
- Lawania, K.K., & Mathur, P. (2014a). Baseline studies on the spider fauna (Araneae) of Braj region (Braj-Bhoomi), India. *International Journal of Basic and Applied Biology*, 2(1), 137-141.
- Lawania, K.K., & Mathur, P. (2014b). Diversity and distribution of spider fauna in and around the Taj Mahal and Taj Protected Forest, Agra (U.P.), India. *International Journal of Basic and Applied Biology*, 2(2), 111-114.
- Lawania, K.K., & Mathur, P. (2014c). On the diversity of spiders in and around Sur-Sarovar Bird Sanctuary, Agra (U.P.), India. *International Journal of Basic and Applied Biology*, 2(3), 189-194.
- Lawania, K.K., & Mathur, P. (2014d). Diversity and distribution of spiders in and around Vrindavan, Mathura, (UP), India. *International Journal of Basic and Applied Biology*, 2(2), 115-119.
- Lawania, K.K., & Mathur, P. (2017). Biodiversity and habit preference of spider fauna in eastern region of Rajasthan and its catchment area. *International Journal of Scientific Development and Research*, 2(6), 475-484.
- Lawania, K.K., & Trigunayat, M.M. (2015). A comparative study of the spider (Araneae) fauna in Keoladeo National Park (KNP), Nahargarh Wildlife Sanctuary (NWS) and Sur-sarovar Bird Sanctuary (SBS), India. *International Journal on Agricultural Sciences*, 6(1), 141-146.
- Leardi in Airaghi, Z. (1901a). Aracnidi d'Almora. *Atti della Societa Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano*, 40, 85-94.
- Leardi in Airaghi, Z. (1901b). Aracnidi di Mahé e Kandy. *Atti della Societa Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano*, 40, 345-373.
- Lehtinen, P.T. (2004). Taxonomic notes on the Misumenini (Araneae, Thomisidae, Thomisinae), primarily from the Palearctic and Oriental regions. In, Logunov, D.V., & Penney, D. (eds.) *European Arachnology 2003* (Proceedings of the 21st European Colloquium of Arachnology, St.-Petersburg, 4-9 August 2003). *Arthropoda Selecta, Special Issue*, 1, 147-184.
- Maheshwari, N.R., Patil, S.R., & Choda, M.Z. (2018). Spider fauna from north Maharashtra, India. *Flora & Fauna*, 24(1), 163-173.
- Majumder, S.C. (2004). Taxonomic studies of some spiders from mangrove and semi-mangrove areas of Sundarban. *Memoirs of the Zoological Survey of India*, 20(2), 1-42.
- Majumder, S.C. (2005). Studies on some spiders from eastern coastal region of India. *Memoirs of the Zoological Survey of India*, 20(3), 1-57.
- Malamel, J.J., & Sudhikumar, A.V. (2017). First record of *Epidius parvati* Benjamin, 2000 (Araneae, Thomisidae) from Pathiramanal Island, India. *Check List*, 13(3, 2114), 1-4.
- Malamel, J.J. & Sudhikumar, A.V. (2020). An investigation of diversity and bioecology of araneofauna of Pathiramanal Island in Vembanad Lake, a Ramsar site, Kerala, India. *Zoology and Ecology*, 30(2), 126-137.
- Malhotra, G.S., Neera, K., & Saxena, M.M. (2019). Spider diversity and abundance in different habitats of Upper-Northern Rajasthan. *Essence International Journal for Environmental Rehabilitation and Conservation*, 10 (1), 1-14.
- Malik, S., Das, S.K., & Siliwal, M. (2015). Spider (Arachnida, Araneae) fauna of Delhi with first report

- of cobweb spider, *Argyrodes bonadea* (Karsch, 1881) from India. *Indian Journal of Arachnology*, 4(2), 31-36.
- Malik, V., & Goyal, V. (2017). Biodiversity of spiders in different habitats of Western Haryana, India. *Journal of Entomology and Zoology Studies*, 5(4), 822-825.
- Mathew, E.V., Sudhikumar, A., & Sebastian, P.A. (2014). Vertical stratification of spiders in Kuttanad rice agroecosystem, Kerala. *Journal of Biological Control*, 28(2), 62-67.
- Meshram, A. (2011). Spiders (Arachnida, Araneae) from Toranmal Sanctuary, Maharashtra, India. *E-International Scientific Research Journal*, 4, 326-334.
- Mohapatra, A.K., Biswas, T., & Parida, S.P. (2014). Spider Diversity in RIE campus. RIE, Bhubaneswar, pp. 76.
- More, S. (2015a). Diversity of spider fauna from Bamnoli region of Koyna Wildlife Sanctuary. *International Journal of Science and Research*, 4(6), 1690-1693.
- More, S.B. (2015b). Spider diversity from Vakoba, Devrai region of Radhanagari Wildlife Sanctuary. *International Journal of Science and Research*, 4(6), 179-181.
- More, S., & Sawant, V. (2013). Spider fauna of Radhanagari Wildlife Sanctuary, Chandoli National Park and Koyna Wildlife Sanctuary. *Indian Journal of Arachnology*, 2(1), 81-92.
- Mubeen, M., & Basavarajappa S. (2018). Density, abundance and per cent occurrence of spider species (Arachnida, Araneae) in and around Mysore city, Karnataka, India - a case study. *IOSR Journal of Pharmacy and Biological Sciences*, 13(3), 31-40.
- Murali, S., Jalali, S.K., Shylesha, A.N., Shivalinga Swamy, T.M., & Gandhi Gracy, R. (2017). Predatory spider fauna in brinjal crop their abundance and composition. *Journal of Entomology and Zoology Studies*, 5(5), 675-681.
- Nalini Bai, G., & Ravindranatha, B.P. (2012). Spider diversity in IISC, Bangalore, India. *Indian Journal of Arachnology*, 1(2), 50-58.
- Nautiyal, S., Khan, Y.D.I., Kaechele, H., & Bhaskar, K. (2017). Diversity and distribution of spiders in Gogi, Yadgir District, a semi-arid landscape in southern India. *International Journal of Ecology and Environmental Sciences*, 43(3), 195-204.
- Nerlekar, A.N., Warudkar, A.M., Gowande, G.G., Salve, S.S., Raut, A., Patankar, S.R., & Nalavade, S.B. (2016). A review of the faunal diversity of the Fergusson College campus, Pune, India. *Zoo's Print*, 31(10), 4-25.
- Nijagal, B.S., Padma, S., Michael, A., & D'souza, L. (2020). Species composition, density, abundance and percent occurrence of spiders at three different sites of Mysore city, Karnataka. *IOSR Journal of Pharmacy and Biological Sciences*, 15(3), 23-29.
- Nyffeler, M., & Birkhofer, K. (2017). An estimated 400-800 million tons of prey are annually killed by the global spider community. *The Science of Nature*, 104, 30, 1-12.
- Palem, H., Kanike, S., Purushottam, V.R.S. (2016). Diversity of spider fauna (Arachnida, Araneae) in different ecosystems, Eastern Ghats, Southern Andhra Pradesh, India. *South Asian Journal of Life Science*, 4(2), 51-60.
- Panda, S., Mishra, S., Priyadarshini, D., & Parida, P. (2011). Spiders of Nandankanan. Forest Department, Government of Odisha, pp. 64.
- Pande, S., Mahabal, A., Datar, M., Sharma, R.M., Pati, S.K., Deshpande, P., Bastwade, D.B., Padhye, A., Kulkarni, A., Joshi, R., Pandit, R., Majumdar, N., Mhaske, P., Chhaya, K., Patil, R., & Patwardhan, A. (2013). Bio-diversity of the Parvati-Panchgaon hills, A habitat island in Pune metropolis. *Ela Journal*, 2(1), 23-41.
- Pandit, R., & Dharwadkar, M. (2020). Preliminary checklist of spider fauna (Araneae, Arachnida) of Chandranath Hill, Goa, India. *Journal of Threatened Taxa*, 12(11), 16597-16606.
- Pandit, R., & Pai, I. (2017). Spiders of Taleigao Plateau, Goa, India. *Journal of Environmental Science and Public Health*, 1(4), 240-252.
- Parasharya, B.M., & Pathan, V.A. (2013). Diversity of spider fauna in lucerne (*Medicago sativa* L.). *Journal of Biological Control*, 27(4), 253-259.
- Parmar, B.M. (2013). The spider diversity from different habitats around Biosciences, Vallabh Vidyanagar. *International Journal of Science and Research*, 4(10), 1985-1988.
- Parmar, B.M. (2018). Preliminary study of spiders (Order, Araneae) from Satlasana taluka. *International Journal of Pharmacy and Biological Sciences*, 8(3), 735-740.
- Parmar, B.M., & Patel, K.B. (2017). Preliminary study of spiders (Order, Araneae) from Taranga Hills. *International Journal of Science and Research*, 6(11), 23-25.
- Parmar, B.M., Acharya, A.V.R.L.N. (2015). The spider fauna of Pariej wetland, Gujarat, India. *International Journal of Science and Research*, 4(10), 1028-1033.
- Parmar, B.M., Patel, K.B., Joshi, J.D., & Chaudhari, N.R. (2015). Faunistic study of spider diversity from islands and costal areas of Gulf of Kutch, India. *Life Science Leaflets*, 67, 12-23.
- Patel, B.H. (2003a). Fauna of Protected Areas - A preliminary list of spiders with the descriptions of three new species from Parambikulam Wildlife sanctuary, Kerala. *Zoos' Print Journal*, 18(10), 1207-1212.

- Patel, B.H. (2003b). Spiders of Vansada National Park, Gujarat. *Zoos' Print Journal*, 18(4), 1079-1083.
- Patel, B.H., & Pillai, G.K. (1988). Studies on the spider fauna of groundnut fields in Gujarat, India. *Journal of Biological Control*, 2(2), 83-88.
- Patil, S.R. (2012). Spiders of Jabalpur district (Arachnida, Araneae), updated checklist 2011. *Indian Journal of Arachnology*, 1(1), 143-149.
- Patil, S.R., Sambath, S. and Bhandari, R. (2013). Preliminary study on spider fauna (Arachnida, Araneae) of Singhori Wildlife Sanctuary, District Raisen, Madhya Pradesh, India. *Bugs Revised All*, No 20, 8-11.
- Picard-Cambridge, O. (1885). Araneidea. In, Scientific results of the second Yarkand mission; based upon the collections and notes of the late Ferdinand Stoliczka, Ph.D. Government of India, Calcutta, pp. 115.
- Pocock, R.I. (1901). Descriptions of some new species of spiders from British India. *Journal of the Bombay Natural History Society*, 13, 478-498.
- Pocock, R.I. (1904). Arachnida. In, *Fauna and geography of the Maldive and Laccadive Archipelagoes*. London, 2, 797-805.
- Pooja, A., Anilkumar, Quasin, S., Lekshmi, S., & Uniyal, V.P. (2019). Spider fauna of Navdanya Biodiversity Farm, Uttarakhand, India. *Indian Forester*, 145(4), 392-397.
- Prajapati, D.A., Patel, K.R., Munjpara, S.B., Chettiar, S.S., & Jhala, D.D. (2016). Spiders (Arachnida, Araneae) of Gujarat University Campus, Ahmedabad, India with additional description of *Eilica tikaderi* (Platnick, 1976). *Journal of Threatened Taxa*, 8(11), 9327-9333.
- Prashanthakumara, S.M & Venkateshwarlu, M. (2017). Preliminary study of spiders (Araneae, Arachnida) in Gudavi Bird Sanctuary, Shivamogga, Karnataka. *International Journal of Recent Scientific Research*, 8(1), 19277-19281.
- Pravalikha, G.B., & Srinivasulu, C. (2015). A new species of genus *Thomisus* Walckenaer, 1805 (Araneae, Thomisidae) from Telangana, India and a detailed description of *Thomisus projectus* Tikader, 1960. *Journal of Threatened Taxa*, 7(3), 7000-7006.
- Priyadarshini, N., Kumari, R., Pathak, R.N., & Pandey, A.K. (2015). Biodiversity and community structure of spiders in Saran, part of Indo-Gangetic Plain, India. *Asian Journal of Conservation Biology*, 4(2), 121-129.
- Priyadarshini, N., Kumari, R., Kumar, A. and Pandey, A.K. (2018). Diversity and seasonal variation of spiders community in a tropical region, a case study in Saran, Bihar, India. *Ecology, Environment and Conservation Paper*, 24(1), 263-269.
- Punjoo, S., & Bhat, G.A. (2015). First report of spiders (Arachnida, Araneae) from Dachigam National Park, Kashmir, India. *Asian Journal of Conservation Biology*, 2(2), 707-719.
- Quasin, S., & Uniyal, V.P. (2010). Preliminary investigation of spider diversity in Kedarnath Wildlife sanctuary, Uttarakhand, India. *Indian Forester*, 136(10), 1340-1345.
- Rajeevan, S., Kunnath, S.M., Varghese, T., & Kandambeth, P.P. (2019). Spider diversity (Arachnida, Araneae) in different ecosystems of the Western Ghats, Wayanad Region, India. *South Asian Journal of Life Science*, 7(2), 29-39.
- Rao, K.T., Bastawade, D.B., Javed, S.M.M., & Krishna, I.S.R. (2006). Description of two new species of spiders of the genus *Poecilotheria* Simon (Araneae, Theraphosidae) and *Tmarus* Simon (Araneae, Thomisidae) from Nallamalai Hills, eastern Ghats, Andhra Pradesh, India. *Records of the Zoological Survey of India*, 106(1), 49-54.
- Raychaudhuri, D., Saha, S., & Roy, T.K. (2016). Spiders, a proficient candidate in practising IPM for Darjeeling Tea. *World Science News*, 38, 1-62.
- Reddy, T.S., & Patel, B.H. (1992). Two new species of the genus *Thomisus* Walckenaer (Araneae, Thomisidae) from coastal Andhra Pradesh. *Journal of Bombay Natural History Society*, 88, 268-272.
- Reimoser, E. (1934). Araneae aus Süd-Indien. *Revue Suisse de Zoologie*, 41, 465-511.
- Rithe, K. (2012). Spider diversity from relocated area of Melghat Tiger Reserve. *Indian Journal of Arachnology*, 1(2), 92-105.
- Roy, T.K., Dhali, D.C., Saha, S., & Raychaudhuri, D. (2010). Resurrection of the endemic bird dung crab spiders, *Phrynarachne* Thorell (Araneae, Thomisidae) of 19th century India. *Munis Entomology & Zoology*, 5, 543-550.
- Roy, T.K., Saha, S. and Raychaudhuri, D. (2017). Spider Fauna of Meghalaya, India. in, *Biodiversity , Exploration, Exploitation, Conservation and Management - Vision and Mission*. Proceedings of the UGC Sponsored National Seminar, Kolkata, India, 19-20th November, 2016 (Eds. S. Saha, M. Manna, J. Ghosh, S. Podder, E. Haque, S. Guria and S. Dey). *World Science News*, 71, 104-127.
- Saha, S., & Raychaudhuri, D. (2004). Hitherto unknown genera of spiders, *Ordgarius* Keyserling, *Pasilobus* Simon (Araneidae) and *Strigoplus* Simon (Thomisidae) from eastern India. *Journal of the Bombay Natural History Society*, 101, 425-428.
- Saha, S., & Raychaudhuri, D. (2007a). Crab spiders (Araneae, Thomisidae) of Jaldapara Wildlife Sanctuary, Jalpaiguri, West Bengal – I. *Journal of the Bombay Natural History Society*, 104, 58-63.

- Saha, S., & Raychaudhuri, D. (2007b). New crab spider of the genus *Thomisus* Walckenaer from Kolkata, West Bengal. *Munis Entomology & Zoology*, 2, 439-442.
- Saha, S., Bhadra, A., & Raychaudhuri, D. (2020). Diversity spectrum of spider fauna in backyard rice agroecosystem, Narendrapur, West Bengal, India. *World Science News*, 147, 61-75.
- Saha, S., Dhali, D.C., & Raychaudhuri, D. (2015a). Spider fauna (Araneae, Arachnida) of Rajasthan with special reference to Ranthambore National Park, Rajasthan, India. *Indian Journal of Arachnology*, 4(1), 30-40.
- Saha, S., Roy, T.K., Dhali, D.C. & Raychaudhuri, D. (2015b). Spider faunal diversity of tea ecosystem of Assam, India. *Romanian Journal of Biology & Zoology*, 60(1): 13-26.
- Saha, S., Roy, T.K., & Raychaudhuri, D. (2016). Survey on spider faunal diversity of Darjeeling tea plantations. *Munis Entomology & Zoology*, 11(2), 622-635.
- Sebastian, P.A., Murugesan, S., Mathew, M.J., Sudhikumar, A.V., Sunish, E. (2005a). Spiders in Mangalavanam, an ecosensitive mangrove forest in Cochin, Kerala, India (Araneae). *European Arachnology-Acta Zoologica Bulgarica*. No., 1, 315-318.
- Sebastian, P.A., Mathew, M.J., Beevi, S.P., Joseph, J., & Biju, C.R. (2005b). The spider fauna of the irrigated rice ecosystem in central Kerala, India across different elevational ranges. *Journal of Arachnology*, 33(2), 247-255.
- Sebastian, P.A., Mathew, M.J., & Murugesan, S. (2011). Spider fauna in the forest and agricultural ecosystems of central Kerala, India. In, *Arthropods and their Conservation in India (Insects & Spiders)* (Eds. Uniyal, V.P., & Shrivastava, A.). *ENVIS Bull. , Wildlife & Protected Areas*, 14, 159-174.
- Sen, J.K. (1963). On a new species of the genus *Thomisus* Walckenaer, 1805, (Thomisidae, Arachnida) from India. *Science and Culture*, 29, 610-612.
- Sen, J.K. (1964). On a new spider of the genus *Stiphropus* Gerstaecker, 1873 from India (Thomisidae, Arachnida). *Journal of the Zoological Society of India*, 16, 65-67.
- Sen, J.K., & Basu, B.D. (1963). *Thomisus mimae*, a new species (Thomisidae, Arachnida) from Calcutta. *Science and Culture*, 29, 515-516.
- Sen, S., Dhali, D.C., Saha, S., & Raychaudhuri, D. (2015). Spiders (Araneae, Arachnida) of Reserve Forests of Dooars, Gorumara National Park, Chapramari Wildlife Sanctuary and Mahananda Wildlife Sanctuary. *World Science News*, 20, 1-339.
- Sen, S., Saha, S., & Raychaudhuri, D. (2009). Spiders of Ranthambore National Park, Rajasthan. *Insect Environment*, 16(4), 172-173.
- Sen, S., Saha, S., & Raychaudhuri, D. (2010a). A new spider genus of the tribe Smodicinini (Araneae, Thomisidae) from India. *Munis Entomology & Zoology*, 5, 344-349.
- Sen, S., Saha, S., & Raychaudhuri, D. (2010b). Crab spiders (Araneae, Thomisidae) of Bandhavgarh National Park, with first record of *Stiphropus sangayus* Barrion & Litsinger from India. *Current Biotica*, 4(3), 278-284.
- Sen, S., Saha, S., & Raychaudhuri, D. (2012). Addition to the crab spider (Araneae, Thomisidae) fauna of India. *Munis Entomology & Zoology*, 7(2), 909-919.
- Sharma, A., & Singh, R. (2018a). Biodiversity and guild structure of spiders in northeastern Uttar Pradesh. *Journal of Life Sciences, Bioinformatics, Pharmaceuticals & Chemical Sciences*, 4(4), 525-541.
- Sharma, A., & Singh, R. (2018b). Species diversity and guild structure of spiders from Siddharthnagar, Uttar Pradesh, India. *Journal of Life Sciences, Bioinformatics, Pharmaceuticals & Chemical Sciences*, 4(4), 383-390.
- Sharma, A., Singh, R., & Singh, G. (2020a). Faunal diversity of Liocranidae, Mimetidae, Miturgidae, Nesticidae and Oecobiidae (Arachnida, Araneae) of India. *Serket*, 17(3), 270-283.
- Sharma, A., Singh, G., & Singh, R. (2020b). Faunal diversity of Linyphiidae (Araneomorphae, Araneae, Arachnida) in India. *Asian Journal of Conservation Biology*, 9(2), 304-314.
- Sharma, A., Singh, G., & Singh, R. (2021). Faunal diversity of spider families Dictynidae, Dysderidae, Eresidae and Filistatidae (Araneomorphae, Araneae, Arachnida) in India. *International Journal of Zoology and Applied Biosciences*, 6(1), 1-9.
- Sharma, S., & Ramakrishna, S. (2021). Study on diversity of spiders from Bangalore University Campus, Bengaluru, India. *Int. J. Sci. Res.*, 10(3), 37-38.
- Sherriffs, W.R. (1929). A contribution to the study of South Indian Arachnology IV. *Annals and Magazine of Natural History*, 10(2), 233-249.
- Shraddha, K.K., Chaturved, S.R. (2019). A study on diversity of spiders at Malavagoppa village, in Shimoga District, Karnataka. *International Journal of Environment Agriculture and Biotechnology*, 4(2), 544-555.
- Shraddha K.K., Chaturved, S.R. (2020). A Preliminary study on diversity of spiders at Amanikere Park in Tumakuru District, Karnataka. *International Journal of Science and Research*, 9(5), 570-581.
- Siliwal, M., & Molur, S. (2005). Range extension of *Platythomisus sudeepi* Biswas, 1977 (Araneae, Thomisidae). *Zoos' Print Journal*, 20(5), 1871.

- Siliwal, M., Suresh, B., Dhuru, S., & Pilo, B. (2003a). Spider diversity of riparian zone of river Vishwamitri, Gujarat. *Journal of Current Science*, 3(2), 429–434.
- Siliwal, M., Suresh, B., & Pilo, B. (2003b). Fauna of protected areas-3. Spiders of Purna Wildlife Sanctuary, Dangs, Gujarat. *Zoos' Print Journal*, 18(11), 1259-1263.
- Siliwal, M., Molur, S., & Biswas, B.K. (2005). Indian spiders (Arachnida, Araneae), updated checklist 2005. *Zoos' Print Journal*, 20(10), 1999-2049.
- Simon, E. (1885a). Matériaux pour servir à la faune arachnologiques de l'Asie méridionale.I.Arachnides recueillis à Wagra-Karoor près Gundacul, district de Bellary par M.M.Chaper.II.Arachnides recueillis à Ramnad, district de Madura par M.l'abbé Fabre. *Bulletin de la Société Zoologique de France*, 10, 1-39.
- Simon, E. (1885b). Matériaux pour servir à la faune arachnologiques de l'Asie méridionale.III.Arachnides recueillis en 1884 dans la presqu'île de Malacca, par M.J.Morgan.IV.Arachnides recueillis à Collegal, district de Coimbatore, par M.A.Theobald G.R. *Bulletin de la Société Zoologique de France*, 10, 436-462.
- Simon, E. (1895a). *Histoire naturelle des araignées*. Deuxième édition, tome premier. Roret, Paris, pp. 761-1084.
- Simon, E. (1895b). Descriptions d'arachnides nouveaux de la famille des Thomisidae. *Annales de la Société Entomologique de Belgique*, 39, 432-443.
- Simon, E. (1906). Arachnides (2e partie). In, Voyage de M.Maurice Maindron dans l'Inde méridionale.8e Mémoire. *Annales de la Société Entomologique de France*, 75, 279-314.
- Singh, B.B., & Singh, R. (2014). Incidence and biodiversity of riceland spiders (Arthropoda, Arachnida) in northeastern Uttar Pradesh, India. *Indo-American Journal of Life Sciences & Biotechnology*, 2(1), 64-89.
- Singh, B.B., Singh, R., & Singh, G. (2020). Faunal diversity of Clubionidae, Ctenidae, Cybaeidae, Deinopidae and Desidae (Araneomorphae, Araneae, Arachnida) in India. *Journal of Applied Bioscience*, 46(1, 2), 32-43.
- Singh, B.B., Singh, R., & Singh, G. (2021). Faunal diversity of spitting spiders (Scytodidae, Araneomorphae, Araneae, Arachnida) in India. *World Journal of Pharmaceutical & Life Sciences*, 7(3), 82-89.
- Singh, R. (2021a). Distribution of Sparassidae (Araneomorphae, Araneae, Arachnida) in India. *World Journal of Pharmaceutical & Life Sciences*, 7(3), 134-148.
- Singh, R. (2021b). Faunal biodiversity of Tetragnathidae (Araneomorphae, Araneae, Arachnida) in India. *International Journal of Biological Innovations*, 3(1), 92-119.
- Singh, R. (2021c). Faunal biodiversity of Lycosidae (Araneomorphae, Araneae, Arachnida) in India, an updated checklist. *International Journal of Zoological Investigations*, 7(1), 110-158.
- Singh, R. (2021d). Faunal diversity of Oxyopidae (Araneomorphae, Araneae, Arachnida) in India, an updated checklist. *Journal of Global Bioscience*, 10(4), 8539-8573.
- Singh, R. (2021e). Faunal diversity of Theridiidae (Araneomorphae, Araneae, Arachnida) in India, An updated checklist. *International Journal of Biological & Environmental Investigations*, 1(1), 1-35.
- Singh, R., & Singh, G. (2020). Diversity of mygalomorph spiders (Araneae, Opisthothelae) in India. *International Journal of Biological Innovations*, 2(2), 178-201.
- Singh, R., & Singh, G. (2021a). Faunal distribution of spiders of the families Titanoecidae, Trachelidae, Trochanteridae, Uloboridae and Zodariidae (Arachnida, Araneae) in India. *Serket*, 17(4), 370-393.
- Singh, R., & Singh, G. (2021b). Updated checklist of Philodromidae (Araneae, Arachnida) from India. *World Journal of Pharmaceutical & Life Sciences*, 7(2), 129-139.
- Singh, R., & Singh, G. (2021c). Faunal diversity of Gnaphosidae (Araneomorphae, Araneae, Arachnida) in India: An updated checklist. *Serket*, 17(4), in press.
- Singh, R., Singh, G., & Sharma, A. (2020a). Diversity of yellow sac spiders (Cheiracanthiidae, Araneae, Arachnida) in India. *Journal of Entomology and Zoology Studies*, 8(6), 118-126.
- Singh, R., Singh, G., & Sharma, A. (2020b). Faunal diversity of Hahniidae, Hersiliidae and Homalonychidae (Arachnida, Araneae, Araneomorphae) in India. *Serket*, 17(3), 240-251.
- Singh, R., Singh, G., & Singh, B.B. (2020c). Diversity of Asemoneinae, Eupoinae, Hisponinae, Lyssomaninae, Onomastinae and Spartaeninae (Arachnida, Araneae, Salticidae) in India, a checklist and bibliography. *Research Journal of Life Sciences, Bioinformatics, Pharmaceuticals & Chemical Science*, 6(5), 29-46.
- Singh, R., Singh, G., & Singh, B.B. (2020d). Diversity of Amycoidea and Astioidea (Arachnida, Araneae, Salticidae, Salticinae) in India. *Journal of Entomology and Zoology Studies*, 8(5), 1478-1488.
- Singh, R., Singh, G., & Singh, B.B. (2020e). Diversity of Marpissoidae, Chrysillini and Hasariini (Arachnida, Araneae, Salticidae, Salticinae) in India. *Research Journal of Life Sciences, Bioinformatics, Pharmaceuticals & Chemical Science*, 6(6), 15-42.
- Singh, R., Singh, G., & Singh, B.B. (2020f). Diversity of simonid spiders (Araneae, Salticidae, Salticinae) in

- India. *International Journal of Biological Innovations*, 2(2), 247-276.
- Singh, R., Singh, G., & Singh, B.B. (2021a). Faunal diversity of jumping spiders (Salticidae, Araneae, Arachnida) in India. *International Journal of Biological Innovations*, 3(1):1-37.
- Singh, R., Singh, G., & Singh, B.B. (2021b). Faunal diversity of Agelenidae, Amaurobiidae, Anyphaenidae, Arkyidae, Cithaeronidae and Corinnidae (Araneae, Arachnida) in India. *Munis Entomology & Zoology*, 16(2), 772-786.
- Singh, S., Borkotoki, A., & Sarmah, C.K. (2012). Species distribution of spiders in barpeta district of Assam, a diversity measure. *International Science Research Journal*, 4(1), 47-57.
- Sivaperuman, C., & Rathore, N.S. (2004). A preliminary report on spiders in Desert National Park, Rajasthan, India. *Zoos' Print Journal*, 19(5), 1485-1486.
- Smitha, M.S., & Sudhikumar, A.V. (2020). A diversity of spiders (Arachnida, Araneae) from a cashew ecosystem in Kerala, India. *Journal of Threatened Taxa*, 12(13), 16879-16884.
- Solanki, R., & Kumar, D. (2014). Effect of pesticides on spider population in cotton Agro-system of Vadodara (Gujarat). *The IIS University Journal of Science & Technology*, 3(1), 48-52.
- Solanki, R., Siliwal, M., & Kumar, D. (2020). A preliminary checklist of spiders (Araneae, Arachnida) in Jambughoda Wildlife Sanctuary, Panchmahal District, Gujarat, India. *Journal of Threatened Taxa*, 12(11), 16576-16596.
- Stoliczka, F. (1869). Contribution towards the knowledge of Indian Arachnoidea. *Journal of the Asiatic Society of Bengal*, 38(2), 201-251.
- Sudhikumar, A.V., Mathew, M.J., Sunish, E., Murugesan, S., & Sebastian, P.A. (2005). Preliminary studies on the spider fauna in Mannavan shoal forest, Kerala, India (Araneae). *European Arachnology-Acta Zoologica Bulgarica, Suppl. No.*, 1, 319-327.
- Sugumaran, M.P., Soundararajan, R.P., & Lakshamanan, V. (2007). Spider fauna in the horticultural crops of Yercaud hills. *Zoos' Print Journal*, 22(6), 2721-2722.
- Sumesh, N.V., & Sudhikumar, A.V. (2020). Checklist of spiders from the sacred groves of Northern Kerala, India. *Uttar Pradesh Journal of Zoology*, 41(9), 104-115.
- Sunil Jose, K., & Sebastian, P.A. (2001). New report on some crab spiders (Araneae, Thomisidae) from Kerala, India. *Entomon*, 26, 183-189.
- Sunil Jose, K., Samson, D., Sudhikumar, A.V., Sebastian, P.A. (2003). Description of Female *Amyciaea forticeps* (Cambridge), Araneae, Thomisidae, with a Redescription of Its Male from Kerala, India. *Journal of the Bombay Natural History Society*, 100, 157-160.
- Sunil Jose, K., Sudhikumar, A.V., Davis, S., & Sebastian, P.A. (2008). Preliminary studies on the spider fauna (Arachnida, Araneae) in Parambikulam Wildlife Sanctuary in Western Ghats, Kerala, India. *Journal of the Bombay Natural History Society*, 105(3), 264-273.
- Tabasum, N.R., Nagaraj, B., Shantakumari, S., Sreenivasa, V., & Sai Sandeep, Y. (2018). Assessment of spider diversity and composition along the Tungabhadra Irrigation Channel at Ballari, Karnataka. *International Journal of Biological Science*, 9(1), 36-44.
- Tang, G., Yin, C., & Peng, X. (2009). Six crab spiders of the subfamily Stephanopinae from southeast Asia (Araneae, Thomisidae). *The Raffles Bulletin of Zoology*, 57(1), 39-50.
- Thorell, T. (1891). Spindlar från Nikobarerna och andra delar af södra Asien. *Kongliga Svenska Vetenskaps-Akademiens Handlingar*, 24(2), 1-149.
- Tikader, B.K. (1960). On some new species of spiders (Arachnida) of the family Thomisidae from India. *Journal of the Bombay Natural History Society*, 57, 173-183.
- Tikader, B.K. (1961). On two new species of spider of the genus *Oxyptila* (family, Thomisidae) from India. *Proceedings of the Zoological Society, Calcutta*, 13, 115-118.
- Tikader, B.K. (1962). Studies on some Indian spiders (Araneae, Arachnida). *Journal of the Linnean Society of London, Zoology*, 44(300), 561-584.
- Tikader, B.K. (1963). Studies on interesting south Indian crab-spiders (Family, Thomisidae). *Proceedings of the Indian Academy of Science*, 58(B), 249-262.
- Tikader, B.K. (1964). A new species of spider of the genus *Oxyptila* (family Thomisidae) from India. *Science and Culture*, 30, 152-153.
- Tikader, B.K. (1965). On some new species of spiders of the family Thomisidae from India. *Proceedings of the Indian Academy of Science*, 61(B), 277-289.
- Tikader, B.K. (1966a). Studies on some crab-spider (family, Thomisidae) from Khasi and Jaintia hills, Assam, India. *Proceedings of the Indian Academy of Science*, 64(B), 53-61.
- Tikader, B.K. (1966b). Description of two new species of the genus *Xysticus* (family, Thomisidae) from India. *Journal of the Asiatic Society of Bengal*, 8, 249-252.
- Tikader, B.K. (1968). Studies on spider fauna of Khasi and Jaintia hills, Assam, India. Part-II. *Journal of the Assam Science Society*, 10, 102-122.
- Tikader, B.K. (1970). Spider fauna of Sikkim. *Records of the Zoological Survey of India*, 64, 1-83.

- Tikader, B.K. (1971). Revision of Indian crab spiders (Araneae, Thomisidae). *Memoirs of the Zoological Survey of India*, 15(8), 1-90.
- Tikader, B.K. (1977). Studies on spider fauna of Andaman and Nicobar islands, Indian Ocean. *Records of the Zoological Survey of India*, 72, 153-212.
- Tikader, B.K. (1980). *Fauna of India, Aranae*, Vol.1, Part 1, Thomisidae (Crab-spiders). Zoological Survey of India, Kolkata, pp. 1-247.
- Tikader, B.K., & Biswas, B. (1974). Some spiders of the genus *Xysticus* (family, Thomisidae) from Darjeeling, India. *Proceedings of the Indian Academy of Science*, 80(B), 262-266.
- Tikader, B.K., & Biswas, B. (1979). Two new species of spider of the genus *Tharpyna* Koch from India (Family, Thomisidae). *Journal of the Bombay Natural History Society*, 75, 903-905.
- Tikader, B.K., & Biswas, B. (1981). Spider fauna of Calcutta and vicinity, Part-I. *Records of the Zoological Survey of India, Occasional Paper No.*, 30, 1-149.
- Tiwari, A.K., & Singh, R. (2021). Diversity and distribution of Pisauridae (Araneae, Araneomorphae, Arachnida) in India. *International Journal of Entomology Research*, 6(1), 119-125.
- Tiwari, A.K., Singh, G., & Singh, R. (2021a). Faunal diversity of Oonopidae (Araneomorphae, Araneae, Arachnida) in India. *Journal of Global Biosciences*, 10(1), 8340-8351.
- Tiwari, A.K., Singh, G., & Singh, R. (2021b). Biodiversity of some poorly known families of spiders (Araneomorphae, Araneae, Arachnida) in India. *Journal of Global Biosciences*, 10(1), 8352-8371.
- Tiwari, A.K., Singh, R., & Singh, G. (2021c). Diversity and distribution of Pholcidae (Araneae, Araneomorphae, Arachnida) in India. *International Journal of Life Sciences*, 9(1), 124-134.
- Trivedi, V. (2009). Diversity of spiders in groundnut crop fields in village area of Saurashtra region. *Journal of the Bombay Natural History Society*, 106(2), 184-189.
- Uniyal, V.P. (2006). Records of spiders from Indian trans-Himalayan region. *Indian Forester*, 132(12a), 177-181.
- Uniyal, V.P., & Hore, U. (2006). Studies on the spider fauna in mixed sal forest area of Chandrabani, Dehradun. *Indian Forester*, 132(12a), 83-88.
- Uniyal, V.P., & Hore, U. (2009). Effect of management practices on spider diversity in Terai Conservation Area (TCA). Final Project Report, Wild Life Institute of India. pp. 222.
- Uniyal, V.P., Sivakumar, K., & Quasin, S. (2011). Diversity of spiders in Nanda Devi Biosphere Reserve. Wildlife Institute of India, Dehradun. DST Project Completion Report, pp. 199.
- Vaibhav P.U, Vidyavati M.H, Tanuja K.D., Milind F.N., Karuna G., Veeranagoudar D.K., & Pulikeshi M.B. (2017). Spider diversity of Karnatak University Campus, Dharwad. *International Journal of Advanced Scientific Research and Management*, 2(1), 12-26.
- Vairale A.B, Wagh G.A. (2021). Diversity of spiders in microhabitats of a tropical reserve forest of Amravati, Maharashtra, India. *Bioscience Biotechnology Research Communications*, 14(1), 446-452.
- Vineetha, VP & George, J. (2021). Diversity of spiders (Araneae, Arachnida) in selected mangrove ecosystems of Northmalabar, Kerala, India. *International Journal of Entomology Research*, 6(2), 170-174.
- Warghat, N., Sharma, N., Thakur, P., & Baig, M. (2014). Genetic diversity analysis of crab spider (Araneae, Thomisidae) based on RAPD-PCR. *Indian Journal Applied Research*, 4(8), 1-5.
- Warghat, N.E., Gaur, A.J., Sharma, N.R., Chirde, S.G., & Chandrakar, M.R. (2011). Spiders (Araneae) from agricultural fields near foothill of Satpura Mountain ranges of Amravati District, Maharashtra, India. *Nature Precedings*. pp. 1-11. doi:10.1038/npre.2011.5912.1
- White, L., Pryce, D., Wilkins, V.L., & Dutton, A.J. (2019). *Bonapruncinia sanctaehelenae*. *The IUCN Red List of Threatened Species* 2019: e.T65881343A67528211.
- WSC (2021). World Spider Catalog. Version 22.0. Natural History Museum Bern, online at <http://wsc.nmbc.ch>, accessed on 10 July, 2021.
- Yadav, A. (2019). Diversity and ecology of spiders in Champaner-Pavagadh Archaeological Park, a world heritage site in Gujarat. Ph. D. Thesis, The Maharaja Sayajirao University of Baroda, Vadodara, Maharashtra, India.
- Yadav, A., Solanki, R., Siliwal, M., & Kumar, D. (2017a). Spiders of Gujarat, a preliminary checklist. *Journal of Threatened Taxa*, 9(9):10697-10716.
- Yadav, M., Goswami, T.N., Anil & Ray, S.N. (2016). Species composition of spider-fauna in paddy ecosystem throughout the cropping period at Sabour, Bihar, India. *Ecology, Environment and Conservation*, 22(2), 719-722.
- Yadav, S., Patil, V., & Ismavel, V.A. (2017b). Report of *Platythomisus octomaculatus* (C.L.Koch, 1845) and *Platythomisus sudeepi* Biswas, 1977 from India (Araneae, Thomisidae). *Biodiversity Data Journal*, 5(e10294), 1-8.