

# Role of vaccine contamination with aquaporin-4 containing chick embryo cell culture in the etiology of neuromyelitis optica spectrum disorders

Vinu Arumugham  
Aug 2017  
vinucubeacc@gmail.com

## Background

Autoimmunity against aquaporin-4 (AQP4) has been associated neuromyelitis optica spectrum disorders (NMOSD).<sup>1</sup> Vaccines such as measles, mumps and rubella (MMR)<sup>2</sup> and tick-borne encephalitis (TBE) are prepared using chick embryo cell culture. The role of MMR contamination with GAD65 containing chick embryo cell culture in type 1 diabetes was previously described.<sup>3</sup>

AQP4 is expressed during chicken embryogenesis.<sup>4</sup>

## Method

AQP4 *Gallus gallus* (chicken) protein sequence was obtained from Uniprot.<sup>5</sup>

BLASTP was used to determine homology to human AQP4.<sup>6</sup>

## Results

AQP4 protein comparison between human and chicken reveals 86% sequence homology as shown below.

PREDICTED: aquaporin-4 isoform X1 [*Gallus gallus*]  
[XP\\_015133432.1](#) 323 1

[GenPeptGraphics](#) [Next Match](#) [Previous Match](#)

### Alignment statistics for match #1

Score	Expect	Method	Identities	Positives	Gaps
581 bits(1498)	0.0	Compositional matrix adjust.	278/323(86%)	299/323(92%)	0/323(0%)
Query 1		MSDRPTARRWGKCGPLCTRENIMVAFKGVWTQAFWKAVTAEFLAMLIFVLLSLGSTINWG			60
		MSDR A R GKC LC E+IMVAFKGVWTQ FWKAV+AEFLAMLIFVLLSLGSTINWG			
Sbjct 1		MSDRAAAPRRGKCARLCKCESIMVAFKGVWTQPFWKAVSAEFLAMLIFVLLSLGSTINWG			60
Query 61		GTEKPLPVDMLVLSLFCGLSIATMVQCFGHISGGHINPAVTVAMVCTRKISIAKSVFYIA			120
		G+EKPLPVDMLVLSLFCGLSIATMVQCFGHISGGHINPAVTVAMVCTRKIS+AKSVFYI			
Sbjct 61		GSEKPLPVDMLVLSLFCGLSIATMVQCFGHISGGHINPAVTVAMVCTRKISLAKSVFYIL			120
Query 121		AQCLGAIIGAGILYLVTTPPSVVGGLGVTMVHGNTAGHLLVELIITFQLVFTIFASCDS			180
		AQCLGAI+GAGILYL+TPPSVVGGLGVT VHG+L+AGHLLVELIITFQLVFTIFASCDS			
Sbjct 121		AQCLGAIIVGAGILYLITPPSVVGGLGVTAVHGDLSAGHLLVELIITFQLVFTIFASCDS			180
Query 181		KRTDVTGSIALAIGFSAIGHLFAINYTGASMNPARSFGPAVIMGNWENHWIYWVGPIIG			240
		KR+DVTGS+ALAIIGFSAIGHLFAINYTGASMNPARSFGPAVIMG WEN W+YWVGPIIG			
Sbjct 181		KRSDVTGSVALAIGFSAIGHLFAINYTGASMNPARSFGPAVIMGKVENQWVYWVGPIIG			240
Query 241		AVLAGGLYEYVFCPDVEFKRRFKEAFSAAQQTGKSYMEVEDNRSQVETDDLILKPGVVH			300
		AVLAG LYEYV+CPD+E KRRFK+ FSKA Q +KG Y+EV+D RS VETDDLILKPG+VH			
Sbjct 241		AVLAGALYEYVYCPDMELKRRFKDVFASKATQPSKGYIEVDDTRSHVETDDLILKPGIVH			300

Query 301 VIDVDRGEEKKGDQSGEVLSSV 323  
VID+DR E+KKG+D S EVLSSV  
Sbjct 301 VIDIDRSEDKKGRDPSEVLSSV 323

## Discussion

The results above provide strong evidence that chicken embryo cell culture proteins in vaccines can cause the development of antibodies against chicken AQP4 which cross-react with human AQP4 protein to cause NMOSD.

This is very similar to the Pandemrix vaccine causing narcolepsy.<sup>7</sup>

This is also similar to neuroparalytic accidents described following administration of vaccines contaminated with rabbit or duck embryo neural tissue.<sup>8</sup>

## Action

Vaccine design and safety processes have fundamental problems that need to be immediately addressed to avoid such devastating consequences.<sup>9</sup>

## References

1. Bennett JL, Lam C, Kalluri SR, Saikali P, Bautista K, Dupree C, et al. Intrathecal pathogenic anti-aquaporin-4 antibodies in early neuromyelitis optica. *Ann Neurol*. United States; 2009 Nov;66(5):617–29.
2. MMR II Vaccine Package Insert [Internet]. [cited 2016 May 3]. Available from: <http://www.fda.gov/downloads/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM123789.pdf>
3. Arumugham V. Role of MMR II vaccine contamination with GAD65 containing chick embryo cell culture in the etiology of type 1 diabetes [Internet]. 2017. Available from: <https://www.zenodo.org/record/1034771>
4. Nico B, Frigeri A, Nicchia GP, Quondamatteo F, Herken R, Errede M, et al. Role of aquaporin-4 water channel in the development and integrity of the blood-brain barrier. *J Cell Sci*. England; 2001 Apr;114(Pt 7):1297–307.
5. UniProt: the universal protein knowledgebase. *Nucleic Acids Res*. 2017 Jan 4;45(D1):D158–69.
6. Altschul SF, Madden TL, Schäffer AA, Zhang J, Zhang Z, Miller W, et al. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res*. 1997;25(17):3389–402.
7. Ahmed SS, Volkmuth W, Duca J, Corti L, Pallaoro M, Pezzicoli A, et al. Antibodies to influenza nucleoprotein cross-react with human hypocretin receptor 2 (ABSTRACT ONLY). *Sci Transl Med*. 2015;7(294):294ra105–294ra105.
8. Bennetto L, Scolding N. INFLAMMATORY/POST-INFECTIOUS ENCEPHALOMYELITIS. *J Neurol Neurosurg Psychiatry*. BMJ Publishing Group Ltd; 2004;75(suppl 1):i22–8.

9. Arumugham V. Flawed assumptions fuel autoimmune disease: The sorry state of vaccine safety science [Internet]. 2017. Available from: <https://www.zenodo.org/record/1034760>