

# Thermal Conductivity Core Track Sheets

EXP	SITE	HOLE	CORE	SEC	OFFSET	NEEDLE or PUCK #	THERMCON VALUES	NOTES
383	U 1542	A	1					Too wet no measurements taken
		A	2					Too wet no measurements taken
		A	3	2	64	0.7 N	1.272 1.385 1.313	8.1 19 35.7 503 51.8 187
		A	4	6	37	0.7 N	1.314 1.345 1.327	13.8 353 272 425 52.4 350
		A	5	5	80	0.7 N	1.348 1.358 1.328	45.2 225 80.0 83 44.2 86
		A	6	7	67	0.7 N	1.536 1.528 1.516	120.4 530 61.5 220 68.5 422
		A	7	6	25	0.7 N	1.405 1.367 1.372	110.5 309 242.5 110 19.4 135
		A	8	2	71	0.7 N	1.333 1.444 1.404	10.0 / 22 146.1 / 882 13.6 / 135
		A	9	6	48	0.7 N	1.273 1.529 1.340	53.9 / 1044 1400.6 1533 657.4 1348
		A	10	5	46	0.7 N	2.693 1.385 1.428	92.7 99 344 274 97.7 223
		A	11	6	96	0.7 N	1.360 1.380 1.393	47.3 152 16 / 277 237.3 / 215

## Thermal Conductivity Core Track Sheets

[illegible]